87
Year of Revision

State of Alaska
Department of Fish and Game
Nomination for Waters
Important to Anadromous Fish

ALASKA DEPT. OF FISH & GAME
OCT 27 1986
REGION II
HABITAT DIVISION

Anadromous Water Catalog Volume Southwestern

USGS Quad (38) Kodiak D-2

Name of Waterway ~~Beaver~~ Island Lake Creek + ~~Horseshoe~~ Horseshoe Lake

Anadromous Water Catalog Number of Waterway ~~259-21~~ 259-10
100~~8~~35 [illegible]

Change to _____ Atlas
_____ Catalog
X Both

Addition _____
Deletion _____
Correction X extend upper limit

Name addition:
USGS name _____
Local name _____

For Office Use

Nomination # 87-059

Regional Supervisor [signature] Date 10/27/86

OK [signature] Date 11/13/86

Drafted FI Date 11/3

Species	Date(s) Observed	Spawning	Rearing	Migration
CO	5/19/86	CO	CO	

Comments: Provide any clarifying information, including number of fish observed, location of fish survey data, etc.

Electrofished two juvenile cohos (76 mm, 91 mm) from "creek" (drainage ditch) leading into Beaver Lake 1/ Local ~~redes~~ resident (Maureen Butler) said that adult cohos were seen spawning in the creek in 1985. She reported this to Larry Malloy - ADF&G - Kodiak

See additional comments on attachment

Attach a copy of a map showing location of mouth and upper points of each species, specific stream reaches identified for spawning or rearing, locations of barriers, such as falls. Attach a copy of the fish survey data, if available.

Name of Observer (please print) Kimbal A. Sundberg

Date: 10/21/86 Signature: [signature]

Address: ADF&G, Habitat Division
Anchorage

Signature of Area Biologist: [signature] (Regional Supervisor)

1/ Creek follows Selief Drive. Fish taken approx. 150 yds upstream from Beaver L.

Additional Comments on Island Lake Creek and Horseshoe Lake

On November 13, 1986 Kim Sundberg and Pete Murray placed seven minnow traps in ~~the~~ Horseshoe Lake along Selief Lane and in the portion of Island Lake Creek flowing out of the Lower Reservoir and into Beaver Lake. 232 coho salmon juveniles (51-102 mm Fork L) were captured after traps were soaked 2-3 hrs. Coho juveniles were found at all sample locations up to the Lower Reservoir dam. One coho salmon carcass (est 8 lbs) was found in Island Lake Creek approx. 1/3 mile downstream of the Lower Reservoir dam. This system was stocked with 35,000 coho fingerlings (approx 50 mm, 1g.) in ~~the summer~~ June (over)



KODIAK (D-2) ALASKA

1949

S STREAM CATALOG
E LISTED PURSUANT TO AS 16.05.870 (a)

K D-2

STATE OF ALASKA
DEPARTMENT OF FISH AND GAME
habitat protection division
JUNEAU, ALASKA

BY	DATE
PKW	2/84
REVISIONS	