

FEB 18 1997

AWC Volume SE SC SW W AR IN USGS Quad Unalaska

HABITAT AND RESTORATION
 DIVISION

Anadromous Water Catalog Number of Waterway 302-21

Name of Waterway Teal Creek USGS name _____ Local name XX

Addition XX Deletion _____ Correction _____ Backup Information _____

For Office Use

| | | |
|--|---------------------|-------|
| Nomination # <u>97 254</u> | _____ | _____ |
| Revision Year: _____ | Regional Supervisor | Date |
| Revision to: Atlas _____ Catalog _____ | _____ | _____ |
| Both _____ | _____ | _____ |
| Revision Code: <u>F-3</u> | Drafted | Date |

OBSERVATION INFORMATION

| Species | Date(s) Observed | Spawning | Rearing | Migration | Anadromous |
|--------------|------------------|----------|---------|-----------|------------|
| Dolly Varden | 6/28/96 | | XXX | | probably |
| | | | | | |
| | | | | | |
| | | | | | |

IMPORTANT: Provide all supporting documentation that this water body is important for the spawning, rearing or migration of anadromous fish, including: number of fish and life stages observed; sampling methods, sampling duration and area sampled; copies of field notes; etc. Attach a copy of a map showing location of mouth and observed upper extent of each species, as well as any other information such as: specific stream reaches observed as spawning or rearing habitat; locations, types, and heights of any barriers; etc.

Comments: Minnow trap baited with cured salmon eggs, fished from 1330 hr. to 1800 hr. (4.5 hr. total); no fish captured because eggs escaped from trap, however, 7 DV @ approximately 230, 230, 152, 152, 152, 60, 60 mm were visually observed for several minutes at close range in pools just downstream of the sample site and upstream of the road crossing of the stream. Water conditions at the time were perfectly clear, with a bright sun and fish markings were readily visible. The stream channel is 24 to 36 inches wide with a substrate composed of sand and gravel. Herbaceous vegetation overhangs the stream course which meanders up-valley from the sample site; but, pool habitat is not as prevalent as would normally be expected. The channel may have been impacted by World War II activities. Ground survey of the area indicates that fish rearing habitat extends at least 1,500 meters upstream of the road crossing.

In addition, the lower Teal Creek stream reaches found in the Thirty-Three Creek valley (within 500 meters of Teal Creek's mouth) likely provide rearing habitat for coho, however, samples were not attempted in the lower creek reach because of time constraints.


[note: length estimates, above, are tip of snout to fork of tail]

Name of Observer (please print) C. Wayne Dolezal

Date: 2/12/97 Signature: C. Wayne Dolezal
 Address: ADF&G - Habitat and Restoration Division
333 Raspberry Road
Anchorage, Alaska 99518-1599

This certifies that in my best professional judgement and belief the above information is evidence that this waterbody should be included in or deleted from the Catalog of Waters Important for Spawning, Rearing or Migration of Anadromous Fishes per AS 16.05.870.

Signature of Area Biologist: _____ Rev. 7/93



Scale :

100 meters

12

18

17

08

09

10

11

S

A

P

15

K

