



State of Alaska  
Department of Fish and Game  
Division of Sport Fish

Nomination Form  
Anadromous Waters Catalog

Region  USGS Quad(s)

AWC Number of Water Body

Name of Water body   USGS Name  Local Name

- Addition  Deletion  Correction  Backup Information

For Office Use

Nomination # _____  Revision Year: _____ Revision to: Atlas _____ Catalog _____ Both _____  Revision Code: _____	_____	_____
	Fisheries Scientist	Date
	Habitat Operations Manager	Date
	AWC Project Biologist	Date
	_____	_____
	GIS Analyst	Date

OBSERVATION INFORMATION

Species	Date(s) Observed	Spawning	Rearing	Present	Anadromous
Coho salmon	8/21/2014		10		<input checked="" type="checkbox"/>
Sculpin	8/21/2014			9	<input type="checkbox"/>
					<input type="checkbox"/>
					<input type="checkbox"/>
					<input type="checkbox"/>

**IMPORTANT:** Provide all supporting documentation that this water body is important for the spawning, rearing or migration of anadromous fish, including: number of fish and life stages observed; sampling methods, sampling duration and area sampled; copies of field notes; etc. Attach a copy of a map showing location of mouth and observed upper extent of each species, as well as other information such as: specific stream reaches observed as spawning or rearing habitat; locations, types, and heights of any barriers; etc.

**Comments**

Sampling Method: Backpack electrofisher (400V)  
 Observed upper extent of anadromy (NAD 83 decimal degrees) 62.39650, -150.71971  
 Upper extent of anadromy is at top of a small beaver complex, above the beaver complex the stream increased in gradient and became small and narrow with limited spawning or rearing habitat  
 All coho observed were age 0+  
 Reach to be added extends from Petersville rd. upstream to above waypoint.

Name of Observer (please print):


Signature: \_\_\_\_\_ Date: \_\_\_\_\_

Agency:

Address:

This certifies that in my best professional judgment and belief the above information is evidence that this waterbody should be included in or deleted from the Anadromous Waters Catalog.

Signature of Area Biologist: \_\_\_\_\_ Date: \_\_\_\_\_ Revision 11/13  
 Name of Area Biologist (please print): \_\_\_\_\_



Approximate location of reach to be added to the AWC



Juvenile Coho Salmon



Beaver pond complex at the upper extent of anadromy, coho were found in the beaver ponds but not above them.