

Essowah Lake Creek

104-10-08


R. Larson

8-11-75


104-10-10-50-2003

60% ASA in mouth of stream rapidly changing to 0% 50 yards upstream.

The upper stream has more gravel again but steepens and becomes impassible after approximately 1/4 mile.



5% ASA



Name Essowah Lake Creek Catalog No. 104-10-08
 Latitude N 54° 47' ~~34"~~ 46" WR No. _____
 Longitude W 132° ~~52' 31"~~ 53' 13" K No. _____
 Geodetic Map No. Dixon Entrance D-3 Work Area Ketchikan
 Location .6 mile west of Parrot Cr. Watershed Length 1.5 miles
 Drainage Area of Watershed 1.5 sq. miles
 Water Supply Type Precipitation

Trails & Survey Routes Stream bed can be walked but has much debris in the stream and quite brushy banks.

Aerial Survey Notes Stream is too small and dark to survey by air.

Anchorage Lake stream.

Tide Stage When Surveyed N/A

FISHERY RESOURCES

Commercial Fisheries No fry seen although stream could be used for spawning by a small number of pink, coho and sockeye.

Escapement This is a very low potential stream due to its small size and poor spawning area. Available spawning area - 36 M²

Species Composition Unknown

Timing Unknown

Schooling areas In mouth of stream.

Shellfish Potential None

Sport Fisheries Dolly Varden in Essowah Lake.

Land Use at Present None

History of Land Use Unknown

Rehabilitation Potential None

Soils Stable.

GAME RESOURCES

Bear -----	Fish carcasses or bones (old or fresh) on banks, estimate	-
	Number of droppings	-
Geese -----	Number seen on tide flats	-
	Number seen up creek	-
	Number of broods seen	-
Mallards ---	Number seen on tide flats	-
	Number seen up creek	-
	Number of broods seen	-
Mergansers -	Number of broods seen	-
Bald Eagles-	Number seen along creek	-
	Number of nests seen and location	-
Seals -----	Number seen at mouth of stream	-
Tide flats -	Estimate length along beach	-
	Estimate depth out from beach	-
	Eel grass present on what percent of flats	-

