REPORT FOR GAME FISH STOCKING PROGRAM

Alaska Game Commission

Thayer Lake ~~River~~ Location Admiralty Is

Latitude 57° 40' Longitude 134° 25' Drains into Thayer Cr.

Elevation approx 150 feet. Area of lake 3000 acres

Length of stream approx 7 miles. Empties into Mitchell Bay

Water brownish Depth 125 feet
(clear - colored by vegetation, glacial silt, etc.)

Temperature 60°F Surface ____ ~~Depth~~ ____ (feet)

Shore line: Mucky ____ % Gravelly 60 % Banks: Slope Abrupt 75 % Gentle 25%

Food Supply Insects + larvae, stickleback, algae
(water plants - other)

Present fish found in lake or stream Cutthroat, dally Varden, Lake Trout?

Spawning grounds a number of inlet streams all appear good

Recommended stocking with nothing

Is water used by spawning salmon? no

Discuss stream, falls, rapids, etc., in relation to fish movement and spawning grounds Several falls are absolute barriers to fish in the outlet

Is there a trail to lake? yes Along Stream? no Could planting of game fish be done best by trail or by plane? plane

REMARKS Thayer lake is very close to the Hasselborg system and receives some play from Juneau sportsmen. Bob Nelson has a small resort on the outlet

Submitted by:

Date [illegible]

Robert T Baade

Fishery Biologist (Title)