Alaska Department of Fish and Game

FISH STOCKING

Lake YOUNGS ; Location ADMIRALTY IS.

DATE	SPECIES	SIZE	NUMBER	SURFACE TEMP.	SOURCE OF FISH HATCHERY—STOCK
1950	G	6-16"	125		McDonald Lk.B.C.

(over for remarks)

1

111-41-005

REPORT FOR GAME FISH STOCKING PROGRAM

Alaska Game Commission

Lake ~~River~~ Young's Location Admiralty Is

Latitude 58° 7' Longitude 134° 28' Drains into Young's Creek

Elevation approx 90 feet. Area of lake approx 400 acres

Length of stream 6 ~~approx~~ miles. Empties into Young's Bay

Water Brownish Depth unknown feet
(clear - colored by vegetation, glacial silt, etc.)

Temperature _____ Surface 54°F at 1200
Depth _____ (feet)

Shore line: Mucky 5 % Gravelly 50 % Banks: Slope Abrupt 90 % Gentle 10 %

Food Supply Cottoids, snails, sticklebacks, salmon spawn + fry
(water plants - other)
insects + aquatic insect larvae, abundant water plants

Present fish found in lake or stream Cutthroat, rainbow, coho, cottoids, sticklebacks

Spawning grounds Very good in inlet at head of lake

Recommended stocking with nothing

Is water used by spawning salmon? yes cohos, lower reaches of outlet by pinks, chums

Discuss stream, falls, rapids, etc., in relation to fish movement and spawning grounds the outlet has falls that are barriers at most water stages

Is there a trail to lake? yes Along Stream? yes Could planting of game fish be done best by trail or by plane? plane

REMARKS Shelter + skiff in good shape at lake. Shelter at beach is in good shape. Lake used by sportsmen from Juneau quite handily. Grayling unsuccessfully planted (1952?)

Submitted by:

Date 9/12/53

Robert T Baade
Fishery Biologist (Title)

STOCKING RECORD

Young's (Name) Lake ~~River~~

Date	Stocked with	Number	Stocked by	Trans.	Stock from	Successful?
1952	Grayling	250	Coop FWS. A&F ATS	Plane	Allin	? no

SKETCH MAP

USE SKETCH IF NEEDED TO ILLUSTRATE ANY FEATURES

300 - 5/42