


Bristol Bay Sockeye Salmon Fishery

Port Moller Sockeye Salmon Stock Composition Summary June 22–23, 2011 – All Stations

Genetic stock composition estimates for sockeye salmon from the Port Moller Test Fishery for June 22–23, 2011. A total of 715 fish were sampled and 190 were analyzed (190 had adequate data to include in the analysis).

Reporting Group	Stock	90%	
	Composition Estimate	Lower	Upper
Kuskokwim Bay	0.5%	0.0%	1.6%
Togiak River	1.3%	0.0%	3.2%
Igushik River	5.4%	1.5%	9.4%
Wood River	13.6%	9.0%	18.9%
Nushagak River	0.3%	0.0%	1.8%
Kvichak River	9.7%	5.5%	14.8%
Alagnak River	3.5%	1.1%	6.5%
Naknek River	19.5%	12.3%	27.3%
Egegik River	8.8%	3.3%	14.7%
Ugashik River	37.2%	27.9%	46.7%
North Peninsula	0.1%	0.0%	1.0%


Genetic Stock Composition Estimates for Sockeye Salmon Captured in the Port Moller Test Fishery, June 22–23, 2011 (All Stations).




The genetic analysis was completed by the Alaska Department of Fish and Game, Division of Commercial Fisheries, Gene Conservation Laboratory.

Historical Comparison of Stock Composition Estimates


2011



2010




2009




Date

Historical Comparison of Stock Composition Estimates


2008



2007



2006



Date