

# Bristol Bay Sockeye Salmon Fishery


## Port Moller Sockeye Salmon Stock Composition Summary

July 1–2, 2019 – All Stations

Genetic stock composition estimates for sockeye salmon from the Port Moller Test Fishery for July 1–2, 2019. A total of 463 fish were sampled and 190 were analyzed (189 had adequate data to include in the analysis).

Reporting Group	Stock	90%	
	Composition Estimate	Lower	Upper
North Peninsula	8.9%	4.6%	13.8%
Ugashik	0.4%	0.0%	2.9%
Egegik	27.1%	19.7%	35.6%
Naknek	14.2%	8.9%	20.2%
Alagnak	0.0%	0.0%	0.0%
Kvichak	15.0%	8.2%	21.9%
Nushagak	10.0%	4.3%	16.6%
Wood	23.3%	16.6%	30.2%
Igushik	0.6%	0.0%	4.9%
Togiak	0.0%	0.0%	0.0%
Kuskokwim	0.3%	0.0%	1.5%


**Genetic Stock Composition Estimates for Sockeye Salmon Captured in the Port Moller Test Fishery, July 1–2, 2019 (All Stations).**




The genetic analysis was completed by the Alaska Department of Fish and Game, Division of Commercial Fisheries, Gene Conservation Laboratory.

# Historical Comparison of Stock Composition Estimates


2019



2018




2017




Date

# Historical Comparison of Stock Composition Estimates


2016



2015




2014




Date

# Historical Comparison of Stock Composition Estimates


2013



2012




2011




Date

# Historical Comparison of Stock Composition Estimates


2010



2009



2008



Date