Appendix C: Excursion Inlet

Guide to direct fieldwork for cataloging anadromous water bodies in Southeast Alaska

Alaska Department of Fish and Game

Division of Habitat



Symbols and Abbreviations

K Chinook salmon
CH chum salmon
CO coho salmon

CT cutthroat trout (anadromous and resident juveniles and adults)

DV Dolly Varden char

OU eulachon

S sockeye salmon P pink salmon

RT rainbow trout (unknown juvenile or resident adult)

SC sculpin sp.

SH steelhead trout (adult)
SB threespine stickleback

s spawning
r rearing
p presence
EF electrofish

VI visual identification

HN handnet
RS route survey
MT minnow trap
BS beach seine
FN fyke net

(ginger pink) route correction

(apatite blue) addition

(solar yellow) future investigation

(poinsettia red) resident fish
(lepidolite lilac) conveyance
(electron gold) deletion
(lapis lazuli) AWC

(lapis lazuli) overflow channel

* (electron gold) barrier

This appendix is a working document updated as new information is acquired. Figures and tables are numbered per water body. Pages numbers are eliminated to prevent document reprinting when individual pages are inserted or removed.

EXCURSION INLET SURVEYS

Excursion Inlet is located 40 miles from Juneau and included in the Haines Borough.¹ The former native village has been the site of fish canneries since 1891 and was used during World War II as a prisoner of war camp and strategic base. The 2010 census documents 12 people living in Excursion Inlet² (Figure 1).



Figure 1.-Excursion Inlet survey map.

U.S. Census Bureau. 2010. Borough/Census area maps for Haines Borough. 2010 Census: Alaska demographic profiles. Retrieved from: http://labor.alaska.gov/research/census/borcamaps/5 9 0map.pdf (Accessed March 17, 2015).

² U.S. Census Bureau. 2010. Demographic profile for Haines Borough. 2010 Census: Alaska demographic profiles. Retrieved from: http://live.laborstats.alaska.gov/cen/dp.cfm (Accessed March 17, 2015).



114-80-10400 CORRECTION

Water body name: North Creek
Survey date: 11/7/2012
Water body number: 114-80-10400
Species & Lifestage: COr, Pp

Watershed: Excursion River-Frontal Icy Strait

MTR: C040S060E Quad: Juneau B-5

Findings: I surveyed this stream using an electrofisher, minnow traps and GPS (Table 1). I captured rearing coho salmon, Dolly Varden char and rainbow trout and visually identified adult pink salmon.

Recommendations: I discovered I did not correctly report the upper extent in 2012, so I

submitted a new nomination to waypoint 187 in November 2014 (Figure 1).

Nomination: 15-512

Table 1.-114-80-10400 survey data.

Waypoint	Latitude	Longitude	Notes	Sample Effort	Sample Results
141	58.4233	-135.4455	Tidewater falls, below mean.		
138	58.4219	-135.4394	Start of 0.1 mile side channel	VI	40 Ps
			(SC). Pinks digging redds.		
137	58.4214	-135.4388	Concrete footing, excellent		
			rearing habitat here.		
136	58.4206	-135.4362	SC.		
135	58.4206	-135.4358	XIP winter water intake site.		
110	58.4210	-135.4331	Minnow trap several CO	MT	CO
			juveniles.		
111	58.4212	-135.4300		EF	1 CO, 2 DV
124	58.4209	-135.4294	Old dam site and penstock		
			support.		
125	58.4223	-135.4230	Old logging road start.		
123	58.4230	-135.4253	Good SC and rearing.		
112	58.4232	-135.4262	Large Log jam, site of previous		
			low head dam. 2-3% gradient		
			up to here.		
113	58.4241	-135.4264	SC.	EF	9 DV, 2 CO
114	58.4260	-135.4236	Some incised banks beginning.		
115	58.4273	-135.4213	2% gradient here.		
122	58.4285	-135.4194	Small SC.		
116	58.4290	-135.4191	2.5% gradient over 200'.	EF	2 CO
136	58.4206	-135.4362	SC.		
121	58.4295	-135.4185	Small tributary.		
120	58.4314	-135.4156	Top of survey day 1, hook and	VI	8 DV
			line sampling.		
127	58.4327	-135.4113	High gradient trib. that was		
			followed to stream.		
128	58.4347	-135.4127	SC top of anadromous fish	EF	2 CO, 4 DV
			capture.		
129	58.4363	-135.4128	Bottom of slide at left.		

Table 1.-Continued.

Table 1.–	Continued.				
Waypoint	Latitude	Longitude	Notes	Sample Effort	Sample Results
130	58.4358	-135.4107	Top of survey, no barrier		
			present.		
188	58.4400	-135.4099	Side channel, good rearing		
			habitat.		
180	58.4398	-135.4063	Fished 60 ft of good rearing	EF	4 DV
			habitat.		
181	58.4400	-135.4042	160 mm Rainbow Trout	EF	RBT
			Electrofished.		
187	58.4404	-135.4037	2 Coho - 30 mm, 10 DV	EF	2 CO, 10 DV
			electrofished in calm side		
			channel. Good habitat between		
			here and snow bridge.		
183	58.4405	-135.4002	High gradient chute.		
184	58.4405	-135.4002	Chute continued.		
186	58.4408	-135.3985	7% gradient, 21.5 m.	EF	2 DV
142	58.4408	-135.3989	Potential Barrier North Creek		
			Fly-over video minute 1:38.		
143	58.4437	-135.3908	Potential Barrier North Creek		
			Fly-over video minute 2:11.		
144	58.4450	-135.3888	Potential Barrier North Creek		
			Fly-over video minute 2:21.		
145	58.4442	-135.3870	Potential Barrier North Creek		
			Fly-over video minute 2:30.		
146	58.4447	-135.3812	Landing site and SCs North	EF	>50 DV
			Creek Fly-over video minute		
			2:58.		




Figure 1.–114-80-10400 route correction map.



114-80-10450 RESIDENT FISH

Water body name: South Creek
Water body number: 114-80-10450
Survey date: 8/16 and 11/8/2012
Species & Lifestage: DVp

Watershed: Excursion River-Frontal Icy Strait

MTR: C040S060E Quad: Juneau B-5

Findings: I flew over stream in a helicopter to locate potential fish barriers and conducted an on the ground survey using an electrofisher and GPS (Table 1, Figure 1). I captured Dolly Varden

char up to a barrier falls.

Recommendations: No further investigation.

Nomination: Not accepted.

Table 1.-114-80-10450 survey data.

_			Jonaita da	Natas	Commis Efferi	Communa D14 :
_	Waypoint	Latitude	Longitude	Notes	Sample Effort	Sample Results
	217	58.4117	-135.4091	Small cascade about 3 feet high,		
				wider channel. Still limited		
				rearing and spawning habitat.		
	216	58.4121	-135.4079	Gradient <1%.		
	215	58.4131	-135.4070	End of cascades, gradient >1%.		
	106	58.4132	-135.4070	4 DV 30-90mm.	EF	4 DV
	107	58.4134	-135.4068	3-4' falls not a total barrier.		
	214	58.4139	-135.4068	Pool and 3 ft high cascades,		
				Gradient 1.5%.		
	189	58.4141	-135.4068	Coho salmon remains on log		
				across river.		
	190	58.4147	-135.4065	LWD jam.	EF	4 DV
	213	58.4149	-135.4061	Slower water, some still pools		
				with LWD potential for resident		
				fish movement - Gradient 1.5%.		
	212	58.4151	-135.4059	Series of cascades - Total of		
				10 ft high but with some resting		
				pools.		
	211	58.4157	-135.4047	Side channel habitat, good		
				rearing potential - 2-5%		
				gradient here with 2-3		
				cascades.		
	191	58.4158	-135.4053		EF	6 DV
	192	58.4161	-135.4048	Large woody debris pool.	EF	4 DV
	210	58.4161	-135.4046	2 ft high cascades.		
	209	58.4168	-135.4039	Several deep pools and		
				complex LWD, 1.5% gradient		
				with step pools.		
	208	58.4177	-135.4036	3-5 ft cascades.		

Table 1.-Continued.

le Results
2 DV




Figure 1.–114-80-10450 resident fish map.



114-80-10450-2004

CORRECTION

Water body name: Neva Creek
Survey date: 9/2/2015
Water body number: 114-80-10450-2004
Species & Lifestage: Ps

Watershed: Neva Creek

MTR: C040S061E Quad: Juneau B-5

Findings: I visually observed 18 spawning pink salmon beginning at waypoint 394 and

downstream from there to waypoint 399 (Table 1, Figure 1).

Recommendations: Correct to add spawning pink salmon and adjust the upper extent of the

stream to reflect the field-verified route, as shown in Figure 1.

Nomination: 15-503

Table 2.–114-80-10450-2004 survey data.

Waypoint	Latitude	Longitude	Notes	Sample Effort	Sample Results
394	58.4095	-135.4005	I began counting spawning pink salmon here while walking downstream.	VI	18Ps
399	58.4091	-135.4012	I counted 18 adult pink salmon to this point where I stopped to measure stream discharge.	VI	




Figure 2.–Neva Creek route correction map.

114-80-10450-2004-3008

ADDITION

Water body name: Survey date: 9/2/2013 Water body number: 114-80-10450-2004-3008 Species & Lifestage: Ss

Watershed: Excursion River-Frontal Icy Strait

MTR: C040S060E Quad: Juneau B-5

Findings: I observed 15 spawning sockeye in an uncataloged tributary to Neva Creek (Table 1,

Figure 1).

Recommendations: Add stream and spawning sockeye to the Anadromous Waters Catalog.

Nomination: 15-504

Table 1.–114-80-10450-2004-3008 survey data.

Waypoint	Latitude	Longitude	Notes	Sample Effort	Sample Results
6	58.4074	-135.4032	Start of tributary where adult sockeye spawning was documented on 9/2/2013.	VI	Ss
11	58.4082	-135.4006	15 spawning sockeye salmon downstream from this point on 9/2/2013. Barrier falls and conveyance only beyond this point.	VI	2 Ss




Figure 1.–114-80-10450-2004-3008 addition map, labeled Tributary 1 on map.

Excursion Inlet

114-80-10500 CORRECTION

Water body name: Cabin Creek
Survey date: 7/30/2013
Water body number: 114-80-10500
Species & Lifestage: CHp, Pp

Watershed: Excursion River-Frontal Icy Strait

MTR: C040S060E Quad: Juneau B-5

Findings: I surveyed this stream using an electrofisher and GPS (Table 1, Figure 1). I found a

fish barrier in the existing cataloged reach.

Recommendations: Correct the upper extent of the cataloged extent to end at waypoint 374

(Figure 1).

Nomination: 13-626

Table 1.-114-80-10500 survey data.

Waypoint	Latitude	Longitude	Notes	Sample Effort	Sample Results
387	58.3803	-135.4251	Mouth of creek.	-	-
386	58.3803	-135.4249	At high tide line.		
365	58.3807	-159.4220			
385	58.3813	-135.4214	2-3' woody debris falls with adult pink salmon present. No salmon observed this points.	EF/VI	3 DV, P
366	58.3816	-135.4208	Less then 2% gradient, highest quality pink spawning habitat.		
367	58.3818	-135.4206	Transition from hightest to lower quality spawning area. 2% gradient here, marked with two pink flags.	EF	9 DV
368	58.3819	-135.4197	3' falls with a 1' jump pool.	EF	1 DV
369	58.3815	-135.4197	Cascade falls, low density spawning gravel near this point.	EF	1 DV
384	58.3812	-135.4195	Some suitable pink salmon spawning gravel upstream of here.		
383	58.3812	-135.4192	No spawning gravel from this point on downstream for about 100' of WPT# 371.		
370	58.3811	-135.4188			
371	58.3811	-135.4182	Step falls 2-4' with a 1-2' jump pool, 2.5% gradient, marginal upstream pink salmon passage.		
382	58.3814	-135.4179	3.5% gradient, minimal spawning habitat, about 11 CFS estimated discharge.	EF	1 DV
372	58.3816	-135.4171			
373	58.3820	-135.4166	Large Woody debris falls, complex with 2-3' steps.		

Excursion Inlet

Table 1.—Continued.

Waypoint	Latitude	Longitude	Notes	Sample Effort	Sample Results
374	58.3819	-135.4160	Base of barrier falls, marked		
			with pink and green flagging.		
			9% gradient over about 300'.		
			First half 6%, second half		
			12%. 30-40' vertical falls just		
			upstream of this complex.		
375	58.3815	-135.4120	Continued falls complex		
			visible from this location off		
			the channel.		
376	58.3816	-135.4098	Less then 3% gradient above	EF	No Fish
			falls, begin electrofishing		
			again. No fish captured. First		
			evidence of surface water		
			tributaries here, supplemental		
			flow through groundwater		
			below this point.		
377	58.3820	-135.4092	Tributary at green hose.	EF	No Fish
378	58.3820	-135.4083			
379	58.3819	-135.4070	Increased gradient and less	EF	No Fish
			then 10' falls.		
380	58.3824	-135.4056			
381	58.3825	-135.4049	Top of survey. About 8 CFS	EF	No Fish
			discharge estimate, marked		
			with two pink flags.		




Figure 5.–114-80-10500 route correction map.



FUTURE INVESTIGATION

Water body name: Devil's Creek
Water body number:
Survey date: 11/9/2012
Species & Lifestage: DVp

Watershed: Excursion River-Frontal Icy Strait

MTR: C039S060E Quad: Juneau B-5

Findings: I surveyed this stream using an electrofisher and GPS (Table 1, Figure 1) and captured

rearing Dolly Varden char. The stream appears to shift around on its delta frequently. **Recommendations:** Investigate this stream in the future for anadromous fish (Figure 1).

Nomination: N/A

Table 1.–Devil's Creek survey data.

Waypoint	Latitude	Longitude	Notes	Sample Effort	Sample Results
1	58.4880	-135.4781	Electrofished and caught 5 DV	EF	5 DV
			between here and tidewater.		
			Gradient is increasing and there		
			is minimal rearing habitat.		
			Substrate dominated by		
			bedrock.		
2	58.4880	-135.4772	Proposed microhydro intake		
3	58.4901	-135.4733	Top of survey, high gradient,	EF	
			minimal pools. Electrofished and		
			got nothing.		




Figure 1.-Devil's Creek future investigation map.