

Submitted by Alaska Department of Fish and Game
February 23, 2016

Chignik Area (all districts) subsistence salmon harvests, by species, date, and year.

From 1993–2008, 2011 and 2014, postseason household surveys were conducted to supplement harvest data collected through returned permits.

Due to budget limitations, the Division of Subsistence was unable to administer postseason household surveys in 2009, 2010, 2012, and 2013. In these years data were collected solely from returned permits. Because not all subsistence fishing households obtained a permit, and not all permits were filled out completely, estimates based solely on returned permit data likely underestimate subsistence harvest amounts.

To compensate for this underestimate, the average annual harvests for the period 1999–2008 and 2011 reported during postseason surveys were added to harvests from returned permits to estimate the total subsistence harvest for 2009, 2010, 2012, and 2013.

For years that had missing timeframe or area data, two procedures were used to estimate the missing data. For years for which postseason survey data are available, the proportions of the salmon harvest by time and area from the reported survey data for each year were applied to the missing permit data. For the four years that are missing postseason survey data (2009, 2010, 2012, and 2013—**highlighted in bold**), we estimated the missing data using the annual averages of the proportions of the harvests by time and area from years 1999–2008, 2011, and 2014.

The ANSs for the Chignik Bay, Central, and Eastern districts combined are 100–150 king salmon, 5,200–9,600 early-run sockeye salmon, 2,000–3,800 late-run sockeye salmon, and 400–700 salmon other than king or sockeye salmon. The ANS for late-run sockeye salmon was calculated from harvests that occurred after September 15, based on harvest patterns, not specific run timing.

The ANSs for the Perryville and Western districts combined are 1,400–2,600 salmon other than coho salmon, and 1,400–2,600 coho salmon

Chignik Area (all districts) subsistence salmon harvests, by species, date, and year.

Date and year	Estimated salmon harvest					
	King	Sockeye	Coho	Chum	Pink	Total
<i>Harvest before July 5</i>						
1993	51	9,247	268	117	105	9,680
1994	65	7,646	15	36	80	7,786
1995	49	6,095	139	6	42	6,331
1996	28	3,363	35	73	74	3,661
1997	14	7,354	4	26	36	7,488
1998	42	3,931	0	17	5	3,995
1999	25	5,164	49	31	12	5,281
2000	29	5,717	43	39	101	5,965
2001	92	4,324	0	115	352	4,883
2002	44	5,370	63	5	0	5,482
2003	90	7,097	16	10	17	7,158
2004	42	3,653	100	7	0	4,052
2005	18	3,816	196	29	111	4,168
2006	151	3,939	64	109	167	4,429
2007	28	5,261	85	12	161	5,547
2008	5	2,670	48	10	61	2,794
2009	38	3,052	0	0	13	3,104
2010	23	2,951	16	33	107	3,129
2011	26	3,407	177	65	215	3,890
2012	22	2,832	240	74	350	3,518
2013	25	3,198	34	2	20	3,278
2014	81	3,822	13	41	80	4,037
5-year avg (2009–2013)	27	3,088	93	35	141	3,384
10-year avg (2004–2013)	38	3,478	96	34	120	3,791
21-year avg (1993–2013)	43	4,766	76	39	97	5,030
<i>Harvest from July 5 to September 15</i>						
1993	66	1,170	790	150	715	2,965
1994	94	3,597	1,529	234	1,176	6,654
1995	49	466	465	133	576	1,689
1996	21	2,038	1,228	183	1,875	5,211
1997	14	2,133	846	696	1,921	5,607
1998	49	1,437	429	141	945	3,000
1999	85	1,910	512	56	524	3,085
2000	131	1,538	850	373	899	3,761
2001	43	1,436	1,329	83	2,355	5,245
2002	28	2,752	625	11	289	3,705
2003	176	2,046	1,172	126	1,411	4,975
2004	45	2,129	1,029	167	1,037	4,188

-continued-

Date and year	Estimated salmon harvest					
	King	Sockeye	Coho	Chum	Pink	Total
2005	206	3,556	989	324	605	5,680
2006	106	3,186	957	166	867	5,283
2007	33	2,196	1,329	120	408	4,087
2008	36	3,771	428	9	402	4,646
2009	51	2,277	673	137	514	3,651
2010	155	3,476	767	186	496	5,080
2011	26	5,642	665	277	873	7,483
2012	80	2,074	476	139	450	3,220
2013	37	2,871	714	152	623	4,397
2014	48	2,245	533	144	230	3,200
5-year avg (2009–2013)	70	3,268	659	178	591	4,766
10-year avg (2004–2013)	78	3,118	803	168	628	4,771
21-year avg (1993–2013)	73	2,462	848	184	903	4,458
<i>Harvest after September 15</i>						
1993	5	4,293	2,706	375	445	7,858
1994	7	2,735	2,510	113	464	5,861
1995	0	3,002	586	11	106	3,705
1996	0	1,956	863	99	255	3,218
1997	0	3,954	1,828	118	79	5,929
1998	0	2,383	961	27	58	3,429
1999	134	1,966	1,119	49	655	3,924
2000	3	2,305	909	105	184	3,500
2001	35	2,873	529	16	80	3,535
2002	2	1,970	713	7	101	2,793
2003	1	1,846	1,068	150	168	3,261
2004	0	1,247	852	28	10	2,107
2005	0	799	927	0	15	1,742
2006	1	955	518	0	1	1,475
2007	22	2,734	522	33	427	3,738
2008	1	748	401	39	155	1,344
2009	15	1,456	501	0	180	2,152
2010	10	1,721	1,038	3	53	2,825
2011	0	1,528	615	14	201	2,358
2012	14	701	772	7	10	1,504
2013	16	519	169	10	43	757
2014	18	1,788	855	23	29	2,713
5-year avg (2009–2013)	11	1,185	619	7	98	1,919
10-year avg (2004–2013)	8	1,241	632	13	109	2,000
21-year avg (1993–2013)	13	1,985	958	57	176	3,191

-continued-

Date and year	Estimated salmon harvest					
	King	Sockeye	Coho	Chum	Pink	Total
<i>Total harvests</i>						
1993	122	14,710	3,765	642	1,265	20,503
1994	165	13,978	4,055	382	1,720	20,300
1995	98	9,563	1,191	150	723	11,726
1996	48	7,357	2,126	355	2,204	12,089
1997	28	13,442	2,678	840	2,035	19,024
1998	91	7,750	1,390	186	1,007	10,424
1999	243	9,040	1,679	136	1,191	12,290
2000	163	9,561	1,802	517	1,185	13,227
2001	171	8,633	1,859	213	2,787	13,663
2002	74	10,092	1,401	23	390	11,980
2003	267	10,989	2,256	286	1,597	15,394
2004	88	7,029	1,981	202	1,047	10,347
2005	224	8,171	2,112	353	730	11,590
2006	258	8,079	1,539	275	1,035	11,187
2007	84	10,191	1,936	165	996	13,371
2008	41	7,189	877	57	619	8,783
2009	104	6,785	1,174	137	707	8,907
2010	188	8,148	1,820	222	656	11,034
2011	52	10,578	1,458	355	1,289	13,732
2012	116	5,607	1,488	220	810	8,242
2013	79	6,588	916	164	686	8,433
2014	148	7,855	1,401	207	339	9,950
5-year avg (2009–2013)	108	7,541	1,371	220	830	10,069
10-year avg (2004–2013)	123	7,836	1,530	215	857	10,563
21-year avg (1993–2013)	129	9,213	1,881	280	1,175	12,678

Source ADF&G Division of Subsistence.