

**The Subsistence Harvest of
Harbor Seal and Sea Lion
by Alaska Natives in 1993**

**Technical Paper No. 233
Part 1**

Principal Investigator Project Coordinator
Robert J. Wolfe Craig Mishler

Data Analysis Charles J. Utermohle, Sarah Carpenter, Amy W. Paige, Cheryl L. Scott **Southeast Region Research** Robert F. Schroeder, Martha F. Betts, Yvonne K. Howard, Matthew A. Kookesh, Thomas F. Thornton **Southcentral Region Research** James A. Fall, Jeffrey Barnhart, Susan McNeil, Rita Miraglia, Brad Palach, Jody Seitz, Ronald T. Stanek, Vicki Vanek **Southwest Region Research** Molly Chythlook, Philippa A. Coiley, Lisa B. Hutchinson-Scarborough

**Final Report for Year Two
Subsistence Study and Monitor System (No. 50ABNF200055)
Prepared for the National Marine Fisheries Service**

**Alaska Department of Fish and Game
Division of Subsistence
Juneau, Alaska
July 1994**

Frontispiece. Brown bear crest hat, Sitka (Tlingit), ornamented with whiskers from the Steller sea lion. The brown bear and sea lion are crests of several Tlingit clans in southeast Alaska. The wood hat is painted in red, light blue, and black, with abalone eyes and opercula teeth. The hat was worn by Tlingit nobility at potlatches. Basketry cylinders at the top were added at times the crest hat was ceremonially presented and validated. Collected 1867-68, 69-30-10/1599. Photo courtesy Peabody Museum of Archaeology and Ethnology, Harvard University.

The Alaska Department of Fish and Game conducts all programs and activities free from discrimination on the basis of sex, color, race, religion, national origin, age, marital status, pregnancy, parenthood, or disability. For information on alternative formats available for this and other department publications, please contact the department ADA Coordinator at (voice) 907-465-4120, (TDD) 1-800-478-3648 or (FAX) 907-586-6595. Any person who believes s/he has been discriminated against should write to: ADF&G, P.O. Box 25526, Juneau, Alaska 99802-5526; or O.E.O., U.S. Department of the Interior, Washington, D.C. 20240.

ABSTRACT

This report describes the subsistence takes of harbor seal (*Phoca vitulina*) and Steller sea lion (*Eumetopias jubatus*) by Alaska Natives in 1993, including size, seasons, geographic distribution, and age and sex of the harvest. Information is summarized at the state, region, and community levels. The research was conducted by the Division of Subsistence, Alaska Department of Fish and Game under contract with the National Oceanic and Atmospheric Administration and the National Marine Fisheries Service. Information derives from systematic interviews with hunters and users of marine mammals in 2,087 households in 60 coastal communities within the geographic ranges of the two species. Local researchers conducted most of the household interviews as part of a local and regional researcher network. The project received generous support from leaders of a number of Native governments and regional and statewide associations.

During 1993, the estimated subsistence take of harbor seal by Alaska Natives was 2,729 seals, with a 95 percent confidence range of between 2,513 to 3,464 seals. Of the take, 13.5 percent (369 seals) were struck and lost and 86.5 percent (2,360 seals) were harvested. In addition, there were 265 seals taken in North Bristol Bay which were classified as spotted seal (*Phoca largha*) based on ecological evidence. Harbor seals were taken in 56 of 60 surveyed communities. An estimated 853 households hunted harbor seal, 665 (78 percent) successfully. The largest takes (59 percent of the take) were by Tlingit and Haida hunters in the Southeast region. Harbor seals were taken in all months of 1993, with two seasonal peaks during March-April and August-December. Hunters reported taking male harbor seals over females by a ratio of about 2.3 to 1, and reported taking primarily adult harbor seals.

During 1993, the estimated subsistence take of sea lions by Alaska Natives was 487 sea lions, with a 95 percent confidence range of between 391 to 630 sea lions. Of the take, 28.6 percent (139 sea lions) were struck and lost and 71.4 percent (348 sea lions) were harvested. Sea lions were taken in 21 of 60 surveyed communities. An estimated 223 households hunted sea lion, 171 (77 percent) successfully. The largest takes were by Aleut hunters in the Aleutian and Pribilof islands. Sea lions were taken in all months of 1993, with seasonal peaks during September-November. Hunters reported taking males over females about 4.5 to 1, and reported taking juvenile sea lions over adults or pups about 1.5 to 1.

The estimated subsistence takes of harbor seal in 1992 (2,867 seals) and 1993 (2,729 seals) differed by 5 percent (138 seals). The estimated subsistence takes of sea lion in 1992 (548 sea lions) and 1993 (487 sea lions) differed by 11 percent (61 sea lions). Neither difference was statistically significant. The age and sex distributions of the statewide harvests of harbor seal and sea lion were similar between 1992 and 1993. Comparison of subsistence takes at the community level suggests variability across years due to local ecological, economic, and cultural factors.

By a number of standards, the network of local and regional researchers for collecting subsistence information was assessed as working successfully in 1993. Subsistence information meeting project standards was received from 59 of 60 communities. Household sample sizes and response rates were high. Overall similarities between the 1992 and 1993 data sets on several parameters suggest that no data anomalies were introduced by using a network of local and regional researchers. Overall, the project's findings indicate that subsistence takes of marine mammals can be successfully documented with a research methodology that utilizes local researchers in major research roles.

ACKNOWLEDGEMENTS

This project would not have been possible without tremendous local support in every community where we conducted the survey. We wish to thank each tribal council, city council, and all of the regional Native organizations who facilitated our work. Carl M. Hild and Carl Jack of RurAL CAP assisted us in this effort and merit special mention, along with members of the Indigenous People's Council for Marine Mammals who reviewed the survey instruments and preliminary survey findings. Heartfelt thanks are owed to the many elders and local marine mammal experts who allowed us to interview them at length about their lifelong use and observations of sea lions and harbor seals. In addition, we are deeply indebted to the many hundreds of hunters who volunteered to report their subsistence harvests to our staff and to locally hired research assistants.

The seventy-four local researchers who conducted household interviews deserve to be recognized individually for their high level of interest and work. We look forward to working with many again in the near future as the project moves into its third year:

Speridon Simeonoff, Akhiok	David Pestrikoff, Kodiak City
Darryl Pelkey, Akutan	Steven Nowatak, Kokhanok
Jacob Stepetin, Akutan	Sheila Theriault, Larsen Bay
Joe Coolidge, Aleknagik	Alex Tallekpalek, Levelock
Alice Greene, Anchorage	Tony Tallekpalek, Levelock
Harriet Silva, Angoon	Homer Bartman, Manokotak
Ray Golodoff, Atka	Norman Anderson, Naknek
Diane Selanoff, Chenega Bay	Agrafina Kerr, Nikolski
Polly Aleck, Chignik Lagoon	George Inga Sr., Old Harbor
Rhonda Gregorio, Chignik Lagoon	Robert Katelnikoff, Ouzinkie
Mitchell Lind, Chignik Lake	James Phillips, Pelican
Henry Wasilly, Clark's Point	Harry Kosbruk, Perryville
Jerry O'Brien, Cordova	Carol Shangin, Perryville
Fred Hamilton, Craig	Nancy Benson, Petersburg
Sally Krause, Dillingham	Mike Lopez, Petersburg
Joy Abalama, Egegik	Nikki Shanigan, Pilot Point
Gilda Shelikoff, False Pass	Mary Malchoff, Port Graham
Jessie Grant, Haines	Anna Marie Metcalf, Port Graham
Marilyn Wilson, Haines	Robert Christensen, Port Heiden
Wanda Culp, Hoonah	Robert Nelson Sr., Port Lions
Frank Alby, Hydaburg	Pete Squartsoff, Port Lions
Trefin Andrew, Igiugig	Grace Mercurief, Saint George
Glenn Kalmakoff, Ivanof Bay	Christine Mack, Sand Point
Carrie Cruise, Juneau	Chris Makua, Saxman
Pat Garcia, Juneau	Norman Natkong, Saxman
Florence Sheakley, Juneau	Lillian Elvsaa, Seldovia
Loretta Gregory, Kake	Vincent Komok, Seward
Delbert Kadake, Kake	Vicki Bartles, Sitka
Alicia Lynn Reft, Karluk	Roberta Littlefield, Sitka
Emil Sugak, Karluk	Fred Angasan, South Naknek
Gerald Hope, Ketchikan	Nena Fuller, South Naknek
Simeon Kuzakin, King Cove	Henry Bavilla, Togiak
Ralph Angasan, King Salmon	Antone Togiak, Togiak
Floyd Wilson, King Salmon	Larry Dirks Jr., Unalaska
Marvin George, Klawock	Vince Tutiakoff, Unalaska
Roberta McNeill, Klawock	Sandra Churchill, Wrangell
Donald Hotch, Klukwan	Ray Sensmeier, Yakutat

TABLE OF CONTENTS

SECTION	PAGINATION
INTRODUCTION	1
METHODOLOGY.....	2
Contacts with Native Governments and Marine Mammal Hunters.....	6
Local and Regional Researcher Network	9
Community Selection and Regional Groupings.....	11
Selection of Households for Harvest Surveys	13
Sampling Fractions and Statistical Analysis	13
THE SUBSISTENCE TAKE OF HARBOR SEAL IN 1993.....	19
Estimated Size of the Harbor Seal Take, 1993	19
Geographic Distribution of Harbor Seal Takes	24
Seasonal Distribution of Harbor Seal Takes.....	26
Age and Sex Distribution of Harbor Seal Harvests	26
THE SUBSISTENCE TAKE OF SEA LION IN 1993	31
Estimated Size of the Sea Lion Take, 1993	31
Geographic Distribution of Sea Lion Takes.....	31
Seasonal Distribution of Sea Lion Takes	33
Age and Sex Distribution of Sea Lion Harvests.....	33
HUNTING PARTICIPATION	38
DISCUSSION.....	41
Comparisons of Annual Subsistence Takes.....	43
Assessment of Local and Regional Research Network.....	56
REFERENCES.....	61
APPENDICES	
Appendix A. Survey Instrument.....	A-1 - A-4
Appendix B. Subsistence Takes of Harbor Seal and Sea Lion by Region....	B-1 - B-8
Appendix C. Subsistence Takes of Harbor Seal and Sea Lion by Community.....	C-1 - C-148

LIST OF TABLES AND FIGURES

TABLE OR FIGURE	PAGINATION
Table 1. Organizations Contacted During the Project	8
Table 2. Sampling Methodology by Community, Harbor Seal and Sea Lion Surveys, 1993	14
Table 3. Sampling Methodology for Communities with Two Strata Designs, Harbor Seal and Sea Lion Surveys, 1993.....	16
Table 4. Estimated Subsistence Takes of Harbor Seal and Sea Lion by Alaska Natives, 1992 and 1993	20
Table 5. Regional Distribution of Subsistence Takes of Harbor Seal by Alaska Natives, 1993	21
Table 6. Subsistence Harbor Seal Harvest, Take, and Use by Alaska Natives, 1993, With Confidence Intervals and Statistical Ranges, by Community.....	22
Table 7. Age and Sex Distribution of Harbor Seal Harvests by Alaska Natives, 1993	28
Table 8. Age and Sex Distribution of Harbor Seal Harvests by Alaska Natives by Region, 1993	29
Table 9. Regional Distribution of Subsistence Takes of Sea Lion by Alaska Natives, 1993	32
Table 10. Subsistence Sea Lion Harvest, Take, and Use by Alaska Natives, 1993, With Confidence Intervals and Statistical Ranges, by Community.....	34
Table 11. Age and Sex Distribution of Sea Lion Harvests by Alaska Natives, 1993	36
Table 12. Age and Sex Distribution of Sea Lion Harvests by Alaska Natives by Region, 1993	37
Table 13. Participation Rates of Alaska Native Households in Hunting Harbor Seal or Sea Lion, 1992 and 1993.....	39
Table 14. Comparison of Households Interviewed in Both 1992 and 1993 (Unweighted Numbers)	42
Table 15. Subsistence Takes of Harbor Seal and Sea Lion by Alaska Natives by Region, 1992 and 1993	46

LIST OF TABLES AND FIGURES (CONTINUED)

TABLE OR FIGURE	PAGINATION
Table 16. Subsistence Harbor Seal Takes by Alaska Natives by Community, 1992 and 1993	48
Table 17. Subsistence Sea Lion Takes by Alaska Natives by Community, 1992 and 1993	50
Fig. 1. Map of survey area and regions.....	3
Fig. 2. General distribution of sea lion in Alaska	4
Fig. 3. General distribution of harbor seal and spotted seal in Alaska	5
Fig. 4. Map of subsistence takes of harbor seal (<i>Phoca vitulina</i>) by Alaska Natives by community in 1993.....	25
Fig. 5. Seasonally adjusted takes of harbor seal and sea lion by Alaska Natives, 1993.....	27
Fig. 6. Map of subsistence takes of sea lion (<i>Eumetopias jubatus</i>) by Alaska Natives by community in 1993.....	30
Fig. 7. Specialization in Harbor Seal Takes: Percent of Hunters by Percent of Take, 1993.....	40
Fig. 8. Specialization in Sea Lion Takes: Percent of Hunters by Percent of Take, 1993.....	40
Fig. 9. Estimated Seasonally Adjusted Takes of Harbor Seal By Alaska Natives, 1992 and 1993	44
Fig. 10. Estimated Seasonally Adjusted Takes of Sea Lion By Alaska Natives, 1992 and 1993 (Excluding St. Paul).....	44
Fig. 11. Change in Harbor Seal Harvests, North Pacific Rim Communities	52
Fig. 12. Change in Sea Lion Harvests, North Pacific Rim Communities.....	53
Fig. 13. Change in Harbor Seal Harvests, Kodiak Island Communities	54
Fig. 14. Change in Sea Lion Harvests, Kodiak Island Communities	55

INTRODUCTION

This report describes the subsistence takes of harbor seal (*Phoca vitulina*) and Steller sea lion (*Eumetopias jubatus*) by Alaska Natives in 1993. It is the second report of a two-year study of the subsistence uses of harbor seal and sea lion in Alaska. Findings for the first study year were reported in Wolfe and Mishler (1993). The research was conducted by the Division of Subsistence of the Alaska Department of Fish and Game under contract with the National Oceanic and Atmospheric Administration and the National Marine Fisheries Service. The study was conducted in cooperation with the Indigenous People's Council for Marine Mammals and the Rural Alaska Community Action Program.

The report provides information on the subsistence takes of harbor seal and sea lion during 1993, including size, seasons, geographic distributions, and age and sex of harvested animals. Information on subsistence uses derives from systematic interviews with marine mammal hunters in 60 communities (Fig. 1, Table 2). Information was collected principally by local researchers trained in each community, working within a network of local and regional researchers.

The geographic area covered by this report was defined as the Alaska coastal waters south of Cape Newenham, including the Pribilof Islands, which corresponds with the general distributions of harbor seal and sea lion in Alaska (Figs. 2 and 3, from Burns, Frost, and Lowry 1985). The use of harbor seal and sea lion by Alaska Natives for food and raw materials has a long tradition in this part of Alaska, since before historic contact through to the present. The Alaska Native groups using harbor seal include the Aleut of the Aleutian Islands, the Alutiiq and Eyak of the Pacific Gulf coast, the Dena'ina of Cook Inlet, the Tlingit, Haida, and Tsimshian of the southeast archipelago, and the Yup'ik of southwest Alaska.

The Aleut of the Aleutian and Pribilof islands and the Alutiiq of certain communities of the Kodiak Island and the North Pacific Rim regions currently are the primary users of sea lion. Sea lion are used more occasionally by Tlingit, Haida, Tsimshian, and Yup'ik groups. Subsistence products derived from harbor seal and sea lion by Alaska Natives include oil, meat, and skins, as described in Wolfe and Mishler (1993).

The report is organized in several sections. The Methodology section describes the methods used to collect information. Two sections (The Subsistence Take of Harbor Seal in 1993 and The Subsistence Take of Sea Lion in 1993) present information on the statewide takes of harbor seal and sea lion, summarized by community and region. In the Discussion section are interpretations of the 1993 survey year, including comparisons with other years for select communities and a discussion of the effectiveness of the network of local and regional researchers for documenting subsistence uses. Appendix A contains a copy of the survey instrument used in household interviews with marine mammal hunters. Appendix B contains regional summaries of the subsistence takes of harbor seal and seal lion. Appendix C contains detailed materials on the subsistence takes of harbor seal and sea lion by individual community.

METHODOLOGY

Information on the subsistence takes of harbor seal and sea lion in 1993 was collected through interviews with persons in 2,087 Alaska Native households in 60 coastal communities (Table 2). Respondents were asked to recall information about their household's last year's use of marine mammals. The survey instrument administered in household interviews was similar to one used by the Division of Subsistence for 1992, with a few changes to improve readability (see Appendix A).




Fig. 2. General distribution of sea lion in Alaska. (Source: Burns, Frost, and Lowry 1985)




Fig. 3. [Top] General distribution of harbor seal (*Phoca vitulina*) in Alaska. [Bottom] General distribution of spotted seal (*Phoca largha*) in Alaska. (Source: Burns, Frost, and Lowry 1985)

It was first developed in consultation with the Rural Alaska Community Action Program (RurAL CAP) and the Indigenous People's Council for Marine Mammals (IPCOMM). Household hunters were asked to recall the number of sea lions and harbor seals taken by household members during each month over the past year. The survey contained questions that pertained to harvest numbers, struck and lost animals, age of animals, and sex of animals. The survey also asked whether the household used, harvested, received, or gave away sea lion or harbor seal during the last year.

Interviews were conducted by local researchers hired and trained as part of the project, augmented by regional Division of Subsistence researchers in certain communities. Surveys were conducted in two rounds. The first survey was administered in December 1993 to cover the period from January through November 1993. The first survey round was scheduled to occur shortly after the November regional training sessions, but before the distractions of the Christmas holiday. The second survey was administered in May 1994 to cover the period from December 1993 through April 1994. The second survey round was scheduled to take place before the onset of salmon fishing, when many hunters are away from home. The following section describes aspects of the study design.

Contacts with Native Governments, Other Associations, and Marine Mammal Hunters

During the first year of the two-year study, a number of Native governments, Native leaders, and associations with interests in harbor seal and sea lion management were contacted to obtain support for the project. At onset, several statewide or regional organizations were contacted during project development -- the Alaska Federation of Natives; the Aleutians East Borough; Aleutian-Pribilof Islands Association; Bristol Bay Native Association; Central Council of Tlingit and

Haida Indian Tribes of Alaska; Cook Inlet Region, Inc.; IPCOMM (meeting through RurAL CAP); Kodiak Area Native Association; and the North Pacific Rim (Chugachmiut). A variety of helpful suggestions were received from the statewide and regional organizations concerning procedures, contact persons in communities, and scheduling of the project. The survey instrument and key respondent question list were reviewed by members of RurAL CAP and IPCOMM.

In December 1993, results from the first survey round of the second study year were presented to IPCOMM. At that time, the Council passed a motion supporting the project, including a proposal for the collection of tissue samples for scientific analysis from subsistence takes by Native hunters. In June 1994, preliminary results from the first and second survey rounds (the second study year) were reviewed by IPCOMM.

A standard procedure of Division of Subsistence research in communities with Alaska Native governments is to solicit approval of subsistence projects by local Native governments, or by leaders of local government entities (see Fall 1990). A project will not be conducted in a community if the project is not supported by local Native governments or their leaders. During the first project year, contacts were made with representatives of all the entities listed in Table 1. The project received support in the communities listed in Table 2.

During the second project year, results from the 1992 study year were mailed to community leaders in all communities. Community leaders were consulted by phone about the continuation of the study in year two, and about the recruitment and hiring of local researchers. Feedback on the project the first year was generally good, so the project was continued in 60 communities. Many local governments were extremely helpful during the course of the project, especially by identifying Native households, potential local researchers, and marine mammal

TABLE 1.
ORGANIZATIONS CONTACTED DURING THE PROJECT

Community	Government/Organization Contacted
Akhiok	Akhiok Tribal Council City of Akhiok
Akutan	Akutan Traditional Village Council City of Akutan Akutan Corporation
Aleknagik	Aleknagik Tribal Council
Anchorage	Cook Inlet Tribal Council Alaska Federation of Natives
Angoon	City of Angoon
Atka	Atka IRA Council City of Atka
Chenega Bay	Chenega Bay IRA Council
Chignik Bay	Chignik Bay Traditional Village Council
Chignik Lagoon	Chignik Lagoon Traditional Village Council
Chignik Lake	Chignik Lake Traditional Village Council
Clark's Point	Clark's Point Traditional Council
Cordova	Traditional Village of Eyak
Craig	Shaan-Seet, Inc. City of Craig
Dillingham	Dillingham Traditional Council
Egegik	Egegik Traditional Council
False Pass	False Pass Tribal Council City of False Pass
Haines	Chilkat Indian Association
Hoonah	Hoonah Traditional Council
Hydaburg	Haida Corporation City of Hydaburg
Iliamna	Iliamna Village Council
Ivanof Bay	Ivanof Bay Traditional Village Council
Juneau	Tlingit and Haida Central Council Sealaska Auke Tribe Council Alaska Native Brotherhood/Sisterhood
Kake	Organized Village of Kake City of Kake
Karluk	Karluk IRA Council
Kenai	Kenaitze Indian Tribe IRA Cook Inlet Region, Inc.
Ketchikan	Ketchikan IRA Council Ketchikan Indian Corporation
King Cove	Agdaagux Tribe of King Cove Belofsky Village Council City of King Cove
King Salmon	King Salmon Traditional Council
Klawock	Klawock Cooperative Association Klawock Heenya Coporation
Klukwan	Chilkat Indian Village
Kodiak City	Kodiak Tribal Council Kodiak Area Native Association
Larsen Bay	Larsen Bay Tribal Council City of Larsen Bay
Levelock	Levelock Traditional Council

Community	Government/Organization Contacted
Manokotak	Manokotak Traditional Council
Metiakatla	Council Annette Islands Reserve Metiakatla Indian Community
Naknek	Naknek Traditional Council
Nanwalek	Nanwalek Traditional Council English Bay Corporation
Nelson Lagoon	Nelson Lagoon Village Council
Newhalen	Newhalen Traditional Council
Nikolski	Nikolski IRA Council Chaluka Corporation
Old Harbor	Old Harbor Tribal Council City of Old Harbor
Ouzinkie	Ouzinkie Native Corporation Ouzinkie Tribal Council City of Ouzinkie
Pelican	Tlingit and Haida Indians of Pelican Community Council City of Pelican
Perryville	Perryville Traditional Village Council
Petersburg	Petersburg Indian Association
Pilot Point	Pilot Point Traditional Council
Port Graham	Port Graham Village Council Port Graham Corporation
Port Heiden	Port Heiden Traditional Council
Port Lions	Port Lions Tribal Council City of Port Lions
Saint George	Saint George Traditional IRA Council Saint George Tanaq Corporation City of Saint George
Saint Paul	Tribal Government of Saint Paul City of Saint Paul
Sand Point	Unga Tribal Council Qagan Tayagugin Tribe of Sand Point City of Sand Point
Saxman	Saxman IRA Council City of Saxman
Seldovia	Seldovia Native Association
Seward	Qutekcak Native Tribe
Sitka	Alaska Native Brotherhood Sitka Tribal Council
South Naknek	South Naknek Traditional Council
Tatitlek	Tatitlek IRA Council
Togiak	Togiak Traditional Council
Tyonek	Native Village of Tyonek
Unalaska	Quawalangin Tribal Council
Valdez	Valdez Native Association
Wrangell	Wrangell Cooperative Association
Yakutat	Yakutat Alaska Native Brotherhood/Alaska Native Sisterhood Yakutat Native Association Yak-Tat Kwaan

experts in the community to contact. The support of local governments is gratefully acknowledged in the footnotes of the tables and figures in Appendix C.

Ultimately, the decision to participate in the project resided with each marine mammal hunter. Permission to administer the household harvest survey was asked of each individual respondent. This was done face-to-face at the person's home or during an initial phone contact. At this time, the purpose of the project was described. Marine mammal hunters and other respondents were informed that participation in interviews was completely voluntary. Respondents were told that their identities would be kept confidential in reports presenting the information. If a person declined to participate in the study, the person was thanked for his or her time and a survey was not conducted. Persons who were interviewed as part of the harvest survey were not paid. As indicated by the above procedures, the information in the report is based almost entirely on the knowledge and observations of indigenous peoples who use marine mammals, voluntarily given to local and regional researchers. Most marine mammal hunters generously offered their assistance to the study.

Local and Regional Researcher Network

A research network using local researchers and regional Division of Subsistence researchers was used to collect information on subsistence takes of sea lion and harbor seal during 1993. This type of research organization was developed by the Division of Subsistence during the first study year, and fully implemented the second study year. In each of the 60 communities selected for surveys, one or two local residents were selected, depending upon the size of the community, to perform the roles of a local researcher. The network of local researchers, under the supervision of and in collaboration with Division researchers in each region, conducted the household survey component of the project.

Local researchers received training from regional researchers at one-day sessions held in five central locations in November 1993 -- Juneau, Anchorage, Kodiak City, Dillingham, and Unalaska. At these training sessions, local researchers received instruction concerning the study's scientific and resource management contexts, project methodology, survey techniques, and findings from previous research periods. A process for updating each community's Native household lists was developed at the training session, and applied either at the training session or later in the community. A method for selecting household samples for each community also was developed and implemented. Problems and issues identified during surveys from the first study year were discussed and resolved during sessions. Local researchers were given the opportunity to practice the administration of surveys and the initial processing and handling of survey data.

One component of the regional training sessions was administrative. Participants filled out paperwork required by the state employment system to hire, track, pay, evaluate, and terminate local researchers. During the first study year, the Division used "translator services contracts" as the administrative vehicle for local hires. Because surveys administered in English were judged to fall outside the terms of the translator services contracts by the state Department of Administration, during the second year the Division of Subsistence used "non-permanent, seasonal Fish and Wildlife Technician IIs with waiver" as the administrative vehicle for hiring the network of local researchers. This system was found to fit state administrative employment standards, but involved more paperwork to get local researchers on state registers for hiring, and to create, evaluate, and terminate nonpermanent positions twice during a yearly cycle.

Research tasks were appropriately divided between regional researchers and local researchers. Regional researchers performed tasks such as obtaining formal support for the project from Native organizations, recruiting and selecting local

hires, developing household sampling regimes, training local researchers, supervising local researchers, proofing survey data with the assistance of local researchers in preparation for data entry and analysis, writing reports on each community's survey experience, and entering fieldnotes into a centralized database. Local researchers performed tasks such as updating community lists of households and hunters, implementing household sampling regimes, administering household surveys twice during the yearly cycle, data proofing of surveys and survey tracking forms, and mailing surveys and tracking sheets for data entry and analysis. An assessment of the functioning of this network of local and regional researchers is made in the Discussion section below.

Community Selection and Regional Groupings

Coastal Alaska communities with significant Alaska Native populations in the usual geographic ranges of harbor seal or sea lion were considered for inclusion in the study, listed in Table 2 by region. Four communities included during the first study year were dropped in the second year due to no or extremely low levels of use of harbor seal and sea lion -- Kasaan and Metlakatla (Southeast Region), Tyonek (Upper Cook Inlet), and Nelson Lagoon (South Alaska Peninsula). Newhalen and Iliamna (Iliamna Lake Region) were not surveyed in the second year, because documenting takes of freshwater seal was not a goal of the project. Homer (Upper Cook Inlet) was added during the second year, to obtain a more complete coverage of the Kenai Peninsula area. Twin Hills was not surveyed in the first or second years because support for the project was not secured from local governments.

The 60 selected communities had a combined Alaska Native population of about 36,018 people according to the 1990 federal census. Excluding Anchorage (with about 14,569 Alaska Natives), the other 59 communities contained 21,449 Alaska Natives.

Non-Native households and communities without significant Alaska Native populations were not surveyed, assuming marine mammals are rarely harvested by non-Natives in Alaska. Native households were defined as households with one or more Native members. With a few exceptions (non-Natives married into Native households and non-Natives during the bounty period), the subsistence hunting of marine mammals by Euro-Americans has not been common in Alaska, as they are not traditional foods. Since 1972, marine mammal hunting by persons other than Alaska Natives has been prohibited by the federal Marine Mammal Protection Act. The exclusion of predominantly non-Native communities and non-Native households may lead to a slight underestimate of the total Alaska subsistence take of harbor seals and sea lions. Unsurveyed coastal communities in the study area included Adak, Beecher Pass, Coffman Cove, Cold Bay, Edna Bay, Elfin Cove, Gustavus, Hollis, Hyder, Kasaan, Metlakatla, Meyers Chuck, Nelson Lagoon, Point Baker, Port Alexander, Port Protection, Skagway, Tenakee Springs, Thorne Bay, Tyonek, Whale Pass, and Whittier. Certain culturally-heterogeneous communities were surveyed, such as Cordova, Juneau, Ketchikan, Kodiak City, Pelican, Petersburg, Seldovia, Seward, Sitka, Unalaska, Valdez and Wrangell.

Communities north of Cape Newenham were excluded from the study area because of the relatively low seasonal occurrence of harbor seal and sea lion. Sea lion and harbor seal are more occasionally taken within some communities north of Cape Newenham; however, the relative size and regularity of these harvests are thought to be substantially less than communities south of Cape Newenham. For instance, sea lion are seasonally present along the southwest portion of St. Lawrence Island and are taken certain years by residents of Gambell and Savoonga (Ellanna 1983:350; Little and Robbins 1984). However, we assessed that documenting sea lion and harbor seal takes in the many coastal communities north of Cape Newenham would entail substantial additional costs for a relatively small

number of kills. In addition, seal harvest information above Cape Newenham would be hard to interpret in any event, given the difficulties of knowing what portion of the seals taken are actually harbor seals and not spotted seals. Because northern coastal communities were excluded from the study area, the statewide estimates of sea lion and harbor seal takes should be considered minimum estimates.

For purposes of summarizing information, the communities are grouped into nine regions which share common culture histories (Fig. 1, Table 2). Descriptions of these regional groupings are contained in Wolfe and Mishler (1993:15-16).

Selection of Households for Harvest Surveys

In the 60 surveyed communities, systematic interviews were conducted with potential marine mammal hunters living in 2,087 households (Table 2). Households were selected using three main designs, depending upon the community -- census sampling, two-strata random sampling, and chain referral sampling. The type of design used for each community is shown in Table 2. Sampling designs and expansion methods were similar to those used the first study year, as described in Wolfe and Mishler (1993:17-19).

Sampling Fractions and Statistical Analysis

For communities with census or chain referral sampling, 86 percent of identified households (1,048 of 1,219 households) were successfully contacted and interviewed. For communities with two-strata designs, 90 percent of high stratum household were successfully contacted and interviewed (485 of 540 households), while a 21 percent random sample of low stratum households were interviewed (554 of 2,605 households) (Tables 2 and 3).

These are very high sampling fractions for studies using survey methodologies which rely upon voluntary participation by surveyed households.

TABLE 2
 SAMPLING METHODOLOGY BY COMMUNITY,
 HARBOR SEAL AND SEA LION SURVEYS, 1993

<u>Region and Community</u>	<u>1990 Native Population</u>	<u>Type of Design</u>	<u>Identified Household Universe</u>	<u>Surveyed Households</u>	<u>Percent Households Surveyed</u>
1. SOUTHEAST					
Angoon	525	Two Strata	130	76	58.5%
Craig	288	Chain Referral	25	23	92.0%
Haines	279	Chain Referral	23	20	87.0%
Hoonah	534	Two Strata	155	86	55.5%
Hydaburg	342	Chain Referral	14	14	100.0%
Juneau	3,462	Chain Referral	101	89	88.1%
Kake	514	Two Strata	168	102	60.7%
Ketchikan	1,614	Chain Referral	19	13	68.4%
Klawock	392	Chain Referral	28	19	67.9%
Klukwan	112	Chain Referral	11	9	81.8%
Pelican	65	Chain Referral	16	15	93.8%
Petersburg	334	Chain Referral	18	8	44.4%
Saxman	284	Two Strata	61	38	62.3%
Sitka	1,797	Two Strata	489	94	19.2%
Wrangell	507	Chain Referral	6	4	66.7%
Yakutat	294	Census	117	106	90.6%
Region Total	11,343		1,381	716	51.8%
2. NORTH PACIFIC RIM					
Chenega Bay	65	Census	21	19	90.5%
Cordova	272	Three Strata	181	28	15.5%
Nanwalek	144	Census	36	33	91.7%
Port Graham	150	Census	59	56	94.9%
Seldovia	48	Two Strata	54	30	55.6%
Seward	410	Two Strata	156	27	17.3%
Tatitlek	103	Census	29	28	96.6%
Valdez	239	Chain Referral	6	6	100.0%
Region Total	1,431		542	227	41.9%
3. UPPER KENAI-COOK INLET					
Anchorage	14,569	Chain Referral	40	36	90.0%
Homer	189	Chain Referral	12	5	41.7%
Kenai	1,715	Chain Referral	2	2	100.0%
Region Total	16,473		54	43	79.6%
4. KODIAK ISLAND					
Akhiok	72	Census	21	19	90.5%
Karluk	65	Census	15	12	80.0%
Kodiak City	811	Two Strata	403	41	10.2%
Larsen Bay	124	Census	43	39	90.7%
Old Harbor	252	Two Strata	81	59	72.8%
Ouzinkie	178	Census	65	60	92.3%
Port Lions	150	Two Strata	59	33	55.9%
Region Total	1,652		687	263	38.3%

TABLE 2 CONTINUED
 SAMPLING METHODOLOGY BY COMMUNITY,
 HARBOR SEAL AND SEA LION SURVEYS, 1993

<u>Region and Community</u>	<u>1990 Native Population</u>	<u>Type of Design</u>	<u>Identified Household Universe</u>	<u>Surveyed Households</u>	<u>Percent Households Surveyed</u>
5. SOUTH ALASKA PENINSULA					
Chignik Bay	85	Census	25	20	80.0%
Chignik Lagoon	30	Census	16	15	93.8%
Chignik Lake	122	Census	36	26	72.2%
False Pass	52	Census	20	20	100.0%
Ivanof Bay	33	Census	7	6	85.7%
King Cove	177	Two Strata	117	38	32.5%
Perryville	102	Census	31	29	93.5%
Sand Point	433	Two Strata	143	42	29.4%
Region Total	1,034		395	196	49.6%
6. ALEUTIAN ISLANDS					
Akutan	80	Census	29	26	89.7%
Atka	91	Census	24	22	91.7%
Nikolski	29	Census	13	13	100.0%
Unalaska	259	Two Strata	78	61	78.2%
Region Total	459		144	122	84.7%
7. PRIBILOF ISLANDS					
Saint George	131	Census	47	38	80.9%
Saint Paul	504	Two Strata	131	84	64.1%
Region Total	635		178	122	68.5%
8. SOUTH BRISTOL BAY					
Egegik	86	Census	44	40	90.9%
King Salmon	108	Census	28	21	75.0%
Levelock	87	Census	35	26	74.3%
Naknek	236	Two Strata	90	40	44.4%
Pilot Point	45	Census	27	25	92.6%
Port Heiden	86	Census	23	15	65.2%
South Naknek	108	Census	35	33	94.3%
Region Total	756		282	200	70.9%
9. NORTH BRISTOL BAY					
Aleknagik	154	Census	37	23	62.2%
Clark's Point	53	Census	15	15	100.0%
Dillingham	1,125	Two Strata	456	52	11.4%
Manokotak	368	Two Strata	77	41	53.2%
Togiak	535	Two Strata	116	67	57.8%
Region Total	2,235		701	198	28.2%
TOTAL (Excl. Anchorage)	36,018 (21,449)		4,364 (4,313)	2,087 (2,040)	47.8% (47.3%)

TABLE 3
SAMPLING METHODOLOGY FOR COMMUNITIES
WITH TWO STRATA DESIGNS,
HARBOR SEAL AND SEA LION SURVEYS, 1993

<u>Community</u>	Number	Sampled	Percent	Number	Sampled	Percent
	High Stratum <u>Households</u>	High Stratum <u>Households</u>	High <u>Stratum</u>	Low Stratum <u>Households</u>	Low Stratum <u>Households</u>	Low <u>Stratum</u>
Angoon	47	46	97.9%	83	30	36.1%
Cordova	13	9	69.2%	168	19	11.3%
Dillingham	24	23	95.8%	432	29	6.7%
Hoonah	57	53	93.0%	98	33	33.7%
Kake	78	72	92.3%	90	30	33.3%
King Cove	14	12	85.7%	103	26	25.2%
Kodiak City	10	10	100.0%	393	31	7.9%
Manokotak	11	11	100.0%	66	30	45.5%
Naknek	19	14	73.7%	71	26	36.6%
Old Harbor	28	27	96.4%	53	32	60.4%
Port Heiden	7	7	100.0%	52	26	50.0%
Sand Point	14	12	85.7%	129	30	23.3%
Saxman	10	9	90.0%	51	29	56.9%
Seldovia	5	5	100.0%	49	25	51.0%
Seward	11	9	81.8%	145	18	12.4%
Sitka	71	64	90.1%	418	30	7.2%
Saint Paul	61	53	86.9%	70	31	44.3%
Togiak	36	33	91.7%	80	34	42.5%
<u>Unalaska</u>	<u>24</u>	<u>16</u>	<u>66.7%</u>	<u>54</u>	<u>45</u>	<u>83.3%</u>
Total	540	485	89.8%	2605	554	21.3%

Overall, the level of cooperation by households in the harvest survey was high in all communities. The non-response rate was primarily due to logistical problems in contacting households, rather than refusals to participate.

Harvest information was obtained for all targeted communities except for Saint Paul in the Pribilof Islands region, where surveys were not administered to standards required by the project in 1993. Because of the lack of more recent information, the estimated 1992 subsistence takes at Saint Paul are used as the estimates of the 1993 subsistence takes for both species at Saint Paul in this report.

As stated above, there were two survey rounds, covering the hunting periods of January 1993 through November 1993, and December 1993 through May 1994. In data analysis, information pertaining to December 1994 collected during the second round was linked with the data set collected during the first round on a household basis, to complete the entire 1993 calendar year. A small number of households surveyed during round one were missed during round two, resulting in missing data for December 1993 for some households. To deal with this missing data, an estimate of a household's missing December 1993 subsistence take was based on the household's December 1992 subsistence take, when that information was available; a household's missing December 1993 subsistence take was estimated to be zero when no additional information was available for a household.

In the appendices, the statistical analysis presents harvest data in three different tables for each community. In the first table, the unexpanded reported take is presented for each community. The table of unexpanded numbers represents actual animals reported killed by surveyed hunters, so there are no fractions of animals. The second table presents the combined estimated expanded take for each stratum in the community. In this table, takes of surveyed hunters

are expanded to unsurveyed hunters within the stratum, using different methods depending upon the household sampling design as described above. In this expansion, the proportions of the seasonal takes of the surveyed households are preserved, so takes with unknown months exist in the table. The expansion treats each community as a separate sampling universe. Fractions of animals commonly result from the expansion, which are rounded to the nearest tenth. The third table presents a seasonally adjusted expanded take. In this table, the takes with unknown months are assigned to months based on the proportion of the known take. The numbers in this third table form the basis for the numbers in the report's narrative.

The calculation of the confidence range around the estimate is done for each community separately, as described in Wolfe and Mishler (1993:20-21). The confidence intervals were calculated according to the methods for stratified samples following Cochran (1977:5.13, 5.15). In this process, the unexpanded, reported take was used as the lower range for a community if it was higher than the statistically-calculated lower take estimate. This was done because the unexpanded take represents known (not hypothetical) kills.

THE SUBSISTENCE TAKE OF HARBOR SEAL IN 1993

Estimated Size of the Harbor Seal Take, 1993

The estimated size of the total take of harbor seals (*Phoca vitulina*) by Alaska Natives in 1993 is presented in Tables 4 and 5. In 1993, there were an estimated 2,729 harbor seals taken by Alaska Natives for subsistence uses (with a 95 percent confidence range of between 2,513 to 3,464 animals) (Table 4). Of the 1993 subsistence take, 13.5 percent (369 harbor seals) were struck and lost, and 86.5 percent (2,360 harbor seals) were harvested.

The total state estimate for harbor seals is necessarily somewhat indeterminate because of species identification problems in the Bristol Bay area. As discussed in Wolfe and Mishler (1993:61-69), in Bristol Bay there are areas with a seasonal geographic overlap of *Phoca vitulina* and *Phoca largha*. The indigenous Yup'ik taxonomies categorize adults of the two Linnaean species as a single type (*issuriq*) in this area, and categorize pups into two different types. Of the total North Bristol Bay take, we classified 65 seals as *Phoca vitulina* and 265 as *Phoca largha*, based on ecological features of the kill (degree of association with seasonal ice) (Table 5, Appendix Table B-21). Of the animals classified as *Phoca largha*, 18.9 percent (50 animals) were reported struck and lost, and 81.1 percent (215 animals) were harvested (Appendix Table B-21). In Table 4, we also assumed the entire South Bristol Bay take of 131 animals was *Phoca vitulina*. Changing these assumptions will change the total statewide take estimate up or down. As stated above, we believe the best estimate of the subsistence take in 1993 is 2,729 harbor seals, based on the assumptions above.

TABLE 4
ESTIMATED SUBSISTENCE TAKES OF
HARBOR SEAL (PHOCA VITULINA) AND
SEA LION (EUMETOPIAS JUBATUS)
BY ALASKA NATIVES, 1992 AND 1993

	<u>Year</u>	<u>Harvest</u>	<u>Struck and Lost</u>	<u>Total Take</u>	<u>Lower and Upper Confidence Range</u>
Harbor Seal	1992	2,525 (88.1%)	342 (11.9%)	2,867 (100.0%)	2,317 - 3,677
	1993	2,360 (86.5%)	369 (13.5%)	2,729 (100.0%)	2,513 - 3,464
Sea Lion	1992	369 (67.3%)	179 (32.7%)	548 (100.0%)	452 - 711
	1993	348 (71.4%)	139 (28.6%)	487 (100.0%)	391 - 630

Source: Division of Subsistence, Alaska Department of Fish and Game

TABLE 5
REGIONAL DISTRIBUTION OF SUBSISTENCE TAKES OF
HARBOR SEAL (PHOCA VITULINA) BY ALASKA NATIVES, 1993

Region	Harvest	Struck and Lost	Take	Percent	Per Capita Harvest	Struck and Lost Rate
Southeast	1425.1	190.0	1615.1	59.2%	0.11	11.8%
North Pacific Rim	406.8	37.6	444.3	16.3%	0.27	8.5%
Upper Kenai-Cook Inlet	49.2	5.6	54.8	2.0%	0.27	10.2%
Kodiak Island	171.7	20.1	191.8	7.0%	0.08	10.5%
South Alaska Peninsula	100.0	23.1	123.1	4.5%	0.07	18.8%
Aleutian Islands	85.0	15.4	100.4	3.7%	0.09	15.3%
Pribilof Islands	2.3	1.2	3.5	0.1%	0.00	34.3%
South Bristol Bay	73.6	57.3	130.9	4.8%	0.09	43.8%
North Bristol Bay	46.1	18.9	65.0	2.4%	0.02	29.1%
ALASKA	2359.9	369.0	2728.9	100.0%		13.5%
	(86.5%)	(13.4%)	(100.0%)			

Source: Division of Subsistence, Alaska Department of Fish and Game

TABLE 6
SUBSISTENCE HARBOR SEAL HARVEST, TAKE, AND USE BY ALASKA NATIVES, 1993
WITH CONFIDENCE INTERVALS AND STATISTICAL RANGES, BY COMMUNITY

Community	Percent of Native Households Harvesting Harbor Seal	Percent of Native Households Using Harbor Seal	Harbor Seal Harvested	Harbor Seal Struck and Lost	Total Harbor Seal Take	Confidence Interval (+/- %)	Lower Range Estimate	Upper Range Estimate	Harbor Seal Harvested Per Capita
SOUTHEAST									
Angoon	16.3%	47.0%	56.6	9.9	66.5	14.3	60.0	80.9	.13
Craig	-	-	51.1	9.8	60.9	9.7	56.0	70.6	.21
Haines	-	-	23.0	2.3	25.3	7.6	22.0	32.9	.09
Hoonah	35.4%	83.8%	324.4	35.8	360.2	55.5	305.0	415.8	.67
Hydaburg	-	-	14.0	0.0	14.0	0.0	14.0	14.0	.04
Juneau	-	-	59.0	21.6	80.6	19.1	71.0	99.7	.02
Kake	14.2%	60.5%	100.8	15.2	115.9	21.8	107.0	137.8	.23
Ketchikan	-	-	42.4	2.9	45.3	43.1	31.0	88.5	.03
Klawock	-	-	39.8	0.0	39.8	24.5	27.0	64.3	.10
Klukwan	-	-	1.2	0.0	1.2	1.0	1.0	2.2	.01
Pelican	-	-	5.3	1.1	6.4	1.5	6.0	7.9	.10
Petersburg	-	-	4.5	4.5	9.0	13.1	4.0	22.1	.03
Saxman	3.6%	24.6%	5.6	0.0	5.6	2.8	5.0	8.3	.02
Sitka	9.9%	71.6%	109.3	20.6	129.9	54.4	94.0	184.3	.07
Wrangell	-	-	19.5	9.0	28.5	5.8	22.7	34.3	.06
Yakutat	31.1%	93.4%	568.4	57.4	625.8	122.1	567.0	747.9	2.13
NORTH PACIFIC RIM									
Chenega Bay	57.9%	84.2%	60.8	2.2	63.0	15.5	57.0	78.5	.97
Cordova	8.1%	44.7%	147.4	5.5	152.9	67.6	112.0	220.5	.56
Nanwalek	30.3%	97.0%	29.5	3.3	32.7	6.2	30.0	39.0	.23
Port Graham	26.8%	89.3%	31.6	3.2	34.8	4.0	33.0	38.8	.23
Seldovia	11.0%	34.6%	7.9	4.9	12.8	11.0	8.0	23.8	.27
Seward	0.0%	0.8%	0.0	0.0	0.0	0.0	0.0	0.0	.00
Tatitlek	32.1%	92.9%	108.8	14.5	123.3	17.7	119.0	141.0	1.20
Valdez	-	-	21.0	4.0	25.0	0.0	25.0	25.0	.10
UPPER KENAI-COOK INLET									
Anchorage	-	-	24.4	5.6	30.0	9.6	27.0	39.6	.00
Homer	-	-	4.8	0.0	4.8	7.2	2.0	12.0	.03
Kenai	-	-	20.0	0.0	20.0	0.0	20.0	20.0	.01
KODIAK ISLAND									
Akhiok	26.3%	68.4%	13.3	0.0	13.3	3.5	12.0	16.8	.18
Karluk	41.7%	41.7%	10.0	1.3	11.3	4.0	9.0	15.3	.17
Kodiak City	0.2%	26.4%	6.0	1.0	7.0	0.0	7.0	7.0	.01
Larsen Bay	12.8%	33.3%	7.7	5.5	13.2	3.7	12.0	16.9	.11
Old Harbor	40.4%	94.6%	67.6	2.7	70.3	13.5	60.0	83.8	.28
Ouzinkie	30.0%	46.7%	41.2	8.7	49.8	7.5	46.0	57.3	.19
Port Lions	10.2%	28.8%	26.0	1.0	27.0	0.0	27.0	27.0	.18
SOUTH ALASKA PENINSULA									
Chignik Bay	15.0%	20.0%	6.3	5.0	11.3	6.8	9.0	18.1	.13
Chignik Lagoon	20.0%	20.0%	4.3	1.1	5.3	1.5	5.0	6.8	.18
Chignik Lake	19.2%	84.6%	15.2	5.5	20.8	10.3	15.0	31.1	.17
False Pass	30.0%	65.0%	19.0	0.0	19.0	0.0	19.0	19.0	.37
Ivanof Bay	83.3%	83.3%	16.3	4.7	21.0	4.2	18.0	25.2	.64
King Cove	7.0%	8.0%	12.8	3.5	16.3	3.8	14.0	20.1	.09
Perryville	17.2%	65.5%	12.8	2.1	15.0	3.5	14.0	18.4	.15
Sand Point	9.3%	14.7%	13.3	1.2	14.4	10.5	7.0	24.9	.03

TABLE 6, CONTINUED
SUBSISTENCE HARBOR SEAL HARVEST, TAKE, AND USE BY ALASKA NATIVES, 1993
WITH CONFIDENCE INTERVALS AND STATISTICAL RANGES, BY COMMUNITY

Community	Percent of Native Households Harvesting Harbor Seal	Percent of Native Households Using Harbor Seal	Harbor Seal Harvested	Harbor Seal Struck and Lost	Total Harbor Seal Take	Confidence Interval (+/- %)	Lower Range Estimate	Upper Range Estimate	Harbor Seal Harvested Per Capita
ALEUTIAN ISLANDS									
Akutan	23.1%	65.4%	15.6	4.5	20.1	6.1	18.0	26.1	.25
Atka	31.8%	77.3%	32.7	0.0	32.7	7.8	30.0	40.5	.36
Nikolski	23.1%	38.5%	4.0	1.0	5.0	0.0	5.0	5.0	.17
Unalaska	22.7%	93.8%	32.7	9.9	42.6	10.3	32.3	52.9	.16
PRIBILOF ISLANDS									
Saint George	0.0%	0.0%	0.0	0.0	0.0	0.0	0.0	0.0	.00
Saint Paul	1.8%	6.1%	2.3	1.2	3.5	1.4	3.0	4.8	.01
SOUTH BRISTOL BAY									
Egegik	7.5%	30.0%	7.7	3.3	11.0	3.1	10.0	14.1	.13
King Salmon	19.0%	38.1%	21.3	10.7	32.0	21.0	24.0	53.0	.30
Levelock	3.8%	26.9%	2.7	5.4	8.1	5.9	6.0	14.0	.09
Naknek	1.5%	19.7%	2.7	0.0	2.7	2.7	2.0	5.4	.01
Pilot Point	8.0%	16.0%	2.2	0.0	2.2	0.8	2.0	3.0	.05
Port Heiden	40.0%	86.7%	30.7	19.9	50.6	22.0	33.0	72.6	.59
South Naknek	12.1%	42.4%	6.4	18.0	24.4	3.4	23.0	27.8	.23
NORTH BRISTOL BAY*									
Aleknagik	8.7%	91.3%	0.0	0.0	0.0	0.0	3.0	0.0	.00
Clark's Point	6.7%	13.3%	0.0	0.0	0.0	0.0	2.0	0.0	.00
Dillingham	6.0%	29.6%	18.0	4.2	22.2	28.3	33.0	50.5	.02
Manokotak	13.8%	100.0%	3.2	0.0	3.2	3.2	7.0	6.4	.01
Togiak	49.2%	72.2%	24.9	14.7	39.6	10.9	180.0	50.5	.07
ALASKA TOTAL			2359.9	369.0	2728.9	27%	2513.0	3463.9	
SPOTTED SEALS, NORTH BRISTOL BAY*									
Aleknagik	8.7%	91.3%	4.8	0.0	4.8	4.3	3.0	9.1	.03
Clark's Point	6.7%	13.3%	2.0	0.0	2.0	0.0	2.0	2.0	.04
Dillingham	6.0%	29.6%	26.1	0.0	26.1	3.5	25.0	29.6	.02
Manokotak	13.8%	100.0%	7.4	0.0	7.4	4.4	5.0	11.8	.02
Togiak	49.2%	72.2%	174.7	50.2	225.0	53.3	171.6	278.3	.42
TOTAL WITH OTHER SEALS			2575.0	419.3	2994.1	27%	2719.6	3794.7	

* In North Bristol Bay, percent of households harvesting and using "issuriq".

Geographic Distribution of Harbor Seal Takes

Table 5 shows the regional distribution of harbor seal takes by Alaska Natives in 1993. The largest takes in terms of absolute numbers were taken by the Tlingit and Haida of the Southeast region. About 59.2 percent of the statewide take of harbor seals (1,615 animals), were taken by hunters in Southeast Alaska (Table 5). The regions ranked second and third were the North Pacific Rim (444 seals, or 16.3 percent of the statewide take) and Kodiak Island (192 seals, or 7.0 percent of the statewide take). The remainder of the statewide harbor seal take (478 animals, or 17.5 percent) was distributed among the other 6 regions.

The geographic distribution of harbor seal takes by community is shown in Table 6 and Fig. 4. Of the top ten communities (in terms of absolute number of harbor seals taken in 1993), six were in the Southeast region, three in the North Pacific Rim region, and one in the Kodiak Island region. The ten top ranking communities were Yakutat (626 seals), Hoonah (360 seals), Cordova (153 seals), Sitka (130 seals), Tatitlek (123 seals), Kake (116 seals), Juneau (81 seals), Old Harbor (70 seals), Angoon (67 seals), and Chenega Bay (63 seals). There were only four surveyed communities with no reported harbor seals taken in 1993 -- Aleknagik, Clark's Point, Seward, and Saint George.

Per capita harvests are the number of harbor seals harvested per Alaska Native living in a community. It is an estimate of the amount harvested per person in an area, controlling for differences in population size. The top ten communities in terms of harvests per capita in 1993 were Yakutat (2.13 harbor seals harvested per person), Tatitlek (1.20), Chenega Bay (0.97), Hoonah (0.67), Ivanof Bay (0.64), Port Heiden (0.59), Cordova (0.56), False Pass (0.37), Atka (0.36), King Salmon (0.30), and Old Harbor (0.28). In terms of per capita harvests, there was greater parity across regions in harbor seal harvests (Table 6). Among the top ten communities, three were in the North Pacific Rim region, three were in the South




Fig. 4. Map of subsistence takes of harbor seal (*Phoca vitulina*) by Alaska Natives by community in 1993

Alaska Peninsula region, and one each was in the Southeast, Kodiak Island, South Bristol Bay and Aleutian Islands regions.

Seasonal Distribution of Harbor Seal Takes


The seasonal distribution of the statewide harbor seal take in 1993 is depicted in Fig. 5. Harbor seals were reported killed during every month of 1993. Two distinct seasonal peaks in subsistence takes are apparent -- during spring (about March and April) and during late summer to early winter (August through December). The months of lowest productivity were January-February and May-June.

The statewide total masks differences in seasonal patterns between regions and communities. The regional seasonal patterns are depicted in Appendix B. The community seasonal patterns are depicted in Appendix C. Factors associated with seasonal takes are discussed in Wolfe and Mishler (1993:32-33).

Age and Sex Distribution of Harbor Seal Harvests

The estimated age and sex distributions of the 1993 harbor seal harvests are shown in Tables 7 and 8 by geographic region. Hunters reported harvesting male harbor seals over female harbor seals by a ratio of about 2.4 to 1. Hunters also reported harvesting substantially more adult harbor seals than juveniles or pups (5.5 to 1). Overall, adult females comprised about 26 percent of the total known harvest of harbor seals in 1993. It is noteworthy that hunters did not report the sex for about 35 percent of the harvest or the age for about 11 percent of the harvest. The age and sex also are unknown for animals which were struck and lost.

Fig 5.
Seasonally Adjusted Takes of
Harbor Seal and Sea Lion
By Alaska Natives, 1993



	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
Harbor Seal	147.6	178.8	259.5	208.5	130.3	113.2	187.6	280.7	290.1	346	305.8	280.8
Percent	5.4%	6.6%	9.5%	7.6%	4.8%	4.1%	6.9%	10.3%	10.6%	12.7%	11.2%	10.3%
Cum. Percent	5.4%	12.0%	21.5%	29.1%	33.9%	38.0%	44.9%	55.2%	65.8%	78.5%	89.7%	100.0%
Sea Lion	35.3	26.2	46.8	28.4	28.1	18.7	9	11.6	88.5	87.3	81.4	25.8
Percent	7.2%	5.4%	9.6%	5.8%	5.8%	3.8%	1.8%	2.4%	18.2%	17.9%	16.7%	5.3%
Cum. Percent	7.2%	12.6%	22.2%	28.1%	33.8%	37.7%	39.5%	41.9%	60.1%	78.0%	94.7%	100.0%

**TABLE 7
AGE AND SEX DISTRIBUTION
OF HARBOR SEAL HARVESTS
BY ALASKA NATIVES, 1993**

	Male	Female	Unknown Sex	Total
Adult	908.6	388.4	480.6	1777.6
Row Percent	51.1%	21.8%	27.0%	100.0%
Column Percent	84.5%	87.0%	57.4%	75.3%
Juvenile	148.9	44.6	94.1	287.6
Row Percent	51.8%	15.5%	32.7%	100.0%
Column Percent	13.8%	10.0%	11.2%	12.2%
Pup	5.4	6.6	20.8	32.8
Row Percent	16.5%	20.1%	63.4%	100.0%
Column Percent	0.5%	1.5%	2.5%	1.4%
Unknown Age	13.0	6.6	242.4	262.0
Row Percent	5.0%	2.5%	92.5%	100.0%
Column Percent	1.2%	1.5%	28.9%	11.1%
Total	1075.9	446.2	837.9	2360.0
Row Percent	45.6%	18.9%	35.5%	100.0%
Column Percent	100.0%	100.0%	100.0%	100.0%

TABLE 8
AGE AND SEX DISTRIBUTION OF HARBOR SEAL HARVESTS
BY ALASKA NATIVES BY REGION, 1993

AGE AND SEX	Southeast	Upper			South			South	North	Alaska
		Pacific	Kenai-Cook	Kodiak	Alaska	Aleutian Islands	Pribilof Islands	Bristol Bay	Bristol Bay	
Adult Male	642.2	145.0	5.6	54.4	27.4	23.4	0.0	2.7	7.9	908.6
Adult Female	296.0	60.3	2.4	12.7	2.2	11.1	0.0	1.5	2.2	388.4
Adult Unknown Sex	240.4	73.6	23.3	25.1	35.0	0.0	1.2	57.1	24.9	480.6
Juvenile Male	35.4	36.2	1.1	41.7	4.8	20.7	1.2	3.3	4.5	148.9
Juvenile Female	12.3	9.7	1.1	8.9	2.3	7.9	0.0	0.0	2.4	44.6
Juvenile Unknown Sex	34.1	27.0	0.0	11.6	15.2	3.0	0.0	1.1	2.1	94.1
Pup Male	1.1	1.1	0.0	1.1	0.0	1.1	0.0	0.0	1.0	5.4
Pup Female	0.0	1.1	0.0	0.0	0.0	5.5	0.0	0.0	0.0	6.6
Pup Unknown Sex	13.3	2.2	0.0	1.0	4.3	0.0	0.0	0.0	0.0	20.8
Male Unknown Age	4.4	7.1	0.0	0.0	0.0	1.5	0.0	0.0	0.0	13.0
Female Unknown Age	0.0	0.0	0.0	6.6	0.0	0.0	0.0	0.0	0.0	6.6
Unknown Age and Sex	145.9	43.5	15.7	8.7	8.7	10.9	0.0	8.0	1.0	242.4
TOTAL	1425.1	406.8	49.2	171.8	99.9	85.1	2.4	73.7	46.0	2360.0
AGE ONLY										
Adult	1178.6	278.9	31.3	92.2	64.6	34.5	1.2	61.3	35.0	1777.6
Juvenile	81.8	72.9	2.2	62.2	22.3	31.6	1.2	4.4	9.0	287.6
Pup	14.4	4.4	0.0	2.1	4.3	6.6	0.0	0.0	1.0	32.8
Unknown Age	150.3	50.6	15.7	15.3	8.7	12.4	0.0	8.0	1.0	262.0
TOTAL	1425.1	406.8	49.2	171.8	99.9	85.1	2.4	73.7	46.0	2360.0
SEX ONLY										
Male	683.1	189.4	6.7	97.2	32.2	46.7	1.2	6.0	13.4	1075.9
Female	308.3	71.1	3.5	28.2	4.5	24.5	0.0	1.5	4.6	446.2
Unknown Sex	433.7	146.3	39.0	46.4	63.2	13.9	1.2	66.2	28.0	837.9
TOTAL	1425.1	406.8	49.2	171.8	99.9	85.1	2.4	73.7	46.0	2360.0

THE SUBSISTENCE TAKE OF SEA LION IN 1993

Estimated Size of the Sea Lion Take, 1993

The estimated size of the total take of Steller sea lions by Alaska Natives in 1993 is presented in Tables 4 and 9. In 1993, there were an estimated 487 sea lions taken by Alaska Natives for subsistence uses (with a 95 percent confidence range of between 391 to 630 animals) (Table 4). Of the 1993 subsistence take, 28.6 percent (139 sea lions) were struck and lost, and 71.4 percent (348 sea lions) were harvested.

Geographic Distribution of Sea Lion Takes

Table 9 shows the regional distribution of sea lion takes in 1993 by Alaska Natives. By far, the largest takes in terms of absolute numbers were taken by the Aleut hunters of the Aleutian Islands region and Pribilof Islands region, about 75.7 percent of the total statewide take of sea lions (369 animals) (Table 9). Other significant takes of sea lions were made by the Alutiiq of the Kodiak Island region (59 animals, or 12.0 percent of the statewide take) and the North Pacific Rim area (35 sea lions, or 7.2 percent of the statewide take). The remainder of the statewide take (25 animals, or 5.1 percent) was distributed among the other 5 regions.

The geographic distribution of sea lion takes by community is shown in Table 10 and Fig. 6. The prominence of the Aleutian and Pribilof areas is again demonstrated in these graphics. Five of the six of Aleutian Islands and Pribilof Islands communities were in the top ten communities in terms of absolute number of sea lions taken in 1993. The five top ranking communities were Saint Paul (227 sea lions), Unalaska (69 sea lions), Old Harbor (33 sea lions), Atka (25 sea lions),

TABLE 9
REGIONAL DISTRIBUTION OF SUBSISTENCE TAKES OF
SEA LION (EUMETOPIAS JUBATUS) BY ALASKA NATIVES, 1993

Region	Harvest	Struck and Lost	Take	Percent	Per Capita Harvest	Struck and Lost Rate
Southeast	0.0	1.1	1.1	0.2%	0.00	100.0%
North Pacific Rim	26.5	8.8	35.2	7.2%	0.02	25.0%
Upper Kenai-Cook Inlet	7.8	3.3	11.1	2.3%	0.04	29.7%
Kodiak Island	41.6	16.9	58.5	12.0%	0.02	28.9%
South Alaska Peninsula	4.6	1.2	5.7	1.2%	0.00	21.1%
Aleutian Islands	99.0	24.8	123.8	25.4%	0.24	20.0%
Pribilof Islands	165.4	80.0	245.4	50.3%	0.25	32.6%
South Bristol Bay	0.0	0.0	0.0	0.0%	0.00	0.0%
North Bristol Bay	3.3	3.3	6.5	1.3%	0.00	50.8%
ALASKA	348.0	139.4	487.4	100.0%		28.6%
	(71.4%)	(28.6%)	(100.0%)			

Source: Division of Subsistence, Alaska Department of Fish and Game

and Akutan (23 sea lions). The top five communities accounted for 77 percent of the total Alaska take (377 sea lions). In 1993, 39 of 60 surveyed communities reported no sea lions taken. Six more communities reported a take of less than 5 sea lions. Only 15 communities had harvests of 5 or more sea lions in 1993.

In terms of per capita harvests, the communities of the Aleutian Islands and Pribilof Islands clearly stand out, with about one-quarter of a sea lion harvested per person in 1993 (Table 9). None of the other regions are close to this. The top six communities in per capita harvests were Saint Paul (0.45 sea lions harvested per person), followed by Akutan (0.29), Atka (0.28), Unalaska (0.27), Chenega Bay (0.27) (in the North Pacific Rim region), and Nikolski (0.21) (Table 10).

Seasonal Distribution of Sea Lion Takes

The seasonal distribution of the statewide sea lion take in 1993 is depicted in Fig. 5. Sea lions were reported killed during every month of 1993. Seasonal peaks in productivity occurred during September through November, while summer (June, July, and August) was the period of lowest productivity.

The statewide total masks differences in seasonal patterns between regions and communities. The regional seasonal patterns are depicted in Appendix B. The community seasonal patterns are depicted in Appendix C. The seasonal patterns of sea lion takes varied substantially between Aleut communities in 1993, as shown in Appendix C.

Age and Sex Distribution of Sea Lion Harvests

The reported age and sex distributions of the 1993 sea lion harvests are shown in Tables 11 and 12 by geographic region. Hunters reported harvesting male sea lions over female sea lions by a ratio of about 4.6 to 1. Hunters also reported harvesting juvenile sea lions over adults and pups by about 1.5 to 1. Adult females

TABLE 10
SUBSISTENCE SEA LION HARVEST, TAKE, AND USE BY ALASKA NATIVES, 1993
WITH CONFIDENCE INTERVALS AND STATISTICAL RANGES, BY COMMUNITY

Community	Percent of Native Households Harvesting Sea Lion	Percent of Native Households Using Sea Lion	Sea Lion Harvested	Sea Lion Struck and Lost	Total Sea Lion Take	Confidence Interval (+/- %)	Lower Range Estimate	Upper Range Estimate	Sea Lion Harvested Per Capita
SOUTHEAST									
Angoon	0.0%	0.0%	0.0	0.0	0.0	0.0	0.0	0.0	.00
Craig	-	-	0.0	0.0	0.0	0.0	0.0	0.0	.00
Haines	-	-	0.0	0.0	0.0	0.0	0.0	0.0	.00
Hoonah	0.0%	0.0%	0.0	0.0	0.0	0.0	0.0	0.0	.00
Hydaburg	-	-	0.0	0.0	0.0	0.0	0.0	0.0	.00
Juneau	-	-	0.0	0.0	0.0	0.0	0.0	0.0	.00
Kake	0.0%	0.0%	0.0	0.0	0.0	0.0	0.0	0.0	.00
Ketchikan	-	-	0.0	0.0	0.0	0.0	0.0	0.0	.00
Klawock	-	-	0.0	0.0	0.0	0.0	0.0	0.0	.00
Klukwan	-	-	0.0	0.0	0.0	0.0	0.0	0.0	.00
Pelican	-	-	0.0	0.0	0.0	0.0	0.0	0.0	.00
Petersburg	-	-	0.0	0.0	0.0	0.0	0.0	0.0	.00
Saxman	0.0%	0.0%	0.0	0.0	0.0	0.0	0.0	0.0	.00
Sitka	0.0%	0.5%	0.0	1.1	1.1	0.7	1.0	1.8	.00
Wrangell	-	-	0.0	0.0	0.0	0.0	0.0	0.0	.00
Yakutat	0.0%	0.9%	0.0	0.0	0.0	0.0	0.0	0.0	.00
NORTH PACIFIC RIM									
Chenega Bay	26.3%	63.2%	11.1	6.6	17.7	4.7	16.0	22.4	.27
Cordova	0.8%	0.8%	1.5	0.0	1.5	1.7	1.0	3.2	.01
Nanwalek	12.1%	81.8%	8.7	1.1	9.8	2.8	9.0	12.7	.07
Port Graham	1.8%	12.5%	1.1	0.0	1.1	0.5	1.0	1.5	.01
Seldovia	0.0%	3.6%	0.0	0.0	0.0	0.0	0.0	0.0	.00
Seward	0.0%	0.0%	0.0	0.0	0.0	0.0	0.0	0.0	.00
Tatitlek	7.1%	10.7%	4.1	1.0	5.2	1.5	5.0	6.7	.05
Valdez	-	-	0.0	0.0	0.0	0.0	0.0	0.0	.00
UPPER KENAI-COOK INLET									
Anchorage	-	-	7.8	3.3	11.1	3.2	10.0	14.3	.00
Homer	-	-	0.0	0.0	0.0	0.0	0.0	0.0	.00
Kenai	-	-	0.0	0.0	0.0	0.0	0.0	0.0	.00
KODIAK ISLAND									
Akhiok	0.0%	0.0%	0.0	0.0	0.0	0.0	0.0	0.0	.00
Karluk	0.0%	0.0%	0.0	0.0	0.0	0.0	0.0	0.0	.00
Kodiak City	0.0%	9.7%	0.0	12.7	12.7	23.8	1.0	36.5	.02
Larsen Bay	0.0%	0.0%	0.0	0.0	0.0	0.0	0.0	0.0	.00
Old Harbor	27.4%	93.3%	32.1	1.0	33.2	5.6	29.0	38.8	.13
Ouzinkie	5.0%	6.7%	5.4	2.2	7.6	2.7	7.0	10.3	.03
Port Lions	6.8%	6.8%	4.0	1.0	5.0	2.8	4.0	7.8	.03

TABLE 10, CONTINUED
SUBSISTENCE SEA LION HARVEST, TAKE, AND USE BY ALASKA NATIVES, 1993
WITH CONFIDENCE INTERVALS AND STATISTICAL RANGES, BY COMMUNITY

Community	Percent of Native Households Harvesting Sea Lion	Percent of Native Households Using Sea Lion	Sea Lion Harvested	Sea Lion Struck and Lost	Total Sea Lion Take	Confidence Interval (+/- %)	Lower Range Estimate	Upper Range Estimate	Sea Lion Harvested Per Capita
SOUTH ALASKA PENINSULA									
Chignik Bay	0.0%	0.0%	0.0	0.0	0.0	0.0	0.0	0.0	.00
Chignik Lagoon	6.7%	6.7%	1.1	0.0	1.1	0.5	1.0	1.6	.04
Chignik Lake	0.0%	0.0%	0.0	0.0	0.0	0.0	0.0	0.0	.00
False Pass	0.0%	0.0%	0.0	0.0	0.0	0.0	0.0	0.0	.00
Ivanof Bay	33.3%	50.0%	2.3	1.2	3.5	1.8	3.0	5.3	.11
King Cove	1.0%	3.0%	1.2	0.0	1.2	0.9	1.0	2.0	.01
Perryville	0.0%	6.9%	0.0	0.0	0.0	0.0	0.0	0.0	.00
Sand Point	0.0%	0.0%	0.0	0.0	0.0	0.0	0.0	0.0	.00
ALEUTIAN ISLANDS									
Akutan	23.1%	88.5%	14.5	8.9	23.4	5.7	21.0	29.2	.29
Atka	36.4%	86.4%	25.1	0.0	25.1	5.4	23.0	30.5	.28
Nikolski	23.1%	100.0%	6.0	0.0	6.0	0.0	6.0	6.0	.21
Unalaska	22.7%	100.0%	53.4	15.9	69.3	25.3	47.0	94.6	.27
PRIBILOF ISLANDS									
Saint George	7.9%	36.8%	3.7	14.8	18.6	7.1	15.0	25.6	.14
Saint Paul	37.6%	83.5%	161.7	65.2	226.8	43.4	183.5	270.2	.45
SOUTH BRISTOL BAY									
Egegik	0.0%	0.0%	0.0	0.0	0.0	0.0	0.0	0.0	.00
King Salmon	0.0%	0.0%	0.0	0.0	0.0	0.0	0.0	0.0	.00
Levelock	0.0%	0.0%	0.0	0.0	0.0	0.0	0.0	0.0	.00
Naknek	0.0%	0.0%	0.0	0.0	0.0	0.0	0.0	0.0	.00
Pilot Point	0.0%	0.0%	0.0	0.0	0.0	0.0	0.0	0.0	.00
Port Heiden	0.0%	0.0%	0.0	0.0	0.0	0.0	0.0	0.0	.00
South Naknek	0.0%	0.0%	0.0	0.0	0.0	0.0	0.0	0.0	.00
NORTH BRISTOL BAY									
Aleknagik	0.0%	0.0%	0.0	0.0	0.0	0.0	0.0	0.0	.00
Clark's Point	0.0%	0.0%	0.0	0.0	0.0	0.0	0.0	0.0	.00
Dillingham	0.0%	0.0%	0.0	0.0	0.0	0.0	0.0	0.0	.00
Manokotak	0.0%	37.7%	0.0	0.0	0.0	0.0	0.0	0.0	.00
Togiak	1.9%	5.6%	3.3	3.3	6.5	2.3	6.0	8.8	.01
ALASKA TOTAL			348.0	139.4	487.4	29%	390.5	629.7	

**TABLE 11
AGE AND SEX DISTRIBUTION
OF SEA LION HARVESTS
BY ALASKA NATIVES, 1993**

	Male	Female	Unknown Sex	Total
Adult	70.5	26.0	10.3	106.8
Row Percent	66.0%	24.3%	9.6%	100.0%
Column Percent	31.2%	52.4%	14.2%	30.7%
Juvenile	138.4	19.1	43.2	200.7
Row Percent	69.0%	9.5%	21.5%	100.0%
Column Percent	61.2%	38.5%	59.8%	57.7%
Pup	16.0	4.5	4.6	25.1
Row Percent	63.7%	17.9%	18.3%	100.0%
Column Percent	7.1%	9.1%	6.4%	7.2%
Unknown Age	1.1	0.0	14.2	15.3
Row Percent	7.2%	0.0%	92.8%	100.0%
Column Percent	0.5%	0.0%	19.6%	4.4%
Total	226	49.6	72.3	347.9
Row Percent	65.0%	14.3%	20.8%	100.0%
Column Percent	100.0%	100.0%	100.0%	100.0%

TABLE 12
AGE AND SEX DISTRIBUTION OF SEA LION HARVESTS
BY ALASKA NATIVES BY REGION, 1993

AGE AND SEX	Southeast	Upper			South			South	North	Alaska
		Pacific	Kenai- Cook Inlet	Kodiak Island	Alaska Peninsula	Aleutian Islands	Pribilof Islands	Bristol Bay	Bristol Bay	
Adult Male	0.0	5.5	2.2	13.6	1.1	38.9	9.2	0.0	0.0	70.5
Adult Female	0.0	1.1	2.2	6.2	0.0	16.5	0.0	0.0	0.0	26.0
Adult Unknown Sex	0.0	5.9	1.1	1.0	0.0	0.0	1.2	0.0	1.1	10.3
Juvenile Male	0.0	4.3	1.1	15.2	0.0	14.6	102.1	0.0	1.1	138.4
Juvenile Female	0.0	3.3	0.0	0.0	1.2	13.4	1.2	0.0	0.0	19.1
Juvenile Unknown Sex	0.0	2.2	0.0	2.2	2.3	1.1	34.3	0.0	1.1	43.2
Pup Male	0.0	0.0	0.0	0.0	0.0	4.5	11.5	0.0	0.0	16.0
Pup Female	0.0	0.0	0.0	0.0	0.0	4.5	0.0	0.0	0.0	4.5
Pup Unknown Sex	0.0	0.0	0.0	0.0	0.0	0.0	4.6	0.0	0.0	4.6
Male Unknown Age	0.0	0.0	1.1	0.0	0.0	0.0	0.0	0.0	0.0	1.1
Female Unknown Age	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Unknown Age and Sex	0.0	4.2	0.0	3.3	0.0	5.5	1.2	0.0	0.0	14.2
TOTAL	0.0	26.5	7.7	41.5	4.6	99.0	165.3	0.0	3.3	347.9
AGE ONLY										
Adult	0.0	12.5	5.5	20.8	1.1	55.4	10.4	0.0	1.1	106.8
Juvenile	0.0	9.8	1.1	17.4	3.5	29.1	137.6	0.0	2.2	200.7
Pup	0.0	0.0	0.0	0.0	0.0	9.0	16.1	0.0	0.0	25.1
Unknown Age	0.0	4.2	1.1	3.3	0.0	5.5	1.2	0.0	0.0	15.3
TOTAL	0.0	26.5	7.7	41.5	4.6	99.0	165.3	0.0	3.3	347.9
SEX ONLY										
Male	0.0	9.8	4.4	28.8	1.1	58.0	122.8	0.0	1.1	226.0
Female	0.0	4.4	2.2	6.2	1.2	34.4	1.2	0.0	0.0	49.6
Unknown Sex	0.0	12.3	1.1	6.5	2.3	6.6	41.3	0.0	2.2	72.3
TOTAL	0.0	26.5	7.7	41.5	4.6	99.0	165.3	0.0	3.3	347.9

comprised about 9 percent of the total known harvest of sea lions in 1993. Hunters did not report the sex for 21 percent of the harvest or age for about 5 percent of the harvest. The age and sex also are unknown for sea lions which were struck and lost.

HUNTING PARTICIPATION

Hunting harbor seal or sea lion is a relatively specialized subsistence activity in Alaska communities. Based on survey findings, the estimated number of households which reported at least one member hunting harbor seal was 1,014 households in 1992 and 853 households in 1993. The estimated number of households which reported at least one member hunting sea lions was 199 households in 1992 and 223 households in 1993. For both survey years, the large majority of Native households in the study's sampling universe did not attempt to hunt harbor seals or sea lions (Table 13). This suggests that only a minority of Native households probably will hunt harbor seals or sea lions on any given year.

There also was substantial specialization in hunter productivity among the households that did hunt in 1993 (see Figs. 7 and 8). About 30 percent of the households which hunted harbor seal killed 78 percent of the animals taken in 1993 (Fig. 7). Similarly, about 30 percent of the households which hunted sea lion killed 73 percent of the animals taken in 1993 (Fig. 8). This shows that a relatively small number of highly-productive hunters reported taking most of the subsistence kills. For harbor seal and sea lion, about one-quarter of hunting households reported hunting unsuccessfully each year (from 22 percent to 26 percent; see Table 13).

There appears to be moderate turnover in hunting households across years. To assess the variability in the composition of the hunters from one year to the next, a comparison was made of 1,274 households which were interviewed in both 1992 and 1993, shown as unweighted numbers in Table 14. For harbor seal, there

TABLE 13
PARTICIPATION RATES OF
ALASKA NATIVE HOUSEHOLDS IN
HUNTING HARBOR SEAL OR SEA LION, 1992 AND 1993

	HARBOR SEAL			SEA LION		
	<u>Household Universe</u>	<u>Percent of Household Universe</u>	<u>Percent of Hunting Households</u>	<u>Household Universe</u>	<u>Percent of Household Universe</u>	<u>Percent of Hunting Households</u>
STUDY YEAR 1992						
Did Not Hunt	2,698	73%	--	3,513	95%	--
Hunted Unsuccessfully	262	7%	26%	49	1%	25%
Hunted Successfully	752	20%	74%	150	4%	75%
Total Households	3,712	100%	--	3,712	100%	--
Total Hunting Households	1,014	--	100%	199	--	100%
STUDY YEAR 1993						
Did Not Hunt	3,510	80%	--	4,142	95%	--
Hunted Unsuccessfully	188	4%	22%	52	1%	23%
Hunted Successfully	665	15%	78%	171	4%	77%
Total Households	4,364	100%	--	4,364	100%	--
Total Hunting Households	853	--	100%	223	--	100%

Fig 7.
Specialization in Harbor Seal Takes:
Percent of Hunters by Percent of Take, 1993





Fig. 8.
Specialization in Sea Lion Takes:
Percent of Hunters by Percent of Take, 1993



were 187 households that hunted in 1992 but not in 1993, and 118 households that hunted in 1993 but not in 1992 (a net decrease of 69 households). There were 336 households that hunted harbor seal in both 1992 and 1993. For sea lion, there were 31 households that hunted in 1992 but not in 1993, and 48 households that hunted in 1993 but not 1993 (a net increase of 17 households). There were 57 households that hunted in both 1992 and 1993. Hunter participation is shown separately for St. Paul, where only a single year's data are available (Table 14).

DISCUSSION

A limitation of single-year hunter surveys is that they cannot provide information on the ranges or trends of harvests over time. Subsistence harvests tend to be dynamic, changing over time due to a number of ecological, economic, and cultural factors. As discussed in Wolfe and Mishler (1993:71-89), there are several indications that the current statewide subsistence takes of harbor seal and sea lion are lower in comparison with subsistence takes in the recent past. Factors associated with recent lower takes include the mistaken belief that sea lions are closed by regulation to subsistence hunting in certain areas, particularly the Kodiak Island and Alaska Peninsula areas; the continuing effects of the 1989 *Exxon Valdez* oil spill in Prince William Sound; and the apparent general declining trends in population sizes of harbor seals and sea lions from the Gulf of Alaska westward (see Wolfe and Mishler 1993). The current subsistence takes of harbor seals are considerably lower than kills during the period from 1927-72 when a hair seal bounty program was operated by the territorial or state government (Wolfe and Mishler 1993: Addendum to Appendix B). During the 1950s, the reported numbers of hair seals (primarily harbor seals) killed ranged between about 15,000 to 20,000 animals annually in Alaska.

**TABLE 14
COMPARISON OF HOUSEHOLDS
INTERVIEWED IN BOTH 1992 AND 1993
(UNWEIGHTED NUMBERS)**

HARBOR SEAL

COMMUNITIES WITH TWO YEARS OF DATA

- 1,274 Households interviewed in both 1992 and 1993
 - 633 Households did not hunt in 1992 and 1993
 - 187 Households hunted in 1992 but not in 1993
 - 50 Households hunted unsuccessfully in 1992
 - 137 Households hunted successfully in 1992
 - 118 Households hunted in 1993 but not in 1992
 - 36 Households hunted unsuccessfully in 1993
 - 82 Households hunted successfully in 1993
 - 336 Households hunted in 1992 and 1993
 - 19 Households hunted unsuccessfully in 1992 and 1993
 - 27 Households hunted successfully in 1992 but unsuccessfully in 1993
 - 24 Households hunted successfully in 1993 but unsuccessfully in 1992
 - 266 Households hunted successfully in 1992 and 1993

ST. PAUL (SINGLE YEAR OF DATA)

- 84 Households interviewed in 1992
 - 80 Households did not hunt in 1992
 - 4 Households hunted in 1992
 - 1 Households hunted unsuccessfully in 1992
 - 3 Households hunted successfully in 1992

SEA LION

COMMUNITIES WITH TWO YEARS OF DATA

- 1,274 Households interviewed in both 1992 and 1993
 - 1,138 Households did not hunt in 1992 and 1993
 - 31 Households hunted in 1992 but not in 1993
 - 13 Households hunted unsuccessfully in 1992
 - 18 Households hunted successfully in 1992
 - 48 Households hunted in 1993 but not in 1992
 - 21 Households hunted unsuccessfully in 1993
 - 27 Households hunted successfully in 1993
 - 57 Households hunted in 1992 and 1993
 - 4 Households hunted unsuccessfully in 1992 and 1993
 - 5 Households hunted successfully in 1992 but unsuccessfully in 1993
 - 6 Households hunted successfully in 1993 but unsuccessfully in 1992
 - 42 Households hunted successfully in 1992 and 1993

ST. PAUL (SINGLE YEAR OF DATA)

- 84 Households interviewed in 1992
 - 36 Households did not hunt in 1992
 - 48 Households hunted in 1992
 - 8 Households hunted unsuccessfully in 1992
 - 40 Households hunted successfully in 1992

In the following sections, the estimated subsistence takes in 1993 are compared with takes in previous years, where estimates exist. The comparisons allow for assessments of the relative continuity and change of subsistence takes between years at the state, region, and community levels. In addition, by comparing subsistence information collected in 1992 and 1993, an assessment can be made of the relative success of the network of local and regional researchers as a subsistence harvest collection method.

Comparisons of Annual Subsistence Takes

At the state level, the estimates of the subsistence takes of harbor seal and sea lion were relatively similar in 1992 and 1993. The estimated statewide subsistence takes of harbor seal in 1992 (2,867 seals) and 1993 (2,729 seals) differed by 138 animals (4.8 percent) (Table 4). The estimated statewide subsistence takes of sea lion in 1992 (548 sea lions) and 1993 (487 sea lions) reflect a difference of 61 animals (11.1 percent) between 1992 and 1993 (Table 4). The differences between the two years are not statistically significant for the harbor seal estimates or for the sea lion estimates. The estimated total takes in 1993 fall within the confidence ranges of the 1992 estimates for each species (see Table 4). Therefore, looking at the state as a whole, there appear to have been no major changes in the levels of subsistence takes of harbor seal or sea lion between 1992 and 1993.

Seasons of harvests for 1992 and 1993 are shown in Fig. 9. The two seasonal peaks in harbor seal harvests during spring and fall, and the mid-summer low in harbor seal harvests, are similar in both 1992 and 1993. The fall harvest of harbor seal seems to have occurred somewhat earlier in 1993 than in 1992, peaking in October instead of November. The seasons of the sea lion harvests are also similar, although there appears to be fewer animals taken in winter (December

Fig. 9.
Estimated Seasonally Adjusted Takes of Harbor Seal
by Alaska Natives, 1992 and 1993





Fig. 10.
Estimated Seasonally Adjusted Takes of Sea Lion
by Alaska Natives, 1992 and 1993 (Excluding St. Paul)



and January) during 1993 in comparison with 1992, and more during November. The seasonal takes at St. Paul were removed from the two comparison years because of the lack of seasonal data in 1993.

Relative struck and lost rates were similar between years for harbor seals (12 percent in 1992 and 14 percent in 1993) and for sea lion (33 percent in 1992 and 29 percent in 1993) (see Table 4). Considering kills of known sex, male to female sex ratios were similar between years for harbor seal (2.2 to 1 in 1992, compared with 2.4 to 1 in 1993). For sea lion, there was an apparent increase in male to female sex ratios (3.3 to 1 in 1992, compared with 4.6 to 1 in 1993). The reason for this difference is not known.

A comparison of regional subsistence takes are presented in Table 15. Like the statewide estimates, the estimates of regional takes appear to be relatively consistent between 1992 and 1993 for harbor seal and sea lion.

By contrast, subsistence takes at the community level display a more complex picture, as shown in Tables 16 and 17. Depending upon the community, increases, decreases, and no apparent changes in subsistence takes were documented. For instance, in the North Pacific Rim area, harbor seal take estimates increased in four communities (Cheneg Bay, Cordova, Nanwalek, and Valdez), declined in two communities (Port Graham and Tatitlek), and were virtually identical in two communities (Seldovia and Seward). In aggregate, the estimated regional take was almost unchanged between 1992 and 1993, showing a difference of 3 percent (13 animals more).

As another example, in the Southeast region, 14 of 16 communities had lower estimated takes of harbor seals in 1993 compared with 1992, suggesting a decrease in subsistence takes of harbor seals for most communities in the region as a whole between 1992 and 1993. However, subsistence take estimates doubled from 1992 to 1993 in the two remaining southeast communities (Wrangell

TABLE 15
SUBSISTENCE TAKES OF HARBOR SEAL AND SEA LION
BY ALASKA NATIVES BY REGION, 1992 AND 1993

Region	1992			1993		
	1992 Harbor Seal Harvested	1992 Harbor Seal Struck and Lost	1992 Total Harbor Seal Take	1993 Harbor Seal Harvested	1993 Harbor Seal Struck and Lost	1993 Total Harbor Seal Take
Southeast	1481.3	189.4	1670.7	1425.1	190.0	1615.1
North Pacific Rim	397.4	33.4	430.8	406.8	37.6	444.3
Upper Kenai-Cook Inlet	51.6	0.0	51.6	49.2	5.6	54.8
Kodiak Island	225.5	15.6	241.1	171.7	20.1	191.8
South Alaska Peninsula	115.5	13.1	128.6	100.0	23.1	123.1
Aleutian Islands	94.3	21.4	115.7	85.0	15.4	100.4
Pribilof Islands	2.3	1.2	3.5	2.3	1.2	3.5
South Bristol Bay	99.0	55.1	154.1	73.6	57.3	130.9
North Bristol Bay	57.6	13.1	70.7	46.1	18.9	65.0
Alaska Total	2524.5	342.3	2866.8	2359.9	369.0	2728.9

Region	1992			1993		
	1992 Sea Lion Harvested	1992 Sea Lion Struck and Lost	1992 Total Sea Lion Take	1993 Sea Lion Harvested	1993 Sea Lion Struck and Lost	1993 Total Sea Lion Take
Southeast	5.2	1.3	6.4	0	1.1	1.1
North Pacific Rim	23.9	6.5	30.4	26.5	8.8	35.2
Upper Kenai-Cook Inlet	5.7	3.8	9.5	7.8	3.3	11.1
Kodiak Island	41.5	16.4	57.8	41.6	16.9	58.5
South Alaska Peninsula	2.4	0	2.4	4.6	1.2	5.7
Aleutian Islands	104.3	30.9	135.2	99	24.8	123.8
Pribilof Islands	176.5	120.2	296.7	165.4	80	245.4
South Bristol Bay	0	0	0	0	0	0
North Bristol Bay	7.8	0	7.8	3.3	3.3	6.5
Lake Iliamna	1.3	0	1.3	-	-	-
Alaska Total	368.6	179.0	547.5	348.0	139.4	487.4

and Yakutat). In aggregate, the subsistence take estimates for the Southeast region were almost unchanged between 1992 and 1993, showing a difference of 3 percent (56 fewer animals). For sea lion, differences among communities also are complex, with some communities showing increased takes (e.g., Chenega Bay, Nanwalek, and Unalaska) and others showing decreased takes (e.g., Tatitlek, Old Harbor, and Atka). The largest difference in reported takes between 1992 and 1993 was at Saint George (from 70 animals to 19 animals).

These comparisons suggest variability in subsistence takes across years at the community level due to a local ecological, economic, and cultural factors. These local factors probably include weather conditions during harvest seasons, availability of animals to hunters, level of seasonal employment in communities affecting hunter participation, health of key hunters, household and community food requirements, and social obligations to provide food connected with funeral observances, among other variables. Causal explanations for any one community's harvest change are likely to be specific to that place and year, and not necessarily applicable to any other set of communities. No simple generalizations can be made comparing 1992 and 1993 subsistence takes at the community level, except that they display a relatively complex picture. As stated above, in aggregate these local permutations at the community level resulted in total regional and statewide take estimates for harbor seal and sea lion which were similar between 1992 and 1993.

Subsistence harvest surveys have been conducted by the Division of Subsistence for a series of years in selected communities of the North Pacific Rim and Kodiak Islands, as shown in Figs. 11-14. In studies prior to 1992, harvests of marine mammals were collected while documenting a full range of wild resources used by a community. No subsistence surveys prior to 1992 included animals which were struck and lost, so comparisons across years can be made of harvested animals only.

TABLE 16
SUBSISTENCE HARBOR SEAL TAKES BY ALASKA NATIVES
BY COMMUNITY, 1992 AND 1993

Community	1992 Harbor Seal Harvested	1992 Harbor Seal Struck and Lost	1992 Total Harbor Seal Take	1993 Harbor Seal Harvested	1993 Harbor Seal Struck and Lost	1993 Total Harbor Seal Take
SOUTHEAST						
Angoon	125.1	28.9	154.0	56.6	9.9	66.5
Craig	74.2	0.0	74.2	51.1	9.8	60.9
Haines	30.5	7.9	38.4	23.0	2.3	25.3
Hoonah	350.2	24.8	375.0	324.4	35.8	360.2
Hydaburg	30.0	2.1	32.1	14.0	0.0	14.0
Juneau	122.6	7.6	130.2	59.0	21.6	80.6
Kake	173.9	12.3	186.2	100.8	15.2	115.9
Kasaan	0.0	0.0	0.0	*	*	*
Ketchikan	90.2	6.5	96.8	42.4	2.9	45.3
Klawock	39.0	1.4	40.3	39.8	0.0	39.8
Klukwan	8.0	2.0	10.0	1.2	0.0	1.2
Metlakatla	1.3	0.0	1.3	*	*	*
Pelican	12.9	1.3	14.1	5.3	1.1	6.4
Petersburg	22.4	2.6	25.0	4.5	4.5	9.0
Saxman	22.2	1.2	23.5	5.6	0.0	5.6
Sitka	124.7	21.4	146.1	109.3	20.6	129.9
Wrangell	6.0	8.0	14.0	19.5	9.0	28.5
Yakutat	248.0	61.3	309.3	568.4	57.4	625.8
NORTH PACIFIC RIM						
Chenega Bay	42.6	2.3	44.9	60.8	2.2	63.0
Cordova	103.8	8.8	112.5	147.4	5.5	152.9
Nanwalek	27.9	0.0	27.9	29.5	3.3	32.7
Port Graham*	36.2	4.7	40.8	31.6	3.2	34.8
Seldovia	12.4	0.0	12.4	7.9	4.9	12.8
Seward	2.0	0.0	2.0	0.0	0.0	0.0
Tatitlek	152.9	17.7	170.6	108.7	14.5	123.2
Valdez	0.0	0.0	0.0	21.0	4.0	25.0
UPPER KENAI-COOK INLET						
Anchorage	17.1	0.0	17.1	24.4	5.6	30.0
Homer	*	*	*	4.8	0.0	4.8
Kenai	33.3	0.0	33.3	20.0	0.0	20.0
Tyonek	1.1	0.0	1.1	*	*	*
KODIAK ISLAND						
Akhiok	20.0	3.0	23.0	13.3	0.0	13.3
Karluk	16.5	1.5	18.0	10.0	1.3	11.3
Kodiak City	36.9	0.0	36.9	6.0	1.0	7.0
Larsen Bay	6.5	0.0	6.5	7.7	5.5	13.2
Old Harbor	86.8	7.8	94.7	67.6	2.7	70.3
Ouzinkie	21.8	1.1	23.0	41.2	8.7	49.8
Port Lions	36.9	2.2	39.1	26.0	1.0	27.0

TABLE 16 (CONTINUED)
SUBSISTENCE HARBOR SEAL TAKES BY ALASKA NATIVES
BY COMMUNITY, 1992 AND 1993

Community	1992		1992		1993		1993	
	Harbor Seal Harvested	Harbor Seal Struck and Lost	Harbor Seal Take	Harbor Seal Take	Harbor Seal Harvested	Harbor Seal Struck and Lost	Harbor Seal Take	Harbor Seal Take
SOUTH ALASKA PENINSULA								
Chignik Bay	2.4	1.2	3.6		6.3	5.0		11.3
Chignik Lagoon	4.0	0.0	4.0		4.3	1.1		5.3
Chignik Lake	8.3	2.1	10.3		15.2	5.5		20.8
False Pass	18.0	0.0	18.0		19.0	0.0		19.0
Ivanof Bay	10.0	1.0	11.0		16.3	4.7		21.0
King Cove	26.0	6.7	32.7		12.8	3.5		16.3
Nelson Lagoon	0.0	0.0	0.0		*	*		*
Perryville	8.9	2.2	11.1		12.8	2.1		15.0
Sand Point	37.9	0.0	37.9		13.3	1.2		14.4
ALEUTIAN ISLANDS								
Akutan	12.9	4.3	17.1		15.6	4.5		20.1
Atka	28.6	9.9	38.5		32.7	0.0		32.7
Nikolski	5.8	3.5	9.3		4.0	1.0		5.0
Unalaska	47.0	3.7	50.8		32.7	9.9		42.6
PRIBILOF ISLANDS								
Saint George	0.0	0.0	0.0		0.0	0.0		0.0
Saint Paul*	2.3	1.2	3.5		2.3	1.2		3.5
SOUTH BRISTOL BAY								
Egegik	3.3	14.3	17.7		7.7	3.3		11.0
King Salmon	10.2	0.0	10.2		21.3	10.7		32.0
Levelock	10.8	0.0	10.8		2.7	5.4		8.1
Naknek	26.6	7.0	33.6		2.7	0.0		2.7
Pilot Point	5.4	4.3	9.7		2.2	0.0		2.2
Port Heiden	40.5	22.5	63.0		30.7	19.9		50.6
South Naknek	2.3	6.9	9.2		6.4	18.0		24.4
NORTH BRISTOL BAY								
Aleknagik	0.0	3.6	3.6		0.0	0.0		0.0
Clark's Point	0.0	0.0	0.0		0.0	0.0		0.0
Dillingham	29.2	3.8	32.9		18.0	4.2		22.2
Manokotak	4.9	3.8	8.7		3.2	0.0		3.2
Togiak	24.3	2.0	26.3		24.9	14.7		39.6

* Port Graham 1992 takes revised from earlier estimates; St. Paul 1992 takes are used to estimate 1993 takes.

TABLE 17
SUBSISTENCE SEA LION TAKES BY ALASKA NATIVES
BY COMMUNITY, 1992 AND 1993


Region and Community	1992 Sea Lion Harvested	1992 Sea Lion Struck and Lost	1992 Total Sea Lion Take	1993 Sea Lion Harvested	1993 Sea Lion Struck and Lost	1993 Total Sea Lion Take
SOUTHEAST						
Angoon	0.0	0.0	0.0	0.0	0.0	0.0
Craig	0.0	0.0	0.0	0.0	0.0	0.0
Haines	0.0	0.0	0.0	0.0	0.0	0.0
Hoonah	0.0	0.0	0.0	0.0	0.0	0.0
Hydaburg	0.0	0.0	0.0	0.0	0.0	0.0
Juneau	0.0	0.0	0.0	0.0	0.0	0.0
Kake	0.0	0.0	0.0	0.0	0.0	0.0
Kasaan	0.0	0.0	0.0	*	*	*
Ketchikan	0.0	0.0	0.0	0.0	0.0	0.0
Klawock	1.4	0.0	1.4	0.0	0.0	0.0
Klukwan	0.0	0.0	0.0	0.0	0.0	0.0
Metlakatla	0.0	0.0	0.0	*	*	*
Pelican	0.0	0.0	0.0	0.0	0.0	0.0
Petersburg	0.0	0.0	0.0	0.0	0.0	0.0
Saxman	0.0	0.0	0.0	0.0	0.0	0.0
Sitka	3.8	1.3	5.0	0.0	1.1	1.1
Wrangell	0.0	0.0	0.0	0.0	0.0	0.0
Yakutat	0.0	0.0	0.0	0.0	0.0	0.0
NORTH PACIFIC RIM						
Chenega Bay	6.9	1.2	8.1	11.1	6.6	17.7
Cordova	0.0	0.0	0.0	1.5	0.0	1.5
Nanwalek	6.3	0.0	6.3	8.7	1.1	9.8
Port Graham*	3.5	1.2	4.7	1.1	0.0	1.1
Seldovia	0.0	0.0	0.0	0.0	0.0	0.0
Seward	0.0	0.0	0.0	0.0	0.0	0.0
Tatitlek	8.3	4.2	12.5	4.1	1.0	5.2
Valdez	0.0	0.0	0.0	0.0	0.0	0.0
UPPER KENAI-COOK INLET						
Anchorage	5.7	3.8	9.5	7.8	3.3	11.1
Homer	*	*	*	0.0	0.0	0.0
Kenai	0.0	0.0	0.0	0.0	0.0	0.0
Tyonek	0.0	0.0	0.0	*	*	*
KODIAK ISLAND						
Akhiok	3.0	1.0	4.0	0.0	0.0	0.0
Karluk	0.0	0.0	0.0	0.0	0.0	0.0
Kodiak City	0.0	0.0	0.0	0.0	12.7	12.7
Larsen Bay	1.1	0.0	1.1	0.0	0.0	0.0
Old Harbor	32.9	13.2	46.1	32.1	1.0	33.2
Ouzinkie	3.4	0.0	3.4	5.4	2.2	7.6
Port Lions	1.1	2.2	3.2	4.0	1.0	5.0

TABLE 17 (CONTINUED)
SUBSISTENCE SEA LION TAKES BY ALASKA NATIVES
BY COMMUNITY, 1992 AND 1993

Region and Community	1992 Sea Lion Harvested	1992 Sea Lion Struck and Lost	1992 Total Sea Lion Take	1993 Sea Lion Harvested	1993 Sea Lion Struck and Lost	1993 Total Sea Lion Take
SOUTH ALASKA PENINSULA						
Chignik Bay	0.0	0.0	0.0	0.0	0.0	0.0
Chignik Lagoon	0.0	0.0	0.0	1.1	0.0	1.1
Chignik Lake	0.0	0.0	0.0	0.0	0.0	0.0
False Pass	0.0	0.0	0.0	0.0	0.0	0.0
Ivanof Bay	0.0	0.0	0.0	2.3	1.2	3.5
King Cove	1.3	0.0	1.3	1.2	0.0	1.2
Nelson Lagoon	0.0	0.0	0.0	*	*	*
Perryville	1.1	0.0	1.1	0.0	0.0	0.0
Sand Point	0.0	0.0	0.0	0.0	0.0	0.0
ALEUTIAN ISLANDS						
Akutan	25.7	4.3	30.0	14.5	8.9	23.4
Atka	28.6	9.9	38.5	25.1	0.0	25.1
Nikolski	8.2	0.0	8.2	6.0	0.0	6.0
Unalaska	41.8	16.7	58.5	53.4	15.9	69.3
PRIBILOF ISLANDS						
Saint George	14.9	55.0	69.9	3.7	14.8	18.6
Saint Paul*	161.7	65.2	226.8	161.7	65.2	226.8
SOUTH BRISTOL BAY						
Egegik	0.0	0.0	0.0	0.0	0.0	0.0
King Salmon	0.0	0.0	0.0	0.0	0.0	0.0
Levelock	0.0	0.0	0.0	0.0	0.0	0.0
Naknek	0.0	0.0	0.0	0.0	0.0	0.0
Pilot Point	0.0	0.0	0.0	0.0	0.0	0.0
Port Heiden	0.0	0.0	0.0	0.0	0.0	0.0
South Naknek	0.0	0.0	0.0	0.0	0.0	0.0
NORTH BRISTOL BAY						
Aleknagik	0.0	0.0	0.0	0.0	0.0	0.0
Clark's Point	0.0	0.0	0.0	0.0	0.0	0.0
Dillingham	0.0	0.0	0.0	0.0	0.0	0.0
Manokotak	3.9	0.0	3.9	0.0	0.0	0.0
Togiak	3.9	0.0	3.9	3.3	3.3	6.5


* Port Graham 1992 takes revised from earlier estimates; St. Paul 1992 takes are used to estimate 1993 takes.

Fig. 11.
Change in Harbor Seal Harvests,
North Pacific Rim Communities




HARBOR SEAL HARVESTS				
<u>Year</u>	<u>Nanwalek</u>	<u>Port Graham</u>	<u>Chenega Bay</u>	<u>Tatitlek</u>
84			186	
85			154	
86				
87	29	32		393
88				473
89	27	17	16	113
90	9	10	57	76
91	18	30	28	114
92	28	36	43	153
93	30	32	61	109

Fig. 12.
Change in Sea Lion Harvests,
North Pacific Rim Communities




SEA LION HARVESTS				
<u>Year</u>	<u>Nanwalek</u>	<u>Port Graham</u>	<u>Chenega Bay</u>	<u>Tatitlek</u>
84			15	
85			27	
86				
87	8	2		21
88				27
89	2	3	2	18
90	2	0	1	2
91	0	4	6	9
92	6	4	7	8
93	9	1	11	4

Fig. 13.
Changes in Harbor Seal Harvests,
Kodiak Island Communities



HARBOR SEAL HARVESTS						
<u>Year</u>	<u>Port Lions</u>	<u>Karluk</u>	<u>Akhiok</u>	<u>Larsen Bay</u>	<u>Ouzinkie</u>	<u>Old Harbor</u>
82	13	66	89	56	96	158
86	28	24	6	10	67	127
89	2	7	13	26	34	45
90		8		27	26	
91		1		17	24	46
92	37	17	20	7	22	87
93	26	10	13	8	41	68

Fig. 14.
Changes in Sea Lion Harvests,
Kodiak Island Communities



SEA LION HARVESTS						
	<u>Port Lions</u>	<u>Karluk</u>	<u>Akhiok</u>	<u>Larsen Bay</u>	<u>Ouzinkie</u>	<u>Old Harbor</u>
82	8	27	54	36	11	96
86	3	7	6	0	13	173
89	0	0	9	6	0	22
90		0		9	3	
91		0		1	0	17
92	1	0	3	1	3	33
93	4	0	0	0	5	32

In the North Pacific Rim region, there appear to be relatively complex changes occurring in the harvests of four communities where there are five or more years of information (Figs. 11 and 12). In Tatitlek and Chenega Bay, estimated harbor seal and sea lion harvests were substantially larger prior to 1989, the year of the *Exxon Valdez* Oil Spill, than after (Figs. 11 and 12). While there is a suggestion of a possible trend toward increasing harvests since 1990, the increases are not continuous or clear cut, and recent harvests do not approach pre-spill levels. For Nanwalek and Port Graham, the lowest estimated harbor seal harvests were recorded for 1990, the year after the oil spill, while the estimated harvests of the last two years are similar to the one pre-spill estimate in 1987.

On Kodiak Island (Figs. 13 and 14), estimated harbor seal takes in 1993 were lower for five of six communities compared with estimates in 1982. For years with complete information for all six communities, harbor seal harvests were 478 (1982), 262 (1986), 127 (1989), 190 (1992), and 166 (1993). This suggests declining harvests on Kodiak Island. However, harvests display substantial variability at the community level between years. With sea lions, estimated harvests in 1993 were lower for all six Kodiak Island communities compared with estimates in 1982. Three communities (Karluk, Akhiok, and Larsen Bay) reported no sea lion harvests in 1993, whereas the same communities harvested 117 sea lions in 1982. Sea lion harvests for years with complete community coverage were 232 (1982), 202 (1986), 37 (1989), 41 (1992), and 41 (1993).

Assessment of the Local and Regional Research Network

This report has covered the second year of a two-year project to document the subsistence takes of harbor seal and sea lion by Alaska Natives. Unlike the first year, where most household surveys were conducted by teams of local and regional researchers, during the second year information on subsistence takes was collected

principally by locally-hired researchers in each community, who were part of a local and regional research network.

The effectiveness of this type of research structure was uncertain at its onset. It was anticipated that a variety of problems might arise in a certain number of communities. Accordingly, a network of local and regional researchers was designed in order to have a structure which might flexibly deal with emergent issues. Regional researchers in Anchorage, Dillingham, Juneau, and Kodiak City were available to provide additional survey support to local researchers when required.

By a number of standards, the network of local and regional researchers for collecting subsistence harvest information appears to have worked successfully in 1993. Subsistence information meeting project standards was received from 59 of 60 communities. This is a high success rate considering the number and geographic dispersion of communities covered by the project. The number of surveyed households and household response rates also were high. In 1993, 2,087 households were surveyed, compared with 2,105 households in 1992. For communities with census or chain referral samples, 86 percent of households were successfully contacted and interviewed, and for high strata in two-strata samples, 90 percent of households were successfully contacted and interviewed. This indicates that local researchers working alone in 1993 were as effective in locating and surveying hunters as teams of local and regional researchers working together in 1992.

As described above, there are overall similarities between the 1992 and 1993 data sets at the regional and state levels in terms of harvest levels, struck and lost rates, age and sex distributions of harvests, and seasonal cycles of take. Assuming these parameters of the subsistence take do not vary markedly from one year to the next at the state and regional levels, the comparison of the two

sequential years can be taken as a form of test-retest reliability of the entire data set. All suggest that local researchers collected information of comparable reliability to the first year's information. The similarities of the 1992 and 1993 data along these several parameters suggest that no obvious data anomalies were introduced by changing to a network of local and regional researchers the second study year.

While the local and regional network system appeared to have been successful overall, as anticipated there were certain problems which had to be addressed during survey rounds. In several communities, surveys were received late, after announced deadlines. In some cases, this was due to local researchers having to postpone interviews until some households returned to the community from commercial fishing, holiday travels, or other activities. In the future, postponing the survey round by a month, from December to January, may decrease the number of delays associated with Christmas holiday activities. In other cases, local researchers simply took longer to complete surveys than scheduled. Telephone contacts between regional and local researchers eventually were successful in most cases to expedite the completion and mailing of surveys by local researchers. Late surveys set back data processing and report writing schedules, which had to be delayed until all survey data were entered.

As anticipated, there was considerable turnover in local researchers during the project. In some communities, local researchers completed one survey round, but declined work for the second survey round. In some cases, local researchers quit, became incommunicado, or were terminated before a complete set of household surveys had been received from a survey round. To fill positions, regional researchers recruited, hired, and trained other local researchers, who completed unfinished household surveys or conducted the second survey round. Assessing the degree of turnover, 35 local researchers worked both survey rounds,

26 local researchers worked the first survey round only, and 19 local researchers worked the second survey round only. It is uncertain whether this degree of turnover in employees will continue, or whether a more stable work network eventually will emerge over several survey iterations.

In some cases, completed survey forms received for data processing contained ambiguous or incomplete information. The system of maintaining survey tracking sheets to identify households whose surveys were incomplete, and of maintaining record sheets in triplicate, was used to resolve these types of questions. Regional and local researchers reviewed forms by phone, sometimes contacting the surveyed household a second time, to augment or clarify information entered on survey forms when necessary. Some details of data collection did not work as planned. In particular, information missed during the first survey round from certain households, usually was not asked about by local researchers during the second survey round.

Overall, the findings of the project's second year indicate that subsistence takes of marine mammals can be successfully documented with a research methodology that utilizes local researchers in major research roles. We believe the long-term success of subsistence monitoring of harbor seal and sea lion is dependent upon appropriate organizational structures that directly incorporates marine mammal hunters into the program, as was attempted the second year. We also believe that it would be advantageous for there to be statewide Alaska Native organizations dealing specifically with harbor seal and sea lion. Such organizations might help in collaborative research efforts, and serve to represent the subsistence users of these two species, as currently exists with beluga, walrus, bowhead whale, and sea otter. Appropriate organizational structures incorporating subsistence users of sea lions and harbor seals probably would improve the long-term success of subsistence research programs.

REFERENCES

- Burns, John, Kathryn Frost, and Lloyd Lowry
1985 Marine Mammal Species Accounts. Game Technical Bulletin No. 7, Alaska Department of Fish and Game, Juneau.
- Cochran, William G.
1977 Sampling Techniques, 3rd Edition. John Wiley and Sons, New York.
- Ellanna, Linda J.
1983 Bering Strait Insular Eskimo: A Diachronic Study of Ecology and Population Structure. Technical Paper No. 77, Division of Subsistence, Alaska Department of Fish and Game.
- Fall, James A.
1990 The Division of Subsistence of the Alaska Department of Fish and Game: An Overview of its Research Program and Findings: 1980-1990. Arctic Anthropology 27(2):68-92.
- Little, Ronald L. and Lynn Robbins
1984 Effects of Renewable Resource Harvest Disruptions on Socioeconomic and Sociocultural Systems: St. Lawrence Island. Alaska Outer Continental Shelf Program, Socioeconomic Studies Program, Technical Report No. 89.
- Wolfe, Robert J. and Craig Mishler
1993 The Subsistence Harvest of Harbor Seal and Sea Lion by Alaska Natives in 1992. Technical Paper No. 229, pts. 1 and 2. Division of Subsistence, Alaska Department of Fish and Game.

APPENDIX A

**SURVEY INSTRUMENT USED
IN HOUSEHOLD INTERVIEWS, 1993**

The Subsistence Harvest of Harbor Seal and Sea Lion by Alaska Natives in 1993, by Robert J. Wolfe and Craig Mishler, Division of Subsistence, Alaska Department of Fish and Game, Juneau, Alaska, July 1993. Final Report for Year Two, Subsistence Study and Monitor System (No. 50ABNF200055), Prepared for the National Marine Fisheries Service.

ARE ANY MEMBERS OF YOUR HOUSEHOLD ALASKA NATIVES? NO: _____ THANK YOU FOR YOUR COOPERATION.

YES: _____ This survey is only relevant to Native households.

How many people lived in your household in 1993? _____
 FOR ANCHORAGE ONLY: Where did you hunt? _____

HARBOR SEAL

DID MEMBERS OF YOUR HOUSEHOLD TRY TO HARVEST OR USE HARBOR SEALS IN 1993?

During 1993, did your household: _____ NO, COMPLETE SEA LION SURVEY.

	Yes	No
1. Use harbor seals (meat, hides, or oil)?		
2. Attempt to harvest (hunt) harbor seals?		
3. Harvest (kill) harbor seals?		
4. Receive harbor seals from other households or communities?		
5. Give away harbor seals to other households or communities?		

IF YES TO QUESTION 2 OR 3 ABOVE, GO TO QUESTION 6. IF NO, TURN OVER AND COMPLETE SEA LION SURVEY.

6. How many harbor seals did your household kill? [Enter in total box.]

7. In which months did you kill them? How many in (January, etc.)? [Enter the numbers by month.]

HARBOR SEAL TOTAL	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER	UNKNOWN	TOTAL
8. Of the harbor seal you killed in (January, etc.), how many were male or female, and how many were pups, juveniles (young, pre-adults), or adults? [Enter the numbers by month.]														

A-1

HARBOR SEAL (Detail)

	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER	UNKNOWN	TOTAL
ADULT														
MALE														
FEMALE														
UNKNOWN														
JUVENILE														
MALE														
FEMALE														
UNKNOWN														
PUP														
MALE														
FEMALE														
UNKNOWN														
UNKNOWN														
MALE														
FEMALE														
UNKNOWN														

During 1993,

9. How many harbor seal were struck and lost by your household? [Enter number in total box.]

10. In which months were they struck and lost? [Enter numbers by month.]

HARBOR SEAL STRUCK AND LOST	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER	UNKNOWN	TOTAL
9. How many harbor seal were struck and lost by your household? [Enter number in total box.]														

Community: _____ () HHID: _____ LIST: Hunter Random Interviewer: _____ Date: _____

SEA LIONS.

DID MEMBERS OF YOUR HOUSEHOLD TRY TO HARVEST OR USE SEA LIONS IN 1993?

_____ IF YES, PLEASE COMPLETE THE FOLLOWING QUESTIONS:

_____ IF NO, Thank you for your cooperation.

During 1993, did your household:

	Yes	No
1. Use sea lions (meat, hides, or oil)?		
2. Attempt to harvest (hunt) sea lions?		
3. Harvest (kill) sea lions?		
4. Receive sea lions from other households or communities?		
5. Give away sea lions to other households or communities?		

IF YES TO QUESTION 2 OR 3 ABOVE, GO TO QUESTION 6. IF NO, THIS COMPLETES THE SURVEY. THANK YOU FOR YOUR COOPERATION.

6. How many sea lions did your household kill? [Enter in total box.]
 7. In which months did you kill them? How many in (January, etc.)? [Enter the numbers by month.]

SEA LIONS	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER	UNKNOWN	TOTAL
TOTAL														

8. Of the sea lions you killed in (January, etc.), how many were male or female, and how many were pups, juveniles (young, pre-adults), or adults?
 [Enter the numbers by month.]

SEA LIONS (Detail)	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER	UNKNOWN	TOTAL
ADULT														
MALE														
FEMALE														
UNKNOWN														
JUVENILE														
MALE														
FEMALE														
UNKNOWN														
PUP														
MALE														
FEMALE														
UNKNOWN														
UNKNOWN														
MALE														
FEMALE														
UNKNOWN														
During 1993,														

9. How many sea lions were struck and lost by your household? [Enter number in total box.]

10. In which months were they struck and lost? [Enter numbers by month.]

SEA LIONS STRUCK AND LOST	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER	UNKNOWN	TOTAL
TOTAL														

THANK YOU FOR YOUR COOPERATION.

Community: _____ () HHID: _____ LIST: Hunter Random Interviewer: _____ Date: _____

ARE ANY MEMBERS OF YOUR HOUSEHOLD ALASKA NATIVES?

YES: _____ NO: _____ THANK YOU FOR YOUR COOPERATION.
 How many people lived in your household in 1994? _____
 FOR ANCHORAGE ONLY: Where did you hunt? _____

HARBOR SEAL

DID MEMBERS OF YOUR HOUSEHOLD HUNT OR USE HARBOR SEALS IN DECEMBER 1993 OR 1994?

_____ YES _____ NO (IF NO, GO TO SEA LION PAGE.)
 During December 1993 or 1994, did your household:

	Yes	No
1. Use harbor seals (meat, hides, or oil)?		
2. Attempt to harvest (hunt) harbor seals?		
3. Harvest (kill) harbor seals?		
4. Receive harbor seals from other households or communities?		
5. Give away harbor seals to other households or communities?		

IF YES TO QUESTION 2 OR 3 ABOVE, GO TO QUESTION 6. IF NO, TURN OVER AND COMPLETE SEA LION SURVEY.

HARBOR SEAL	DECEMBER	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	UNKNOWN	TOTAL
TOTAL														

6. How many harbor seals did you kill? [Enter in total box.] _____
 7. In which months did you kill them? How many in (January, etc.)? [Enter the numbers by month.] _____

HARBOR SEAL (Detail)	DECEMBER	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	UNKNOWN	TOTAL
ADULT														
MALE														
FEMALE														
UNKNOWN														
JUVENILE														
MALE														
FEMALE														
UNKNOWN														
PUP														
MALE														
FEMALE														
UNKNOWN														
UNKNOWN														
MALE														
FEMALE														
UNKNOWN														

8. Of the harbor seal you killed in (January, etc.), how many were male or female, and how many were pups, juveniles (young, pre-adults), or adults? [Enter the numbers by month.] _____

HARBOR SEAL	DECEMBER	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	UNKNOWN	TOTAL
STRUCK AND LOST														

9. How many harbor seal were struck and lost by your household? [Enter number in total box.] _____
 10. In which months were they struck and lost? [Enter numbers by month.] _____

HARBOR SEAL	DECEMBER	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	UNKNOWN	TOTAL
STRUCK AND LOST														

During December 1993 or 1994, _____

Community: _____ () HHID: _____ LIST: Hunter Random Interviewer: _____ Date: _____

SEA LIONS

DID MEMBERS OF YOUR HOUSEHOLD HUNT OR USE SEA LIONS IN DECEMBER 1993 OR 1994?

YES _____ NO _____

(IF YES, PLEASE COMPLETE THE FOLLOWING QUESTIONS:)

(IF NO, THAT COMPLETES THIS SURVEY. THANK YOU.)

During DEC. 1993 OR 1994, did your household:

	Yes	No
1. Use sea lions (meat, hides, or oil)?		
2. Attempt to harvest (hunt) sea lions?		
3. Harvest (kill) sea lions?		
4. Receive sea lions from other households or communities?		
5. Give away sea lions to other households or communities?		

IF YES TO QUESTION 2 OR 3 ABOVE, GO TO QUESTION 6. IF NO, THIS COMPLETES THE SURVEY. THANK YOU FOR YOUR COOPERATION.

6. How many sea lions did your household kill? [Enter in total box.]

7. In which months did you kill them? How many in (January, etc.)? [Enter the numbers by month.]

SEA LIONS	DECEMBER	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	UNKNOWN	TOTAL
TOTAL														

8. Of the sea lions you killed in (January, etc.), how many were male or female, and how many were pups, juveniles (young, pre-adults), or adults? [Enter the numbers by month.]

SEA LIONS (Detail)	DECEMBER	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	UNKNOWN	TOTAL
ADULT														
MALE														
FEMALE														
UNKNOWN														
JUVENILE														
MALE														
FEMALE														
UNKNOWN														
PUP														
MALE														
FEMALE														
UNKNOWN														
UNKNOWN														
MALE														
FEMALE														
UNKNOWN														

During December 1993 or 1994,

9. How many sea lions were struck and lost by your household? [Enter number in total box.]

10. In which months were they struck and lost? [Enter numbers by month.]

SEA LIONS STRUCK AND LOST	DECEMBER	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	UNKNOWN	TOTAL

THANK YOU FOR YOUR COOPERATION.

Community: _____ () HHID: _____ LIST: Hunter Random Interviewer: _____ Date: _____



**APPENDIX B
SUBSISTENCE TAKES OF
HARBOR SEAL AND SEA LION
BY REGION**

Harbor Seal (Phoca vitulina)

PAGE	REGION
1-2	Southeast Alaska
3-4	North Pacific Rim
5-6	Upper Kenai-Cook Inlet
7-8	Kodiak Island
9-10	South Alaska Peninsula
11-12	Aleutian Islands
13-14	Pribilof Islands
15-16	South Bristol Bay
17-18	North Bristol Bay

Harbor and Spotted Seal

PAGE	REGION
19-20	North Bristol Bay

Spotted Seal (Phoca largha)

PAGE	REGION
21-22	North Bristol Bay

Sea Lion (Eumetopias jubatus)

PAGE	REGION
23-24	Southeast Alaska
25-26	North Pacific Rim
27-28	Upper Kenai-Cook Inlet
29-30	Kodiak Island
31-32	South Alaska Peninsula
33-34	Aleutian Islands
35-36	Pribilof Islands
37-38	South Bristol Bay
39-40	North Bristol Bay

HARBOR SEAL (*Phoca vitulina*) HARVEST AND TAKE ESTIMATES: SOUTHEAST ALASKA, 1993

SAMPLING DESIGN: Mixed Chain Referral

	Active	Other	Total
Total Native Households	524	857	1381
Surveyed Households	458	258	716
Sampling Fraction	87.4%	30.1%	51.8%
Sample Household Members	1714	869	2583
Estimated Household Members	1940.6	3028.5	4969.1

HARBOR SEAL HARVEST AND USE INFORMATION

Percent Of Native Households:

Used	N.A.
Hunted	N.A.
Harvested	N.A.
Received	N.A.
Gave Away	N.A.

Estimated Community Harvest and Take (Expanded):

Total Number Harvested	1,425.1
Total Number Struck and Lost	190.0
Total Number Taken	1,815.1
Number Harvested Per Capita	N.A.

HARBOR SEAL HARVEST BY SEASON

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Unknown Month	Total
REPORTED HARVEST BY SAMPLED HOUSEHOLDS (UNEXPANDED)														
Harvest	87	105	129	115	63	38	51	82	93	119	132	129	96	1239
Struck and Lost	1	3	12	8	2	12	10	9	18	24	7	6	38	150
Total Take	88	108	141	123	65	50	61	91	111	143	139	135	134	1389
ESTIMATED HARVEST BY COMMUNITY (EXPANDED)														
Harvest	97.7	123.4	153.9	131.4	69.2	41.8	59.9	102.7	105.7	132.6	147.1	148.7	111.0	1425.1
Struck and Lost	1.1	3.3	15.1	13.3	2.2	13.5	13.3	25.5	21.0	26.4	7.6	6.5	41.3	190.0
Total Take	98.8	126.6	168.9	144.7	71.4	55.2	73.2	128.2	126.7	159.1	154.6	155.1	152.4	1615.1
ESTIMATED SEASONALLY ADJUSTED HARVEST BY COMMUNITY (EXPANDED)														
Harvest	106.8	133.7	165.8	147.1	78.2	47.4	66.5	111.2	116.0	136.8	156.6	159.0		1425.1
Struck and Lost	1.4	4.2	19.8	16.2	2.9	16.2	17.5	27.9	28.7	34.9	10.3	9.9		190.0
Total Take	108.2	137.8	185.6	163.3	81.2	63.6	83.9	139.1	144.7	171.7	166.9	168.9		1615.1
Total Take (%)	6.7%	8.5%	11.5%	10.1%	5.0%	3.9%	5.2%	8.6%	9.0%	10.6%	10.3%	10.5%		100%
Cumulative Take	108.2	246.0	431.6	595.0	676.1	739.7	823.7	962.8	1107.5	1279.1	1446.1	1615.0		
Cum. Take (%)	6.7%	15.2%	26.7%	36.8%	41.9%	45.8%	51.0%	59.6%	68.6%	79.2%	89.5%	100.0%		


HARBOR SEAL HARVEST BY AGE AND SEX

	Reported		Estimated	
	By Sample (Unexpanded)	Percent	By Community (Expanded)	Percent
Adult Male	556	44.9%	642.2	45.1%
Adult Female	246	19.9%	296.0	20.8%
Adult Unknown Sex	215	17.4%	240.4	16.9%
Juvenile Male	31	2.5%	35.4	2.5%
Juvenile Female	11	0.9%	12.3	0.9%
Juvenile Unknown Sex	31	2.5%	34.1	2.4%
Pup Male	1	0.1%	1.1	0.1%
Pup Female	0	0.0%	0.0	0.0%
Pup Unknown Sex	12	1.0%	13.3	0.9%
Male Unknown Age	4	0.3%	4.4	0.3%
Female Unknown Age	0	0.0%	0.0	0.0%
Unknown Sex and Age	132	10.7%	145.9	10.2%
Total	1239	100.0%	1425.1	100.0%


SOURCE: Alaska Department of Fish and Game, Division of Subsistence, Subsistence Study and Monitor System for Sea Lions and Harbor Seals in Alaska.

HARBOR SEAL (*Phoca vitulina*) TAKE ESTIMATES: SOUTHEAST ALASKA, 1993


A. Percentage Seasonally Adjusted Take By Month



B. Seasonally Adjusted Take By Month



C. Cumulative Seasonally Adjusted Take By Month



SOURCE: Alaska Department of Fish and Game, Division of Subsistence, Subsistence Study and Monitor System for Sea Lions and Harbor Seals in Alaska.

HARBOR SEAL (*Phoca vitulina*) HARVEST AND TAKE ESTIMATES: NORTH PACIFIC RIM, 1993

SAMPLING DESIGN: MIXED

	Active	Other	Total
Total Native Households	35	507	542
Surveyed Households	29	198	227
Sampling Fraction	82.9%	39.1%	41.9%
Sample Household Members	102	605	707
Estimated Household Members	121.1	1367.3	1488.4

HARBOR SEAL HARVEST AND USE INFORMATION

Percent Of Native Households:

Used	N.A.
Hunted	N.A.
Harvested	N.A.
Received	N.A.
Gave Away	N.A.

Estimated Community Harvest and Take (Expanded):

Total Number Harvested	406.8
Total Number Struck and Lost	37.6
Total Number Taken	444.3
Number Harvested Per Capita	0.27

HARBOR SEAL HARVEST BY SEASON

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Unknown Month	Total
REPORTED HARVEST BY SAMPLED HOUSEHOLDS (UNEXPANDED)														
Harvest	15	8	16	15	12	11	13	19	32	60	68	64	17	350
Struck and Lost	0	0	4	1	3	0	2	1	2	4	4	0	13	34
Total Take	15	8	20	16	15	11	15	20	34	64	72	64	30	384
ESTIMATED HARVEST BY COMMUNITY (EXPANDED)														
Harvest	15.8	8.4	16.6	15.6	13.1	11.9	15.8	20.7	41.0	78.2	81.1	71.0	17.6	406.8
Struck and Lost	0.0	0.0	4.1	1.1	3.3	0.0	3.9	1.1	2.1	4.0	4.5	0.0	13.5	37.6
Total Take	15.8	8.4	20.8	16.6	16.3	11.9	19.8	21.8	43.1	82.2	85.6	71.0	31.1	444.3
ESTIMATED SEASONALLY ADJUSTED HARVEST BY COMMUNITY (EXPANDED)														
Harvest	16.2	8.8	20.0	15.6	13.8	12.6	16.6	21.9	41.8	80.2	84.6	74.8		406.8
Struck and Lost	0.2	0.2	11.8	1.2	3.5	0.2	4.1	1.2	2.2	6.2	6.6	0.2		37.6
Total Take	16.3	9.0	31.8	16.9	17.3	12.8	20.7	23.1	44.0	86.4	91.2	75.0		444.3
Total Take (%)	3.7%	2.0%	7.2%	3.8%	3.9%	2.9%	4.7%	5.2%	9.9%	19.4%	20.5%	16.9%		100%
Cumulative Take	16.3	25.3	57.1	74.0	91.3	104.1	124.7	147.9	191.9	278.2	369.4	444.4		
Cum. Take (%)	3.7%	5.7%	12.9%	16.7%	20.5%	23.4%	28.1%	33.3%	43.2%	62.6%	83.1%	100.0%		


HARBOR SEAL HARVEST BY AGE AND SEX

	Reported		Estimated	
	By Sample (Unexpanded)	Percent	By Community (Expanded)	Percent
Adult Male	118	33.7%	145.0	35.6%
Adult Female	51	14.6%	60.3	14.8%
Adult Unknown Sex	70	20.0%	73.6	18.1%
Juvenile Male	26	7.4%	36.2	8.9%
Juvenile Female	9	2.6%	9.7	2.4%
Juvenile Unknown Sex	25	7.1%	27.0	6.6%
Pup Male	1	0.3%	1.1	0.3%
Pup Female	1	0.3%	1.1	0.3%
Pup Unknown Sex	2	0.6%	2.2	0.5%
Male Unknown Age	7	2.0%	7.1	1.7%
Female Unknown Age	0	0.0%	0.0	0.0%
Unknown Sex and Age	40	11.4%	43.5	10.7%
Total	350	100.0%	406.8	100.0%


SOURCE: Alaska Department of Fish and Game, Division of Subsistence, Subsistence Study and Monitor System for Sea Lions and Harbor Seals in Alaska.

HARBOR SEAL (*Phoca vitulina*) TAKE ESTIMATES: NORTH PACIFIC RIM, 1993


A. Percentage Seasonally Adjusted Take By Month



B. Seasonally Adjusted Take By Month



C. Cumulative Seasonally Adjusted Take By Month



SOURCE: Alaska Department of Fish and Game, Division of Subsistence, Subsistence Study and Monitor System for Sea Lions and Harbor Seals in Alaska.

HARBOR SEAL (*Phoca vitulina*) HARVEST AND TAKE ESTIMATES: UPPER KENAI - COOK INLET, 1993

SAMPLING DESIGN: MIXED

Total Native Households	54
Surveyed Households	43
Sampling Fraction	79.6%
Sample Household Members	151
Estimated Household Members	181.3

HARBOR SEAL HARVEST AND USE INFORMATION

Percent Of Native Households:

Used	N.A.
Hunted	N.A.
Harvested	N.A.
Received	N.A.
Gave Away	N.A.

Estimated Community Harvest and Take (Expanded):

Total Number Harvested	49.2
Total Number Struck and Lost	5.6
Total Number Taken	54.8
Number Harvested Per Capita	0.27

HARBOR SEAL HARVEST BY SEASON

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Unknown Month	Total
REPORTED HARVEST BY SAMPLED HOUSEHOLDS (UNEXPANDED)														
Harvest	1	6	10	6	2	1	2	4	1	11	0	0	0	44
Struck and Lost	1	0	1	0	0	0	0	0	0	0	0	0	3	5
Total Take	2	6	11	6	2	1	2	4	1	11	0	0	3	49
ESTIMATED HARVEST BY COMMUNITY (EXPANDED)														
Harvest	1.1	7.4	11.8	6.7	2.2	1.1	2.2	4.4	1.1	11.1	0.0	0.0	0.0	49.2
Struck and Lost	1.1	0.0	1.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.3	5.6
Total Take	2.2	7.4	13.0	6.7	2.2	1.1	2.2	4.4	1.1	11.1	0.0	0.0	3.3	54.8
ESTIMATED SEASONALLY ADJUSTED HARVEST BY COMMUNITY (EXPANDED)														
Harvest	1.1	7.4	11.8	6.7	2.2	1.1	2.2	4.4	1.1	11.1	0.0	0.0		49.2
Struck and Lost	2.8	0.0	2.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		5.6
Total Take	3.9	7.4	14.6	6.7	2.2	1.1	2.2	4.4	1.1	11.1	0.0	0.0		54.8
Total Take (%)	7.1%	13.5%	26.7%	12.2%	4.1%	2.0%	4.1%	8.1%	2.0%	20.3%	0.0%	0.0%		100%
Cumulative Take	3.9	11.3	25.9	32.6	34.8	35.9	38.1	42.6	43.7	54.8	54.8	54.8		
Cum. Take (%)	7.1%	20.6%	47.3%	59.4%	63.5%	65.5%	69.6%	77.7%	79.7%	100.0%	100.0%	100.0%		


HARBOR SEAL HARVEST BY AGE AND SEX

	Reported		Estimated	
	By Sample (Unexpanded)	Percent	By Community (Expanded)	Percent
Adult Male	5	11.4%	5.6	11.3%
Adult Female	1	2.3%	2.4	4.9%
Adult Unknown Sex	23	52.3%	23.3	47.4%
Juvenile Male	1	2.3%	1.1	2.3%
Juvenile Female	1	2.3%	1.1	2.3%
Juvenile Unknown Sex	0	0.0%	0.0	0.0%
Pup Male	0	0.0%	0.0	0.0%
Pup Female	0	0.0%	0.0	0.0%
Pup Unknown Sex	0	0.0%	0.0	0.0%
Male Unknown Age	0	0.0%	0.0	0.0%
Female Unknown Age	0	0.0%	0.0	0.0%
Unknown Sex and Age	13	29.5%	15.7	31.9%
Total	44	100.0%	49.2	100.0%


SOURCE: Alaska Department of Fish and Game, Division of Subsistence, Subsistence Study and Monitor System for Sea Lions and Harbor Seals in Alaska.

HARBOR SEAL (*Phoca vitulina*) TAKE ESTIMATES: UPPER KENAI - COOK INLET, 1993


A. Percentage Seasonally Adjusted Take By Month



B. Seasonally Adjusted Take By Month



C. Cumulative Seasonally Adjusted Take By Month



SOURCE: Alaska Department of Fish and Game, Division of Subsistence, Subsistence Study and Monitor System for Sea Lions and Harbor Seals in Alaska.

HARBOR SEAL (*Phoca vitulina*) HARVEST AND TAKE ESTIMATES: KODIAK ISLAND, 1993

SAMPLING DESIGN: MIXED

	Active	Other	Total
Total Native Households	45	642	687
Surveyed Households	44	219	263
Sampling Fraction	97.8%	34.1%	38.3%
Sample Household Members	178	688	866
Estimated Household Members	182.1	1902.5	2084.6

HARBOR SEAL HARVEST AND USE INFORMATION

Percent Of Native Households:		Estimated Community Harvest and Take (Expanded):	
Used	38.7%	Total Number Harvested	171.7
Hunted	13.3%	Total Number Struck and Lost	20.1
Harvested	11.3%	Total Number Taken	191.8
Received	34.7%	Number Harvested Per Capita	0.08
Gave Away	15.2%		

HARBOR SEAL HARVEST BY SEASON													Unknown	Total
	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Month	
REPORTED HARVEST BY SAMPLED HOUSEHOLDS (UNEXPANDED)														
Harvest	8	8	11	6	4	3	5	17	17	35	20	12	9	155
Struck and Lost	0	0	0	1	0	0	0	4	2	2	0	2	7	18
Total Take	8	8	11	7	4	3	5	21	19	37	20	14	16	173
ESTIMATED HARVEST BY COMMUNITY (EXPANDED)														
Harvest	8.8	10.1	12.0	6.2	4.1	3.1	5.8	17.8	19.1	39.7	22.6	12.7	9.8	171.7
Struck and Lost	0.0	0.0	0.0	1.0	0.0	0.0	0.0	4.3	2.3	2.8	0.0	2.1	7.6	20.1
Total Take	8.8	10.1	12.0	7.2	4.1	3.1	5.8	22.2	21.3	42.5	22.6	14.8	17.4	191.8
ESTIMATED SEASONALLY ADJUSTED HARVEST BY COMMUNITY (EXPANDED)														
Harvest	9.5	10.4	12.6	6.2	4.1	3.1	6.1	19.8	20.4	42.1	23.3	14.0		171.7
Struck and Lost	0.0	0.0	0.0	1.0	0.0	0.0	0.0	8.7	2.3	4.4	0.0	3.8		20.1
Total Take	9.5	10.4	12.6	7.2	4.1	3.1	6.1	28.5	22.7	46.5	23.3	17.8		191.8
Total Take (%)	4.9%	5.4%	6.6%	3.7%	2.2%	1.6%	3.2%	14.9%	11.8%	24.2%	12.1%	9.3%		100%
Cumulative Take	9.5	19.9	32.6	39.7	43.9	47.0	53.1	81.6	104.3	150.8	174.0	191.8		
Cum. Take (%)	4.9%	10.4%	17.0%	20.7%	22.9%	24.5%	27.7%	42.6%	54.4%	78.6%	90.7%	100.0%		


HARBOR SEAL HARVEST BY AGE AND SEX

	Reported		Estimated	
	By Sample (Unexpanded)	Percent	By Community (Expanded)	Percent
Adult Male	49	31.6%	54.4	31.7%
Adult Female	12	7.7%	12.7	7.4%
Adult Unknown Sex	23	14.8%	25.1	14.6%
Juvenile Male	38	24.5%	41.7	24.3%
Juvenile Female	8	5.2%	8.9	5.2%
Juvenile Unknown Sex	11	7.1%	11.6	6.8%
Pup Male	1	0.6%	1.1	0.6%
Pup Female	0	0.0%	0.0	0.0%
Pup Unknown Sex	1	0.6%	1.0	0.6%
Male Unknown Age	0	0.0%	0.0	0.0%
Female Unknown Age	4	2.6%	6.6	3.9%
Unknown Sex and Age	8	5.2%	8.7	5.0%
Total	155	100.0%	171.7	100.0%


SOURCE: Alaska Department of Fish and Game, Division of Subsistence, Subsistence Study and Monitor System for Sea Lions and Harbor Seals in Alaska.

HARBOR SEAL (*Phoca vitulina*) TAKE ESTIMATES: KODIAK ISLAND, 1993


A. Percentage Seasonally Adjusted Take By Month



B. Seasonally Adjusted Take By Month



C. Cumulative Seasonally Adjusted Take By Month



SOURCE: Alaska Department of Fish and Game, Division of Subsistence, Subsistence Study and Monitor System for Sea Lions and Harbor Seals in Alaska.

HARBOR SEAL (*Phoca vitulina*) HARVEST AND TAKE ESTIMATES: SOUTH ALASKA PENINSULA, 1993

SAMPLING DESIGN: MIXED

	Active	Other	Total
Total Native Households	28	367	395
Surveyed Households	24	172	196
Sampling Fraction	85.7%	46.9%	49.6%
Sample Household Members	95	599	694
Estimated Household Members	110.8	1242.3	1353.2

HARBOR SEAL HARVEST AND USE INFORMATION

Percent Of Native Households:

Used	27.4%
Hunted	18.3%
Harvested	13.3%
Received	20.7%
Gave Away	17.1%

Estimated Community Harvest and Take (Expanded):

Total Number Harvested	100.0
Total Number Struck and Lost	23.1
Total Number Taken	123.1
Number Harvested Per Capita	0.07

HARBOR SEAL HARVEST BY SEASON

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Unknown Month	Total
REPORTED HARVEST BY SAMPLED HOUSEHOLDS (UNEXPANDED)														
Harvest	4	8	6	4	2	4	5	9	15	11	6	7	1	82
Struck and Lost	0	0	1	0	0	0	0	4	3	4	0	2	5	19
Total Take	4	8	7	4	2	4	5	13	18	15	6	9	6	101
ESTIMATED HARVEST BY COMMUNITY (EXPANDED)														
Harvest	4.2	8.7	6.4	4.6	2.2	4.7	8.5	11.0	20.3	12.8	7.2	8.5	1.1	100.0
Struck and Lost	0.0	0.0	1.2	0.0	0.0	0.0	0.0	5.1	3.7	4.9	0.0	2.1	6.1	23.1
Total Take	4.2	8.7	7.6	4.6	2.2	4.7	8.5	16.1	24.0	17.6	7.2	10.7	7.1	123.1
ESTIMATED SEASONALLY ADJUSTED HARVEST BY COMMUNITY (EXPANDED)														
Harvest	4.4	9.2	6.5	4.6	2.2	4.7	8.5	11.0	20.5	12.9	7.2	8.5		100.0
Struck and Lost	0.5	0.5	1.7	0.5	0.5	0.5	0.5	5.6	4.2	5.4	0.5	2.6		23.1
Total Take	4.9	9.7	8.2	5.1	2.7	5.2	9.0	16.6	24.7	18.2	7.7	11.2		123.1
Total Take (%)	4.0%	7.9%	6.6%	4.1%	2.2%	4.2%	7.3%	13.5%	20.1%	14.8%	6.2%	9.1%		100%
Cumulative Take	4.9	14.6	22.7	27.8	30.5	35.7	44.7	61.3	86.0	104.3	111.9	123.1		
Cum. Take (%)	4.0%	11.8%	18.5%	22.6%	24.8%	29.0%	36.3%	49.8%	69.9%	84.7%	90.9%	100.0%		


HARBOR SEAL HARVEST BY AGE AND SEX

	Reported		Estimated	
	By Sample (Unexpanded)	Percent	By Community (Expanded)	Percent
Adult Male	23	28.0%	27.4	27.4%
Adult Female	2	2.4%	2.2	2.2%
Adult Unknown Sex	29	35.4%	35.0	35.0%
Juvenile Male	4	4.9%	4.8	4.8%
Juvenile Female	2	2.4%	2.3	2.3%
Juvenile Unknown Sex	13	15.9%	15.2	15.2%
Pup Male	0	0.0%	0.0	0.0%
Pup Female	0	0.0%	0.0	0.0%
Pup Unknown Sex	4	4.9%	4.3	4.3%
Male Unknown Age	0	0.0%	0.0	0.0%
Female Unknown Age	0	0.0%	0.0	0.0%
Unknown Sex and Age	5	6.1%	8.7	8.7%
Total	82	100.0%	100.0	100.0%


SOURCE: Alaska Department of Fish and Game, Division of Subsistence, Subsistence Study and Monitor System for Sea Lions and Harbor Seals in Alaska.

HARBOR SEAL (*Phoca vitulina*) TAKE ESTIMATES: SOUTH ALASKA PENINSULA, 1993


A. Percentage Seasonally Adjusted Take By Month



B. Seasonally Adjusted Take By Month



C. Cumulative Seasonally Adjusted Take By Month



SOURCE: Alaska Department of Fish and Game, Division of Subsistence, Subsistence Study and Monitor System for Sea Lions and Harbor Seals in Alaska.

HARBOR SEAL (*Phoca vitulina*) HARVEST AND TAKE ESTIMATES: ALEUTIAN ISLANDS, 1993

SAMPLING DESIGN: MIXED

	Active	Other	Total
Total Native Households	24	120	144
Surveyed Households	16	106	122
Sampling Fraction	66.7%	88.3%	84.7%
Sample Household Members	61	284	345
Estimated Household Members	91.5	323.3	414.8

HARBOR SEAL HARVEST AND USE INFORMATION

Percent Of Native Households:

Used	80.4%
Hunted	34.2%
Harvested	24.3%
Received	73.9%
Gave Away	25.8%

Estimated Community Harvest and Take (Expanded):

Total Number Harvested	85.0
Total Number Struck and Lost	15.4
Total Number Taken	100.4
Number Harvested Per Capita	0.21

HARBOR SEAL HARVEST BY SEASON

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Unknown Month	Total
REPORTED HARVEST BY SAMPLED HOUSEHOLDS (UNEXPANDED)														
Harvest	3	1	4	1	6	5	4	8	8	5	12	3	10	70
Struck and Lost	0	1	0	1	0	0	1	4	2	1	0	1	1	12
Total Take	3	2	4	2	6	5	5	12	10	6	12	4	11	82
ESTIMATED HARVEST BY COMMUNITY (EXPANDED)														
Harvest	4.5	1.5	4.8	1.1	7.8	5.6	5.6	10.0	10.5	5.9	13.2	3.7	10.9	85.0
Struck and Lost	0.0	1.5	0.0	1.5	0.0	0.0	1.1	5.3	2.7	1.1	0.0	1.1	1.0	15.4
Total Take	4.5	3.0	4.8	2.6	7.8	5.6	6.7	15.3	13.2	7.0	13.2	4.8	11.9	100.4
ESTIMATED SEASONALLY ADJUSTED HARVEST BY COMMUNITY (EXPANDED)														
Harvest	4.5	1.5	6.4	1.1	7.8	5.6	5.6	12.2	11.6	8.0	16.4	4.3		85.0
Struck and Lost	0.1	1.6	0.1	1.6	0.1	0.1	1.2	5.4	2.8	1.2	0.1	1.2		15.4
Total Take	4.6	3.1	6.5	2.7	7.9	5.7	6.8	17.6	14.4	9.2	16.5	5.4		100.4
Total Take (%)	4.6%	3.1%	6.5%	2.7%	7.9%	5.6%	6.8%	17.5%	14.3%	9.2%	16.4%	5.4%		100%
Cumulative Take	4.6	7.7	14.2	16.9	24.8	30.4	37.3	54.8	69.2	78.4	95.0	100.4		
Cum. Take (%)	4.6%	7.6%	14.1%	16.8%	24.7%	30.3%	37.1%	54.6%	68.9%	78.1%	94.6%	100.0%		


HARBOR SEAL HARVEST BY AGE AND SEX

	Reported		Estimated	
	By Sample (Unexpanded)	Percent	By Community (Expanded)	Percent
Adult Male	19	27.1%	23.4	27.5%
Adult Female	9	12.9%	11.1	13.0%
Adult Unknown Sex	0	0.0%	0.0	0.0%
Juvenile Male	17	24.3%	20.7	24.3%
Juvenile Female	6	8.6%	7.9	9.3%
Juvenile Unknown Sex	2	2.9%	3.0	3.5%
Pup Male	1	1.4%	1.1	1.3%
Pup Female	5	7.1%	5.5	6.4%
Pup Unknown Sex	0	0.0%	0.0	0.0%
Male Unknown Age	1	1.4%	1.5	1.8%
Female Unknown Age	0	0.0%	0.0	0.0%
Unknown Sex and Age	10	14.3%	10.9	12.8%
Total	70	100.0%	85.0	100.0%


SOURCE: Alaska Department of Fish and Game, Division of Subsistence, Subsistence Study and Monitor System for Sea Lions and Harbor Seals in Alaska.

HARBOR SEAL (*Phoca vitulina*) TAKE ESTIMATES: ALEUTIAN ISLANDS, 1993


A. Percentage Seasonally Adjusted Take By Month



B. Seasonally Adjusted Take By Month



C. Cumulative Seasonally Adjusted Take By Month



SOURCE: Alaska Department of Fish and Game, Division of Subsistence, Subsistence Study and Monitor System for Sea Lions and Harbor Seals in Alaska.

HARBOR SEAL (*Phoca vitulina*) HARVEST AND TAKE ESTIMATES: PRIBILOF ISLANDS, 1993

SAMPLING DESIGN: MIXED

	Active	Other	Total
Total Native Households	61	117	178
Surveyed Households	53	69	122
Sampling Fraction	86.9%	59.0%	68.5%
Sample Household Members	231	234	465
Estimated Household Members	265.9	408.9	674.8

HARBOR SEAL HARVEST AND USE INFORMATION

Percent Of Native Households:

Used	5.1%
Hunted	2.6%
Harvested	1.3%
Received	3.9%
Gave Away	2.6%

Estimated Community Harvest and Take (Expanded):

Total Number Harvested	2.3
Total Number Struck and Lost	1.2
Total Number Taken	3.5
Number Harvested Per Capita	0.00

HARBOR SEAL HARVEST BY SEASON

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Unknown Month	Total
REPORTED HARVEST BY SAMPLED HOUSEHOLDS (UNEXPANDED)														
Harvest	0	0	0	1	0	0	0	0	0	0	0	1	0	2
Struck and Lost	0	1	0	0	0	0	0	0	0	0	0	0	0	1
Total Take	0	1	0	1	0	0	0	0	0	0	0	1	0	3
ESTIMATED HARVEST BY COMMUNITY (EXPANDED)														
Harvest	0.0	0.0	0.0	1.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	0.0	2.3
Struck and Lost	0.0	1.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2
Total Take	0.0	1.2	0.0	1.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	0.0	3.5
ESTIMATED SEASONALLY ADJUSTED HARVEST BY COMMUNITY (EXPANDED)														
Harvest	0.0	0.0	0.0	1.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2		2.3
Struck and Lost	0.0	1.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		1.2
Total Take	0.0	1.2	0.0	1.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2		3.5
Total Take (%)	0.0%	33.3%	0.0%	33.3%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	33.3%		100%
Cumulative Take	0.0	1.2	1.2	2.3	2.3	2.3	2.3	2.3	2.3	2.3	2.3	3.5		
Cum. Take (%)	0.0%	33.3%	33.3%	66.7%	66.7%	66.7%	66.7%	66.7%	66.7%	66.7%	66.7%	100.0%		


HARBOR SEAL HARVEST BY AGE AND SEX

	Reported		Estimated	
	By Sample (Unexpanded)	Percent	By Community (Expanded)	Percent
Adult Male	0	0.0%	0.0	0.0%
Adult Female	0	0.0%	0.0	0.0%
Adult Unknown Sex	1	50.0%	1.2	50.0%
Juvenile Male	1	50.0%	1.2	50.0%
Juvenile Female	0	0.0%	0.0	0.0%
Juvenile Unknown Sex	0	0.0%	0.0	0.0%
Pup Male	0	0.0%	0.0	0.0%
Pup Female	0	0.0%	0.0	0.0%
Pup Unknown Sex	0	0.0%	0.0	0.0%
Male Unknown Age	0	0.0%	0.0	0.0%
Female Unknown Age	0	0.0%	0.0	0.0%
Unknown Sex and Age	0	0.0%	0.0	0.0%
Total	2	100.0%	2.3	100.0%


SOURCE: Alaska Department of Fish and Game, Division of Subsistence, Subsistence Study and Monitor System for Sea Lions and Harbor Seals in Alaska.

HARBOR SEAL (*Phoca vitulina*) TAKE ESTIMATES: PRIBILOF ISLANDS, 1993


A. Percentage Seasonally Adjusted Take By Month



B. Seasonally Adjusted Take By Month



C. Cumulative Seasonally Adjusted Take By Month



SOURCE: Alaska Department of Fish and Game, Division of Subsistence, Subsistence Study and Monitor System for Sea Lions and Harbor Seals in Alaska.

HARBOR SEAL (*Phoca vitulina*) HARVEST AND TAKE ESTIMATES: SOUTH BRISTOL BAY, 1993

SAMPLING DESIGN: MIXED

	Active	Other	Total
Total Native Households	19	263	282
Surveyed Households	14	186	200
Sampling Fraction	73.7%	70.7%	70.9%
Sample Household Members	61	546	607
Estimated Household Members	82.8	779.9	862.6

HARBOR SEAL HARVEST AND USE INFORMATION

Percent Of Native Households:

Used	32.0%
Hunted	16.8%
Harvested	9.6%
Received	26.4%
Gave Away	12.0%

Estimated Community Harvest and Take (Expanded):

Total Number Harvested	73.6
Total Number Struck and Lost	57.3
Total Number Taken	130.9
Number Harvested Per Capita	0.09

HARBOR SEAL HARVEST BY SEASON

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Unknown Month	Total
REPORTED HARVEST BY SAMPLED HOUSEHOLDS (UNEXPANDED)														
Harvest	0	0	0	4	8	8	12	15	3	1	0	1	3	55
Struck and Lost	0	0	0	0	2	2	17	13	6	1	0	0	4	45
Total Take	0	0	0	4	10	10	29	28	9	2	0	1	7	100
ESTIMATED HARVEST BY COMMUNITY (EXPANDED)														
Harvest	0.0	0.0	0.0	4.5	11.7	11.4	16.6	19.3	4.0	1.3	0.0	1.1	3.8	73.6
Struck and Lost	0.0	0.0	0.0	0.0	2.9	3.1	20.2	17.1	7.4	1.3	0.0	0.0	5.3	57.3
Total Take	0.0	0.0	0.0	4.5	14.5	14.5	36.8	36.4	11.4	2.7	0.0	1.1	9.1	130.9
ESTIMATED SEASONALLY ADJUSTED HARVEST BY COMMUNITY (EXPANDED)														
Harvest	0.2	0.2	0.2	5.4	11.9	11.6	16.8	19.9	4.2	1.6	0.2	1.3		73.6
Struck and Lost	0.0	0.0	0.0	0.0	3.0	3.3	20.9	18.0	10.8	1.3	0.0	0.0		57.3
Total Take	0.2	0.2	0.2	5.4	14.9	15.0	37.7	37.9	15.0	2.9	0.2	1.3		130.9
Total Take (%)	0.2%	0.2%	0.2%	4.1%	11.4%	11.4%	28.8%	29.0%	11.5%	2.2%	0.2%	1.0%		100%
Cumulative Take	0.2	0.4	0.7	6.0	20.9	35.9	73.6	111.5	126.5	129.4	129.6	130.9		
Cum. Take (%)	0.2%	0.3%	0.5%	4.6%	16.0%	27.4%	56.2%	85.1%	96.6%	98.8%	99.0%	100.0%		


HARBOR SEAL HARVEST BY AGE AND SEX

	Reported		Estimated	
	By Sample (Unexpanded)	Percent	By Community (Expanded)	Percent
Adult Male	2	3.6%	2.7	3.6%
Adult Female	1	1.8%	1.5	2.1%
Adult Unknown Sex	42	76.4%	57.1	77.5%
Juvenile Male	3	5.5%	3.3	4.5%
Juvenile Female	0	0.0%	0.0	0.0%
Juvenile Unknown Sex	1	1.8%	1.1	1.5%
Pup Male	0	0.0%	0.0	0.0%
Pup Female	0	0.0%	0.0	0.0%
Pup Unknown Sex	0	0.0%	0.0	0.0%
Male Unknown Age	0	0.0%	0.0	0.0%
Female Unknown Age	0	0.0%	0.0	0.0%
Unknown Sex and Age	6	10.9%	8.0	10.9%
Total	55	100.0%	73.6	100.0%


SOURCE: Alaska Department of Fish and Game, Division of Subsistence, Subsistence Study and Monitor System for Sea Lions and Harbor Seals in Alaska.

HARBOR SEAL (*Phoca vitulina*) TAKE ESTIMATES: SOUTH BRISTOL BAY, 1993


A. Percentage Seasonally Adjusted Take By Month



B. Seasonally Adjusted Take By Month



C. Cumulative Seasonally Adjusted Take By Month



SOURCE: Alaska Department of Fish and Game, Division of Subsistence, Subsistence Study and Monitor System for Sea Lions and Harbor Seals in Alaska.

HARBOR SEAL (*Phoca vitulina*) HARVEST AND TAKE ESTIMATES: NORTH BRISTOL BAY, 1993

SAMPLING DESIGN: CENSUS

	Active	Other	Total
Total Native Households	71	630	701
Surveyed Households	67	131	198
Sampling Fraction	94.4%	20.8%	28.2%
Sample Household Members	299	526	825
Estimated Household Members	316.9	2529.6	2846.5

ISSURIQ HARVEST AND USE INFORMATION

Percent Of Native Households:

Used	47.3%
Hunted	19.2%
Harvested	14.2%
Received	39.6%
Gave Away	24.4%

HARBOR SEAL HARVEST

Estimated Community Harvest and Take (Expanded):

Total Number Harvested	46.1
Total Number Struck and Lost	18.9
Total Number Taken	65.0
Number Harvested Per Capita	0.02

HARBOR SEAL HARVEST BY SEASON

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Unknown Month	Total
REPORTED HARVEST AND TAKE BY SAMPLED HOUSEHOLDS (UNEXPANDED)														
Harvest	0	0	0	0	0	4	3	6	10	0	0	0	0	23
Struck and Lost	0	0	0	0	0	1	4	2	7	0	0	0	0	14
Total Take	0	0	0	0	0	5	7	8	17	0	0	0	0	37
ESTIMATED HARVEST AND TAKE BY COMMUNITY (EXPANDED)														
Harvest	0.0	0.0	0.0	0.0	0.0	5.6	17.0	10.1	13.4	0.0	0.0	0.0	0.0	46.1
Struck and Lost	0.0	0.0	0.0	0.0	0.0	1.1	4.2	3.4	10.2	0.0	0.0	0.0	0.0	18.9
Total Take	0.0	0.0	0.0	0.0	0.0	6.7	21.2	13.5	23.5	0.0	0.0	0.0	0.0	65.0
ESTIMATED SEASONALLY ADJUSTED HARVEST AND TAKE BY COMMUNITY (EXPANDED)														
Harvest	0.0	0.0	0.0	0.0	0.0	5.6	17.0	10.1	13.4	0.0	0.0	0.0	0.0	46.1
Struck and Lost	0.0	0.0	0.0	0.0	0.0	1.1	4.2	3.4	10.2	0.0	0.0	0.0	0.0	18.9
Total Take	0.0	0.0	0.0	0.0	0.0	6.7	21.2	13.5	23.5	0.0	0.0	0.0	0.0	65.0
Total Take (%)	0.0%	0.0%	0.0%	0.0%	0.0%	10.3%	32.6%	20.8%	36.2%	0.0%	0.0%	0.0%	0.0%	100%
Cumulative Take	0.0	0.0	0.0	0.0	0.0	6.7	27.9	41.4	65.0	65.0	65.0	65.0	65.0	
Cum. Take (%)	0.0%	0.0%	0.0%	0.0%	0.0%	10.3%	42.9%	63.8%	100.0%	100.0%	100.0%	100.0%	100.0%	


HARBOR SEAL HARVEST BY AGE AND SEX

	Reported		Estimated	
	By Sample (Unexpanded)	Percent	By Community (Expanded)	Percent
Adult Male	4.0	17.4%	7.9	17.2%
Adult Female	2.0	8.7%	2.2	4.7%
Adult Unknown Sex	9.0	39.1%	24.9	54.0%
Juvenile Male	3.0	13.0%	4.5	9.8%
Juvenile Female	1.0	4.3%	2.4	5.1%
Juvenile Unknown Sex	2.0	8.7%	2.1	4.6%
Pup Male	1.0	4.3%	1.0	2.2%
Pup Female	0.0	0.0%	0.0	0.0%
Pup Unknown Sex	0.0	0.0%	0.0	0.0%
Male Unknown Age	0.0	0.0%	0.0	0.0%
Female Unknown Age	0.0	0.0%	0.0	0.0%
Unknown Sex and Age	1.0	4.3%	1.0	2.3%
Total	23	100.0%	46.1	100.0%


SOURCE: Alaska Department of Fish and Game, Division of Subsistence, Subsistence Study and Monitor System for Sea Lions and Harbor Seals in Alaska, 1993.

HARBOR SEAL (*Phoca vitulina*) TAKE ESTIMATES: NORTH BRISTOL BAY, 1992


A. Percentage Seasonally Adjusted Take By Month



B. Seasonally Adjusted Take By Month



C. Cumulative Seasonally Adjusted Take By Month



SOURCE: Alaska Department of Fish and Game, Division of Subsistence, Subsistence Study and Monitor System for Sea Lions and Harbor Seals in Alaska, 1993.

HARBOR SEAL & SPOTTED SEAL HARVEST AND TAKE ESTIMATES: NORTH BRISTOL BAY, 1993

SAMPLING DESIGN: MIXED

	Active	Other	Total
Total Native Households	71	630	701
Surveyed Households	67	131	198
Sampling Fraction	94.4%	20.8%	28.2%
Sample Household Members	299	526	825
Estimated Household Members	317.1	2287.5	2604.6

HARBOR SEAL & SPOTTED SEAL HARVEST AND USE INFORMATION

Percent Of Native Households:

Used	47.3%
Hunted	19.2%
Harvested	14.2%
Received	39.6%
Gave Away	24.4%

Estimated Community Harvest and Take (Expanded):

Total Number Harvested	261.1
Total Number Struck and Lost	69.1
Total Number Taken	330.2
Number Harvested Per Capita	0.10

HARBOR SEAL & SPOTTED SEAL HARVEST BY SEASON

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Unknown Month	Total
REPORTED HARVEST BY SAMPLED HOUSEHOLDS (UNEXPANDED)														
Harvest	6	9	24	42	37	4	3	6	10	10	17	12	0	180
Struck and Lost	0	1	3	1	5	1	4	2	7	10	6	3	2	45
Total Take	6	10	27	43	42	5	7	8	17	20	23	15	2	225
ESTIMATED HARVEST BY COMMUNITY (EXPANDED)														
Harvest	10.3	12.2	30.8	48.5	54.3	5.6	17.0	10.1	13.4	13.4	27.4	18.1	0.0	261.1
Struck and Lost	0.0	1.1	3.3	1.1	8.0	1.1	4.2	3.4	10.2	16.0	11.6	4.5	4.7	69.1
Total Take	10.3	13.3	34.0	49.6	62.3	6.7	21.2	13.5	23.5	29.4	39.0	22.7	4.7	330.2
ESTIMATED SEASONALLY ADJUSTED HARVEST BY COMMUNITY (EXPANDED)														
Harvest	10.3	12.2	30.8	48.5	54.3	5.6	17.0	10.1	13.4	13.4	27.4	18.1		261.1
Struck and Lost	0.0	1.2	3.5	1.2	8.6	1.2	4.2	3.7	11.0	17.2	12.5	4.9		69.1
Total Take	10.3	13.4	34.3	49.7	62.9	6.8	21.2	13.8	24.3	30.6	39.9	23.0		330.2
Total Take (%)	3.1%	4.0%	10.4%	15.0%	19.0%	2.1%	6.4%	4.2%	7.4%	9.3%	12.1%	7.0%		100%
Cumulative Take	10.3	23.7	58.0	107.7	170.6	177.4	198.5	212.3	236.7	267.3	307.2	330.2		
Cum. Take (%)	3.1%	7.2%	17.6%	32.6%	51.7%	53.7%	60.1%	64.3%	71.7%	80.9%	93.0%	100.0%		


HARBOR SEAL & SPOTTED SEAL HARVEST BY AGE AND SEX

	Reported		Estimated	
	By Sample (Unexpanded)	Percent	By Community (Expanded)	Percent
Adult Male	43	23.9%	63.1	24.1%
Adult Female	14	7.8%	19.1	7.3%
Adult Unknown Sex	59	32.8%	100.2	38.4%
Juvenile Male	13	7.2%	17.7	6.8%
Juvenile Female	10	5.6%	13.4	5.1%
Juvenile Unknown Sex	31	17.2%	35.8	13.7%
Pup Male	2	1.1%	3.4	1.3%
Pup Female	0	0.0%	0.0	0.0%
Pup Unknown Sex	4	2.2%	4.4	1.7%
Male Unknown Age	0	0.0%	0.0	0.0%
Female Unknown Age	1	0.6%	1.0	0.4%
Unknown Sex and Age	3	1.7%	3.1	1.2%
Total	180	100.0%	261.1	100.0%


SOURCE: Alaska Department of Fish and Game, Division of Subsistence, Subsistence Study and Monitor System for Sea Lions and Harbor Seals in Alaska.

HARBOR SEAL AND SPOTTED SEAL TAKE ESTIMATES: NORTH BRISTOL BAY, 1993


A. Percentage Seasonally Adjusted Take By Month



B. Seasonally Adjusted Take By Month



C. Cumulative Seasonally Adjusted Take By Month



SOURCE: Alaska Department of Fish and Game, Division of Subsistence, Subsistence Study and Monitor System for Sea Lions and Harbor Seals in Alaska.

SPOTTED SEAL (*Phoca largha*) HARVEST AND TAKE ESTIMATES: NORTH BRISTOL BAY, 1993

SAMPLING DESIGN: CENSUS

	Active	Other	Total
Total Native Households	71	630	701
Surveyed Households	67	131	198
Sampling Fraction	94.4%	20.8%	28.2%
Sample Household Members	299	526	825
Estimated Household Members	316.9	2529.6	2846.5

ISSURIQ HARVEST AND USE INFORMATION

Percent Of Native Households:

Used	47.3%
Hunted	19.2%
Harvested	14.2%
Received	39.6%
Gave Away	24.4%

SPOTTED SEAL HARVEST

Estimated Community Harvest and Take (Expanded):

Total Number Harvested	215.1
Total Number Struck and Lost	50.2
Total Number Taken	265.3
Number Harvested Per Capita	0.08

SPOTTED SEAL HARVEST BY SEASON

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Unknown Month	Total
REPORTED HARVEST AND TAKE BY SAMPLED HOUSEHOLDS (UNEXPANDED)														
Harvest	6	9	24	42	37	0	0	0	0	10	17	12	0	157
Struck and Lost	0	1	3	1	5	0	0	0	0	10	6	3	2	31
Total Take	6	10	27	43	42	0	0	0	0	20	23	15	2	188
ESTIMATED HARVEST AND TAKE BY COMMUNITY (EXPANDED)														
Harvest	10.3	12.2	30.8	48.5	54.3	0.0	0.0	0.0	0.0	13.4	27.4	18.1	0.0	215.1
Struck and Lost	0.0	1.1	3.3	1.1	8.0	0.0	0.0	0.0	0.0	16.0	11.6	4.5	4.7	50.2
Total Take	10.3	13.3	34.0	49.6	62.3	0.0	0.0	0.0	0.0	29.4	39.0	22.7	4.7	265.3
ESTIMATED SEASONALLY ADJUSTED HARVEST AND TAKE BY COMMUNITY (EXPANDED)														
Harvest	10.3	12.2	30.8	48.5	54.3	0.0	0.0	0.0	0.0	13.4	27.4	18.1	0.0	215.1
Struck and Lost	0.0	1.2	3.6	1.2	8.8	0.0	0.0	0.0	0.0	17.6	12.8	5.0	5.0	50.2
Total Take	10.3	13.4	34.4	49.7	63.1	0.0	0.0	0.0	0.0	31.0	40.2	23.1	5.0	265.3
Total Take (%)	3.9%	5.0%	13.0%	18.7%	23.8%	0.0%	0.0%	0.0%	0.0%	11.7%	15.1%	8.7%	0.0%	100%
Cumulative Take	10.3	23.7	58.1	107.8	170.9	170.9	170.9	170.9	170.9	202.0	242.1	265.3		
Cum. Take (%)	3.9%	8.9%	21.9%	40.8%	64.4%	64.4%	64.4%	64.4%	64.4%	76.1%	91.3%	100.0%		


SPOTTED SEAL HARVEST BY AGE AND SEX

	Reported		Estimated	
	By Sample (Unexpanded)	Percent	By Community (Expanded)	Percent
Adult Male	39.0	24.8%	55.1	25.6%
Adult Female	12.0	7.6%	16.9	7.8%
Adult Unknown Sex	50.0	31.8%	75.3	35.0%
Juvenile Male	10.0	6.4%	13.2	6.1%
Juvenile Female	9.0	5.7%	11.0	5.1%
Juvenile Unknown Sex	29.0	18.5%	33.7	15.7%
Pup Male	1.0	0.6%	2.4	1.1%
Pup Female	0.0	0.0%	0.0	0.0%
Pup Unknown Sex	4.0	2.5%	4.4	2.0%
Male Unknown Age	0.0	0.0%	0.0	0.0%
Female Unknown Age	1.0	0.6%	1.0	0.5%
Unknown Sex and Age	2.0	1.3%	2.1	1.0%
Total	157	100.0%	215.1	100.0%


SOURCE: Alaska Department of Fish and Game, Division of Subsistence, Subsistence Study and Monitor System for Sea Lions and Harbor Seals in Alaska, 1993.

SPOTTED SEAL (*Phoca largha*) TAKE ESTIMATES: NORTH BRISTOL BAY, 1992


A. Percentage Seasonally Adjusted Take By Month



B. Seasonally Adjusted Take By Month



C. Cumulative Seasonally Adjusted Take By Month



SOURCE: Alaska Department of Fish and Game, Division of Subsistence, Subsistence Study and Monitor System for Sea Lions and Harbor Seals in Alaska, 1993.
B-22

SEA LION (*Eumetopias jubatus*) HARVEST AND TAKE ESTIMATES: SOUTHEAST ALASKA, 1993

SAMPLING DESIGN: Mixed Chain Referral

	Active	Other	Total
Total Native Households	524	857	1381
Surveyed Households	458	258	716
Sampling Fraction	87.4%	30.1%	51.8%
Sample Household Members	1714	869	2583
Estimated Household Members	1940.6	3028.5	4969.1

SEA LION HARVEST AND USE INFORMATION

Percent Of Native Households:

Used	N.A.
Hunted	N.A.
Harvested	N.A.
Received	N.A.
Gave Away	N.A.

Estimated Community Harvest and Take (Expanded):

Total Number Harvested	0.0
Total Number Struck and Lost	1.1
Total Number Taken	1.1
Number Harvested Per Capita	N.A.

SEA LION HARVEST BY SEASON

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Unknown Month	Total
REPORTED HARVEST BY SAMPLED HOUSEHOLDS (UNEXPANDED)														
Harvest	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Struck and Lost	0	0	0	0	0	0	0	0	0	0	1	0	0	1
Total Take	0	0	0	0	0	0	0	0	0	0	1	0	0	1
ESTIMATED HARVEST BY COMMUNITY (EXPANDED)														
Harvest	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Struck and Lost	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1	0.0	0.0	1.1
Total Take	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1	0.0	0.0	1.1
ESTIMATED SEASONALLY ADJUSTED HARVEST BY COMMUNITY (EXPANDED)														
Harvest	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Struck and Lost	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1	0.0	0.0	1.1
Total Take	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1	0.0	0.0	1.1
Total Take (%)	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	100.0%	0.0%	0.0%	100%
Cumulative Take	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1	1.1	1.1	1.1
Cum. Take (%)	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	100.0%	100.0%	100.0%	100%


SEA LION HARVEST BY AGE AND SEX

	Reported		Estimated	
	By Sample (Unexpanded)	Percent	By Community (Expanded)	Percent
Adult Male	0	—	0.0	—
Adult Female	0	—	0.0	—
Adult Unknown Sex	0	—	0.0	—
Juvenile Male	0	—	0.0	—
Juvenile Female	0	—	0.0	—
Juvenile Unknown Sex	0	—	0.0	—
Pup Male	0	—	0.0	—
Pup Female	0	—	0.0	—
Pup Unknown Sex	0	—	0.0	—
Male Unknown Age	0	—	0.0	—
Female Unknown Age	0	—	0.0	—
Unknown Sex and Age	0	—	0.0	—
Total	0	—	0.0	—


SOURCE: Alaska Department of Fish and Game, Division of Subsistence, Subsistence Study and Monitor System for Sea Lions and Harbor Seals in Alaska.

SEA LION (*Eumetopias jubatus*) TAKE ESTIMATES: SOUTHEAST ALASKA, 1993


A. Percentage Seasonally Adjusted Take By Month



B. Seasonally Adjusted Take By Month



C. Cumulative Seasonally Adjusted Take By Month



SOURCE: Alaska Department of Fish and Game, Division of Subsistence, Subsistence Study and Monitor System for Sea Lions and Harbor Seals in Alaska.

SEA LION (*Eumetopias jubatus*) HARVEST AND TAKE ESTIMATES: NORTH PACIFIC RIM, 1993

SAMPLING DESIGN: MIXED

	Active	Other	Total
Total Native Households	35	507	542
Surveyed Households	29	198	227
Sampling Fraction	82.9%	39.1%	41.9%
Sample Household Members	102	605	707
Estimated Household Members	121.1	1367.3	1488.4

SEA LION HARVEST AND USE INFORMATION

Percent Of Native Households:

Used	N.A.
Hunted	N.A.
Harvested	N.A.
Received	N.A.
Gave Away	N.A.

Estimated Community Harvest and Take (Expanded):

Total Number Harvested	26.5
Total Number Struck and Lost	8.8
Total Number Taken	35.2
Number Harvested Per Capita	0.02

SEA LION HARVEST BY SEASON

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Unknown Month	Total
REPORTED HARVEST BY SAMPLED HOUSEHOLDS (UNEXPANDED)														
Harvest	3	1	0	2	0	1	1	1	1	0	4	3	7	24
Struck and Lost	0	0	0	0	0	1	0	0	1	0	3	0	3	8
Total Take	3	1	0	2	0	2	1	1	2	0	7	3	10	32
ESTIMATED HARVEST BY COMMUNITY (EXPANDED)														
Harvest	3.3	1.1	0.0	2.5	0.0	1.1	1.1	1.1	1.1	0.0	4.4	3.3	7.5	26.5
Struck and Lost	0.0	0.0	0.0	0.0	0.0	1.1	0.0	0.0	1.1	0.0	3.3	0.0	3.2	8.8
Total Take	3.3	1.1	0.0	2.5	0.0	2.2	1.1	1.1	2.2	0.0	7.7	3.3	10.7	35.2
ESTIMATED SEASONALLY ADJUSTED HARVEST BY COMMUNITY (EXPANDED)														
Harvest	3.3	1.1	0.0	5.6	0.0	2.2	2.2	1.1	1.1	0.0	5.5	4.4		26.5
Struck and Lost	0.1	0.1	0.1	0.1	0.1	1.2	0.1	0.1	1.7	0.1	5.1	0.1		8.8
Total Take	3.4	1.2	0.1	5.7	0.1	3.4	2.3	1.2	2.8	0.1	10.6	4.5		35.2
Total Take (%)	9.5%	3.4%	0.2%	16.3%	0.2%	9.5%	6.4%	3.4%	8.1%	0.2%	30.0%	12.7%		100%
Cumulative Take	3.4	4.5	4.6	10.4	10.4	13.8	16.1	17.3	20.1	20.2	30.8	35.2		
Cum. Take (%)	9.5%	12.9%	13.1%	29.4%	29.6%	39.2%	45.6%	49.0%	57.1%	57.3%	87.3%	100.0%		


SEA LION HARVEST BY AGE AND SEX

	Reported		Estimated	
	By Sample (Unexpanded)	Percent	By Community (Expanded)	Percent
Adult Male	5	20.8%	5.5	20.7%
Adult Female	1	4.2%	1.1	4.2%
Adult Unknown Sex	5	20.8%	5.9	22.1%
Juvenile Male	4	16.7%	4.3	16.2%
Juvenile Female	3	12.5%	3.3	12.5%
Juvenile Unknown Sex	2	8.3%	2.2	8.4%
Pup Male	0	0.0%	0.0	0.0%
Pup Female	0	0.0%	0.0	0.0%
Pup Unknown Sex	0	0.0%	0.0	0.0%
Male Unknown Age	0	0.0%	0.0	0.0%
Female Unknown Age	0	0.0%	0.0	0.0%
Unknown Sex and Age	4	16.7%	4.2	15.9%
Total	24	100.0%	26.5	100.0%


SOURCE: Alaska Department of Fish and Game, Division of Subsistence, Subsistence Study and Monitor System for Sea Lions and Harbor Seals in Alaska.

SEA LION (*Eumetopias jubatus*) TAKE ESTIMATES: NORTH PACIFIC RIM, 1993


A. Percentage Seasonally Adjusted Take By Month



B. Seasonally Adjusted Take By Month



C. Cumulative Seasonally Adjusted Take By Month



SOURCE: Alaska Department of Fish and Game, Division of Subsistence, Subsistence Study and Monitor System for Sea Lions and Harbor Seals in Alaska.

SEA LION (*Eumetopias jubatus*) HARVEST AND TAKE ESTIMATES: UPPER KENAI - COOK INLET, 1993

SAMPLING DESIGN: MIXED

Total Native Households	54
Surveyed Households	43
Sampling Fraction	79.6%
Sample Household Members	151
Estimated Household Members	181.3

SEA LION HARVEST AND USE INFORMATION

Percent Of Native Households:

Used	N.A.
Hunted	N.A.
Harvested	N.A.
Received	N.A.
Gave Away	N.A.

Estimated Community Harvest and Take (Expanded):

Total Number Harvested	7.8
Total Number Struck and Lost	3.3
Total Number Taken	11.1
Number Harvested Per Capita	0.04

SEA LION HARVEST BY SEASON

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Unknown Month	Total
REPORTED HARVEST BY SAMPLED HOUSEHOLDS (UNEXPANDED)														
Harvest	2	1	0	2	0	0	0	1	0	1	0	0	0	7
Struck and Lost	0	2	0	0	0	0	0	0	1	0	0	0	0	3
Total Take	2	3	0	2	0	0	0	1	1	1	0	0	0	10
ESTIMATED HARVEST BY COMMUNITY (EXPANDED)														
Harvest	2.2	1.1	0.0	2.2	0.0	0.0	0.0	1.1	0.0	1.1	0.0	0.0	0.0	7.8
Struck and Lost	0.0	2.2	0.0	0.0	0.0	0.0	0.0	0.0	1.1	0.0	0.0	0.0	0.0	3.3
Total Take	2.2	3.3	0.0	2.2	0.0	0.0	0.0	1.1	1.1	1.1	0.0	0.0	0.0	11.1
ESTIMATED SEASONALLY ADJUSTED HARVEST BY COMMUNITY (EXPANDED)														
Harvest	2.2	1.1	0.0	2.2	0.0	0.0	0.0	1.1	0.0	1.1	0.0	0.0		7.8
Struck and Lost	0.0	2.2	0.0	0.0	0.0	0.0	0.0	0.0	1.1	0.0	0.0	0.0		3.3
Total Take	2.2	3.3	0.0	2.2	0.0	0.0	0.0	1.1	1.1	1.1	0.0	0.0		11.1
Total Take (%)	20.0%	30.0%	0.0%	20.0%	0.0%	0.0%	0.0%	10.0%	10.0%	10.0%	0.0%	0.0%		100%
Cumulative Take	2.2	5.6	5.6	7.8	7.8	7.8	7.8	8.9	10.0	11.1	11.1	11.1		
Cum. Take (%)	20.0%	50.0%	50.0%	70.0%	70.0%	70.0%	70.0%	80.0%	90.0%	100.0%	100.0%	100.0%		


SEA LION HARVEST BY AGE AND SEX

	Reported		Estimated	
	By Sample (Unexpanded)	Percent	By Community (Expanded)	Percent
Adult Male	2	28.6%	2.2	28.6%
Adult Female	2	28.6%	2.2	28.6%
Adult Unknown Sex	1	14.3%	1.1	14.3%
Juvenile Male	1	14.3%	1.1	14.3%
Juvenile Female	0	0.0%	0.0	0.0%
Juvenile Unknown Sex	0	0.0%	0.0	0.0%
Pup Male	0	0.0%	0.0	0.0%
Pup Female	0	0.0%	0.0	0.0%
Pup Unknown Sex	0	0.0%	0.0	0.0%
Male Unknown Age	1	14.3%	1.1	14.3%
Female Unknown Age	0	0.0%	0.0	0.0%
Unknown Sex and Age	0	0.0%	0.0	0.0%
Total	7	100.0%	7.8	100.0%


SOURCE: Alaska Department of Fish and Game, Division of Subsistence, Subsistence Study and Monitor System for Sea Lions and Harbor Seals in Alaska.

SEA LION (*Eumetopias jubatus*) TAKE ESTIMATES: UPPER KENAI - COOK INLET, 1993


A. Percentage Seasonally Adjusted Take By Month



B. Seasonally Adjusted Take By Month



C. Cumulative Seasonally Adjusted Take By Month



SOURCE: Alaska Department of Fish and Game, Division of Subsistence, Subsistence Study and Monitor System for Sea Lions and Harbor Seals in Alaska.

SEA LION (*Eumetopias jubatus*) HARVEST AND TAKE ESTIMATES: KODIAK ISLAND, 1993

SAMPLING DESIGN: MIXED

	Active	Other	Total
Total Native Households	45	642	687
Surveyed Households	44	219	263
Sampling Fraction	97.8%	34.1%	38.3%
Sample Household Members	178	688	866
Estimated Household Members	182.1	1902.5	2084.6

SEA LION HARVEST AND USE INFORMATION

Percent Of Native Households:

Used	17.8%
Hunted	7.5%
Harvested	4.3%
Received	16.3%
Gave Away	5.4%

Estimated Community Harvest and Take (Expanded):

Total Number Harvested	41.6
Total Number Struck and Lost	16.9
Total Number Taken	58.5
Number Harvested Per Capita	0.02

SEA LION HARVEST BY SEASON

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Unknown Month	Total
REPORTED HARVEST BY SAMPLED HOUSEHOLDS (UNEXPANDED)														
Harvest	0	2	2	2	3	2	0	0	5	4	10	3	3	36
Struck and Lost	0	0	0	0	2	1	0	0	1	1	0	0	0	5
Total Take	0	2	2	2	5	3	0	0	6	5	10	3	3	41
ESTIMATED HARVEST BY COMMUNITY (EXPANDED)														
Harvest	0.0	2.7	2.1	3.0	3.8	2.0	0.0	0.0	5.8	4.1	11.7	3.1	3.3	41.6
Struck and Lost	0.0	0.0	0.0	0.0	2.2	1.0	0.0	0.0	12.7	1.0	0.0	0.0	0.0	16.9
Total Take	0.0	2.7	2.1	3.0	5.9	3.0	0.0	0.0	18.5	5.1	11.7	3.1	3.3	58.5
ESTIMATED SEASONALLY ADJUSTED HARVEST BY COMMUNITY (EXPANDED)														
Harvest	0.0	2.7	2.1	3.0	5.4	2.0	0.0	0.0	5.8	4.1	13.3	3.1		41.6
Struck and Lost	0.0	0.0	0.0	0.0	2.2	1.0	0.0	0.0	12.7	1.0	0.0	0.0		16.9
Total Take	0.0	2.7	2.1	3.0	7.6	3.0	0.0	0.0	18.5	5.1	13.3	3.1		58.5
Total Take (%)	0.0%	4.6%	3.5%	5.2%	12.9%	5.2%	0.0%	0.0%	31.6%	8.8%	22.7%	5.3%		100%
Cumulative Take	0.0	2.7	4.8	7.8	15.4	18.4	18.4	18.4	36.9	42.0	55.3	58.4		
Cum. Take (%)	0.0%	4.6%	8.1%	13.3%	26.3%	31.5%	31.5%	31.5%	63.0%	71.8%	94.5%	99.8%		


SEA LION HARVEST BY AGE AND SEX

	Reported		Estimated	
	By Sample (Unexpanded)	Percent	By Community (Expanded)	Percent
Adult Male	12	33.3%	13.6	32.8%
Adult Female	6	16.7%	6.2	15.0%
Adult Unknown Sex	1	2.8%	1.0	2.5%
Juvenile Male	12	33.3%	15.2	36.6%
Juvenile Female	0	0.0%	0.0	0.0%
Juvenile Unknown Sex	2	5.6%	2.2	5.2%
Pup Male	0	0.0%	0.0	0.0%
Pup Female	0	0.0%	0.0	0.0%
Pup Unknown Sex	0	0.0%	0.0	0.0%
Male Unknown Age	0	0.0%	0.0	0.0%
Female Unknown Age	0	0.0%	0.0	0.0%
Unknown Sex and Age	3	8.3%	3.3	7.8%
Total	36	100.0%	41.6	100.0%


SOURCE: Alaska Department of Fish and Game, Division of Subsistence, Subsistence Study and Monitor System for Sea Lions and Harbor Seals in Alaska.

SEA LION (*Eumetopias jubatus*) TAKE ESTIMATES: KODIAK ISLAND, 1993


A. Percentage Seasonally Adjusted Take By Month



B. Seasonally Adjusted Take By Month



C. Cumulative Seasonally Adjusted Take By Month



SOURCE: Alaska Department of Fish and Game, Division of Subsistence, Subsistence Study and Monitor System for Sea Lions and Harbor Seals in Alaska.

SEA LION (*Eumetopias jubatus*) HARVEST AND TAKE ESTIMATES: SOUTH ALASKA PENINSULA, 1993

SAMPLING DESIGN: MIXED

	Active	Other	Total
Total Native Households	28	367	395
Surveyed Households	24	172	196
Sampling Fraction	85.7%	46.9%	49.6%
Sample Household Members	95	599	694
Estimated Household Members	110.8	1242.3	1353.2

SEA LION HARVEST AND USE INFORMATION

Percent Of Native Households:

Used	2.6%
Hunted	2.3%
Harvested	1.2%
Received	1.7%
Gave Away	0.9%

Estimated Community Harvest and Take (Expanded):

Total Number Harvested	4.6
Total Number Struck and Lost	1.2
Total Number Taken	5.7
Number Harvested Per Capita	0.00

	SEA LION HARVEST BY SEASON												Total	
	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec		Unknown Month
REPORTED HARVEST BY SAMPLED HOUSEHOLDS (UNEXPANDED)														
Harvest	0	0	2	0	0	0	0	0	0	2	0	0	0	4
Struck and Lost	0	0	1	0	0	0	0	0	0	0	0	0	0	1
Total Take	0	0	3	0	0	0	0	0	0	2	0	0	0	5
ESTIMATED HARVEST BY COMMUNITY (EXPANDED)														
Harvest	0.0	0.0	2.3	0.0	0.0	0.0	0.0	0.0	0.0	2.2	0.0	0.0	0.0	4.6
Struck and Lost	0.0	0.0	1.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2
Total Take	0.0	0.0	3.5	0.0	0.0	0.0	0.0	0.0	0.0	2.2	0.0	0.0	0.0	5.7
ESTIMATED SEASONALLY ADJUSTED HARVEST BY COMMUNITY (EXPANDED)														
Harvest	0.0	0.0	2.3	0.0	0.0	0.0	0.0	0.0	0.0	2.2	0.0	0.0	0.0	4.6
Struck and Lost	0.0	0.0	1.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2
Total Take	0.0	0.0	3.5	0.0	0.0	0.0	0.0	0.0	0.0	2.2	0.0	0.0	0.0	5.7
Total Take (%)	0.0%	0.0%	61.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	39.0%	0.0%	0.0%	0.0%	100%
Cumulative Take	0.0	0.0	3.5	3.5	3.5	3.5	3.5	3.5	3.5	5.7	5.7	5.7	5.7	
Cum. Take (%)	0.0%	0.0%	61.0%	61.0%	61.0%	61.0%	61.0%	61.0%	61.0%	100.0%	100.0%	100.0%	100.0%	


SEA LION HARVEST BY AGE AND SEX

	Reported		Estimated	
	By Sample (Unexpanded)	Percent	By Community (Expanded)	Percent
Adult Male	1	25.0%	1.1	23.4%
Adult Female	0	0.0%	0.0	0.0%
Adult Unknown Sex	0	0.0%	0.0	0.0%
Juvenile Male	0	0.0%	0.0	0.0%
Juvenile Female	1	25.0%	1.2	25.6%
Juvenile Unknown Sex	2	50.0%	2.3	51.1%
Pup Male	0	0.0%	0.0	0.0%
Pup Female	0	0.0%	0.0	0.0%
Pup Unknown Sex	0	0.0%	0.0	0.0%
Male Unknown Age	0	0.0%	0.0	0.0%
Female Unknown Age	0	0.0%	0.0	0.0%
Unknown Sex and Age	0	0.0%	0.0	0.0%
Total	4	100.0%	4.6	100.0%


SOURCE: Alaska Department of Fish and Game, Division of Subsistence, Subsistence Study and Monitor System for Sea Lions and Harbor Seals in Alaska.

SEA LION (*Eumetopias jubatus*) TAKE ESTIMATES: SOUTH ALASKA PENINSULA, 1993


A. Percentage Seasonally Adjusted Take By Month



B. Seasonally Adjusted Take By Month



C. Cumulative Seasonally Adjusted Take By Month



SOURCE: Alaska Department of Fish and Game, Division of Subsistence, Subsistence Study and Monitor System for Sea Lions and Harbor Seals in Alaska.

SEA LION (*Eumetopias jubatus*) HARVEST AND TAKE ESTIMATES: ALEUTIAN ISLANDS, 1993

SAMPLING DESIGN: MIXED

	Active	Other	Total
Total Native Households	24	120	144
Surveyed Households	16	106	122
Sampling Fraction	66.7%	88.3%	84.7%
Sample Household Members	61	284	345
Estimated Household Members	91.5	323.3	414.8

SEA LION HARVEST AND USE INFORMATION

Percent Of Native Households:

Used	95.4%
Hunted	32.3%
Harvested	25.1%
Received	88.8%
Gave Away	26.9%

Estimated Community Harvest and Take (Expanded):

Total Number Harvested	99.0
Total Number Struck and Lost	24.8
Total Number Taken	123.8
Number Harvested Per Capita	0.24

SEA LION HARVEST BY SEASON

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Unknown Month	Total
REPORTED HARVEST BY SAMPLED HOUSEHOLDS (UNEXPANDED)														
Harvest	8	1	8	3	4	7	3	3	10	10	13	3	5	78
Struck and Lost	1	1	4	0	1	2	2	0	2	6	0	0	0	19
Total Take	9	2	12	3	5	9	5	3	12	16	13	3	5	97
ESTIMATED HARVEST BY COMMUNITY (EXPANDED)														
Harvest	11.2	1.5	11.2	4.2	5.2	8.6	4.1	3.7	13.1	12.3	15.1	3.3	5.5	99.0
Struck and Lost	1.5	1.5	5.7	0.0	1.1	2.6	2.6	0.0	2.6	7.2	0.0	0.0	0.0	24.8
Total Take	12.7	3.0	16.9	4.2	6.3	11.2	6.7	3.7	15.7	19.4	15.1	3.3	5.5	123.8
ESTIMATED SEASONALLY ADJUSTED HARVEST BY COMMUNITY (EXPANDED)														
Harvest	11.8	1.5	11.2	4.2	5.2	8.6	4.1	4.0	14.0	13.2	17.3	3.9		99.0
Struck and Lost	1.5	1.5	5.7	0.0	1.1	2.6	2.6	0.0	2.6	7.2	0.0	0.0		24.8
Total Take	13.3	3.0	16.9	4.2	6.3	11.2	6.7	4.0	16.6	20.3	17.3	3.9		123.8
Total Take (%)	10.7%	2.4%	13.7%	3.4%	5.1%	9.0%	5.4%	3.2%	13.4%	16.4%	13.9%	3.2%		100%
Cumulative Take	13.3	16.3	33.2	37.4	43.8	55.0	61.7	65.7	82.3	102.7	119.9	123.8		
Cum. Take (%)	10.7%	13.2%	26.8%	30.2%	35.3%	44.4%	49.8%	53.1%	66.5%	82.9%	96.8%	100.0%		


SEA LION HARVEST BY AGE AND SEX

	Reported		Estimated	
	By Sample (Unexpanded)	Percent	By Community (Expanded)	Percent
Adult Male	31	39.7%	38.9	39.3%
Adult Female	14	17.9%	16.5	16.7%
Adult Unknown Sex	0	0.0%	0.0	0.0%
Juvenile Male	11	14.1%	14.6	14.8%
Juvenile Female	10	12.8%	13.4	13.5%
Juvenile Unknown Sex	1	1.3%	1.1	1.1%
Pup Male	3	3.8%	4.5	4.5%
Pup Female	3	3.8%	4.5	4.5%
Pup Unknown Sex	0	0.0%	0.0	0.0%
Male Unknown Age	0	0.0%	0.0	0.0%
Female Unknown Age	0	0.0%	0.0	0.0%
Unknown Sex and Age	5	6.4%	5.5	5.5%
Total	78	100.0%	99.0	100.0%


SOURCE: Alaska Department of Fish and Game, Division of Subsistence, Subsistence Study and Monitor System for Sea Lions and Harbor Seals in Alaska.

SEA LION (*Eumetopias jubatus*) TAKE ESTIMATES: ALEUTIAN ISLANDS, 1993


A. Percentage Seasonally Adjusted Take By Month



B. Seasonally Adjusted Take By Month



C. Cumulative Seasonally Adjusted Take By Month



SOURCE: Alaska Department of Fish and Game, Division of Subsistence, Subsistence Study and Monitor System for Sea Lions and Harbor Seals in Alaska.

SEA LION (*Eumetopias jubatus*) HARVEST AND TAKE ESTIMATES: PRIBILOF ISLANDS, 1993

SAMPLING DESIGN: MIXED

	Active	Other	Total
Total Native Households	61	117	178
Surveyed Households	53	69	122
Sampling Fraction	86.9%	59.0%	68.5%
Sample Household Members	231	234	465
Estimated Household Members	265.9	408.9	674.8

SEA LION HARVEST AND USE INFORMATION

Percent Of Native Households:

Used	80.8%
Hunted	43.7%
Harvested	32.2%
Received	67.3%
Gave Away	34.7%

Estimated Community Harvest and Take (Expanded):

Total Number Harvested	165.4
Total Number Struck and Lost	80.0
Total Number Taken	245.4
Number Harvested Per Capita	0.25

SEA LION HARVEST BY SEASON

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Unknown Month	Total
REPORTED HARVEST BY SAMPLED HOUSEHOLDS (UNEXPANDED)														
Harvest	4	6	7	7	6	0	0	3	23	20	7	7	40	130
Struck and Lost	3	3	7	1	1	0	0	0	4	8	12	1	19	59
Total Take	7	9	14	8	7	0	0	3	27	28	19	8	59	189
ESTIMATED HARVEST BY COMMUNITY (EXPANDED)														
Harvest	6.8	7.0	8.1	8.1	6.9	0.0	0.0	3.5	26.5	25.3	9.2	8.1	56.0	165.4
Struck and Lost	3.5	3.5	8.4	1.2	1.2	0.0	0.0	0.0	4.6	10.3	16.5	1.2	29.8	80.0
Total Take	10.3	10.4	16.5	9.4	8.1	0.0	0.0	3.5	31.1	35.6	25.6	9.2	85.8	245.4
ESTIMATED SEASONALLY ADJUSTED HARVEST BY COMMUNITY (EXPANDED)														
Harvest	10.4	10.0	12.3	11.8	10.6	0.0	0.0	5.3	40.5	38.1	14.0	12.3		165.4
Struck and Lost	5.9	5.9	11.9	1.5	2.0	0.0	0.0	0.0	7.9	17.8	25.1	2.0		80.0
Total Take	16.4	16.0	24.2	13.3	12.5	0.0	0.0	5.3	48.4	55.8	39.1	14.3		245.4
Total Take (%)	6.7%	6.5%	9.9%	5.4%	5.1%	0.0%	0.0%	2.2%	19.7%	22.8%	15.9%	5.8%		100%
Cumulative Take	16.4	32.4	56.6	69.9	82.4	82.4	82.4	87.7	136.1	192.0	231.1	245.4		
Cum. Take (%)	6.7%	13.2%	23.1%	28.5%	33.6%	33.6%	33.6%	35.7%	55.5%	78.2%	94.2%	100.0%		


SEA LION HARVEST BY AGE AND SEX

	Reported		Estimated	
	By Sample (Unexpanded)	Percent	By Community (Expanded)	Percent
Adult Male	8	6.2%	9.2	5.6%
Adult Female	0	0.0%	0.0	0.0%
Adult Unknown Sex	1	0.8%	1.2	0.7%
Juvenile Male	82	63.1%	102.1	61.8%
Juvenile Female	1	0.8%	1.2	0.7%
Juvenile Unknown Sex	23	17.7%	34.3	20.7%
Pup Male	10	7.7%	11.5	7.0%
Pup Female	0	0.0%	0.0	0.0%
Pup Unknown Sex	4	3.1%	4.6	2.8%
Male Unknown Age	0	0.0%	0.0	0.0%
Female Unknown Age	0	0.0%	0.0	0.0%
Unknown Sex and Age	1	0.8%	1.2	0.7%
Total	130	100.0%	165.4	100.0%


SOURCE: Alaska Department of Fish and Game, Division of Subsistence, Subsistence Study and Monitor System for Sea Lions and Harbor Seals in Alaska.

SEA LION (*Eumetopias jubatus*) TAKE ESTIMATES: PRIBILOF ISLANDS, 1993


A. Percentage Seasonally Adjusted Take By Month



B. Seasonally Adjusted Take By Month



C. Cumulative Seasonally Adjusted Take By Month



SOURCE: Alaska Department of Fish and Game, Division of Subsistence, Subsistence Study and Monitor System for Sea Lions and Harbor Seals in Alaska.

SEA LION (*Eumetopias jubatus*) HARVEST AND TAKE ESTIMATES: SOUTH BRISTOL BAY, 1993

SAMPLING DESIGN: MIXED

	Active	Other	Total
Total Native Households	19	283	282
Surveyed Households	14	186	200
Sampling Fraction	73.7%	70.7%	70.9%
Sample Household Members	61	546	607
Estimated Household Members	82.8	779.9	862.6

SEA LION HARVEST AND USE INFORMATION

Percent Of Native Households:

Used	0.0%
Hunted	0.5%
Harvested	0.0%
Received	0.0%
Gave Away	0.0%

Estimated Community Harvest and Take (Expanded):

Total Number Harvested	0.0
Total Number Struck and Lost	0.0
Total Number Taken	0.0
Number Harvested Per Capita	0.00

SEA LION HARVEST BY SEASON

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Unknown Month	Total
	REPORTED HARVEST BY SAMPLED HOUSEHOLDS (UNEXPANDED)													
Harvest	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Struck and Lost	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Total Take	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ESTIMATED HARVEST BY COMMUNITY (EXPANDED)														
Harvest	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Struck and Lost	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total Take	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
ESTIMATED SEASONALLY ADJUSTED HARVEST BY COMMUNITY (EXPANDED)														
Harvest	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Struck and Lost	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total Take	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total Take (%)	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cumulative Take	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Cum. Take (%)	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%


SEA LION HARVEST BY AGE AND SEX

	Reported		Estimated	
	By Sample (Unexpanded)	Percent	By Community (Expanded)	Percent
Adult Male	0	—	0.0	—
Adult Female	0	—	0.0	—
Adult Unknown Sex	0	—	0.0	—
Juvenile Male	0	—	0.0	—
Juvenile Female	0	—	0.0	—
Juvenile Unknown Sex	0	—	0.0	—
Pup Male	0	—	0.0	—
Pup Female	0	—	0.0	—
Pup Unknown Sex	0	—	0.0	—
Male Unknown Age	0	—	0.0	—
Female Unknown Age	0	—	0.0	—
Unknown Sex and Age	0	—	0.0	—
Total	0	—	0.0	—


SOURCE: Alaska Department of Fish and Game, Division of Subsistence, Subsistence Study and Monitor System for Sea Lions and Harbor Seals in Alaska.

SEA LION (*Eumetopias jubatus*) TAKE ESTIMATES: SOUTH BRISTOL BAY, 1993


A. Percentage Seasonally Adjusted Take By Month



B. Seasonally Adjusted Take By Month



C. Cumulative Seasonally Adjusted Take By Month



SOURCE: Alaska Department of Fish and Game, Division of Subsistence, Subsistence Study and Monitor System for Sea Lions and Harbor Seals in Alaska.

SEA LION (*Eumetopias jubatus*) HARVEST AND TAKE ESTIMATES: NORTH BRISTOL BAY, 1993

SAMPLING DESIGN: MIXED

	Active	Other	Total
Total Native Households	71	630	701
Surveyed Households	67	131	198
Sampling Fraction	94.4%	20.8%	28.2%
Sample Household Members	299	526	825
Estimated Household Members	317.1	2287.5	2604.6

SEA LION HARVEST AND USE INFORMATION

Percent Of Native Households:

Used	5.1%
Hunted	0.5%
Harvested	0.3%
Received	4.9%
Gave Away	0.2%

Estimated Community Harvest and Take (Expanded):

Total Number Harvested	3.3
Total Number Struck and Lost	3.3
Total Number Taken	6.5
Number Harvested Per Capita	0.00

SEA LION HARVEST BY SEASON

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Unknown Month	Total
REPORTED HARVEST BY SAMPLED HOUSEHOLDS (UNEXPANDED)														
Harvest	0	0	0	0	0	1	0	0	1	1	0	0	0	3
Struck and Lost	0	0	0	0	1	0	0	0	0	1	0	0	1	3
Total Take	0	0	0	0	1	1	0	0	1	2	0	0	1	6
ESTIMATED HARVEST BY COMMUNITY (EXPANDED)														
Harvest	0.0	0.0	0.0	0.0	0.0	1.1	0.0	0.0	1.1	1.1	0.0	0.0	0.0	3.3
Struck and Lost	0.0	0.0	0.0	0.0	1.1	0.0	0.0	0.0	0.0	1.1	0.0	0.0	1.1	3.3
Total Take	0.0	0.0	0.0	0.0	1.1	1.1	0.0	0.0	1.1	2.2	0.0	0.0	1.1	6.5
ESTIMATED SEASONALLY ADJUSTED HARVEST BY COMMUNITY (EXPANDED)														
Harvest	0.0	0.0	0.0	0.0	0.0	1.1	0.0	0.0	1.1	1.1	0.0	0.0		3.3
Struck and Lost	0.0	0.0	0.0	0.0	1.6	0.0	0.0	0.0	0.0	1.6	0.0	0.0		3.3
Total Take	0.0	0.0	0.0	0.0	1.6	1.1	0.0	0.0	1.1	2.7	0.0	0.0		6.5
Total Take (%)	0.0%	0.0%	0.0%	0.0%	25.0%	16.7%	0.0%	0.0%	16.7%	41.7%	0.0%	0.0%		100%
Cumulative Take	0.0	0.0	0.0	0.0	1.6	2.7	2.7	2.7	3.8	6.5	6.5	6.5		
Cum. Take (%)	0.0%	0.0%	0.0%	0.0%	25.0%	41.7%	41.7%	41.7%	58.3%	100.0%	100.0%	100.0%		


SEA LION HARVEST BY AGE AND SEX

	Reported		Estimated	
	By Sample (Unexpanded)	Percent	By Community (Expanded)	Percent
Adult Male	0	0.0%	0.0	0.0%
Adult Female	0	0.0%	0.0	0.0%
Adult Unknown Sex	1	33.3%	1.1	33.3%
Juvenile Male	1	33.3%	1.1	33.3%
Juvenile Female	0	0.0%	0.0	0.0%
Juvenile Unknown Sex	1	33.3%	1.1	33.3%
Pup Male	0	0.0%	0.0	0.0%
Pup Female	0	0.0%	0.0	0.0%
Pup Unknown Sex	0	0.0%	0.0	0.0%
Male Unknown Age	0	0.0%	0.0	0.0%
Female Unknown Age	0	0.0%	0.0	0.0%
Unknown Sex and Age	0	0.0%	0.0	0.0%
Total	3	100.0%	3.3	100.0%


SOURCE: Alaska Department of Fish and Game, Division of Subsistence, Subsistence Study and Monitor System for Sea Lions and Harbor Seals in Alaska.

SEA LION (*Eumetopias jubatus*) TAKE ESTIMATES: NORTH BRISTOL BAY, 1993


A. Percentage Seasonally Adjusted Take By Month



B. Seasonally Adjusted Take By Month



C. Cumulative Seasonally Adjusted Take By Month



SOURCE: Alaska Department of Fish and Game, Division of Subsistence, Subsistence Study and Monitor System for Sea Lions and Harbor Seals in Alaska.

**The Subsistence Harvest of
Harbor Seal and Sea Lion
by Alaska Natives in 1993**

**Technical Paper No. 233
Part 2**

Principal Investigator Project Coordinator
Robert J. Wolfe Craig Mishler

Data Analysis Charles J. Utermohle, Sarah Carpenter, Amy W. Paige, Cheryl L. Scott **Southeast Region Research** Robert F. Schroeder, Martha F. Betts, Yvonne K. Howard, Matthew A. Kookesh, Thomas F. Thornton **Southcentral Region Research** James A. Fall, Jeffrey Barnhart, Susan McNeil, Rita Miraglia, Brad Palach, Jody Seitz, Ronald T. Stanek, Vicki Vanek **Southwest Region Research** Molly Chythlook, Philippa A. Coiley, Lisa B. Hutchinson-Scarborough

**Final Report for Year Two
Subsistence Study and Monitor System (No. 50ABNF200055)
Prepared for the National Marine Fisheries Service**

**Alaska Department of Fish and Game
Division of Subsistence
Juneau, Alaska
July 1994**

Frontispiece. Brown bear crest hat, Sitka (Tlingit), ornamented with whiskers from the Steller sea lion. The brown bear and sea lion are crests of several Tlingit clans in southeast Alaska. The wood hat is painted in red, light blue, and black, with abalone eyes and opercula teeth. The hat was worn by Tlingit nobility at potlatches. Basketry cylinders at the top were added at times the crest hat was ceremonially presented and validated. Collected 1867-68, 69-30-10/1599. Photo courtesy Peabody Museum of Archaeology and Ethnology, Harvard University.

The Alaska Department of Fish and Game conducts all programs and activities free from discrimination on the basis of sex, color, race, religion, national origin, age, marital status, pregnancy, parenthood, or disability. For information on alternative formats available for this and other department publications, please contact the department ADA Coordinator at (voice) 907-465-4120, (TDD) 1-800-478-3648 or (FAX) 907-586-6595. Any person who believes s/he has been discriminated against should write to: ADF&G, P.O. Box 25526, Juneau, Alaska 99802-5526; or O.E.O., U.S. Department of the Interior, Washington, D.C. 20240.

APPENDIX C
SUBSISTENCE TAKES OF
HARBOR SEAL AND SEA LION
BY COMMUNITY

Harbor Seal (Phoca vitulina)
Harvest and Take Estimates, 1993

SOUTHEAST ALASKA

PAGE	COMMUNITY
4-5	Angoon
8-9	Craig
12-13	Haines
16-17	Hoonah
20-21	Hydaburg
24-25	Juneau
28-29	Kake
32-33	Ketchikan
36-37	Klawock
40-41	Klukwan
44-45	Pelican
48-49	Petersburg
52-53	Saxman
56-57	Sitka
60-61	Wrangell
64-65	Yakutat

NORTH PACIFIC RIM

PAGE	COMMUNITY
70-71	Chenega Bay
74-75	Cordova
78-79	Nanwalek
82-83	Port Graham
86-87	Seldovia
90-91	Seward
94-95	Tatitlek
98-99	Valdez

UPPER KENAI-COOK INLET

PAGE	COMMUNITY
104-105	Anchorage
108-109	Homer
112-113	Kenai

KODIAK ISLAND

PAGE	COMMUNITY
118-119	Akhiok
122-123	Karluk
126-127	Kodiak City
130-131	Larsen Bay
134-135	Old Harbor
138-139	Ouzinkie
142-143	Port Lions

APPENDIX C CONTINUED
SUBSISTENCE TAKES OF
HARBOR SEAL AND SEA LION
BY COMMUNITY

Harbor Seal (Phoca vitulina)
Harvest and Take Estimates, 1993

SOUTH ALASKA PENINSULA

PAGE	COMMUNITY
148-149	Chignik Bay
152-153	Chignik Lagoon
156-157	Chignik Lake
160-161	False Pass
164-165	Ivanof Bay
168-169	King Cove
172-173	Perryville
176-177	Sand Point

ALEUTIAN ISLANDS

PAGE	COMMUNITY
182-183	Akutan
186-187	Atka
190-191	Nikolski
194-195	Unalaska

PRIBILOF ISLANDS

PAGE	COMMUNITY
200-201	Saint George
204-205	Saint Paul

SOUTH BRISTOL BAY

PAGE	COMMUNITY
210-211	Egegik
214-215	King Salmon
218-219	Levelock
222-223	Naknek
226-227	Pilot Point
230-231	Port Heiden
234-235	South Naknek

NORTH BRISTOL BAY

PAGE	COMMUNITY
242-243	Aleknagik
250-251	Clark's Point
258-259	Dillingham
266-267	Manokotak
274-275	Togiak

APPENDIX C CONTINUED
SUBSISTENCE TAKES OF
HARBOR SEAL AND SEA LION
BY COMMUNITY

Harbor Seal and Spotted Seal
Harvest and Take Estimates, 1993

NORTH BRISTOL BAY	
PAGE	COMMUNITY
240-241	Aleknagik
248-249	Clark's Point
256-257	Dillingham
264-265	Manokotak
272-273	Togiak

Spotted Seal (*Phoca largha*)
Harvest and Take Estimates, 1993

NORTH BRISTOL BAY	
PAGE	COMMUNITY
244-245	Aleknagik
252-253	Clark's Point
260-261	Dillingham
268-269	Manokotak
276-277	Togiak

Sea Lion (*Eumetopias jubatus*)
Harvest and Take Estimates, 1993

SOUTHEAST ALASKA	
PAGE	COMMUNITY
2-3	Angoon
6-7	Craig
10-11	Haines
14-15	Hoonah
18-19	Hydaburg
22-23	Juneau
26-27	Kake
30-31	Ketchikan
34-35	Klawock
38-39	Klukwan
42-43	Pelican
46-47	Petersburg
50-51	Saxman
54-55	Sitka
58-59	Wrangell
62-63	Yakutat

APPENDIX C CONTINUED
SUBSISTENCE TAKES OF
HARBOR SEAL AND SEA LION
BY COMMUNITY

Sea Lion (Eumetopias jubatus)
Harvest and Take Estimates, 1993

NORTH PACIFIC RIM

PAGE	COMMUNITY
68-69	Chenega Bay
72-73	Cordova
76-77	Nanwalek
80-81	Port Graham
84-85	Seldovia
88-89	Seward
92-93	Tatitlek
96-97	Valdez

UPPER KENAI-COOK INLET

PAGE	COMMUNITY
102-103	Anchorage
106-107	Homer
110-111	Kenai

KODIAK ISLAND

PAGE	COMMUNITY
116-117	Akhiok
120-121	Karluk
124-125	Kodiak City
128-129	Larsen Bay
132-133	Old Harbor
136-137	Ouzinkie
140-141	Port Lions

SOUTH ALASKA PENINSULA

PAGE	COMMUNITY
146-147	Chignik Bay
150-151	Chignik Lagoon
154-155	Chignik Lake
158-159	False Pass
162-163	Ivanof Bay
166-167	King Cove
170-171	Perryville
174-175	Sand Point

ALEUTIAN ISLANDS

PAGE	COMMUNITY
180-181	Akutan
184-185	Atka
188-189	Nikolski
192-193	Unalaska

APPENDIX C CONTINUED
SUBSISTENCE TAKES OF
HARBOR SEAL AND SEA LION
BY COMMUNITY

Sea Lion (Eumetopias jubatus)
Harvest and Take Estimates, 1993

PRIBILOF ISLANDS


PAGE	COMMUNITY
198-199	Saint George
202-203	Saint Paul

SOUTH BRISTOL BAY

PAGE	COMMUNITY
208-209	Egegik
212-213	King Salmon
216-217	Levelock
220-221	Naknek
224-225	Pilot Point
228-229	Port Heiden
232-233	South Naknek

NORTH BRISTOL BAY

PAGE	COMMUNITY
238-239	Aleknagik
246-247	Clark's Point
254-255	Dillingham
262-263	Manokotak
270-271	Togiak



SOUTHEAST ALASKA

TABLE 1. SEA LION (*Eumetopias jubatus*) HARVEST AND TAKE ESTIMATES: ANGOON, 1993

SAMPLING DESIGN: TWO STRATA

	Active	Other	Total
Total Native Households	47	83	130
Surveyed Households	46	30	76
Sampling Fraction	97.9%	36.1%	58.5%
Sample Household Members	206	128	334
Estimated Household Members	210.5	354.1	564.6

SEA LION HARVEST AND USE INFORMATION

Percent Of Native Households:

Used	0.0%
Hunted	0.0%
Harvested	0.0%
Received	0.0%
Gave Away	0.0%

Estimated Community Harvest and Take (Expanded):

Total Number Harvested	0.0
Total Number Struck and Lost	0.0
Total Number Taken	0.0
Number Harvested Per Capita	0.00

SEA LION HARVEST BY SEASON

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Unknown Month	Total
	REPORTED HARVEST AND TAKE BY SAMPLED HOUSEHOLDS (UNEXPANDED)													
Harvest	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Struck and Lost	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Total Take	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ESTIMATED HARVEST AND TAKE BY COMMUNITY (EXPANDED)														
Harvest	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Struck and Lost	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total Take	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
ESTIMATED SEASONALLY ADJUSTED HARVEST AND TAKE BY COMMUNITY (EXPANDED)														
Harvest	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Struck and Lost	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total Take	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total Take (%)	---	---	---	---	---	---	---	---	---	---	---	---	---	---
Cumulative Take	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Cum. Take (%)	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%


SEA LION HARVEST BY AGE AND SEX

	Reported		Estimated	
	By Sample (Unexpanded)	Percent	By Community (Expanded)	Percent
Adult Male	0	---	0.0	---
Adult Female	0	---	0.0	---
Adult Unknown Sex	0	---	0.0	---
Juvenile Male	0	---	0.0	---
Juvenile Female	0	---	0.0	---
Juvenile Unknown Sex	0	---	0.0	---
Pup Male	0	---	0.0	---
Pup Female	0	---	0.0	---
Pup Unknown Sex	0	---	0.0	---
Male Unknown Age	0	---	0.0	---
Female Unknown Age	0	---	0.0	---
Unknown Sex and Age	0	---	0.0	---
Total	0	---	0.0	---


SOURCE: Alaska Department of Fish and Game, Division of Subsistence, Subsistence Study and Monitor System for Sea Lions and Harbor Seals in Alaska, with assistance from the City of Angoon, 1994.

FIGURE 1. SEA LION (*Eumetopias jubatus*) TAKE ESTIMATES: ANGOON, 1993


A. Percentage Seasonally Adjusted Take By Month



B. Seasonally Adjusted Take By Month



C. Cumulative Seasonally Adjusted Take By Month



SOURCE: Alaska Department of Fish and Game, Division of Subsistence, Subsistence Study and Monitor System for Sea Lions and Harbor Seals in Alaska, with assistance from the City of Angoon, 1994.

TABLE 2. HARBOR SEAL (*Phoca vitulina*) HARVEST AND TAKE ESTIMATES: ANGOON, 1993

SAMPLING DESIGN: TWO STRATA

	Active	Other	Total
Total Native Households	47	83	130
Surveyed Households	46	30	76
Sampling Fraction	97.9%	36.1%	58.5%
Sample Household Members	206	128	334
Estimated Household Members	210.5	354.1	564.6

HARBOR SEAL HARVEST AND USE INFORMATION

Percent Of Native Households:

Used	47.0%
Hunted	25.2%
Harvested	16.3%
Received	35.2%
Gave Away	16.0%

Estimated Community Harvest and Take (Expanded):

Total Number Harvested	56.6
Total Number Struck and Lost	9.9
Total Number Taken	66.5
Number Harvested Per Capita	0.10

HARBOR SEAL HARVEST BY SEASON

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Unknown Month	Total
REPORTED HARVEST AND TAKE BY SAMPLED HOUSEHOLDS (UNEXPANDED)														
Harvest	1	5	5	5	0	1	1	0	2	19	4	9	0	52
Struck and Lost	0	0	0	0	0	0	0	1	0	0	2	1	4	8
Total Take	1	5	5	5	0	1	1	1	2	19	6	10	4	60
ESTIMATED HARVEST AND TAKE BY COMMUNITY (EXPANDED)														
Harvest	1.0	5.1	5.1	6.9	0.0	1.0	2.8	0.0	2.0	19.4	4.1	9.2	0.0	56.6
Struck and Lost	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.8	0.0	0.0	2.0	1.0	4.1	9.9
Total Take	1.0	5.1	5.1	6.9	0.0	1.0	2.8	2.8	2.0	19.4	6.1	10.2	4.1	66.5
ESTIMATED SEASONALLY ADJUSTED HARVEST AND TAKE BY COMMUNITY (EXPANDED)														
Harvest	1.0	5.1	5.1	6.9	0.0	1.0	2.8	0.0	2.0	19.4	4.1	9.2		56.6
Struck and Lost	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.7	0.0	0.0	3.5	1.7		9.9
Total Take	1.0	5.1	5.1	6.9	0.0	1.0	2.8	4.7	2.0	19.4	7.6	10.9		66.5
Total Take (%)	1.5%	7.7%	7.7%	10.3%	0.0%	1.5%	4.2%	7.1%	3.1%	29.2%	11.4%	16.4%		100%
Cumulative Take	1.0	6.1	11.2	18.1	18.1	19.1	21.9	26.6	28.6	48.0	55.6	66.5		
Cum. Take (%)	1.5%	9.2%	16.9%	27.2%	27.2%	28.7%	32.9%	40.0%	43.0%	72.2%	83.6%	100.0%		


HARBOR SEAL HARVEST BY AGE AND SEX

	Reported		Estimated	
	By Sample (Unexpanded)	Percent	By Community (Expanded)	Percent
Adult Male	29	55.8%	33.1	58.5%
Adult Female	4	7.7%	4.1	7.2%
Adult Unknown Sex	3	5.8%	3.1	5.4%
Juvenile Male	1	1.9%	1.0	1.8%
Juvenile Female	1	1.9%	1.0	1.8%
Juvenile Unknown Sex	0	0.0%	0.0	0.0%
Pup Male	0	0.0%	0.0	0.0%
Pup Female	0	0.0%	0.0	0.0%
Pup Unknown Sex	0	0.0%	0.0	0.0%
Male Unknown Age	0	0.0%	0.0	0.0%
Female Unknown Age	0	0.0%	0.0	0.0%
Unknown Sex and Age	14	26.9%	14.3	25.3%
Total	52	100.0%	56.6	100.0%


SOURCE: Alaska Department of Fish and Game, Division of Subsistence, Subsistence Study and Monitor System for Sea Lions and Harbor Seals in Alaska, with assistance from the City of Angoon, 1994.

FIGURE 2. HARBOR SEAL (*Phoca vitulina*) TAKE ESTIMATES: ANGOON, 1993


A. Percentage Seasonally Adjusted Take By Month



B. Seasonally Adjusted Take By Month



C. Cumulative Seasonally Adjusted Take By Month



SOURCE: Alaska Department of Fish and Game, Division of Subsistence, Subsistence Study and Monitor System for Sea Lions and Harbor Seals in Alaska, with assistance from the City of Angoon, 1994.

TABLE 3. SEA LION (*Eumetopias jubatus*) HARVEST AND TAKE ESTIMATES: CRAIG, 1993

SAMPLING DESIGN: CHAIN REFERRAL

Total Sample Households	25
Surveyed Households	23
Sampling Fraction	92.0%
Sample Household Members	89
Estimated Household Members	96.7

SEA LION HARVEST AND USE INFORMATION

Percent Of Sample Households:

Used	0.0%
Hunted	0.0%
Harvested	0.0%
Received	0.0%
Gave Away	0.0%

Estimated Community Harvest and Take (Expanded):

Total Number Harvested	0.0
Total Number Struck and Lost	0.0
Total Number Taken	0.0
Number Harvested Per Capita	N/A

SEA LION HARVEST BY SEASON

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Unknown Month	Total
REPORTED HARVEST AND TAKE BY SAMPLED HOUSEHOLDS (UNEXPANDED)														
Harvest	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Struck and Lost	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Total Take	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ESTIMATED HARVEST AND TAKE BY COMMUNITY (EXPANDED)														
Harvest	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Struck and Lost	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total Take	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
ESTIMATED SEASONALLY ADJUSTED HARVEST AND TAKE BY COMMUNITY (EXPANDED)														
Harvest	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		0.0
Struck and Lost	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		0.0
Total Take	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		0.0
Total Take (%)	---	---	---	---	---	---	---	---	---	---	---	---		---
Cumulative Take	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		---
Cum. Take (%)	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%		---


SEA LION HARVEST BY AGE AND SEX

	Reported		Estimated	
	By Sample (Unexpanded)	Percent	By Community (Expanded)	Percent
Adult Male	0	---	0.0	---
Adult Female	0	---	0.0	---
Adult Unknown Sex	0	---	0.0	---
Juvenile Male	0	---	0.0	---
Juvenile Female	0	---	0.0	---
Juvenile Unknown Sex	0	---	0.0	---
Pup Male	0	---	0.0	---
Pup Female	0	---	0.0	---
Pup Unknown Sex	0	---	0.0	---
Male Unknown Age	0	---	0.0	---
Female Unknown Age	0	---	0.0	---
Unknown Sex and Age	0	---	0.0	---
Total	0	---	0.0	---


SOURCE: Alaska Department of Fish and Game, Division of Subsistence, Subsistence Study and Monitor System for Sea Lions and Harbor Seals in Alaska, with assistance from the City of Craig and Shaan-Seet, Inc., 1994.

FIGURE 3. SEA LION (*Eumetopias jubatus*) TAKE ESTIMATES: CRAIG, 1993


A. Percentage Seasonally Adjusted Take By Month



B. Seasonally Adjusted Take By Month



C. Cumulative Seasonally Adjusted Take By Month



SOURCE: Alaska Department of Fish and Game, Division of Subsistence, Subsistence Study and Monitor System for Sea Lions and Harbor Seals in Alaska, with assistance from the City of Craig and Shaan-Seet, Inc., 1994.

TABLE 4. HARBOR SEAL (*Phoca vitulina*) HARVEST AND TAKE ESTIMATES: CRAIG, 1993

SAMPLING DESIGN: CHAIN REFERRAL

Total Sample Households	25
Surveyed Households	23
Sampling Fraction	92.0%
Sample Household Members	89
Estimated Household Members	96.7

HARBOR SEAL HARVEST AND USE INFORMATION

Percent Of Sample Households:

Used	95.7%
Hunted	60.9%
Harvested	60.9%
Received	52.2%
Gave Away	56.5%

Estimated Community Harvest and Take (Expanded):

Total Number Harvested	51.1
Total Number Struck and Lost	9.8
Total Number Taken	60.9
Number Harvested Per Capita	N/A

HARBOR SEAL HARVEST BY SEASON													Unknown	Total
Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Month		
REPORTED HARVEST AND TAKE BY SAMPLED HOUSEHOLDS (UNEXPANDED)														
Harvest	8	8	13	3	2	0	3	2	1	3	2	2	0	47
Struck and Lost	1	0	3	1	0	0	0	0	0	1	0	1	2	9
Total Take	9	8	16	4	2	0	3	2	1	4	2	3	2	56
ESTIMATED HARVEST AND TAKE BY COMMUNITY (EXPANDED)														
Harvest	8.7	8.7	14.1	3.3	2.2	0.0	3.3	2.2	1.1	3.3	2.2	2.2	0.0	51.1
Struck and Lost	1.1	0.0	3.3	1.1	0.0	0.0	0.0	0.0	0.0	1.1	0.0	1.1	2.2	9.8
Total Take	9.8	8.7	17.4	4.3	2.2	0.0	3.3	2.2	1.1	4.3	2.2	3.3	2.2	60.9
ESTIMATED SEASONALLY ADJUSTED HARVEST AND TAKE BY COMMUNITY (EXPANDED)														
Harvest	8.7	8.7	14.1	3.3	2.2	0.0	3.3	2.2	1.1	3.3	2.2	2.2		51.1
Struck and Lost	1.4	0.0	4.2	1.4	0.0	0.0	0.0	0.0	0.0	1.4	0.0	1.4		9.8
Total Take	10.1	8.7	18.3	4.7	2.2	0.0	3.3	2.2	1.1	4.7	2.2	3.6		60.9
Total Take (%)	16.6%	14.3%	30.1%	7.7%	3.6%	0.0%	5.4%	3.6%	1.8%	7.7%	3.6%	5.9%		100%
Cumulative Take	10.1	18.8	37.1	41.8	43.9	43.9	47.2	49.4	50.5	55.1	57.3	60.9		
Cum. Take (%)	16.6%	30.9%	61.0%	68.6%	72.2%	72.2%	77.6%	81.1%	82.9%	90.6%	94.1%	100.0%		


HARBOR SEAL HARVEST BY AGE AND SEX

	Reported		Estimated	
	By Sample (Unexpanded)	Percent	By Community (Expanded)	Percent
Adult Male	27	57.4%	29.3	57.4%
Adult Female	17	36.2%	18.5	36.2%
Adult Unknown Sex	2	4.3%	2.2	4.3%
Juvenile Male	0	0.0%	0.0	0.0%
Juvenile Female	1	2.1%	1.1	2.1%
Juvenile Unknown Sex	0	0.0%	0.0	0.0%
Pup Male	0	0.0%	0.0	0.0%
Pup Female	0	0.0%	0.0	0.0%
Pup Unknown Sex	0	0.0%	0.0	0.0%
Male Unknown Age	0	0.0%	0.0	0.0%
Female Unknown Age	0	0.0%	0.0	0.0%
Unknown Sex and Age	0	0.0%	0.0	0.0%
Total	47	100.0%	51.1	100.0%


SOURCE: Alaska Department of Fish and Game, Division of Subsistence, Subsistence Study and Monitor System for Sea Lions and Harbor Seals in Alaska, with assistance from the City of Craig and Shaan-Seet, Inc., 1994.

FIGURE 4. HARBOR SEAL (*Phoca vitulina*) TAKE ESTIMATES: CRAIG, 1993


A. Percentage Seasonally Adjusted Take By Month



B. Seasonally Adjusted Take By Month



C. Cumulative Seasonally Adjusted Take By Month



SOURCE: Alaska Department of Fish and Game, Division of Subsistence, Subsistence Study and Monitor System for Sea Lions and Harbor Seals in Alaska, with assistance from the City of Craig and Shean-Seet, Inc., 1994.

TABLE 5. SEA LION (*Eumetopias jubatus*) HARVEST AND TAKE ESTIMATES: HAINES, 1993

SAMPLING DESIGN: CHAIN REFERRAL

Total Sample Households	23
Surveyed Households	20
Sampling Fraction	87.0%
Sample Household Members	70
Estimated Household Members	80.5

SEA LION HARVEST AND USE INFORMATION

Percent Of Sample Households:

Used	0.0%
Hunted	0.0%
Harvested	0.0%
Received	0.0%
Gave Away	0.0%

Estimated Community Harvest and Take (Expanded):

Total Number Harvested	0.0
Total Number Struck and Lost	0.0
Total Number Taken	0.0
Number Harvested Per Capita	N/A

SEA LION HARVEST BY SEASON

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Unknown Month	Total
REPORTED HARVEST AND TAKE BY SAMPLED HOUSEHOLDS (UNEXPANDED)														
Harvest	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Struck and Lost	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Total Take	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ESTIMATED HARVEST AND TAKE BY COMMUNITY (EXPANDED)														
Harvest	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Struck and Lost	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total Take	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
ESTIMATED SEASONALLY ADJUSTED HARVEST AND TAKE BY COMMUNITY (EXPANDED)														
Harvest	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Struck and Lost	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total Take	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total Take (%)	---	---	---	---	---	---	---	---	---	---	---	---	---	---
Cumulative Take	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	---
Cum. Take (%)	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	---


SEA LION HARVEST BY AGE AND SEX

	Reported By Sample (Unexpanded)	Percent	Estimated By Community (Expanded)	Percent
Adult Male	0	---	0.0	---
Adult Female	0	---	0.0	---
Adult Unknown Sex	0	---	0.0	---
Juvenile Male	0	---	0.0	---
Juvenile Female	0	---	0.0	---
Juvenile Unknown Sex	0	---	0.0	---
Pup Male	0	---	0.0	---
Pup Female	0	---	0.0	---
Pup Unknown Sex	0	---	0.0	---
Male Unknown Age	0	---	0.0	---
Female Unknown Age	0	---	0.0	---
Unknown Sex and Age	0	---	0.0	---
Total	0	---	0.0	---


SOURCE: Alaska Department of Fish and Game, Division of Subsistence, Subsistence Study and Monitor System for Sea Lions and Harbor Seals in Alaska, with assistance from the Chilkat Indian Association, 1994.

FIGURE 5. SEA LION (*Eumetopias jubatus*) TAKE ESTIMATES: HAINES, 1993


A. Percentage Seasonally Adjusted Take By Month



B. Seasonally Adjusted Take By Month



C. Cumulative Seasonally Adjusted Take By Month



SOURCE: Alaska Department of Fish and Game, Division of Subsistence, Subsistence Study and Monitor System for Sea Lions and Harbor Seals in Alaska, with assistance from the Chilkat Indian Association, 1994.

TABLE 6. HARBOR SEAL (*Phoca vitulina*) HARVEST AND TAKE ESTIMATES: HAINES, 1993

SAMPLING DESIGN: CHAIN REFERRAL

Total Sample Households	23
Surveyed Households	20
Sampling Fraction	87.0%
Sample Household Members	70
Estimated Household Members	80.5

HARBOR SEAL HARVEST AND USE INFORMATION

Percent Of Sample Households:

Used	80.0%
Hunted	65.0%
Harvested	40.0%
Received	50.0%
Gave Away	40.0%

Estimated Community Harvest and Take (Expanded):

Total Number Harvested	23.0
Total Number Struck and Lost	2.3
Total Number Taken	25.3
Number Harvested Per Capita	N/A

HARBOR SEAL HARVEST BY SEASON													Unknown	Total
Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Month		
REPORTED HARVEST AND TAKE BY SAMPLED HOUSEHOLDS (UNEXPANDED)														
Harvest	8	2	0	3	0	0	0	0	2	2	3	0	20	
Struck and Lost	0	0	0	2	0	0	0	0	0	0	0	0	2	
Total Take	8	2	0	5	0	0	0	0	2	2	3	0	22	
ESTIMATED HARVEST AND TAKE BY COMMUNITY (EXPANDED)														
Harvest	9.2	2.3	0.0	3.5	0.0	0.0	0.0	0.0	2.3	2.3	3.5	0.0	23.0	
Struck and Lost	0.0	0.0	0.0	2.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.3	
Total Take	9.2	2.3	0.0	5.8	0.0	0.0	0.0	0.0	2.3	2.3	3.5	0.0	25.3	
ESTIMATED SEASONALLY ADJUSTED HARVEST AND TAKE BY COMMUNITY (EXPANDED)														
Harvest	9.2	2.3	0.0	3.5	0.0	0.0	0.0	0.0	2.3	2.3	3.5		23.0	
Struck and Lost	0.0	0.0	0.0	2.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0		2.3	
Total Take	9.2	2.3	0.0	5.8	0.0	0.0	0.0	0.0	2.3	2.3	3.5		25.3	
Total Take (%)	36.4%	9.1%	0.0%	22.7%	0.0%	0.0%	0.0%	0.0%	9.1%	9.1%	13.6%		100%	
Cumulative Take	9.2	11.5	11.5	17.3	17.3	17.3	17.3	17.3	19.6	21.9	25.3			
Cum. Take (%)	36.4%	45.5%	45.5%	68.2%	68.2%	68.2%	68.2%	68.2%	77.3%	86.4%	100.0%			


HARBOR SEAL HARVEST BY AGE AND SEX

	Reported		Estimated	
	By Sample (Unexpanded)	Percent	By Community (Expanded)	Percent
Adult Male	12	60.0%	13.8	60.0%
Adult Female	4	20.0%	4.6	20.0%
Adult Unknown Sex	3	15.0%	3.5	15.0%
Juvenile Male	0	0.0%	0.0	0.0%
Juvenile Female	0	0.0%	0.0	0.0%
Juvenile Unknown Sex	1	5.0%	1.2	5.0%
Pup Male	0	0.0%	0.0	0.0%
Pup Female	0	0.0%	0.0	0.0%
Pup Unknown Sex	0	0.0%	0.0	0.0%
Male Unknown Age	0	0.0%	0.0	0.0%
Female Unknown Age	0	0.0%	0.0	0.0%
Unknown Sex and Age	0	0.0%	0.0	0.0%
Total	20	100.0%	23.0	100.0%


SOURCE: Alaska Department of Fish and Game, Division of Subsistence, Subsistence Study and Monitor System for Sea Lions and Harbor Seals in Alaska, with assistance from the Chilkat Indian Association, 1994.

FIGURE 6. HARBOR SEAL (*Phoca vitulina*) TAKE ESTIMATES: HAINES, 1993


A. Percentage Seasonally Adjusted Take By Month



B. Seasonally Adjusted Take By Month



C. Cumulative Seasonally Adjusted Take By Month



SOURCE: Alaska Department of Fish and Game, Division of Subsistence, Subsistence Study and Monitor System for Sea Lions and Harbor Seals in Alaska, with assistance from the Chilkat Indian Association, 1994.

TABLE 7. SEA LION (*Eumetopias jubatus*) HARVEST AND TAKE ESTIMATES: HOONAH, 1993

SAMPLING DESIGN: TWO STRATA

	Active	Other	Total
Total Native Households	57	98	155
Surveyed Households	53	33	86
Sampling Fraction	93.0%	33.7%	55.5%
Sample Household Members	224	115	339
Estimated Household Members	240.9	341.5	582.4

SEA LION HARVEST AND USE INFORMATION

Percent Of Native Households:

Used	0.0%
Hunted	0.0%
Harvested	0.0%
Received	0.0%
Gave Away	0.0%

Estimated Community Harvest and Take (Expanded):

Total Number Harvested	0.0
Total Number Struck and Lost	0.0
Total Number Taken	0.0
Number Harvested Per Capita	0.00

SEA LION HARVEST BY SEASON

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Unknown Month	Total
	REPORTED HARVEST AND TAKE BY SAMPLED HOUSEHOLDS (UNEXPANDED)													
Harvest	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Struck and Lost	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Total Take	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ESTIMATED HARVEST AND TAKE BY COMMUNITY (EXPANDED)														
Harvest	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Struck and Lost	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total Take	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
ESTIMATED SEASONALLY ADJUSTED HARVEST AND TAKE BY COMMUNITY (EXPANDED)														
Harvest	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Struck and Lost	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total Take	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total Take (%)	---	---	---	---	---	---	---	---	---	---	---	---	---	---
Cumulative Take	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	---
Cum. Take (%)	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	---


SEA LION HARVEST BY AGE AND SEX

	Reported		Estimated	
	By Sample (Unexpanded)	Percent	By Community (Expanded)	Percent
Adult Male	0	---	0.0	---
Adult Female	0	---	0.0	---
Adult Unknown Sex	0	---	0.0	---
Juvenile Male	0	---	0.0	---
Juvenile Female	0	---	0.0	---
Juvenile Unknown Sex	0	---	0.0	---
Pup Male	0	---	0.0	---
Pup Female	0	---	0.0	---
Pup Unknown Sex	0	---	0.0	---
Male Unknown Age	0	---	0.0	---
Female Unknown Age	0	---	0.0	---
Unknown Sex and Age	0	---	0.0	---
Total	0	---	0.0	---


SOURCE: Alaska Department of Fish and Game, Division of Subsistence, Subsistence Study and Monitor System for Sea Lions and Harbor Seals in Alaska, with assistance from the Hoonah Traditional Council, 1994.

FIGURE 7. SEA LION (*Eumetopias jubatus*) TAKE ESTIMATES: HOONAH, 1993


A. Percentage Seasonally Adjusted Take By Month



B. Seasonally Adjusted Take By Month



C. Cumulative Seasonally Adjusted Take By Month



SOURCE: Alaska Department of Fish and Game, Division of Subsistence, Subsistence Study and Monitor System for Sea Lions and Harbor Seals in Alaska, with assistance from the Hoonah Traditional Council, 1994.

TABLE 8. HARBOR SEAL (*Phoca vitulina*) HARVEST AND TAKE ESTIMATES: HOONAH, 1993

SAMPLING DESIGN: TWO STRATA

	Active	Other	Total
Total Native Households	57	98	155
Surveyed Households	53	33	86
Sampling Fraction	93.0%	33.7%	55.5%
Sample Household Members	224	115	339
Estimated Household Members	240.9	341.5	582.4

HARBOR SEAL HARVEST AND USE INFORMATION

Percent Of Native Households:

Used	83.8%
Hunted	38.0%
Harvested	35.4%
Received	64.0%
Gave Away	41.7%

Estimated Community Harvest and Take (Expanded):

Total Number Harvested	324.4
Total Number Struck and Lost	35.8
Total Number Taken	360.2
Number Harvested Per Capita	0.56

HARBOR SEAL HARVEST BY SEASON

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Unknown Month	Total
REPORTED HARVEST AND TAKE BY SAMPLED HOUSEHOLDS (UNEXPANDED)														
Harvest	18	13	38	27	7	4	5	18	33	34	28	52	0	277
Struck and Lost	0	2	3	2	0	0	1	1	2	4	1	2	10	28
Total Take	18	15	41	29	7	4	6	19	35	38	29	54	10	305
ESTIMATED HARVEST AND TAKE BY COMMUNITY (EXPANDED)														
Harvest	21.3	17.8	50.3	30.9	7.5	4.3	5.4	19.4	39.3	40.4	30.1	57.8	0.0	324.4
Struck and Lost	0.0	2.2	5.1	5.9	0.0	0.0	1.1	1.1	2.2	4.3	1.1	2.2	10.8	35.8
Total Take	21.3	19.9	55.5	36.9	7.5	4.3	6.5	20.4	41.4	44.7	31.2	60.0	10.8	360.2
ESTIMATED SEASONALLY ADJUSTED HARVEST AND TAKE BY COMMUNITY (EXPANDED)														
Harvest	21.3	17.8	50.3	30.9	7.5	4.3	5.4	19.4	39.3	40.4	30.1	57.8		324.4
Struck and Lost	0.0	3.1	7.3	8.5	0.0	0.0	1.5	1.5	3.1	6.1	1.5	3.1		35.8
Total Take	21.3	20.8	57.7	39.4	7.5	4.3	6.9	20.9	42.4	46.5	31.6	60.9		360.2
Total Take (%)	5.9%	5.8%	16.0%	10.9%	2.1%	1.2%	1.9%	5.8%	11.8%	12.9%	8.8%	16.9%		100%
Cumulative Take	21.3	42.1	99.8	139.2	146.7	151.0	157.9	178.8	221.2	267.7	299.3	360.2		
Cum. Take (%)	5.9%	11.7%	27.7%	38.6%	40.7%	41.9%	43.8%	49.6%	61.4%	74.3%	83.1%	100.0%		


HARBOR SEAL HARVEST BY AGE AND SEX

	Reported		Estimated	
	By Sample (Unexpanded)	Percent	By Community (Expanded)	Percent
Adult Male	112	40.4%	137.5	42.4%
Adult Female	73	26.4%	88.0	27.1%
Adult Unknown Sex	68	24.5%	73.1	22.5%
Juvenile Male	12	4.3%	12.9	4.0%
Juvenile Female	5	1.8%	5.4	1.7%
Juvenile Unknown Sex	7	2.5%	7.5	2.3%
Pup Male	0	0.0%	0.0	0.0%
Pup Female	0	0.0%	0.0	0.0%
Pup Unknown Sex	0	0.0%	0.0	0.0%
Male Unknown Age	0	0.0%	0.0	0.0%
Female Unknown Age	0	0.0%	0.0	0.0%
Unknown Sex and Age	0	0.0%	0.0	0.0%
Total	277	100.0%	324.4	100.0%


SOURCE: Alaska Department of Fish and Game, Division of Subsistence, Subsistence Study and Monitor System for Sea Lions and Harbor Seals in Alaska, with assistance from the Hoonah Traditional Council, 1994.

FIGURE 8. HARBOR SEAL (*Phoca vitulina*) TAKE ESTIMATES: HOONAH, 1993


A. Percentage Seasonally Adjusted Take By Month



B. Seasonally Adjusted Take By Month



C. Cumulative Seasonally Adjusted Take By Month



SOURCE: Alaska Department of Fish and Game, Division of Subsistence, Subsistence Study and Monitor System for Sea Lions and Harbor Seals in Alaska, with assistance from the Hoonah Traditional Council, 1994.

TABLE 9. SEA LION (*Eumetopias jubatus*) HARVEST AND TAKE ESTIMATES: HYDABURG, 1993

SAMPLING DESIGN: CHAIN REFERRAL

Total Sample Households	14
Surveyed Households	14
Sampling Fraction	100.0%
Sample Household Members	47
Estimated Household Members	47.0

SEA LION HARVEST AND USE INFORMATION

Percent Of Sample Households:

Used	0.0%
Hunted	0.0%
Harvested	0.0%
Received	0.0%
Gave Away	0.0%

Estimated Community Harvest and Take (Expanded):

Total Number Harvested	0.0
Total Number Struck and Lost	0.0
Total Number Taken	0.0
Number Harvested Per Capita	N/A

SEA LION HARVEST BY SEASON													Unknown	Total
Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Month		
REPORTED HARVEST AND TAKE BY SAMPLED HOUSEHOLDS (UNEXPANDED)														
Harvest	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Struck and Lost	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Total Take	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ESTIMATED HARVEST AND TAKE BY COMMUNITY (EXPANDED)														
Harvest	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Struck and Lost	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total Take	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
ESTIMATED SEASONALLY ADJUSTED HARVEST AND TAKE BY COMMUNITY (EXPANDED)														
Harvest	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Struck and Lost	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total Take	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total Take (%)	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cumulative Take	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Cum. Take (%)	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%


SEA LION HARVEST BY AGE AND SEX

	Reported		Estimated	
	By Sample (Unexpanded)	Percent	By Community (Expanded)	Percent
Adult Male	0	---	0.0	---
Adult Female	0	---	0.0	---
Adult Unknown Sex	0	---	0.0	---
Juvenile Male	0	---	0.0	---
Juvenile Female	0	---	0.0	---
Juvenile Unknown Sex	0	---	0.0	---
Pup Male	0	---	0.0	---
Pup Female	0	---	0.0	---
Pup Unknown Sex	0	---	0.0	---
Male Unknown Age	0	---	0.0	---
Female Unknown Age	0	---	0.0	---
Unknown Sex and Age	0	---	0.0	---
Total	0	---	0.0	---


SOURCE: Alaska Department of Fish and Game, Division of Subsistence, Subsistence Study and Monitor System for Sea Lions and Harbor Seals in Alaska, with assistance from the City of Hydaburg and Haida Corporation, 1994.

FIGURE 9. SEA LION (*Eumetopias jubatus*) TAKE ESTIMATES: HYDABURG, 1993


A. Percentage Seasonally Adjusted Take By Month



B. Seasonally Adjusted Take By Month



C. Cumulative Seasonally Adjusted Take By Month



SOURCE: Alaska Department of Fish and Game, Division of Subsistence, Subsistence Study and Monitor System for Sea Lions and Harbor Seals in Alaska, with assistance from the City of Hydaburg and Haida Corporation, 1994.

TABLE 10. HARBOR SEAL (*Phoca vitulina*) HARVEST AND TAKE ESTIMATES: HYDABURG, 1993

SAMPLING DESIGN: CHAIN REFERRAL

Total Sample Households	14
Surveyed Households	14
Sampling Fraction	100.0%
Sample Household Members	47
Estimated Household Members	47.0

HARBOR SEAL HARVEST AND USE INFORMATION

Percent Of Sample Households:

Used	35.7%
Hunted	35.7%
Harvested	35.7%
Received	0.0%
Gave Away	28.6%

Estimated Community Harvest and Take (Expanded):

Total Number Harvested	14.0
Total Number Struck and Lost	0.0
Total Number Taken	14.0
Number Harvested Per Capita	N/A

HARBOR SEAL HARVEST BY SEASON

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Unknown Month	Total
REPORTED HARVEST AND TAKE BY SAMPLED HOUSEHOLDS (UNEXPANDED)														
Harvest	0	0	5	3	1	0	0	0	4	1	0	0	0	14
Struck and Lost	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Total Take	0	0	5	3	1	0	0	0	4	1	0	0	0	14
ESTIMATED HARVEST AND TAKE BY COMMUNITY (EXPANDED)														
Harvest	0.0	0.0	5.0	3.0	1.0	0.0	0.0	0.0	4.0	1.0	0.0	0.0	0.0	14.0
Struck and Lost	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total Take	0.0	0.0	5.0	3.0	1.0	0.0	0.0	0.0	4.0	1.0	0.0	0.0	0.0	14.0
ESTIMATED SEASONALLY ADJUSTED HARVEST AND TAKE BY COMMUNITY (EXPANDED)														
Harvest	0.0	0.0	5.0	3.0	1.0	0.0	0.0	0.0	4.0	1.0	0.0	0.0		14.0
Struck and Lost	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		0.0
Total Take	0.0	0.0	5.0	3.0	1.0	0.0	0.0	0.0	4.0	1.0	0.0	0.0		14.0
Total Take (%)	0.0%	0.0%	35.7%	21.4%	7.1%	0.0%	0.0%	0.0%	28.6%	7.1%	0.0%	0.0%		100%
Cumulative Take	0.0	0.0	5.0	8.0	9.0	9.0	9.0	9.0	13.0	14.0	14.0	14.0		
Cum. Take (%)	0.0%	0.0%	35.7%	57.1%	64.3%	64.3%	64.3%	64.3%	92.9%	100.0%	100.0%	100.0%		


HARBOR SEAL HARVEST BY AGE AND SEX

	Reported		Estimated	
	By Sample (Unexpanded)	Percent	By Community (Expanded)	Percent
Adult Male	8	57.1%	8.0	57.1%
Adult Female	4	28.6%	4.0	28.6%
Adult Unknown Sex	1	7.1%	1.0	7.1%
Juvenile Male	1	7.1%	1.0	7.1%
Juvenile Female	0	0.0%	0.0	0.0%
Juvenile Unknown Sex	0	0.0%	0.0	0.0%
Pup Male	0	0.0%	0.0	0.0%
Pup Female	0	0.0%	0.0	0.0%
Pup Unknown Sex	0	0.0%	0.0	0.0%
Male Unknown Age	0	0.0%	0.0	0.0%
Female Unknown Age	0	0.0%	0.0	0.0%
Unknown Sex and Age	0	0.0%	0.0	0.0%
Total	14	100.0%	14.0	100.0%


SOURCE: Alaska Department of Fish and Game, Division of Subsistence, Subsistence Study and Monitor System for Sea Lions and Harbor Seals in Alaska, with assistance from the City of Hydaburg and Haida Corporation, 1994.

FIGURE 10. HARBOR SEAL (*Phoca vitulina*) TAKE ESTIMATES: HYDABURG, 1993


A. Percentage Seasonally Adjusted Take By Month



B. Seasonally Adjusted Take By Month



C. Cumulative Seasonally Adjusted Take By Month



SOURCE: Alaska Department of Fish and Game, Division of Subsistence, Subsistence Study and Monitor System for Sea Lions and Harbor Seals in Alaska, with assistance from the City of Hydaburg and Haida Corporation, 1994.

TABLE 11. SEA LION (*Eumetopias jubatus*) HARVEST AND TAKE ESTIMATES: JUNEAU, 1993

SAMPLING DESIGN: CHAIN REFERRAL

Total Sample Households	101
Surveyed Households	89
Sampling Fraction	88.1%
Sample Household Members	299
Estimated Household Members	339.3

SEA LION HARVEST AND USE INFORMATION

Percent Of Sample Households:

Used	0.0%
Hunted	0.0%
Harvested	0.0%
Received	0.0%
Gave Away	0.0%

Estimated Community Harvest and Take (Expanded):

Total Number Harvested	0.0
Total Number Struck and Lost	0.0
Total Number Taken	0.0
Number Harvested Per Capita	N/A

SEA LION HARVEST BY SEASON													Unknown	Total
Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Month		
REPORTED HARVEST AND TAKE BY SAMPLED HOUSEHOLDS (UNEXPANDED)														
Harvest	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Struck and Lost	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Total Take	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ESTIMATED HARVEST AND TAKE BY COMMUNITY (EXPANDED)														
Harvest	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Struck and Lost	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total Take	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
ESTIMATED SEASONALLY ADJUSTED HARVEST AND TAKE BY COMMUNITY (EXPANDED)														
Harvest	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Struck and Lost	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total Take	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total Take (%)	---	---	---	---	---	---	---	---	---	---	---	---	---	---
Cumulative Take	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Cum. Take (%)	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%


SEA LION HARVEST BY AGE AND SEX

	Reported		Estimated	
	By Sample (Unexpanded)	Percent	By Community (Expanded)	Percent
Adult Male	0	---	0.0	---
Adult Female	0	---	0.0	---
Adult Unknown Sex	0	---	0.0	---
Juvenile Male	0	---	0.0	---
Juvenile Female	0	---	0.0	---
Juvenile Unknown Sex	0	---	0.0	---
Pup Male	0	---	0.0	---
Pup Female	0	---	0.0	---
Pup Unknown Sex	0	---	0.0	---
Male Unknown Age	0	---	0.0	---
Female Unknown Age	0	---	0.0	---
Unknown Sex and Age	0	---	0.0	---
Total	0	---	0.0	---


SOURCE: Alaska Department of Fish and Game, Division of Subsistence, Subsistence Study and Monitor System for Sea Lions and Harbor Seals in Alaska, with assistance from the Tlingit and Haida Central Council, Sealaska, Auke Tribe Council, and ANB/ANS, 1994.

FIGURE 11. SEA LION (*Eumetopias jubatus*) TAKE ESTIMATES: JUNEAU, 1993


A. Percentage Seasonally Adjusted Take By Month



B. Seasonally Adjusted Take By Month



C. Cumulative Seasonally Adjusted Take By Month



SOURCE: Alaska Department of Fish and Game, Division of Subsistence, Subsistence Study and Monitor System for Sea Lions and Harbor Seals in Alaska, with assistance from the Tlingit and Haida Central Council, Sealaska, Auke Tribe Council, and ANB/ANS, 1994.

TABLE 12. HARBOR SEAL (*Phoca vitulina*) HARVEST AND TAKE ESTIMATES: JUNEAU, 1993

SAMPLING DESIGN: CHAIN REFERRAL

Total Sample Households	101
Surveyed Households	89
Sampling Fraction	88.1%
Sample Household Members	299
Estimated Household Members	339.3

HARBOR SEAL HARVEST AND USE INFORMATION

<i>Percent Of Sample Households:</i>		<i>Estimated Community Harvest and Take (Expanded):</i>	
Used	40.4%	Total Number Harvested	59.0
Hunted	40.4%	Total Number Struck and Lost	21.6
Harvested	19.1%	Total Number Taken	80.6
Received	24.7%	Number Harvested Per Capita	N/A
Gave Away	15.7%		

HARBOR SEAL HARVEST BY SEASON													Unknown	
	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Month	Total
REPORTED HARVEST AND TAKE BY SAMPLED HOUSEHOLDS (UNEXPANDED)														
Harvest	4	8	0	1	0	2	0	1	1	11	19	5	0	52
Struck and Lost	0	0	2	0	0	8	0	0	1	5	2	0	1	19
Total Take	4	8	2	1	0	10	0	1	2	16	21	5	1	71
ESTIMATED HARVEST AND TAKE BY COMMUNITY (EXPANDED)														
Harvest	4.5	9.1	0.0	1.1	0.0	2.3	0.0	1.1	1.1	12.5	21.6	5.7	0.0	59.0
Struck and Lost	0.0	0.0	2.3	0.0	0.0	9.1	0.0	0.0	1.1	5.7	2.3	0.0	1.1	21.6
Total Take	4.5	9.1	2.3	1.1	0.0	11.3	0.0	1.1	2.3	18.2	23.8	5.7	1.1	80.6
ESTIMATED SEASONALLY ADJUSTED HARVEST AND TAKE BY COMMUNITY (EXPANDED)														
Harvest	4.5	9.1	0.0	1.1	0.0	2.3	0.0	1.1	1.1	12.5	21.6	5.7		59.0
Struck and Lost	0.0	0.0	2.4	0.0	0.0	9.6	0.0	0.0	1.2	6.0	2.4	0.0		21.6
Total Take	4.5	9.1	2.4	1.1	0.0	11.9	0.0	1.1	2.3	18.5	24.0	5.7		80.6
Total Take (%)	5.6%	11.3%	3.0%	1.4%	0.0%	14.7%	0.0%	1.4%	2.9%	22.9%	29.7%	7.0%		100%
Cumulative Take	4.5	13.6	16.0	17.1	17.1	29.0	29.0	30.1	32.5	50.9	74.9	80.6		
Cum. Take (%)	5.6%	16.9%	19.9%	21.3%	21.3%	36.0%	36.0%	37.4%	40.3%	63.2%	93.0%	100.0%		


HARBOR SEAL HARVEST BY AGE AND SEX

	Reported		Estimated	
	By Sample (Unexpanded)	Percent	By Community (Expanded)	Percent
Adult Male	35	67.3%	39.7	67.3%
Adult Female	4	7.7%	4.5	7.7%
Adult Unknown Sex	1	1.9%	1.1	1.9%
Juvenile Male	0	0.0%	0.0	0.0%
Juvenile Female	0	0.0%	0.0	0.0%
Juvenile Unknown Sex	2	3.8%	2.3	3.8%
Pup Male	1	1.9%	1.1	1.9%
Pup Female	0	0.0%	0.0	0.0%
Pup Unknown Sex	0	0.0%	0.0	0.0%
Male Unknown Age	0	0.0%	0.0	0.0%
Female Unknown Age	0	0.0%	0.0	0.0%
Unknown Sex and Age	9	17.3%	10.2	17.3%
Total	52	100.0%	59.0	100.0%


SOURCE: Alaska Department of Fish and Game, Division of Subsistence, Subsistence Study and Monitor System for Sea Lions and Harbor Seals in Alaska, with assistance from the Tlingit and Haida Central Council, Sealaska, Auke Tribe Council, and ANB/ANS, 1994.

FIGURE 12. HARBOR SEAL (*Phoca vitulina*) TAKE ESTIMATES: JUNEAU, 1993


A. Percentage Seasonally Adjusted Take By Month



B. Seasonally Adjusted Take By Month



C. Cumulative Seasonally Adjusted Take By Month



SOURCE: Alaska Department of Fish and Game, Division of Subsistence, Subsistence Study and Monitor System for Sea Lions and Harbor Seals in Alaska, with assistance from the Tlingit and Haida Central Council, Sealaska, Auke Tribe Council, and ANB/ANS, 1994.

TABLE 13. SEA LION (*Eumetopias jubatus*) HARVEST AND TAKE ESTIMATES: KAKE, 1993

SAMPLING DESIGN: TWO STRATA

	Active	Other	Total
Total Native Households	78	90	168
Surveyed Households	72	30	102
Sampling Fraction	92.3%	33.3%	60.7%
Sample Household Members	287	76	363
Estimated Household Members	310.9	228.0	538.9

SEA LION HARVEST AND USE INFORMATION

Percent Of Native Households:

Used	0.0%
Hunted	0.0%
Harvested	0.0%
Received	0.0%
Gave Away	0.0%

Estimated Community Harvest and Take (Expanded):

Total Number Harvested	0.0
Total Number Struck and Lost	0.0
Total Number Taken	0.0
Number Harvested Per Capita	0.00

SEA LION HARVEST BY SEASON

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Unknown Month	Total
REPORTED HARVEST AND TAKE BY SAMPLED HOUSEHOLDS (UNEXPANDED)														
Harvest	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Struck and Lost	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Total Take	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ESTIMATED HARVEST AND TAKE BY COMMUNITY (EXPANDED)														
Harvest	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Struck and Lost	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total Take	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
ESTIMATED SEASONALLY ADJUSTED HARVEST AND TAKE BY COMMUNITY (EXPANDED)														
Harvest	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Struck and Lost	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total Take	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total Take (%)	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cumulative Take	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Cum. Take (%)	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%


SEA LION HARVEST BY AGE AND SEX

	Reported By Sample (Unexpanded)		Estimated By Community (Expanded)	
	Percent	Percent	Percent	Percent
Adult Male	0	---	0.0	---
Adult Female	0	---	0.0	---
Adult Unknown Sex	0	---	0.0	---
Juvenile Male	0	---	0.0	---
Juvenile Female	0	---	0.0	---
Juvenile Unknown Sex	0	---	0.0	---
Pup Male	0	---	0.0	---
Pup Female	0	---	0.0	---
Pup Unknown Sex	0	---	0.0	---
Male Unknown Age	0	---	0.0	---
Female Unknown Age	0	---	0.0	---
Unknown Sex and Age	0	---	0.0	---
Total	0	---	0.0	---


SOURCE: Alaska Department of Fish and Game, Division of Subsistence, Subsistence Study and Monitor System for Sea Lions and Harbor Seals in Alaska, with assistance from the Organized Village of Kake and City of Kake, 1994.

FIGURE 13. SEA LION (*Eumetopias jubatus*) TAKE ESTIMATES: KAKE, 1993


A. Percentage Seasonally Adjusted Take By Month



B. Seasonally Adjusted Take By Month



C. Cumulative Seasonally Adjusted Take By Month



SOURCE: Alaska Department of Fish and Game, Division of Subsistence. Subsistence Study and Monitor System for Sea Lions and Harbor Seals in Alaska, with assistance from the Organized Village of Kake and City of Kake, 1994.

TABLE 14. HARBOR SEAL (*Phoca vitulina*) HARVEST AND TAKE ESTIMATES: KAKE, 1993

SAMPLING DESIGN: TWO STRATA

	Active	Other	Total
Total Native Households	78	90	168
Surveyed Households	72	30	102
Sampling Fraction	92.3%	33.3%	60.7%
Sample Household Members	287	76	363
Estimated Household Members	310.9	228.0	538.9

HARBOR SEAL HARVEST AND USE INFORMATION

Percent Of Native Households:

Used	60.5%
Hunted	18.1%
Harvested	14.2%
Received	45.0%
Gave Away	12.3%

Estimated Community Harvest and Take (Expanded):

Total Number Harvested	100.8
Total Number Struck and Lost	15.2
Total Number Taken	115.9
Number Harvested Per Capita	0.19

HARBOR SEAL HARVEST BY SEASON

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Unknown Month	Total
	REPORTED HARVEST AND TAKE BY SAMPLED HOUSEHOLDS (UNEXPANDED)													
Harvest	1	4	8	3	3	3	3	12	18	17	20	0	1	93
Struck and Lost	0	0	1	0	1	1	2	3	1	4	1	0	0	14
Total Take	1	4	9	3	4	4	5	15	19	21	21	0	1	107
ESTIMATED HARVEST AND TAKE BY COMMUNITY (EXPANDED)														
Harvest	1.1	4.3	8.7	3.3	3.3	3.3	3.3	13.0	19.5	18.4	21.7	0.0	1.1	100.8
Struck and Lost	0.0	0.0	1.1	0.0	1.1	1.1	2.2	3.3	1.1	4.3	1.1	0.0	0.0	15.2
Total Take	1.1	4.3	9.8	3.3	4.3	4.3	5.4	16.3	20.6	22.8	22.8	0.0	1.1	115.9
ESTIMATED SEASONALLY ADJUSTED HARVEST AND TAKE BY COMMUNITY (EXPANDED)														
Harvest	1.1	4.4	8.8	3.3	3.3	3.3	3.3	13.1	19.7	18.6	21.9	0.0		100.8
Struck and Lost	0.0	0.0	1.1	0.0	1.1	1.1	2.2	3.3	1.1	4.3	1.1	0.0		15.2
Total Take	1.1	4.4	9.8	3.3	4.4	4.4	5.5	16.4	20.8	23.0	23.0	0.0		115.9
Total Take (%)	0.9%	3.8%	8.5%	2.8%	3.8%	3.8%	4.7%	14.1%	17.9%	19.8%	19.8%	0.0%		100%
Cumulative Take	1.1	5.5	15.3	18.6	23.0	27.3	32.8	49.2	70.0	92.9	115.9	115.9		
Cum. Take (%)	0.9%	4.7%	13.2%	16.0%	19.8%	23.6%	28.3%	42.4%	60.4%	80.2%	100.0%	100.0%		


HARBOR SEAL HARVEST BY AGE AND SEX

	Reported		Estimated	
	By Sample (Unexpanded)	Percent	By Community (Expanded)	Percent
Adult Male	62	66.7%	67.2	66.7%
Adult Female	8	8.6%	8.7	8.6%
Adult Unknown Sex	4	4.3%	4.3	4.3%
Juvenile Male	6	6.5%	6.5	6.5%
Juvenile Female	0	0.0%	0.0	0.0%
Juvenile Unknown Sex	3	3.2%	3.3	3.2%
Pup Male	0	0.0%	0.0	0.0%
Pup Female	0	0.0%	0.0	0.0%
Pup Unknown Sex	0	0.0%	0.0	0.0%
Male Unknown Age	2	2.2%	2.2	2.2%
Female Unknown Age	0	0.0%	0.0	0.0%
Unknown Sex and Age	8	8.6%	8.7	8.6%
Total	93	100.0%	100.8	100.0%


SOURCE: Alaska Department of Fish and Game, Division of Subsistence, Subsistence Study and Monitor System for Sea Lions and Harbor Seals in Alaska, with assistance from the Organized Village of Kake and City of Kake, 1994.

FIGURE 14. HARBOR SEAL (*Phoca vitulina*) TAKE ESTIMATES: KAKE, 1993


A. Percentage Seasonally Adjusted Take By Month



B. Seasonally Adjusted Take By Month



C. Cumulative Seasonally Adjusted Take By Month



SOURCE: Alaska Department of Fish and Game, Division of Subsistence, Subsistence Study and Monitor System for Sea Lions and Harbor Seals in Alaska, with assistance from the Organized Village of Kake and City of Kake, 1994.

TABLE 15. SEA LION (*Eumetopias jubatus*) HARVEST AND TAKE ESTIMATES: KETCHIKAN, 1993

SAMPLING DESIGN: CHAIN REFERRAL

Total Sample Households	19
Surveyed Households	13
Sampling Fraction	68.4%
Sample Household Members	32
Estimated Household Members	46.8

SEA LION HARVEST AND USE INFORMATION

Percent Of Sample Households:

Used	0.0%
Hunted	0.0%
Harvested	0.0%
Received	0.0%
Gave Away	0.0%

Estimated Community Harvest and Take (Expanded):

Total Number Harvested	0.0
Total Number Struck and Lost	0.0
Total Number Taken	0.0
Number Harvested Per Capita	N/A

SEA LION HARVEST BY SEASON

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Unknown Month	Total
REPORTED HARVEST AND TAKE BY SAMPLED HOUSEHOLDS (UNEXPANDED)														
Harvest	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Struck and Lost	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Total Take	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ESTIMATED HARVEST AND TAKE BY COMMUNITY (EXPANDED)														
Harvest	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Struck and Lost	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total Take	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
ESTIMATED SEASONALLY ADJUSTED HARVEST AND TAKE BY COMMUNITY (EXPANDED)														
Harvest	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Struck and Lost	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total Take	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total Take (%)	---	---	---	---	---	---	---	---	---	---	---	---	---	---
Cumulative Take	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	---
Cum. Take (%)	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	---


SEA LION HARVEST BY AGE AND SEX

	Reported By Sample (Unexpanded)	Percent	Estimated By Community (Expanded)	Percent
Adult Male	0	---	0.0	---
Adult Female	0	---	0.0	---
Adult Unknown Sex	0	---	0.0	---
Juvenile Male	0	---	0.0	---
Juvenile Female	0	---	0.0	---
Juvenile Unknown Sex	0	---	0.0	---
Pup Male	0	---	0.0	---
Pup Female	0	---	0.0	---
Pup Unknown Sex	0	---	0.0	---
Male Unknown Age	0	---	0.0	---
Female Unknown Age	0	---	0.0	---
Unknown Sex and Age	0	---	0.0	---
Total	0	---	0.0	---


SOURCE: Alaska Department of Fish and Game, Division of Subsistence, Subsistence Study and Monitor System for Sea Lions and Harbor Seals in Alaska, with assistance from the Ketchikan IRA Council and Ketchikan Indian Corporation, 1994.

FIGURE 15. SEA LION (*Eumetopias jubatus*) TAKE ESTIMATES: KETCHIKAN, 1993


A. Percentage Seasonally Adjusted Take By Month



B. Seasonally Adjusted Take By Month



C. Cumulative Seasonally Adjusted Take By Month



SOURCE: Alaska Department of Fish and Game, Division of Subsistence, Subsistence Study and Monitor System for Sea Lions and Harbor Seals in Alaska, with assistance from the Ketchikan IRA Council and Ketchikan Indian Corporation, 1994.

TABLE 16. HARBOR SEAL (*Phoca vitulina*) HARVEST AND TAKE ESTIMATES: KETCHIKAN, 1993

SAMPLING DESIGN: CHAIN REFERRAL

Total Sample Households	19
Surveyed Households	13
Sampling Fraction	68.4%
Sample Household Members	32
Estimated Household Members	46.8

HARBOR SEAL HARVEST AND USE INFORMATION

Percent Of Sample Households:

Used	46.2%
Hunted	23.1%
Harvested	23.1%
Received	23.1%
Gave Away	7.7%

Estimated Community Harvest and Take (Expanded):

Total Number Harvested	42.4
Total Number Struck and Lost	2.9
Total Number Taken	45.3
Number Harvested Per Capita	N/A

HARBOR SEAL HARVEST BY SEASON

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Unknown Month	Total
REPORTED HARVEST AND TAKE BY SAMPLED HOUSEHOLDS (UNEXPANDED)														
Harvest	0	10	10	5	0	0	0	0	2	0	2	0	0	29
Struck and Lost	0	0	0	2	0	0	0	0	0	0	0	0	0	2
Total Take	0	10	10	7	0	0	0	0	2	0	2	0	0	31
ESTIMATED HARVEST AND TAKE BY COMMUNITY (EXPANDED)														
Harvest	0.0	14.6	14.6	7.3	0.0	0.0	0.0	0.0	2.9	0.0	2.9	0.0	0.0	42.4
Struck and Lost	0.0	0.0	0.0	2.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.9
Total Take	0.0	14.6	14.6	10.2	0.0	0.0	0.0	0.0	2.9	0.0	2.9	0.0	0.0	45.3
ESTIMATED SEASONALLY ADJUSTED HARVEST AND TAKE BY COMMUNITY (EXPANDED)														
Harvest	0.0	14.6	14.6	7.3	0.0	0.0	0.0	0.0	2.9	0.0	2.9	0.0		42.4
Struck and Lost	0.0	0.0	0.0	2.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		2.9
Total Take	0.0	14.6	14.6	10.2	0.0	0.0	0.0	0.0	2.9	0.0	2.9	0.0		45.3
Total Take (%)	0.0%	32.3%	32.3%	22.8%	0.0%	0.0%	0.0%	0.0%	6.5%	0.0%	6.5%	0.0%		100%
Cumulative Take	0.0	14.6	29.2	39.5	39.5	39.5	39.5	39.5	42.4	42.4	45.3	45.3		
Cum. Take (%)	0.0%	32.3%	64.5%	87.1%	87.1%	87.1%	87.1%	87.1%	93.5%	93.5%	100.0%	100.0%		


HARBOR SEAL HARVEST BY AGE AND SEX

	Reported		Estimated	
	By Sample (Unexpanded)	Percent	By Community (Expanded)	Percent
Adult Male	13	44.8%	19.0	44.8%
Adult Female	13	44.8%	19.0	44.8%
Adult Unknown Sex	0	0.0%	0.0	0.0%
Juvenile Male	2	6.9%	2.9	6.9%
Juvenile Female	1	3.4%	1.5	3.4%
Juvenile Unknown Sex	0	0.0%	0.0	0.0%
Pup Male	0	0.0%	0.0	0.0%
Pup Female	0	0.0%	0.0	0.0%
Pup Unknown Sex	0	0.0%	0.0	0.0%
Male Unknown Age	0	0.0%	0.0	0.0%
Female Unknown Age	0	0.0%	0.0	0.0%
Unknown Sex and Age	0	0.0%	0.0	0.0%
Total	29	100.0%	42.4	100.0%


SOURCE: Alaska Department of Fish and Game, Division of Subsistence, Subsistence Study and Monitor System for Sea Lions and Harbor Seals in Alaska, with assistance from the Ketchikan IRA Council and Ketchikan Indian Corporation, 1994.

FIGURE 16. HARBOR SEAL (*Phoca vitulina*) TAKE ESTIMATES: KETCHIKAN, 1993


A. Percentage Seasonally Adjusted Take By Month



B. Seasonally Adjusted Take By Month



C. Cumulative Seasonally Adjusted Take By Month



SOURCE: Alaska Department of Fish and Game, Division of Subsistence, Subsistence Study and Monitor System for Sea Lions and Harbor Seals in Alaska, with assistance from the Ketchikan IRA Council and Ketchikan Indian Corporation, 1994.

TABLE 17. SEA LION (*Eumetopias jubatus*) HARVEST AND TAKE ESTIMATES: KLAWOCK, 1993

SAMPLING DESIGN: CHAIN REFERRAL

Total Sample Households	28
Surveyed Households	19
Sampling Fraction	67.9%
Sample Household Members	67
Estimated Household Members	98.7

SEA LION HARVEST AND USE INFORMATION

Percent Of Sample Households:

Used	0.0%
Hunted	0.0%
Harvested	0.0%
Received	0.0%
Gave Away	0.0%

Estimated Community Harvest and Take (Expanded):

Total Number Harvested	0.0
Total Number Struck and Lost	0.0
Total Number Taken	0.0
Number Harvested Per Capita	N/A

SEA LION HARVEST BY SEASON

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Unknown Month	Total
REPORTED HARVEST AND TAKE BY SAMPLED HOUSEHOLDS (UNEXPANDED)														
Harvest	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Struck and Lost	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Total Take	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ESTIMATED HARVEST AND TAKE BY COMMUNITY (EXPANDED)														
Harvest	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Struck and Lost	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total Take	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
ESTIMATED SEASONALLY ADJUSTED HARVEST AND TAKE BY COMMUNITY (EXPANDED)														
Harvest	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Struck and Lost	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total Take	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total Take (%)	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cumulative Take	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	—
Cum. Take (%)	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	—


SEA LION HARVEST BY AGE AND SEX

	Reported		Estimated	
	By Sample (Unexpanded)	Percent	By Community (Expanded)	Percent
Adult Male	0	---	0.0	---
Adult Female	0	---	0.0	---
Adult Unknown Sex	0	---	0.0	---
Juvenile Male	0	---	0.0	---
Juvenile Female	0	---	0.0	---
Juvenile Unknown Sex	0	---	0.0	---
Pup Male	0	---	0.0	---
Pup Female	0	---	0.0	---
Pup Unknown Sex	0	---	0.0	---
Male Unknown Age	0	---	0.0	---
Female Unknown Age	0	---	0.0	---
Unknown Sex and Age	0	---	0.0	---
Total	0	---	0.0	---


SOURCE: Alaska Department of Fish and Game, Division of Subsistence, Subsistence Study and Monitor System for Sea Lions and Harbor Seals in Alaska, with assistance from the Klawock Cooperative Association and Klawock Heenya Corporation, 1994.

FIGURE 17. SEA LION (*Eumetopias jubatus*) TAKE ESTIMATES: KLAWOCK, 1993


A. Percentage Seasonally Adjusted Take By Month



B. Seasonally Adjusted Take By Month



C. Cumulative Seasonally Adjusted Take By Month



SOURCE: Alaska Department of Fish and Game, Division of Subsistence, Subsistence Study and Monitor System for Sea Lions and Harbor Seals in Alaska, with assistance from the Klawock Cooperative Association and Klawock Heenya Corporation, 1994.

TABLE 18. HARBOR SEAL (*Phoca vitulina*) HARVEST AND TAKE ESTIMATES: KLAWOCK, 1993

SAMPLING DESIGN: CHAIN REFERRAL

Total Sample Households	28
Surveyed Households	19
Sampling Fraction	67.9%
Sample Household Members	67
Estimated Household Members	98.7

HARBOR SEAL HARVEST AND USE INFORMATION

Percent Of Sample Households:

Used	31.6%
Hunted	26.3%
Harvested	26.3%
Received	10.5%
Gave Away	21.1%

Estimated Community Harvest and Take (Expanded):

Total Number Harvested	39.8
Total Number Struck and Lost	0.0
Total Number Taken	39.8
Number Harvested Per Capita	N/A

HARBOR SEAL HARVEST BY SEASON

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Unknown Month	Total
REPORTED HARVEST AND TAKE BY SAMPLED HOUSEHOLDS (UNEXPANDED)														
Harvest	0	2	1	0	0	0	0	0	0	0	4	17	3	27
Struck and Lost	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Total Take	0	2	1	0	0	0	0	0	0	0	4	17	3	27
ESTIMATED HARVEST AND TAKE BY COMMUNITY (EXPANDED)														
Harvest	0.0	2.9	1.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5.9	25.1	4.4	39.8
Struck and Lost	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total Take	0.0	2.9	1.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5.9	25.1	4.4	39.8
ESTIMATED SEASONALLY ADJUSTED HARVEST AND TAKE BY COMMUNITY (EXPANDED)														
Harvest	0.0	3.3	1.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.6	28.2		39.8
Struck and Lost	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		0.0
Total Take	0.0	3.3	1.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.6	28.2		39.8
Total Take (%)	0.0%	8.3%	4.2%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	16.7%	70.8%		100%
Cumulative Take	0.0	3.3	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	11.6	39.8		
Cum. Take (%)	0.0%	8.3%	12.5%	12.5%	12.5%	12.5%	12.5%	12.5%	12.5%	12.5%	29.2%	100.0%		


HARBOR SEAL HARVEST BY AGE AND SEX

	Reported		Estimated	
	By Sample (Unexpanded)	Percent	By Community (Expanded)	Percent
Adult Male	24	88.9%	35.4	88.9%
Adult Female	0	0.0%	0.0	0.0%
Adult Unknown Sex	0	0.0%	0.0	0.0%
Juvenile Male	3	11.1%	4.4	11.1%
Juvenile Female	0	0.0%	0.0	0.0%
Juvenile Unknown Sex	0	0.0%	0.0	0.0%
Pup Male	0	0.0%	0.0	0.0%
Pup Female	0	0.0%	0.0	0.0%
Pup Unknown Sex	0	0.0%	0.0	0.0%
Male Unknown Age	0	0.0%	0.0	0.0%
Female Unknown Age	0	0.0%	0.0	0.0%
Unknown Sex and Age	0	0.0%	0.0	0.0%
Total	27	100.0%	39.8	100.0%


SOURCE: Alaska Department of Fish and Game, Division of Subsistence, Subsistence Study and Monitor System for Sea Lions and Harbor Seals in Alaska, with assistance from the Klawock Cooperative Association and Klawock Heenya Corporation, 1994.

FIGURE 18. HARBOR SEAL (*Phoca vitulina*) TAKE ESTIMATES: KLAWOCK, 1993


A. Percentage Seasonally Adjusted Take By Month



B. Seasonally Adjusted Take By Month



C. Cumulative Seasonally Adjusted Take By Month



SOURCE: Alaska Department of Fish and Game, Division of Subsistence, Subsistence Study and Monitor System for Sea Lions and Harbor Seals in Alaska, with assistance from the Klawock Cooperative Association and Klawock Heenya Corporation, 1994.

TABLE 19. SEA LION (*Eumetopias jubatus*) HARVEST AND TAKE ESTIMATES: KLUKWAN, 1993

SAMPLING DESIGN: CHAIN REFERRAL

Total Sample Households	11
Surveyed Households	9
Sampling Fraction	81.8%
Sample Household Members	46
Estimated Household Members	56.2

SEA LION HARVEST AND USE INFORMATION

Percent Of Sample Households:

Used	0.0%
Hunted	0.0%
Harvested	0.0%
Received	0.0%
Gave Away	0.0%

Estimated Community Harvest and Take (Expanded):

Total Number Harvested	0.0
Total Number Struck and Lost	0.0
Total Number Taken	0.0
Number Harvested Per Capita	N/A

SEA LION HARVEST BY SEASON													Unknown	Total
Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Month		
REPORTED HARVEST AND TAKE BY SAMPLED HOUSEHOLDS (UNEXPANDED)														
Harvest	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Struck and Lost	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Total Take	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ESTIMATED HARVEST AND TAKE BY COMMUNITY (EXPANDED)														
Harvest	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Struck and Lost	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total Take	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
ESTIMATED SEASONALLY ADJUSTED HARVEST AND TAKE BY COMMUNITY (EXPANDED)														
Harvest	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Struck and Lost	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total Take	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total Take (%)	---	---	---	---	---	---	---	---	---	---	---	---	---	---
Cumulative Take	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Cum. Take (%)	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%


SEA LION HARVEST BY AGE AND SEX

	Reported		Estimated	
	By Sample (Unexpanded)	Percent	By Community (Expanded)	Percent
Adult Male	0	---	0.0	---
Adult Female	0	---	0.0	---
Adult Unknown Sex	0	---	0.0	---
Juvenile Male	0	---	0.0	---
Juvenile Female	0	---	0.0	---
Juvenile Unknown Sex	0	---	0.0	---
Pup Male	0	---	0.0	---
Pup Female	0	---	0.0	---
Pup Unknown Sex	0	---	0.0	---
Male Unknown Age	0	---	0.0	---
Female Unknown Age	0	---	0.0	---
Unknown Sex and Age	0	---	0.0	---
Total	0	---	0.0	---


SOURCE: Alaska Department of Fish and Game, Division of Subsistence, Subsistence Study and Monitor System for Sea Lions and Harbor Seals in Alaska, with assistance from the Chilkat Indian Village, 1994.

FIGURE 19. SEA LION (*Eumetopias jubatus*) TAKE ESTIMATES: KLUKWAN, 1993


A. Percentage Seasonally Adjusted Take By Month



B. Seasonally Adjusted Take By Month



C. Cumulative Seasonally Adjusted Take By Month



SOURCE: Alaska Department of Fish and Game, Division of Subsistence, Subsistence Study and Monitor System for Sea Lions and Harbor Seals in Alaska, with assistance from the Chilkat Indian Village, 1994.

TABLE 20. HARBOR SEAL (*Phoca vitulina*) HARVEST AND TAKE ESTIMATES: KLUKWAN, 1993

SAMPLING DESIGN: CHAIN REFERRAL

Total Sample Households	11
Surveyed Households	9
Sampling Fraction	81.8%
Sample Household Members	46
Estimated Household Members	56.2

HARBOR SEAL HARVEST AND USE INFORMATION

Percent Of Sample Households:

Used	11.1%
Hunted	22.2%
Harvested	11.1%
Received	11.1%
Gave Away	11.1%

Estimated Community Harvest and Take (Expanded):

Total Number Harvested	1.2
Total Number Struck and Lost	0.0
Total Number Taken	1.2
Number Harvested Per Capita	N/A

HARBOR SEAL HARVEST BY SEASON

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Unknown Month	Total
REPORTED HARVEST AND TAKE BY SAMPLED HOUSEHOLDS (UNEXPANDED)														
Harvest	0	0	0	0	0	0	0	1	0	0	0	0	0	1
Struck and Lost	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Total Take	0	0	0	0	0	0	0	1	0	0	0	0	0	1
ESTIMATED HARVEST AND TAKE BY COMMUNITY (EXPANDED)														
Harvest	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	0.0	0.0	0.0	0.0	0.0	1.2
Struck and Lost	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total Take	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	0.0	0.0	0.0	0.0	0.0	1.2
ESTIMATED SEASONALLY ADJUSTED HARVEST AND TAKE BY COMMUNITY (EXPANDED)														
Harvest	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	0.0	0.0	0.0	0.0	0.0	1.2
Struck and Lost	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total Take	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	0.0	0.0	0.0	0.0	0.0	1.2
Total Take (%)	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	100%
Cumulative Take	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	1.2	1.2	1.2	1.2	1.2	1.2
Cum. Take (%)	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%


HARBOR SEAL HARVEST BY AGE AND SEX

	Reported		Estimated	
	By Sample (Unexpanded)	Percent	By Community (Expanded)	Percent
Adult Male	0	0.0%	0.0	0.0%
Adult Female	0	0.0%	0.0	0.0%
Adult Unknown Sex	1	100.0%	1.2	100.0%
Juvenile Male	0	0.0%	0.0	0.0%
Juvenile Female	0	0.0%	0.0	0.0%
Juvenile Unknown Sex	0	0.0%	0.0	0.0%
Pup Male	0	0.0%	0.0	0.0%
Pup Female	0	0.0%	0.0	0.0%
Pup Unknown Sex	0	0.0%	0.0	0.0%
Male Unknown Age	0	0.0%	0.0	0.0%
Female Unknown Age	0	0.0%	0.0	0.0%
Unknown Sex and Age	0	0.0%	0.0	0.0%
Total	1	100.0%	1.2	100.0%


SOURCE: Alaska Department of Fish and Game, Division of Subsistence, Subsistence Study and Monitor System for Sea Lions and Harbor Seals in Alaska, with assistance from the Chilkat Indian Village, 1994.

FIGURE 20. HARBOR SEAL (*Phoca vitulina*) TAKE ESTIMATES: KLUKWAN, 1993


A. Percentage Seasonally Adjusted Take By Month



B. Seasonally Adjusted Take By Month



C. Cumulative Seasonally Adjusted Take By Month



SOURCE: Alaska Department of Fish and Game, Division of Subsistence, Subsistence Study and Monitor System for Sea Lions and Harbor Seals in Alaska, with assistance from the Chilkat Indian Village, 1994.

TABLE 21. SEA LION (*Eumetopias jubatus*) HARVEST AND TAKE ESTIMATES: PELICAN, 1993

SAMPLING DESIGN: CHAIN REFERRAL

Total Sample Households	16
Surveyed Households	15
Sampling Fraction	93.8%
Sample Household Members	42
Estimated Household Members	44.8

SEA LION HARVEST AND USE INFORMATION

Percent Of Sample Households:

Used	0.0%
Hunted	0.0%
Harvested	0.0%
Received	0.0%
Gave Away	0.0%

Estimated Community Harvest and Take (Expanded):

Total Number Harvested	0.0
Total Number Struck and Lost	0.0
Total Number Taken	0.0
Number Harvested Per Capita	N/A

SEA LION HARVEST BY SEASON

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Unknown Month	Total
	REPORTED HARVEST AND TAKE BY SAMPLED HOUSEHOLDS (UNEXPANDED)													
Harvest	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Struck and Lost	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Total Take	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ESTIMATED HARVEST AND TAKE BY COMMUNITY (EXPANDED)														
Harvest	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Struck and Lost	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total Take	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
ESTIMATED SEASONALLY ADJUSTED HARVEST AND TAKE BY COMMUNITY (EXPANDED)														
Harvest	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Struck and Lost	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total Take	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total Take (%)	---	---	---	---	---	---	---	---	---	---	---	---	---	---
Cumulative Take	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Cum. Take (%)	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%


SEA LION HARVEST BY AGE AND SEX

	Reported		Estimated	
	By Sample (Unexpanded)	Percent	By Community (Expanded)	Percent
Adult Male	0	---	0.0	---
Adult Female	0	---	0.0	---
Adult Unknown Sex	0	---	0.0	---
Juvenile Male	0	---	0.0	---
Juvenile Female	0	---	0.0	---
Juvenile Unknown Sex	0	---	0.0	---
Pup Male	0	---	0.0	---
Pup Female	0	---	0.0	---
Pup Unknown Sex	0	---	0.0	---
Male Unknown Age	0	---	0.0	---
Female Unknown Age	0	---	0.0	---
Unknown Sex and Age	0	---	0.0	---
Total	0	---	0.0	---


SOURCE: Alaska Department of Fish and Game, Division of Subsistence, Subsistence Study and Monitor System for Sea Lions and Harbor Seals in Alaska, with assistance from the City of Pelican, Tlingit and Haida Indians of Pelican Community Council, 1994.

FIGURE 21. SEA LION (*Eumetopias jubatus*) TAKE ESTIMATES: PELICAN, 1993


A. Percentage Seasonally Adjusted Take By Month



B. Seasonally Adjusted Take By Month



C. Cumulative Seasonally Adjusted Take By Month



SOURCE: Alaska Department of Fish and Game, Division of Subsistence, Subsistence Study and Monitor System for Sea Lions and Harbor Seals in Alaska, with assistance from the City of Pelican, Tlingit and Haida Indians of Pelican Community Council, 1994.

TABLE 22. HARBOR SEAL (*Phoca vitulina*) HARVEST AND TAKE ESTIMATES: PELICAN, 1993

SAMPLING DESIGN: CHAIN REFERRAL

Total Sample Households	16
Surveyed Households	15
Sampling Fraction	93.8%
Sample Household Members	42
Estimated Household Members	44.8

HARBOR SEAL HARVEST AND USE INFORMATION

Percent Of Sample Households:

Used	53.3%
Hunted	26.7%
Harvested	26.7%
Received	26.7%
Gave Away	13.3%

Estimated Community Harvest and Take (Expanded):

Total Number Harvested	5.3
Total Number Struck and Lost	1.1
Total Number Taken	6.4
Number Harvested Per Capita	N/A

HARBOR SEAL HARVEST BY SEASON	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Unknown Month	Total
	REPORTED HARVEST AND TAKE BY SAMPLED HOUSEHOLDS (UNEXPANDED)													
Harvest	0	0	1	1	0	0	2	1	0	0	0	0	0	5
Struck and Lost	0	0	0	1	0	0	0	0	0	0	0	0	0	1
Total Take	0	0	1	2	0	0	2	1	0	0	0	0	0	6
ESTIMATED HARVEST AND TAKE BY COMMUNITY (EXPANDED)														
Harvest	0.0	0.0	1.1	1.1	0.0	0.0	2.1	1.1	0.0	0.0	0.0	0.0	0.0	5.3
Struck and Lost	0.0	0.0	0.0	1.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1
Total Take	0.0	0.0	1.1	2.1	0.0	0.0	2.1	1.1	0.0	0.0	0.0	0.0	0.0	6.4
ESTIMATED SEASONALLY ADJUSTED HARVEST AND TAKE BY COMMUNITY (EXPANDED)														
Harvest	0.0	0.0	1.1	1.1	0.0	0.0	2.1	1.1	0.0	0.0	0.0	0.0	0.0	5.3
Struck and Lost	0.0	0.0	0.0	1.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1
Total Take	0.0	0.0	1.1	2.1	0.0	0.0	2.1	1.1	0.0	0.0	0.0	0.0	0.0	6.4
Total Take (%)	0.0%	0.0%	16.7%	33.3%	0.0%	0.0%	33.3%	16.7%	0.0%	0.0%	0.0%	0.0%	0.0%	100%
Cumulative Take	0.0	0.0	1.1	3.2	3.2	3.2	5.3	6.4	6.4	6.4	6.4	6.4	6.4	
Cum. Take (%)	0.0%	0.0%	16.7%	50.0%	50.0%	50.0%	83.3%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	


HARBOR SEAL HARVEST BY AGE AND SEX

	Reported		Estimated	
	By Sample (Unexpanded)	Percent	By Community (Expanded)	Percent
Adult Male	5	100.0%	5.3	100.0%
Adult Female	0	0.0%	0.0	0.0%
Adult Unknown Sex	0	0.0%	0.0	0.0%
Juvenile Male	0	0.0%	0.0	0.0%
Juvenile Female	0	0.0%	0.0	0.0%
Juvenile Unknown Sex	0	0.0%	0.0	0.0%
Pup Male	0	0.0%	0.0	0.0%
Pup Female	0	0.0%	0.0	0.0%
Pup Unknown Sex	0	0.0%	0.0	0.0%
Male Unknown Age	0	0.0%	0.0	0.0%
Female Unknown Age	0	0.0%	0.0	0.0%
Unknown Sex and Age	0	0.0%	0.0	0.0%
Total	5	100.0%	5.3	100.0%


SOURCE: Alaska Department of Fish and Game, Division of Subsistence, Subsistence Study and Monitor System for Sea Lions and Harbor Seals in Alaska, with assistance from the City of Pelican, Tlingit and Haida Indians of Pelican Community Council, 1994.

FIGURE 22. HARBOR SEAL (*Phoca vitulina*) TAKE ESTIMATES: PELICAN, 1993


A. Percentage Seasonally Adjusted Take By Month



B. Seasonally Adjusted Take By Month



C. Cumulative Seasonally Adjusted Take By Month



SOURCE: Alaska Department of Fish and Game, Division of Subsistence, Subsistence Study and Monitor System for Sea Lions and Harbor Seals in Alaska, with assistance from the City of Pelican, Tlingit and Haida Indians of Pelican Community Council, 1994.

TABLE 23. SEA LION (*Eumetopias jubatus*) HARVEST AND TAKE ESTIMATES: PETERSBURG, 1993

SAMPLING DESIGN: CHAIN REFERRAL

Total Sample Households	18
Surveyed Households	8
Sampling Fraction	44.4%
Sample Household Members	22
Estimated Household Members	49.5

SEA LION HARVEST AND USE INFORMATION

Percent Of Sample Households:

Used	0.0%
Hunted	0.0%
Harvested	0.0%
Received	0.0%
Gave Away	0.0%

Estimated Community Harvest and Take (Expanded):

Total Number Harvested	0.0
Total Number Struck and Lost	0.0
Total Number Taken	0.0
Number Harvested Per Capita	N/A

SEA LION HARVEST BY SEASON

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Unknown Month	Total
REPORTED HARVEST AND TAKE BY SAMPLED HOUSEHOLDS (UNEXPANDED)														
Harvest	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Struck and Lost	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Total Take	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ESTIMATED HARVEST AND TAKE BY COMMUNITY (EXPANDED)														
Harvest	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Struck and Lost	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total Take	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
ESTIMATED SEASONALLY ADJUSTED HARVEST AND TAKE BY COMMUNITY (EXPANDED)														
Harvest	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Struck and Lost	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total Take	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total Take (%)	---	---	---	---	---	---	---	---	---	---	---	---	---	---
Cumulative Take	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Cum. Take (%)	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%


SEA LION HARVEST BY AGE AND SEX

	Reported By Sample (Unexpanded)	Percent	Estimated By Community (Expanded)	Percent
Adult Male	0	---	0.0	---
Adult Female	0	---	0.0	---
Adult Unknown Sex	0	---	0.0	---
Juvenile Male	0	---	0.0	---
Juvenile Female	0	---	0.0	---
Juvenile Unknown Sex	0	---	0.0	---
Pup Male	0	---	0.0	---
Pup Female	0	---	0.0	---
Pup Unknown Sex	0	---	0.0	---
Male Unknown Age	0	---	0.0	---
Female Unknown Age	0	---	0.0	---
Unknown Sex and Age	0	---	0.0	---
Total	0	---	0.0	---


SOURCE: Alaska Department of Fish and Game, Division of Subsistence, Subsistence Study and Monitor System for Sea Lions and Harbor Seals in Alaska, with assistance from the Petersburg Indian Association, 1994.

FIGURE 23. SEA LION (*Eumetopias jubatus*) TAKE ESTIMATES: PETERSBURG, 1993


A. Percentage Seasonally Adjusted Take By Month



B. Seasonally Adjusted Take By Month



C. Cumulative Seasonally Adjusted Take By Month



SOURCE: Alaska Department of Fish and Game, Division of Subsistence, Subsistence Study and Monitor System for Sea Lions and Harbor Seals in Alaska, with assistance from the Petersburg Indian Association, 1994.

TABLE 24. HARBOR SEAL (*Phoca vitulina*) HARVEST AND TAKE ESTIMATES: PETERSBURG, 1993

SAMPLING DESIGN: CHAIN REFERRAL

Total Sample Households	18
Surveyed Households	8
Sampling Fraction	44.4%
Sample Household Members	22
Estimated Household Members	49.5

HARBOR SEAL HARVEST AND USE INFORMATION

Percent Of Sample Households:

Used	50.0%
Hunted	25.0%
Harvested	12.5%
Received	50.0%
Gave Away	12.5%

Estimated Community Harvest and Take (Expanded):

Total Number Harvested	4.5
Total Number Struck and Lost	4.5
Total Number Taken	9.0
Number Harvested Per Capita	N/A

HARBOR SEAL HARVEST BY SEASON

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Unknown Month	Total
REPORTED HARVEST AND TAKE BY SAMPLED HOUSEHOLDS (UNEXPANDED)														
Harvest	0	0	0	0	0	0	2	0	0	0	0	0	0	2
Struck and Lost	0	0	0	0	0	0	2	0	0	0	0	0	0	2
Total Take	0	0	0	0	0	0	4	0	0	0	0	0	0	4
ESTIMATED HARVEST AND TAKE BY COMMUNITY (EXPANDED)														
Harvest	0.0	0.0	0.0	0.0	0.0	0.0	4.5	0.0	0.0	0.0	0.0	0.0	0.0	4.5
Struck and Lost	0.0	0.0	0.0	0.0	0.0	0.0	4.5	0.0	0.0	0.0	0.0	0.0	0.0	4.5
Total Take	0.0	0.0	0.0	0.0	0.0	0.0	9.0	0.0	0.0	0.0	0.0	0.0	0.0	9.0
ESTIMATED SEASONALLY ADJUSTED HARVEST AND TAKE BY COMMUNITY (EXPANDED)														
Harvest	0.0	0.0	0.0	0.0	0.0	0.0	4.5	0.0	0.0	0.0	0.0	0.0	0.0	4.5
Struck and Lost	0.0	0.0	0.0	0.0	0.0	0.0	4.5	0.0	0.0	0.0	0.0	0.0	0.0	4.5
Total Take	0.0	0.0	0.0	0.0	0.0	0.0	9.0	0.0	0.0	0.0	0.0	0.0	0.0	9.0
Total Take (%)	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	100%
Cumulative Take	0.0	0.0	0.0	0.0	0.0	0.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	
Cum. Take (%)	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	


HARBOR SEAL HARVEST BY AGE AND SEX

	Reported		Estimated	
	By Sample (Unexpanded)	Percent	By Community (Expanded)	Percent
Adult Male	0	0.0%	0.0	0.0%
Adult Female	0	0.0%	0.0	0.0%
Adult Unknown Sex	2	100.0%	4.5	100.0%
Juvenile Male	0	0.0%	0.0	0.0%
Juvenile Female	0	0.0%	0.0	0.0%
Juvenile Unknown Sex	0	0.0%	0.0	0.0%
Pup Male	0	0.0%	0.0	0.0%
Pup Female	0	0.0%	0.0	0.0%
Pup Unknown Sex	0	0.0%	0.0	0.0%
Male Unknown Age	0	0.0%	0.0	0.0%
Female Unknown Age	0	0.0%	0.0	0.0%
Unknown Sex and Age	0	0.0%	0.0	0.0%
Total	2	100.0%	4.5	100.0%


SOURCE: Alaska Department of Fish and Game, Division of Subsistence, Subsistence Study and Monitor System for Sea Lions and Harbor Seals in Alaska, with assistance from the Petersburg Indian Association, 1994.

FIGURE 24. HARBOR SEAL (*Phoca vitulina*) TAKE ESTIMATES: PETERSBURG, 1993


A. Percentage Seasonally Adjusted Take By Month



B. Seasonally Adjusted Take By Month



C. Cumulative Seasonally Adjusted Take By Month



SOURCE: Alaska Department of Fish and Game, Division of Subsistence, Subsistence Study and Monitor System for Sea Lions and Harbor Seals in Alaska, with assistance from the Petersburg Indian Association, 1994.

TABLE 25. SEA LION (*Eumetopias jubatus*) HARVEST AND TAKE ESTIMATES: SAXMAN, 1993

SAMPLING DESIGN: TWO STRATA

	Active	Other	Total
Total Native Households	10	51	61
Surveyed Households	9	29	38
Sampling Fraction	90.0%	56.9%	62.3%
Sample Household Members	51	93	144
Estimated Household Members	56.7	163.8	220.2

SEA LION HARVEST AND USE INFORMATION

Percent Of Native Households:

Used	0.0%
Hunted	0.0%
Harvested	0.0%
Received	0.0%
Gave Away	0.0%

Estimated Community Harvest and Take (Expanded):

Total Number Harvested	0.0
Total Number Struck and Lost	0.0
Total Number Taken	0.0
Number Harvested Per Capita	0.00

SEA LION HARVEST BY SEASON

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Unknown Month	Total
REPORTED HARVEST AND TAKE BY SAMPLED HOUSEHOLDS (UNEXPANDED)														
Harvest	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Struck and Lost	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Total Take	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ESTIMATED HARVEST AND TAKE BY COMMUNITY (EXPANDED)														
Harvest	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Struck and Lost	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total Take	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
ESTIMATED SEASONALLY ADJUSTED HARVEST AND TAKE BY COMMUNITY (EXPANDED)														
Harvest	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Struck and Lost	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total Take	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total Take (%)	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cumulative Take	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Cum. Take (%)	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%


SEA LION HARVEST BY AGE AND SEX

	Reported		Estimated	
	By Sample (Unexpanded)	Percent	By Community (Expanded)	Percent
Adult Male	0	---	0.0	---
Adult Female	0	---	0.0	---
Adult Unknown Sex	0	---	0.0	---
Juvenile Male	0	---	0.0	---
Juvenile Female	0	---	0.0	---
Juvenile Unknown Sex	0	---	0.0	---
Pup Male	0	---	0.0	---
Pup Female	0	---	0.0	---
Pup Unknown Sex	0	---	0.0	---
Male Unknown Age	0	---	0.0	---
Female Unknown Age	0	---	0.0	---
Unknown Sex and Age	0	---	0.0	---
Total	0	---	0.0	---


SOURCE: Alaska Department of Fish and Game, Division of Subsistence, Subsistence Study and Monitor System for Sea Lions and Harbor Seals in Alaska, with assistance from the City of Saxman and Saxman IRA Council, 1994.

FIGURE 25. SEA LION (*Eumetopias jubatus*) TAKE ESTIMATES: SAXMAN, 1993


A. Percentage Seasonally Adjusted Take By Month



B. Seasonally Adjusted Take By Month



C. Cumulative Seasonally Adjusted Take By Month



SOURCE: Alaska Department of Fish and Game, Division of Subsistence, Subsistence Study and Monitor System for Sea Lions and Harbor Seals in Alaska, with assistance from the City of Saxman and Saxman IRA Council, 1994.

TABLE 26. HARBOR SEAL (*Phoca vitulina*) HARVEST AND TAKE ESTIMATES: SAXMAN, 1993

SAMPLING DESIGN: TWO STRATA

	Active	Other	Total
Total Native Households	10	51	61
Surveyed Households	9	29	38
Sampling Fraction	90.0%	56.9%	62.3%
Sample Household Members	51	93	144
Estimated Household Members	56.7	163.6	220.2

HARBOR SEAL HARVEST AND USE INFORMATION

Percent Of Native Households:

Used	24.6%
Hunted	6.5%
Harvested	3.6%
Received	24.6%
Gave Away	11.2%

Estimated Community Harvest and Take (Expanded):

Total Number Harvested	5.6
Total Number Struck and Lost	0.0
Total Number Taken	5.6
Number Harvested Per Capita	0.03

HARBOR SEAL HARVEST BY SEASON

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Unknown Month	Total
REPORTED HARVEST AND TAKE BY SAMPLED HOUSEHOLDS (UNEXPANDED)														
Harvest	0	2	2	1	0	0	0	0	0	0	0	0	0	5
Struck and Lost	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Total Take	0	2	2	1	0	0	0	0	0	0	0	0	0	5
ESTIMATED HARVEST AND TAKE BY COMMUNITY (EXPANDED)														
Harvest	0.0	2.2	2.2	1.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5.6
Struck and Lost	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total Take	0.0	2.2	2.2	1.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5.6
ESTIMATED SEASONALLY ADJUSTED HARVEST AND TAKE BY COMMUNITY (EXPANDED)														
Harvest	0.0	2.2	2.2	1.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5.6
Struck and Lost	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total Take	0.0	2.2	2.2	1.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5.6
Total Take (%)	0.0%	40.0%	40.0%	20.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	100%
Cumulative Take	0.0	2.2	4.4	5.6	5.6	5.6	5.6	5.6	5.6	5.6	5.6	5.6	5.6	
Cum. Take (%)	0.0%	40.0%	80.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	


HARBOR SEAL HARVEST BY AGE AND SEX

	Reported		Estimated	
	By Sample (Unexpanded)	Percent	By Community (Expanded)	Percent
Adult Male	1	20.0%	1.1	20.0%
Adult Female	0	0.0%	0.0	0.0%
Adult Unknown Sex	0	0.0%	0.0	0.0%
Juvenile Male	0	0.0%	0.0	0.0%
Juvenile Female	0	0.0%	0.0	0.0%
Juvenile Unknown Sex	2	40.0%	2.2	40.0%
Pup Male	0	0.0%	0.0	0.0%
Pup Female	0	0.0%	0.0	0.0%
Pup Unknown Sex	0	0.0%	0.0	0.0%
Male Unknown Age	0	0.0%	0.0	0.0%
Female Unknown Age	0	0.0%	0.0	0.0%
Unknown Sex and Age	2	40.0%	2.2	40.0%
Total	5	100.0%	5.6	100.0%


SOURCE: Alaska Department of Fish and Game, Division of Subsistence, Subsistence Study and Monitor System for Sea Lions and Harbor Seals in Alaska, with assistance from the City of Saxman and Saxman IRA Council, 1994.

FIGURE 26. HARBOR SEAL (*Phoca vitulina*) TAKE ESTIMATES: SAXMAN, 1993


A. Percentage Seasonally Adjusted Take By Month



B. Seasonally Adjusted Take By Month



C. Cumulative Seasonally Adjusted Take By Month



SOURCE: Alaska Department of Fish and Game, Division of Subsistence, Subsistence Study and Monitor System for Sea Lions and Harbor Seals in Alaska, with assistance from the City of Saxman and Saxman IRA Council, 1994.

TABLE 27. SEA LION (*Eumetopias jubatus*) HARVEST AND TAKE ESTIMATES: SITKA, 1993

SAMPLING DESIGN: TWO STRATA

	Active	Other	Total
Total Native Households	71	418	489
Surveyed Households	64	30	94
Sampling Fraction	90.1%	7.2%	19.2%
Sample Household Members	220	112	332
Estimated Household Members	244.1	1560.5	1804.6

SEA LION HARVEST AND USE INFORMATION

Percent Of Native Households:

Used	0.5%
Hunted	0.2%
Harvested	0.0%
Received	0.5%
Gave Away	0.2%

Estimated Community Harvest and Take (Expanded):

Total Number Harvested	0.0
Total Number Struck and Lost	1.1
Total Number Taken	1.1
Number Harvested Per Capita	0.00

SEA LION HARVEST BY SEASON

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Unknown Month	Total
	REPORTED HARVEST AND TAKE BY SAMPLED HOUSEHOLDS (UNEXPANDED)													
Harvest	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Struck and Lost	0	0	0	0	0	0	0	0	0	0	1	0	0	1
Total Take	0	0	0	0	0	0	0	0	0	0	1	0	0	1
ESTIMATED HARVEST AND TAKE BY COMMUNITY (EXPANDED)														
Harvest	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Struck and Lost	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1	0.0	0.0	1.1
Total Take	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1	0.0	0.0	1.1
ESTIMATED SEASONALLY ADJUSTED HARVEST AND TAKE BY COMMUNITY (EXPANDED)														
Harvest	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Struck and Lost	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1	0.0	0.0	1.1
Total Take	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1	0.0	0.0	1.1
Total Take (%)	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	100.0%	0.0%	0.0%	100%
Cumulative Take	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1	1.1	1.1	1.1
Cum. Take (%)	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	100.0%	100.0%	100.0%	100%


SEA LION HARVEST BY AGE AND SEX

	Reported		Estimated	
	By Sample (Unexpanded)	Percent	By Community (Expanded)	Percent
Adult Male	0	---	0.0	---
Adult Female	0	---	0.0	---
Adult Unknown Sex	0	---	0.0	---
Juvenile Male	0	---	0.0	---
Juvenile Female	0	---	0.0	---
Juvenile Unknown Sex	0	---	0.0	---
Pup Male	0	---	0.0	---
Pup Female	0	---	0.0	---
Pup Unknown Sex	0	---	0.0	---
Male Unknown Age	0	---	0.0	---
Female Unknown Age	0	---	0.0	---
Unknown Sex and Age	0	---	0.0	---
Total	0	---	0.0	---


SOURCE: Alaska Department of Fish and Game, Division of Subsistence, Subsistence Study and Monitor System for Sea Lions and Harbor Seals in Alaska, with assistance from the ANB and Sitka Tribal Association, 1994.

FIGURE 27. SEA LION (*Eumetopias jubatus*) TAKE ESTIMATES: SITKA, 1993


A. Percentage Seasonally Adjusted Take By Month



B. Seasonally Adjusted Take By Month



C. Cumulative Seasonally Adjusted Take By Month



SOURCE: Alaska Department of Fish and Game, Division of Subsistence, Subsistence Study and Monitor System for Sea Lions and Harbor Seals in Alaska, with assistance from the ANB and Sitka Tribal Association, 1994.

TABLE 28. HARBOR SEAL (*Phoca vitulina*) HARVEST AND TAKE ESTIMATES: SITKA, 1993

SAMPLING DESIGN: TWO STRATA

	Active	Other	Total
Total Native Households	71	418	489
Surveyed Households	64	30	94
Sampling Fraction	90.1%	7.2%	19.2%
Sample Household Members	220	112	332
Estimated Household Members	244.1	1580.5	1804.6

HARBOR SEAL HARVEST AND USE INFORMATION

Percent Of Native Households:

Used	71.6%
Hunted	13.6%
Harvested	9.9%
Received	67.8%
Gave Away	25.0%

Estimated Community Harvest and Take (Expanded):

Total Number Harvested	109.3
Total Number Struck and Lost	20.6
Total Number Taken	129.9
Number Harvested Per Capita	0.06

HARBOR SEAL HARVEST BY SEASON

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Unknown Month	Total
	REPORTED HARVEST AND TAKE BY SAMPLED HOUSEHOLDS (UNEXPANDED)													
Harvest	2	2	14	10	6	0	3	9	7	15	10	6	3	87
Struck and Lost	0	1	1	0	0	0	0	1	2	2	0	0	0	7
Total Take	2	3	15	10	6	0	3	10	9	17	10	6	3	94
ESTIMATED HARVEST AND TAKE BY COMMUNITY (EXPANDED)														
Harvest	2.2	2.2	15.5	11.1	6.7	0.0	3.3	22.8	7.8	16.6	11.1	6.7	3.3	109.3
Struck and Lost	0.0	1.1	1.1	0.0	0.0	0.0	0.0	13.9	2.2	2.2	0.0	0.0	0.0	20.6
Total Take	2.2	3.3	16.6	11.1	6.7	0.0	3.3	36.7	10.0	18.9	11.1	6.7	3.3	129.9
ESTIMATED SEASONALLY ADJUSTED HARVEST AND TAKE BY COMMUNITY (EXPANDED)														
Harvest	2.3	2.3	16.0	11.4	6.9	0.0	3.4	23.5	8.0	17.2	11.4	6.9		109.3
Struck and Lost	0.0	1.1	1.1	0.0	0.0	0.0	0.0	13.9	2.2	2.2	0.0	0.0		20.6
Total Take	2.3	3.4	17.1	11.4	6.9	0.0	3.4	37.5	10.2	19.4	11.4	6.9		129.9
Total Take (%)	1.8%	2.6%	13.2%	8.8%	5.3%	0.0%	2.6%	28.8%	7.9%	14.9%	8.8%	5.3%		100%
Cumulative Take	2.3	5.7	22.8	34.3	41.1	41.1	44.6	82.0	92.2	111.6	123.1	129.9		
Cum. Take (%)	1.8%	4.4%	17.6%	26.4%	31.6%	31.6%	34.3%	63.1%	71.0%	85.9%	94.7%	100.0%		


HARBOR SEAL HARVEST BY AGE AND SEX

	Reported		Estimated	
	By Sample (Unexpanded)	Percent	By Community (Expanded)	Percent
Adult Male	46	52.9%	51.0	46.7%
Adult Female	18	20.7%	32.8	30.0%
Adult Unknown Sex	21	24.1%	23.3	21.3%
Juvenile Male	0	0.0%	0.0	0.0%
Juvenile Female	0	0.0%	0.0	0.0%
Juvenile Unknown Sex	0	0.0%	0.0	0.0%
Pup Male	0	0.0%	0.0	0.0%
Pup Female	0	0.0%	0.0	0.0%
Pup Unknown Sex	1	1.1%	1.1	1.0%
Male Unknown Age	0	0.0%	0.0	0.0%
Female Unknown Age	0	0.0%	0.0	0.0%
Unknown Sex and Age	1	1.1%	1.1	1.0%
Total	87	100.0%	109.3	100.0%


SOURCE: Alaska Department of Fish and Game, Division of Subsistence, Subsistence Study and Monitor System for Sea Lions and Harbor Seals in Alaska, with assistance from the ANB and Sitka Tribal Association, 1994.

FIGURE 28. HARBOR SEAL (*Phoca vitulina*) TAKE ESTIMATES: SITKA, 1993


A. Percentage Seasonally Adjusted Take By Month



B. Seasonally Adjusted Take By Month



C. Cumulative Seasonally Adjusted Take By Month



SOURCE: Alaska Department of Fish and Game, Division of Subsistence, Subsistence Study and Monitor System for Sea Lions and Harbor Seals in Alaska, with assistance from the ANB and Sitka Tribal Association, 1994.

TABLE 29. SEA LION (*Eumetopias jubatus*) HARVEST AND TAKE ESTIMATES: WRANGELL, 1993

SAMPLING DESIGN: CHAIN REFERRAL

Total Sample Households	6
Surveyed Households	4
Sampling Fraction	66.7%
Sample Household Members	12
Estimated Household Members	18.0

SEA LION HARVEST AND USE INFORMATION

Percent Of Sample Households:

Used	0.0%
Hunted	0.0%
Harvested	0.0%
Received	0.0%
Gave Away	0.0%

Estimated Community Harvest and Take (Expanded):

Total Number Harvested	0.0
Total Number Struck and Lost	0.0
Total Number Taken	0.0
Number Harvested Per Capita	N/A

SEA LION HARVEST BY SEASON													Unknown	
	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Month	Total
REPORTED HARVEST AND TAKE BY SAMPLED HOUSEHOLDS (UNEXPANDED)														
Harvest	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Struck and Lost	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Total Take	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ESTIMATED HARVEST AND TAKE BY COMMUNITY (EXPANDED)														
Harvest	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Struck and Lost	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total Take	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
ESTIMATED SEASONALLY ADJUSTED HARVEST AND TAKE BY COMMUNITY (EXPANDED)														
Harvest	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		0.0
Struck and Lost	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		0.0
Total Take	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		0.0
Total Take (%)	—	—	—	—	—	—	—	—	—	—	—	—		—
Cumulative Take	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		0.0
Cum. Take (%)	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%		0.0%


SEA LION HARVEST BY AGE AND SEX

	Reported		Estimated	
	By Sample (Unexpanded)	Percent	By Community (Expanded)	Percent
Adult Male	0	---	0.0	---
Adult Female	0	---	0.0	---
Adult Unknown Sex	0	---	0.0	---
Juvenile Male	0	---	0.0	---
Juvenile Female	0	---	0.0	---
Juvenile Unknown Sex	0	---	0.0	---
Pup Male	0	---	0.0	---
Pup Female	0	---	0.0	---
Pup Unknown Sex	0	---	0.0	---
Male Unknown Age	0	---	0.0	---
Female Unknown Age	0	---	0.0	---
Unknown Sex and Age	0	---	0.0	---
Total	0	---	0.0	---


SOURCE: Alaska Department of Fish and Game, Division of Subsistence, Subsistence Study and Monitor System for Sea Lions and Harbor Seals in Alaska, with assistance from the Wrangell Cooperative Association, 1994.

FIGURE 29. SEA LION (*Eumetopias jubatus*) TAKE ESTIMATES: WRANGELL, 1993


A. Percentage Seasonally Adjusted Take By Month



B. Seasonally Adjusted Take By Month



C. Cumulative Seasonally Adjusted Take By Month



SOURCE: Alaska Department of Fish and Game, Division of Subsistence, Subsistence Study and Monitor System for Sea Lions and Harbor Seals in Alaska, with assistance from the Wrangell Cooperative Association, 1994.

TABLE 30. HARBOR SEAL (*Phoca vitulina*) HARVEST AND TAKE ESTIMATES: WRANGELL, 1993

SAMPLING DESIGN: CHAIN REFERRAL

Total Sample Households	6
Surveyed Households	4
Sampling Fraction	66.7%
Sample Household Members	12
Estimated Household Members	18.0

HARBOR SEAL HARVEST AND USE INFORMATION

<i>Percent Of Sample Households:</i>	<i>Estimated Community Harvest and Take (Expanded):</i>
Used 100.0%	Total Number Harvested 19.5
Hunted 100.0%	Total Number Struck and Lost 9.0
Harvested 100.0%	Total Number Taken 28.5
Received 25.0%	Number Harvested Per Capita N/A
Gave Away 75.0%	

HARBOR SEAL HARVEST BY SEASON													Unknown	Total
Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Month		
REPORTED HARVEST AND TAKE BY SAMPLED HOUSEHOLDS (UNEXPANDED)														
Harvest	0	0	1	1	0	0	0	1	0	0	0	10	13	
Struck and Lost	0	0	0	0	0	0	3	3	0	0	0	0	6	
Total Take	0	0	1	1	0	0	3	4	0	0	0	10	19	
ESTIMATED HARVEST AND TAKE BY COMMUNITY (EXPANDED)														
Harvest	0.0	0.0	1.5	1.5	0.0	0.0	0.0	1.5	0.0	0.0	0.0	15.0	19.5	
Struck and Lost	0.0	0.0	0.0	0.0	0.0	0.0	4.5	4.5	0.0	0.0	0.0	0.0	9.0	
Total Take	0.0	0.0	1.5	1.5	0.0	0.0	4.5	6.0	0.0	0.0	0.0	15.0	28.5	
ESTIMATED SEASONALLY ADJUSTED HARVEST AND TAKE BY COMMUNITY (EXPANDED)														
Harvest	0.0	0.0	6.5	6.5	0.0	0.0	0.0	6.5	0.0	0.0	0.0		19.5	
Struck and Lost	0.0	0.0	0.0	0.0	0.0	0.0	4.5	4.5	0.0	0.0	0.0		9.0	
Total Take	0.0	0.0	6.5	6.5	0.0	0.0	4.5	11.0	0.0	0.0	0.0		28.5	
Total Take (%)	0.0%	0.0%	22.8%	22.8%	0.0%	0.0%	15.8%	38.6%	0.0%	0.0%	0.0%		100%	
Cumulative Take	0.0	0.0	6.5	13.0	13.0	13.0	17.5	28.5	28.5	28.5	28.5			
Cum. Take (%)	0.0%	0.0%	22.8%	45.6%	45.6%	45.6%	61.4%	100.0%	100.0%	100.0%	100.0%			


HARBOR SEAL HARVEST BY AGE AND SEX

	Reported		Estimated	
	By Sample (Unexpanded)	Percent	By Community (Expanded)	Percent
Adult Male	2	15.4%	3.0	15.4%
Adult Female	1	7.7%	1.5	7.7%
Adult Unknown Sex	7	53.8%	10.5	53.8%
Juvenile Male	0	0.0%	0.0	0.0%
Juvenile Female	0	0.0%	0.0	0.0%
Juvenile Unknown Sex	0	0.0%	0.0	0.0%
Pup Male	0	0.0%	0.0	0.0%
Pup Female	0	0.0%	0.0	0.0%
Pup Unknown Sex	0	0.0%	0.0	0.0%
Male Unknown Age	0	0.0%	0.0	0.0%
Female Unknown Age	0	0.0%	0.0	0.0%
Unknown Sex and Age	3	23.1%	4.5	23.1%
Total	13	100.0%	19.5	100.0%


SOURCE: Alaska Department of Fish and Game, Division of Subsistence, Subsistence Study and Monitor System for Sea Lions and Harbor Seals in Alaska, with assistance from the Wrangell Cooperative Association, 1994.

FIGURE 30. HARBOR SEAL (*Phoca vitulina*) TAKE ESTIMATES: WRANGELL, 1993


A. Percentage Seasonally Adjusted Take By Month



B. Seasonally Adjusted Take By Month



C. Cumulative Seasonally Adjusted Take By Month



SOURCE: Alaska Department of Fish and Game, Division of Subsistence, Subsistence Study and Monitor System for Sea Lions and Harbor Seals in Alaska, with assistance from the Wrangell Cooperative Association, 1994.

TABLE 31. SEA LION (*Eumetopias jubatus*) HARVEST AND TAKE ESTIMATES: YAKUTAT, 1993

SAMPLING DESIGN: CENSUS

Total Native Households	117
Surveyed Households	106
Sampling Fraction	90.6%
Sample Household Members	345
Estimated Household Members	380.8

SEA LION HARVEST AND USE INFORMATION

Percent Of Native Households:

Used	0.9%
Hunted	0.0%
Harvested	0.0%
Received	0.9%
Gave Away	0.0%

Estimated Community Harvest and Take (Expanded):

Total Number Harvested	0.0
Total Number Struck and Lost	0.0
Total Number Taken	0.0
Number Harvested Per Capita	0.00

SEA LION HARVEST BY SEASON														
	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Unknown Month	Total
REPORTED HARVEST AND TAKE BY SAMPLED HOUSEHOLDS (UNEXPANDED)														
Harvest	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Struck and Lost	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Total Take	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ESTIMATED HARVEST AND TAKE BY COMMUNITY (EXPANDED)														
Harvest	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Struck and Lost	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total Take	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
ESTIMATED SEASONALLY ADJUSTED HARVEST AND TAKE BY COMMUNITY (EXPANDED)														
Harvest	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Struck and Lost	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total Take	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total Take (%)	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cumulative Take	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Cum. Take (%)	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%


SEA LION HARVEST BY AGE AND SEX

	Reported		Estimated	
	By Sample (Unexpanded)	Percent	By Community (Expanded)	Percent
Adult Male	0	---	0.0	---
Adult Female	0	---	0.0	---
Adult Unknown Sex	0	---	0.0	---
Juvenile Male	0	---	0.0	---
Juvenile Female	0	---	0.0	---
Juvenile Unknown Sex	0	---	0.0	---
Pup Male	0	---	0.0	---
Pup Female	0	---	0.0	---
Pup Unknown Sex	0	---	0.0	---
Male Unknown Age	0	---	0.0	---
Female Unknown Age	0	---	0.0	---
Unknown Sex and Age	0	---	0.0	---
Total	0	---	0.0	---


SOURCE: Alaska Department of Fish and Game, Division of Subsistence, Subsistence Study and Monitor System for Sea Lions and Harbor Seals in Alaska, with assistance from the Yakutat ANB/ANS, Yakutat Native Association, and Yak-Tat Kwaan, Inc., 1994.

FIGURE 31. SEA LION (*Eumetopias jubatus*) TAKE ESTIMATES: YAKUTAT, 1993


A. Percentage Seasonally Adjusted Take By Month



B. Seasonally Adjusted Take By Month



C. Cumulative Seasonally Adjusted Take By Month



SOURCE: Alaska Department of Fish and Game, Division of Subsistence, Subsistence Study and Monitor System for Sea Lions and Harbor Seals in Alaska, with assistance from the Yakutat ANB/ANS, Yakutat Native Association, and Yak-Tat Kwaan, Inc., 1994.

TABLE 32. HARBOR SEAL (*Phoca vitulina*) HARVEST AND TAKE ESTIMATES: YAKUTAT, 1993

SAMPLING DESIGN: CENSUS

Total Native Households	117
Surveyed Households	106
Sampling Fraction	90.6%
Sample Household Members	345
Estimated Household Members	380.8

HARBOR SEAL HARVEST AND USE INFORMATION

Percent Of Native Households:

Used	93.4%
Hunted	33.0%
Harvested	31.1%
Received	88.7%
Gave Away	60.4%

Estimated Community Harvest and Take (Expanded):

Total Number Harvested	568.4
Total Number Struck and Lost	57.4
Total Number Taken	625.8
Number Harvested Per Capita	1.49

HARBOR SEAL HARVEST BY SEASON

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Unknown Month	Total
REPORTED HARVEST AND TAKE BY SAMPLED HOUSEHOLDS (UNEXPANDED)														
Harvest	45	49	31	52	44	28	32	38	24	17	41	35	79	515
Struck and Lost	0	0	2	0	1	3	5	0	9	8	1	2	21	52
Total Take	45	49	33	52	45	31	37	38	33	25	42	37	100	567
ESTIMATED HARVEST AND TAKE BY COMMUNITY (EXPANDED)														
Harvest	49.7	54.1	34.2	57.4	48.6	30.9	35.3	41.9	26.5	18.8	45.3	38.6	87.2	568.4
Struck and Lost	0.0	0.0	2.2	0.0	1.1	3.3	5.5	0.0	9.9	8.8	1.1	2.2	23.2	57.4
Total Take	49.7	54.1	36.4	57.4	49.7	34.2	40.8	41.9	36.4	27.6	46.4	40.8	110.4	625.8
ESTIMATED SEASONALLY ADJUSTED HARVEST AND TAKE BY COMMUNITY (EXPANDED)														
Harvest	58.7	63.9	40.4	67.8	57.4	36.5	41.7	49.5	31.3	22.2	53.5	45.6		568.4
Struck and Lost	0.0	0.0	3.7	0.0	1.9	5.6	9.3	0.0	16.7	14.8	1.9	3.7		57.4
Total Take	58.7	63.9	44.1	67.8	59.2	42.1	51.0	49.5	48.0	37.0	55.3	49.3		625.8
Total Take (%)	9.4%	10.2%	7.0%	10.8%	9.5%	6.7%	8.1%	7.9%	7.7%	5.9%	8.8%	7.9%		100%
Cumulative Take	58.7	122.6	166.7	234.5	293.7	335.7	386.7	436.3	484.2	521.2	576.5	625.8		
Cum. Take (%)	9.4%	19.6%	26.6%	37.5%	46.9%	53.6%	61.8%	69.7%	77.4%	83.3%	92.1%	100.0%		


HARBOR SEAL HARVEST BY AGE AND SEX

	Reported		Estimated	
	By Sample (Unexpanded)	Percent	By Community (Expanded)	Percent
Adult Male	180	35.0%	198.7	35.0%
Adult Female	100	19.4%	110.4	19.4%
Adult Unknown Sex	102	19.8%	112.6	19.8%
Juvenile Male	6	1.2%	6.6	1.2%
Juvenile Female	3	0.6%	3.3	0.6%
Juvenile Unknown Sex	16	3.1%	17.7	3.1%
Pup Male	0	0.0%	0.0	0.0%
Pup Female	0	0.0%	0.0	0.0%
Pup Unknown Sex	11	2.1%	12.1	2.1%
Male Unknown Age	2	0.4%	2.2	0.4%
Female Unknown Age	0	0.0%	0.0	0.0%
Unknown Sex and Age	95	18.4%	104.9	18.4%
Total	515	100.0%	568.4	100.0%


SOURCE: Alaska Department of Fish and Game, Division of Subsistence, Subsistence Study and Monitor System for Sea Lions and Harbor Seals in Alaska, with assistance from the Yakutat ANB/ANS, Yakutat Native Association, and Yak-Tat Kwaan, Inc., 1994.

FIGURE 32. HARBOR SEAL (*Phoca vitulina*) TAKE ESTIMATES: YAKUTAT, 1993


A. Percentage Seasonally Adjusted Take By Month



B. Seasonally Adjusted Take By Month



C. Cumulative Seasonally Adjusted Take By Month



SOURCE: Alaska Department of Fish and Game, Division of Subsistence, Subsistence Study and Monitor System for Sea Lions and Harbor Seals in Alaska, with assistance from the Yakutat ANB/ANS, Yakutat Native Association, and Yak-Tat Kwaan, Inc., 1994.

C-66

NORTH PACIFIC RIM

C-67

TABLE 33. SEA LION (*Eumetopias jubatus*) HARVEST AND TAKE ESTIMATES: CHENEGA BAY, 1993

SAMPLING DESIGN: CENSUS

Total Native Households	21
Surveyed Households	19
Sampling Fraction	90.5%
Sample Household Members	74
Estimated Household Members	81.8

SEA LION HARVEST AND USE INFORMATION

Percent Of Native Households:

Used	63.2%
Hunted	31.6%
Harvested	26.3%
Received	52.6%
Gave Away	26.3%

Estimated Community Harvest and Take (Expanded):

Total Number Harvested	11.1
Total Number Struck and Lost	6.6
Total Number Taken	17.7
Number Harvested Per Capita	0.14

SEA LION HARVEST BY SEASON

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Unknown Month	Total
REPORTED HARVEST AND TAKE BY SAMPLED HOUSEHOLDS (UNEXPANDED)														
Harvest	2	1	0	0	0	0	0	1	1	0	3	2	0	10
Struck and Lost	0	0	0	0	0	0	0	0	1	0	3	0	2	6
Total Take	2	1	0	0	0	0	0	1	2	0	6	2	2	16
ESTIMATED HARVEST AND TAKE BY COMMUNITY (EXPANDED)														
Harvest	2.2	1.1	0.0	0.0	0.0	0.0	0.0	1.1	1.1	0.0	3.3	2.2	0.0	11.1
Struck and Lost	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1	0.0	3.3	0.0	2.2	6.6
Total Take	2.2	1.1	0.0	0.0	0.0	0.0	0.0	1.1	2.2	0.0	6.6	2.2	2.2	17.7
ESTIMATED SEASONALLY ADJUSTED HARVEST AND TAKE BY COMMUNITY (EXPANDED)														
Harvest	2.2	1.1	0.0	0.0	0.0	0.0	0.0	1.1	1.1	0.0	3.3	2.2		11.1
Struck and Lost	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.7	0.0	5.0	0.0		6.6
Total Take	2.2	1.1	0.0	0.0	0.0	0.0	0.0	1.1	2.8	0.0	8.3	2.2		17.7
Total Take (%)	12.5%	6.2%	0.0%	0.0%	0.0%	0.0%	0.0%	6.2%	15.6%	0.0%	46.9%	12.5%		100%
Cumulative Take	2.2	3.3	3.3	3.3	3.3	3.3	3.3	4.4	7.2	7.2	15.5	17.7		
Cum. Take (%)	12.5%	18.8%	18.8%	18.8%	18.8%	18.8%	18.8%	25.0%	40.6%	40.6%	87.5%	100.0%		


SEA LION HARVEST BY AGE AND SEX

	Reported		Estimated	
	By Sample (Unexpanded)	Percent	By Community (Expanded)	Percent
Adult Male	2	20.0%	2.2	20.0%
Adult Female	1	10.0%	1.1	10.0%
Adult Unknown Sex	0	0.0%	0.0	0.0%
Juvenile Male	2	20.0%	2.2	20.0%
Juvenile Female	2	20.0%	2.2	20.0%
Juvenile Unknown Sex	2	20.0%	2.2	20.0%
Pup Male	0	0.0%	0.0	0.0%
Pup Female	0	0.0%	0.0	0.0%
Pup Unknown Sex	0	0.0%	0.0	0.0%
Male Unknown Age	0	0.0%	0.0	0.0%
Female Unknown Age	0	0.0%	0.0	0.0%
Unknown Sex and Age	1	10.0%	1.1	10.0%
Total	10	100.0%	11.1	100.0%


SOURCE: Alaska Department of Fish and Game, Division of Subsistence, Subsistence Study and Monitor System for Sea Lions and Harbor Seals in Alaska, with assistance from the Chenega Bay IRA Council, 1994.

FIGURE 33. SEA LION (*Eumetopias jubatus*) TAKE ESTIMATES: CHENEGA BAY, 1993


A. Percentage Seasonally Adjusted Take By Month



B. Seasonally Adjusted Take By Month



C. Cumulative Seasonally Adjusted Take By Month



SOURCE: Alaska Department of Fish and Game, Division of Subsistence, Subsistence Study and Monitor System for Sea Lions and Harbor Seals in Alaska, with assistance from the Chenega Bay IRA Council, 1994.

TABLE 34. HARBOR SEAL (*Phoca vitulina*) HARVEST AND TAKE ESTIMATES: CHENEGA BAY, 1993

SAMPLING DESIGN: CENSUS

Total Native Households	21
Surveyed Households	19
Sampling Fraction	90.5%
Sample Household Members	74
Estimated Household Members	81.8

HARBOR SEAL HARVEST AND USE INFORMATION

Percent Of Native Households:

Used	84.2%
Hunted	63.2%
Harvested	57.9%
Received	78.9%
Gave Away	47.4%

Estimated Community Harvest and Take (Expanded):

Total Number Harvested	60.8
Total Number Struck and Lost	2.2
Total Number Taken	63.0
Number Harvested Per Capita	0.74

HARBOR SEAL HARVEST BY SEASON													Unknown	
	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Month	Total
REPORTED HARVEST AND TAKE BY SAMPLED HOUSEHOLDS (UNEXPANDED)														
Harvest	4	0	0	0	5	3	2	13	7	0	12	6	3	55
Struck and Lost	0	0	0	0	0	0	0	0	0	0	0	0	2	2
Total Take	4	0	0	0	5	3	2	13	7	0	12	6	5	57
ESTIMATED HARVEST AND TAKE BY COMMUNITY (EXPANDED)														
Harvest	4.4	0.0	0.0	0.0	5.5	3.3	2.2	14.4	7.7	0.0	13.3	6.6	3.3	60.8
Struck and Lost	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.2	2.2
Total Take	4.4	0.0	0.0	0.0	5.5	3.3	2.2	14.4	7.7	0.0	13.3	6.6	5.5	63.0
ESTIMATED SEASONALLY ADJUSTED HARVEST AND TAKE BY COMMUNITY (EXPANDED)														
Harvest	4.7	0.0	0.0	0.0	5.8	3.5	2.3	15.2	8.2	0.0	14.0	7.0		60.8
Struck and Lost	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	2.2
Total Take	4.9	0.2	0.2	0.2	6.0	3.7	2.5	15.4	8.4	0.2	14.2	7.2		63.0
Total Take (%)	7.7%	0.3%	0.3%	0.3%	9.6%	5.9%	4.0%	24.4%	13.3%	0.3%	22.6%	11.4%		100%
Cumulative Take	4.9	5.0	5.2	5.4	11.4	15.1	17.7	33.0	41.4	41.6	55.8	63.0		
Cum. Take (%)	7.7%	8.0%	8.3%	8.6%	18.2%	24.0%	28.0%	52.4%	65.7%	66.0%	88.6%	100.0%		


HARBOR SEAL HARVEST BY AGE AND SEX

	Reported		Estimated	
	By Sample (Unexpanded)	Percent	By Community (Expanded)	Percent
Adult Male	9	16.4%	9.9	16.4%
Adult Female	4	7.3%	4.4	7.3%
Adult Unknown Sex	14	25.5%	15.5	25.5%
Juvenile Male	4	7.3%	4.4	7.3%
Juvenile Female	3	5.5%	3.3	5.5%
Juvenile Unknown Sex	14	25.5%	15.5	25.5%
Pup Male	1	1.8%	1.1	1.8%
Pup Female	1	1.8%	1.1	1.8%
Pup Unknown Sex	2	3.6%	2.2	3.6%
Male Unknown Age	0	0.0%	0.0	0.0%
Female Unknown Age	0	0.0%	0.0	0.0%
Unknown Sex and Age	3	5.5%	3.3	5.5%
Total	55	100.0%	60.8	100.0%


SOURCE: Alaska Department of Fish and Game, Division of Subsistence, Subsistence Study and Monitor System for Sea Lions and Harbor Seals in Alaska, with assistance from the Chenega Bay IRA Council, 1994.

FIGURE 34. HARBOR SEAL (*Phoca vitulina*) TAKE ESTIMATES: CHENEGA BAY, 1993


A. Percentage Seasonally Adjusted Take By Month



B. Seasonally Adjusted Take By Month



C. Cumulative Seasonally Adjusted Take By Month



SOURCE: Alaska Department of Fish and Game, Division of Subsistence, Subsistence Study and Monitor System for Sea Lions and Harbor Seals in Alaska, with assistance from the Chenega Bay IRA Council, 1994.

TABLE 35. SEA LION (*Eumetopias jubatus*) HARVEST AND TAKE ESTIMATES: CORDOVA, 1993

SAMPLING DESIGN: THREE STRATA

	Active	Other	Total
Total Native Households	13	168	181
Surveyed Households	9	19	28
Sampling Fraction	69.2%	11.3%	15.5%
Sample Household Members	26	43	69
Estimated Household Members	37.5	380.2	417.7

SEA LION HARVEST AND USE INFORMATION

Percent Of Native Households:

Used	0.8%
Hunted	0.8%
Harvested	0.8%
Received	0.0%
Gave Away	0.8%

Estimated Community Harvest and Take (Expanded):

Total Number Harvested	1.5
Total Number Struck and Lost	0.0
Total Number Taken	1.5
Number Harvested Per Capita	0.00

SEA LION HARVEST BY SEASON

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Unknown Month	Total
REPORTED HARVEST BY SAMPLED HOUSEHOLDS (UNEXPANDED)														
Harvest	0	0	0	1	0	0	0	0	0	0	0	0	0	1
Struck and Lost	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Total Take	0	0	0	1	0	0	0	0	0	0	0	0	0	1
ESTIMATED HARVEST BY COMMUNITY (EXPANDED)														
Harvest	0.0	0.0	0.0	1.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.5
Struck and Lost	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total Take	0.0	0.0	0.0	1.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.5
ESTIMATED SEASONALLY ADJUSTED HARVEST BY COMMUNITY (EXPANDED)														
Harvest	0.0	0.0	0.0	1.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.5
Struck and Lost	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total Take	0.0	0.0	0.0	1.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.5
Total Take (%)	0.0%	0.0%	0.0%	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	100%
Cumulative Take	0.0	0.0	0.0	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	
Cum. Take (%)	0.0%	0.0%	0.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	


SEA LION HARVEST BY AGE AND SEX

	Reported		Estimated	
	By Sample (Unexpanded)	Percent	By Community (Expanded)	Percent
Adult Male	0	0.0%	0.0	0.0%
Adult Female	0	0.0%	0.0	0.0%
Adult Unknown Sex	1	100.0%	1.5	100.0%
Juvenile Male	0	0.0%	0.0	0.0%
Juvenile Female	0	0.0%	0.0	0.0%
Juvenile Unknown Sex	0	0.0%	0.0	0.0%
Pup Male	0	0.0%	0.0	0.0%
Pup Female	0	0.0%	0.0	0.0%
Pup Unknown Sex	0	0.0%	0.0	0.0%
Male Unknown Age	0	0.0%	0.0	0.0%
Female Unknown Age	0	0.0%	0.0	0.0%
Unknown Sex and Age	0	0.0%	0.0	0.0%
Total	1	100.0%	1.5	100.0%


SOURCE: Alaska Department of Fish and Game, Division of Subsistence, Subsistence Study and Monitor System for Sea Lions and Harbor Seals in Alaska, with assistance from the Traditional Village of Eyak, 1994.

FIGURE 35. SEA LION (*Eumetopias jubatus*) TAKE ESTIMATES: CORDOVA, 1993


A. Percentage Seasonally Adjusted Take By Month



B. Seasonally Adjusted Take By Month



C. Cumulative Seasonally Adjusted Take By Month



SOURCE: Alaska Department of Fish and Game, Division of Subsistence, Subsistence Study and Monitor System for Sea Lions and Harbor Seals in Alaska, with assistance from the Traditional Village of Eyak, 1994.

TABLE 36. HARBOR SEAL (*Phoca vitulina*) HARVEST AND TAKE ESTIMATES: CORDOVA, 1993

SAMPLING DESIGN: THREE STRATA

	Active	Other	Total
Total Native Households	13	168	181
Surveyed Households	9	19	28
Sampling Fraction	69.2%	11.3%	15.5%
Sample Household Members	26	43	69
Estimated Household Members	37.5	380.2	417.7

HARBOR SEAL HARVEST AND USE INFORMATION

Percent Of Native Households:

Used	44.7%
Hunted	16.2%
Harvested	8.1%
Received	44.7%
Gave Away	18.6%

Estimated Community Harvest and Take (Expanded):

Total Number Harvested	147.4
Total Number Struck and Lost	5.5
Total Number Taken	152.9
Number Harvested Per Capita	0.35

HARBOR SEAL HARVEST BY SEASON

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Unknown Month	Total
REPORTED HARVEST BY SAMPLED HOUSEHOLDS (UNEXPANDED)														
Harvest	0	0	0	0	0	0	0	0	16	44	38	9	0	107
Struck and Lost	0	0	0	0	0	0	0	0	1	2	2	0	0	5
Total Take	0	0	0	0	0	0	0	0	17	46	40	9	0	112
ESTIMATED HARVEST BY COMMUNITY (EXPANDED)														
Harvest	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	23.8	60.7	49.3	13.5	0.0	147.4
Struck and Lost	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	2.0	2.5	0.0	0.0	5.5
Total Take	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	24.8	62.7	51.8	13.5	0.0	152.9
ESTIMATED SEASONALLY ADJUSTED HARVEST BY COMMUNITY (EXPANDED)														
Harvest	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	23.8	60.7	49.3	13.5		147.4
Struck and Lost	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	2.0	2.5	0.0		5.5
Total Take	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	24.8	62.7	51.8	13.5		152.9
Total Take (%)	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	16.3%	41.0%	33.9%	8.8%		100%
Cumulative Take	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	24.8	87.5	139.4	152.9		
Cum. Take (%)	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	16.3%	57.3%	91.2%	100.0%		


HARBOR SEAL HARVEST BY AGE AND SEX

	Reported		Estimated	
	By Sample (Unexpanded)	Percent	By Community (Expanded)	Percent
Adult Male	69	64.5%	93.2	63.2%
Adult Female	27	25.2%	35.3	24.0%
Adult Unknown Sex	0	0.0%	0.0	0.0%
Juvenile Male	6	5.6%	13.8	9.4%
Juvenile Female	0	0.0%	0.0	0.0%
Juvenile Unknown Sex	0	0.0%	0.0	0.0%
Pup Male	0	0.0%	0.0	0.0%
Pup Female	0	0.0%	0.0	0.0%
Pup Unknown Sex	0	0.0%	0.0	0.0%
Male Unknown Age	5	4.7%	5.0	3.4%
Female Unknown Age	0	0.0%	0.0	0.0%
Unknown Sex and Age	0	0.0%	0.0	0.0%
Total	107	100.0%	147.4	100.0%


SOURCE: Alaska Department of Fish and Game, Division of Subsistence, Subsistence Study and Monitor System for Sea Lions and Harbor Seals in Alaska, with assistance from the Traditional Village of Eyak, 1994.

FIGURE 36. HARBOR SEAL (*Phoca vitulina*) TAKE ESTIMATES: CORDOVA, 1993


A. Percentage Seasonally Adjusted Take By Month



B. Seasonally Adjusted Take By Month



C. Cumulative Seasonally Adjusted Take By Month



SOURCE: Alaska Department of Fish and Game, Division of Subsistence, Subsistence Study and Monitor System for Sea Lions and Harbor Seals in Alaska, with assistance from the Traditional Village of Eyak, 1994.

TABLE 37. SEA LION (*Eumetopias jubatus*) HARVEST AND TAKE ESTIMATES: NANWALEK, 1993

SAMPLING DESIGN: CENSUS

Total Native Households	36
Surveyed Households	33
Sampling Fraction	91.7%
Sample Household Members	129
Estimated Household Members	140.7

SEA LION HARVEST AND USE INFORMATION

Percent Of Native Households:

Used	81.8%
Hunted	21.2%
Harvested	12.1%
Received	81.8%
Gave Away	75.8%

Estimated Community Harvest and Take (Expanded):

Total Number Harvested	8.7
Total Number Struck and Lost	1.1
Total Number Taken	9.8
Number Harvested Per Capita	0.06

SEA LION HARVEST BY SEASON

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Unknown Month	Total
REPORTED HARVEST AND TAKE BY SAMPLED HOUSEHOLDS (UNEXPANDED)														
Harvest	0	0	0	0	0	1	1	0	0	0	1	1	4	8
Struck and Lost	0	0	0	0	0	1	0	0	0	0	0	0	0	1
Total Take	0	0	0	0	0	2	1	0	0	0	1	1	4	9
ESTIMATED HARVEST AND TAKE BY COMMUNITY (EXPANDED)														
Harvest	0.0	0.0	0.0	0.0	0.0	1.1	1.1	0.0	0.0	0.0	1.1	1.1	4.4	8.7
Struck and Lost	0.0	0.0	0.0	0.0	0.0	1.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1
Total Take	0.0	0.0	0.0	0.0	0.0	2.2	1.1	0.0	0.0	0.0	1.1	1.1	4.4	9.8
ESTIMATED SEASONALLY ADJUSTED HARVEST AND TAKE BY COMMUNITY (EXPANDED)														
Harvest	0.0	0.0	0.0	0.0	0.0	2.2	2.2	0.0	0.0	0.0	2.2	2.2		8.7
Struck and Lost	0.0	0.0	0.0	0.0	0.0	1.1	0.0	0.0	0.0	0.0	0.0	0.0		1.1
Total Take	0.0	0.0	0.0	0.0	0.0	3.3	2.2	0.0	0.0	0.0	2.2	2.2		9.8
Total Take (%)	0.0%	0.0%	0.0%	0.0%	0.0%	33.3%	22.2%	0.0%	0.0%	0.0%	22.2%	22.2%		100%
Cumulative Take	0.0	0.0	0.0	0.0	0.0	3.3	5.5	5.5	5.5	5.5	7.6	9.8		
Cum. Take (%)	0.0%	0.0%	0.0%	0.0%	0.0%	33.3%	55.6%	55.6%	55.6%	55.6%	77.8%	100.0%		


SEA LION HARVEST BY AGE AND SEX

	Reported		Estimated	
	By Sample (Unexpanded)	Percent	By Community (Expanded)	Percent
Adult Male	3	37.5%	3.3	37.5%
Adult Female	0	0.0%	0.0	0.0%
Adult Unknown Sex	4	50.0%	4.4	50.0%
Juvenile Male	0	0.0%	0.0	0.0%
Juvenile Female	1	12.5%	1.1	12.5%
Juvenile Unknown Sex	0	0.0%	0.0	0.0%
Pup Male	0	0.0%	0.0	0.0%
Pup Female	0	0.0%	0.0	0.0%
Pup Unknown Sex	0	0.0%	0.0	0.0%
Male Unknown Age	0	0.0%	0.0	0.0%
Female Unknown Age	0	0.0%	0.0	0.0%
Unknown Sex and Age	0	0.0%	0.0	0.0%
Total	8	100.0%	8.7	100.0%


SOURCE: Alaska Department of Fish and Game, Division of Subsistence, Subsistence Study and Monitor System for Sea Lions and Harbor Seals in Alaska, with assistance from the Nanwalek Traditional Council and English Bay Corporation, 1994.

FIGURE 37. SEA LION (*Eumetopias jubatus*) TAKE ESTIMATES: NANWALEK, 1993


A. Percentage Seasonally Adjusted Take By Month



B. Seasonally Adjusted Take By Month



C. Cumulative Seasonally Adjusted Take By Month



SOURCE: Alaska Department of Fish and Game, Division of Subsistence, Subsistence Study and Monitor System for Sea Lions and Harbor Seals in Alaska, with assistance from the Nanwalek Traditional Council and English Bay Corporation, 1994.

TABLE 38. HARBOR SEAL (*Phoca vitulina*) HARVEST AND TAKE ESTIMATES: NANWALEK, 1993

SAMPLING DESIGN: CENSUS

Total Native Households	36
Surveyed Households	33
Sampling Fraction	91.7%
Sample Household Members	129
Estimated Household Members	140.7

HARBOR SEAL HARVEST AND USE INFORMATION

Percent Of Native Households:

Used	97.0%
Hunted	39.4%
Harvested	30.3%
Received	93.9%
Gave Away	90.9%

Estimated Community Harvest and Take (Expanded):

Total Number Harvested	29.5
Total Number Struck and Lost	3.3
Total Number Taken	32.7
Number Harvested Per Capita	0.21

HARBOR SEAL HARVEST BY SEASON

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Unknown Month	Total
REPORTED HARVEST AND TAKE BY SAMPLED HOUSEHOLDS (UNEXPANDED)														
Harvest	0	1	0	0	5	5	7	2	1	2	0	2	2	27
Struck and Lost	0	0	0	0	3	0	0	0	0	0	0	0	0	3
Total Take	0	1	0	0	8	5	7	2	1	2	0	2	2	30
ESTIMATED HARVEST AND TAKE BY COMMUNITY (EXPANDED)														
Harvest	0.0	1.1	0.0	0.0	5.5	5.5	7.6	2.2	1.1	2.2	0.0	2.2	2.2	29.5
Struck and Lost	0.0	0.0	0.0	0.0	3.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.3
Total Take	0.0	1.1	0.0	0.0	8.7	5.5	7.6	2.2	1.1	2.2	0.0	2.2	2.2	32.7
ESTIMATED SEASONALLY ADJUSTED HARVEST AND TAKE BY COMMUNITY (EXPANDED)														
Harvest	0.0	1.2	0.0	0.0	5.9	5.9	8.2	2.4	1.2	2.4	0.0	2.4		29.5
Struck and Lost	0.0	0.0	0.0	0.0	3.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0		3.3
Total Take	0.0	1.2	0.0	0.0	9.2	5.9	8.2	2.4	1.2	2.4	0.0	2.4		32.7
Total Take (%)	0.0%	3.6%	0.0%	0.0%	28.0%	18.0%	25.2%	7.2%	3.6%	7.2%	0.0%	7.2%		100%
Cumulative Take	0.0	1.2	1.2	1.2	10.3	16.2	24.5	26.8	28.0	30.4	30.4	32.7		
Cum. Take (%)	0.0%	3.6%	3.6%	3.6%	31.6%	49.6%	74.8%	82.0%	85.6%	92.8%	92.8%	100.0%		


HARBOR SEAL HARVEST BY AGE AND SEX

	Reported		Estimated	
	By Sample (Unexpanded)	Percent	By Community (Expanded)	Percent
Adult Male	9	33.3%	9.8	33.3%
Adult Female	1	3.7%	1.1	3.7%
Adult Unknown Sex	7	25.9%	7.6	25.9%
Juvenile Male	6	22.2%	6.5	22.2%
Juvenile Female	3	11.1%	3.3	11.1%
Juvenile Unknown Sex	1	3.7%	1.1	3.7%
Pup Male	0	0.0%	0.0	0.0%
Pup Female	0	0.0%	0.0	0.0%
Pup Unknown Sex	0	0.0%	0.0	0.0%
Male Unknown Age	0	0.0%	0.0	0.0%
Female Unknown Age	0	0.0%	0.0	0.0%
Unknown Sex and Age	0	0.0%	0.0	0.0%
Total	27	100.0%	29.5	100.0%


SOURCE: Alaska Department of Fish and Game, Division of Subsistence, Subsistence Study and Monitor System for Sea Lions and Harbor Seals in Alaska, with assistance from the Nanwalek Traditional Council and English Bay Corporation, 1994.

FIGURE 38. HARBOR SEAL (*Phoca vitulina*) TAKE ESTIMATES: NANWALEK, 1993


A. Percentage Seasonally Adjusted Take By Month



B. Seasonally Adjusted Take By Month



C. Cumulative Seasonally Adjusted Take By Month



SOURCE: Alaska Department of Fish and Game, Division of Subsistence, Subsistence Study and Monitor System for Sea Lions and Harbor Seals in Alaska, with assistance from the Nanwalek Traditional Council and English Bay Corporation, 1994.

TABLE 39. SEA LION (*Eumetopias jubatus*) HARVEST AND TAKE ESTIMATES: PORT GRAHAM, 1993

SAMPLING DESIGN: CENSUS

Total Native Households	59
Surveyed Households	56
Sampling Fraction	94.9%
Sample Household Members	155
Estimated Household Members	163.3

SEA LION HARVEST AND USE INFORMATION

Percent Of Native Households:

Used	12.5%
Hunted	7.1%
Harvested	1.8%
Received	12.5%
Gave Away	3.6%

Estimated Community Harvest and Take (Expanded):

Total Number Harvested	1.1
Total Number Struck and Lost	0.0
Total Number Taken	1.1
Number Harvested Per Capita	0.01

SEA LION HARVEST BY SEASON

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Unknown Month	Total
REPORTED HARVEST AND TAKE BY SAMPLED HOUSEHOLDS (UNEXPANDED)														
Harvest	1	0	0	0	0	0	0	0	0	0	0	0	0	1
Struck and Lost	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Total Take	1	0	0	0	0	0	0	0	0	0	0	0	0	1
ESTIMATED HARVEST AND TAKE BY COMMUNITY (EXPANDED)														
Harvest	1.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1
Struck and Lost	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total Take	1.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1
ESTIMATED SEASONALLY ADJUSTED HARVEST AND TAKE BY COMMUNITY (EXPANDED)														
Harvest	1.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1
Struck and Lost	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total Take	1.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1
Total Take (%)	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	100%
Cumulative Take	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	
Cum. Take (%)	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	


SEA LION HARVEST BY AGE AND SEX

	Reported		Estimated	
	By Sample (Unexpanded)	Percent	By Community (Expanded)	Percent
Adult Male	0	0.0%	0.0	0.0%
Adult Female	0	0.0%	0.0	0.0%
Adult Unknown Sex	0	0.0%	0.0	0.0%
Juvenile Male	1	100.0%	1.1	100.0%
Juvenile Female	0	0.0%	0.0	0.0%
Juvenile Unknown Sex	0	0.0%	0.0	0.0%
Pup Male	0	0.0%	0.0	0.0%
Pup Female	0	0.0%	0.0	0.0%
Pup Unknown Sex	0	0.0%	0.0	0.0%
Male Unknown Age	0	0.0%	0.0	0.0%
Female Unknown Age	0	0.0%	0.0	0.0%
Unknown Sex and Age	0	0.0%	0.0	0.0%
Total	1	100.0%	1.1	100.0%


SOURCE: Alaska Department of Fish and Game, Division of Subsistence, Subsistence Study and Monitor System for Sea Lions and Harbor Seals in Alaska, with assistance from the Port Graham Village Council and Port Graham Corporation, 1994.

FIGURE 39. SEA LION (*Eumetopias jubatus*) TAKE ESTIMATES: PORT GRAHAM, 1993


A. Percentage Seasonally Adjusted Take By Month



B. Seasonally Adjusted Take By Month



C. Cumulative Seasonally Adjusted Take By Month



SOURCE: Alaska Department of Fish and Game, Division of Subsistence, Subsistence Study and Monitor System for Sea Lions and Harbor Seals in Alaska, with assistance from the Port Graham Village Council and Port Graham Corporation, 1994.

TABLE 40. HARBOR SEAL (*Phoca vitulina*) HARVEST AND TAKE ESTIMATES: PORT GRAHAM, 1993

SAMPLING DESIGN: CENSUS

Total Native Households	59
Surveyed Households	56
Sampling Fraction	94.9%
Sample Household Members	155
Estimated Household Members	163.3

HARBOR SEAL HARVEST AND USE INFORMATION

Percent Of Native Households:

Used	89.3%
Hunted	33.9%
Harvested	26.8%
Received	89.3%
Gave Away	26.8%

Estimated Community Harvest and Take (Expanded):

Total Number Harvested	31.6
Total Number Struck and Lost	3.2
Total Number Taken	34.8
Number Harvested Per Capita	0.19

	HARBOR SEAL HARVEST BY SEASON												Total	
	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec		Unknown Month
REPORTED HARVEST AND TAKE BY SAMPLED HOUSEHOLDS (UNEXPANDED)														
Harvest	1	4	9	1	0	1	0	2	3	0	0	7	2	30
Struck and Lost	0	0	0	1	0	0	0	1	1	0	0	0	0	3
Total Take	1	4	9	2	0	1	0	3	4	0	0	7	2	33
ESTIMATED HARVEST AND TAKE BY COMMUNITY (EXPANDED)														
Harvest	1.1	4.2	9.5	1.1	0.0	1.1	0.0	2.1	3.2	0.0	0.0	7.4	2.1	31.6
Struck and Lost	0.0	0.0	0.0	1.1	0.0	0.0	0.0	1.1	1.1	0.0	0.0	0.0	0.0	3.2
Total Take	1.1	4.2	9.5	2.1	0.0	1.1	0.0	3.2	4.2	0.0	0.0	7.4	2.1	34.8
ESTIMATED SEASONALLY ADJUSTED HARVEST AND TAKE BY COMMUNITY (EXPANDED)														
Harvest	1.1	4.5	10.2	1.1	0.0	1.1	0.0	2.3	3.4	0.0	0.0	7.9		31.6
Struck and Lost	0.0	0.0	0.0	1.1	0.0	0.0	0.0	1.1	1.1	0.0	0.0	0.0		3.2
Total Take	1.1	4.5	10.2	2.2	0.0	1.1	0.0	3.3	4.4	0.0	0.0	7.9		34.8
Total Take (%)	3.2%	13.0%	29.2%	6.3%	0.0%	3.2%	0.0%	9.5%	12.8%	0.0%	0.0%	22.7%		100%
Cumulative Take	1.1	5.6	15.8	18.0	18.0	19.1	19.1	22.4	26.9	26.9	26.9	34.8		
Cum. Take (%)	3.2%	16.2%	45.5%	51.7%	51.7%	55.0%	55.0%	64.5%	77.3%	77.3%	77.3%	100.0%		


HARBOR SEAL HARVEST BY AGE AND SEX

	Reported		Estimated	
	By Sample (Unexpanded)	Percent	By Community (Expanded)	Percent
Adult Male	6	20.0%	6.3	20.0%
Adult Female	7	23.3%	7.4	23.3%
Adult Unknown Sex	5	16.7%	5.3	16.7%
Juvenile Male	5	16.7%	5.3	16.7%
Juvenile Female	2	6.7%	2.1	6.7%
Juvenile Unknown Sex	2	6.7%	2.1	6.7%
Pup Male	0	0.0%	0.0	0.0%
Pup Female	0	0.0%	0.0	0.0%
Pup Unknown Sex	0	0.0%	0.0	0.0%
Male Unknown Age	2	6.7%	2.1	6.7%
Female Unknown Age	0	0.0%	0.0	0.0%
Unknown Sex and Age	1	3.3%	1.1	3.3%
Total	30	100.0%	31.6	100.0%


SOURCE: Alaska Department of Fish and Game, Division of Subsistence, Subsistence Study and Monitor System for Sea Lions and Harbor Seals in Alaska, with assistance from the Port Graham Village Council and Port Graham Corporation, 1994.

FIGURE 40. HARBOR SEAL (*Phoca vitulina*) TAKE ESTIMATES: PORT GRAHAM, 1993


A. Percentage Seasonally Adjusted Take By Month



B. Seasonally Adjusted Take By Month



C. Cumulative Seasonally Adjusted Take By Month



SOURCE: Alaska Department of Fish and Game, Division of Subsistence, Subsistence Study and Monitor System for Sea Lions and Harbor Seals in Alaska, with assistance from the Port Graham Village Council and Port Graham Corporation, 1994.

TABLE 41. SEA LION (*Eumetopias jubatus*) HARVEST AND TAKE ESTIMATES: SELDOVIA, 1993

SAMPLING DESIGN: TWO STRATA

	Active	Other	Total
Total Native Households	5	49	54
Surveyed Households	5	25	30
Sampling Fraction	100.0%	51.0%	55.6%
Sample Household Members	14	65	79
Estimated Household Members	14.0	127.4	141.4

SEA LION HARVEST AND USE INFORMATION

Percent Of Native Households:

Used	3.6%
Hunted	3.6%
Harvested	0.0%
Received	3.6%
Gave Away	3.6%

Estimated Community Harvest and Take (Expanded):

Total Number Harvested	0.0
Total Number Struck and Lost	0.0
Total Number Taken	0.0
Number Harvested Per Capita	0.00

SEA LION HARVEST BY SEASON

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Unknown Month	Total
REPORTED HARVEST AND TAKE BY SAMPLED HOUSEHOLDS (UNEXPANDED)														
Harvest	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Struck and Lost	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Total Take	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ESTIMATED HARVEST AND TAKE BY COMMUNITY (EXPANDED)														
Harvest	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Struck and Lost	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total Take	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
ESTIMATED SEASONALLY ADJUSTED HARVEST AND TAKE BY COMMUNITY (EXPANDED)														
Harvest	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Struck and Lost	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total Take	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total Take (%)	---	---	---	---	---	---	---	---	---	---	---	---	---	---
Cumulative Take	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Cum. Take (%)	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%


SEA LION HARVEST BY AGE AND SEX

	Reported		Estimated	
	By Sample (Unexpanded)	Percent	By Community (Expanded)	Percent
Adult Male	0	---	0.0	---
Adult Female	0	---	0.0	---
Adult Unknown Sex	0	---	0.0	---
Juvenile Male	0	---	0.0	---
Juvenile Female	0	---	0.0	---
Juvenile Unknown Sex	0	---	0.0	---
Pup Male	0	---	0.0	---
Pup Female	0	---	0.0	---
Pup Unknown Sex	0	---	0.0	---
Male Unknown Age	0	---	0.0	---
Female Unknown Age	0	---	0.0	---
Unknown Sex and Age	0	---	0.0	---
Total	0	---	0.0	---


SOURCE: Alaska Department of Fish and Game, Division of Subsistence, Subsistence Study and Monitor System for Sea Lions and Harbor Seals in Alaska, with assistance from the Seldovia Native Association, 1994.

FIGURE 41. SEA LION (*Eumetopias jubatus*) TAKE ESTIMATES: SELDOVIA, 1993


A. Percentage Seasonally Adjusted Take By Month



B. Seasonally Adjusted Take By Month



C. Cumulative Seasonally Adjusted Take By Month



SOURCE: Alaska Department of Fish and Game, Division of Subsistence, Subsistence Study and Monitor System for Sea Lions and Harbor Seals in Alaska, with assistance from the Seldovia Native Association, 1994.

TABLE 42. HARBOR SEAL (*Phoca vitulina*) HARVEST AND TAKE ESTIMATES: SELDOVIA, 1993

SAMPLING DESIGN: TWO STRATA

	Active	Other	Total
Total Native Households	5	49	54
Surveyed Households	5	25	30
Sampling Fraction	100.0%	51.0%	55.6%
Sample Household Members	14	65	79
Estimated Household Members	14.0	127.4	141.4

HARBOR SEAL HARVEST AND USE INFORMATION

Percent Of Native Households:

Used	34.6%
Hunted	18.3%
Harvested	11.0%
Received	27.3%
Gave Away	14.6%

Estimated Community Harvest and Take (Expanded):

Total Number Harvested	7.9
Total Number Struck and Lost	4.9
Total Number Taken	12.8
Number Harvested Per Capita	0.06

HARBOR SEAL HARVEST BY SEASON

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Unknown Month	Total
REPORTED HARVEST AND TAKE BY SAMPLED HOUSEHOLDS (UNEXPANDED)														
Harvest	0	0	0	0	0	0	2	0	0	2	1	0	0	5
Struck and Lost	0	0	0	0	0	0	2	0	0	0	1	0	0	3
Total Take	0	0	0	0	0	0	4	0	0	2	2	0	0	8
ESTIMATED HARVEST AND TAKE BY COMMUNITY (EXPANDED)														
Harvest	0.0	0.0	0.0	0.0	0.0	0.0	3.9	0.0	0.0	3.0	1.0	0.0	0.0	7.9
Struck and Lost	0.0	0.0	0.0	0.0	0.0	0.0	3.9	0.0	0.0	0.0	1.0	0.0	0.0	4.9
Total Take	0.0	0.0	0.0	0.0	0.0	0.0	7.8	0.0	0.0	3.0	2.0	0.0	0.0	12.8
ESTIMATED SEASONALLY ADJUSTED HARVEST AND TAKE BY COMMUNITY (EXPANDED)														
Harvest	0.0	0.0	0.0	0.0	0.0	0.0	3.9	0.0	0.0	3.0	1.0	0.0		7.9
Struck and Lost	0.0	0.0	0.0	0.0	0.0	0.0	3.9	0.0	0.0	0.0	1.0	0.0		4.9
Total Take	0.0	0.0	0.0	0.0	0.0	0.0	7.8	0.0	0.0	3.0	2.0	0.0		12.8
Total Take (%)	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	61.3%	0.0%	0.0%	23.1%	15.6%	0.0%		100%
Cumulative Take	0.0	0.0	0.0	0.0	0.0	0.0	7.8	7.8	7.8	10.8	12.8	12.8		
Cum. Take (%)	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	61.3%	61.3%	61.3%	84.4%	100.0%	100.0%		


HARBOR SEAL HARVEST BY AGE AND SEX

	Reported		Estimated	
	By Sample (Unexpanded)	Percent	By Community (Expanded)	Percent
Adult Male	1	20.0%	1.0	12.7%
Adult Female	1	20.0%	1.0	12.7%
Adult Unknown Sex	0	0.0%	0.0	0.0%
Juvenile Male	1	20.0%	2.0	24.9%
Juvenile Female	0	0.0%	0.0	0.0%
Juvenile Unknown Sex	0	0.0%	0.0	0.0%
Pup Male	0	0.0%	0.0	0.0%
Pup Female	0	0.0%	0.0	0.0%
Pup Unknown Sex	0	0.0%	0.0	0.0%
Male Unknown Age	0	0.0%	0.0	0.0%
Female Unknown Age	0	0.0%	0.0	0.0%
Unknown Sex and Age	2	40.0%	3.9	49.7%
Total	5	100.0%	7.9	100.0%


SOURCE: Alaska Department of Fish and Game, Division of Subsistence, Subsistence Study and Monitor System for Sea Lions and Harbor Seals in Alaska, with assistance from the Seldovia Native Association, 1994.

FIGURE 42. HARBOR SEAL (*Phoca vitulina*) TAKE ESTIMATES: SELDOVIA, 1993


A. Percentage Seasonally Adjusted Take By Month



B. Seasonally Adjusted Take By Month



C. Cumulative Seasonally Adjusted Take By Month



SOURCE: Alaska Department of Fish and Game, Division of Subsistence, Subsistence Study and Monitor System for Sea Lions and Harbor Seals in Alaska, with assistance from the Seldovia Native Association, 1994.

TABLE 43. SEA LION (*Eumetopias jubatus*) HARVEST AND TAKE ESTIMATES: SEWARD, 1993

SAMPLING DESIGN: TWO STRATA

	Active	Other	Total
Total Native Households	11	145	156
Surveyed Households	9	18	27
Sampling Fraction	81.8%	12.4%	17.3%
Sample Household Members	34	47	81
Estimated Household Members	41.6	378.6	420.2

SEA LION HARVEST AND USE INFORMATION

Percent Of Native Households:

Used	0.0%
Hunted	0.0%
Harvested	0.0%
Received	0.0%
Gave Away	0.0%

Estimated Community Harvest and Take (Expanded):

Total Number Harvested	0.0
Total Number Struck and Lost	0.0
Total Number Taken	0.0
Number Harvested Per Capita	0.00

SEA LION HARVEST BY SEASON

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Unknown Month	Total
REPORTED HARVEST AND TAKE BY SAMPLED HOUSEHOLDS (UNEXPANDED)														
Harvest	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Struck and Lost	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Total Take	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ESTIMATED HARVEST AND TAKE BY COMMUNITY (EXPANDED)														
Harvest	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Struck and Lost	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total Take	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
ESTIMATED SEASONALLY ADJUSTED HARVEST AND TAKE BY COMMUNITY (EXPANDED)														
Harvest	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Struck and Lost	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total Take	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total Take (%)	---	---	---	---	---	---	---	---	---	---	---	---	---	---
Cumulative Take	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Cum. Take (%)	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%


SEA LION HARVEST BY AGE AND SEX

	Reported		Estimated	
	By Sample (Unexpanded)	Percent	By Community (Expanded)	Percent
Adult Male	0	---	0.0	---
Adult Female	0	---	0.0	---
Adult Unknown Sex	0	---	0.0	---
Juvenile Male	0	---	0.0	---
Juvenile Female	0	---	0.0	---
Juvenile Unknown Sex	0	---	0.0	---
Pup Male	0	---	0.0	---
Pup Female	0	---	0.0	---
Pup Unknown Sex	0	---	0.0	---
Male Unknown Age	0	---	0.0	---
Female Unknown Age	0	---	0.0	---
Unknown Sex and Age	0	---	0.0	---
Total	0	---	0.0	---


SOURCE: Alaska Department of Fish and Game, Division of Subsistence, Subsistence Study and Monitor System for Sea Lions and Harbor Seals in Alaska, with assistance from the Qutekcaq Native Tribe, 1994.

FIGURE 43. SEA LION (*Eumetopias jubatus*) TAKE ESTIMATES: SEWARD, 1993


A. Percentage Seasonally Adjusted Take By Month



B. Seasonally Adjusted Take By Month



C. Cumulative Seasonally Adjusted Take By Month



SOURCE: Alaska Department of Fish and Game, Division of Subsistence, Subsistence Study and Monitor System for Sea Lions and Harbor Seals in Alaska, with assistance from the Qutekcaq Native Tribe, 1994.

TABLE 44. HARBOR SEAL (*Phoca vitulina*) HARVEST AND TAKE ESTIMATES: SEWARD, 1993

SAMPLING DESIGN: TWO STRATA

	Active	Other	Total
Total Native Households	11	145	156
Surveyed Households	9	18	27
Sampling Fraction	81.8%	12.4%	17.3%
Sample Household Members	34	47	81
Estimated Household Members	41.6	378.6	420.2

HARBOR SEAL HARVEST AND USE INFORMATION

Percent Of Native Households:

Used	0.8%
Hunted	0.8%
Harvested	0.0%
Received	0.8%
Gave Away	0.0%

Estimated Community Harvest and Take (Expanded):

Total Number Harvested	0.0
Total Number Struck and Lost	0.0
Total Number Taken	0.0
Number Harvested Per Capita	0.00

HARBOR SEAL HARVEST BY SEASON

													Unknown	Total
	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Month	
REPORTED HARVEST AND TAKE BY SAMPLED HOUSEHOLDS (UNEXPANDED)														
Harvest	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Struck and Lost	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Total Take	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ESTIMATED HARVEST AND TAKE BY COMMUNITY (EXPANDED)														
Harvest	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Struck and Lost	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total Take	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
ESTIMATED SEASONALLY ADJUSTED HARVEST AND TAKE BY COMMUNITY (EXPANDED)														
Harvest	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Struck and Lost	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total Take	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total Take (%)	---	---	---	---	---	---	---	---	---	---	---	---	---	---
Cumulative Take	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Cum. Take (%)	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%


HARBOR SEAL HARVEST BY AGE AND SEX

	Reported		Estimated	
	By Sample (Unexpanded)	Percent	By Community (Expanded)	Percent
Adult Male	0	---	0.0	---
Adult Female	0	---	0.0	---
Adult Unknown Sex	0	---	0.0	---
Juvenile Male	0	---	0.0	---
Juvenile Female	0	---	0.0	---
Juvenile Unknown Sex	0	---	0.0	---
Pup Male	0	---	0.0	---
Pup Female	0	---	0.0	---
Pup Unknown Sex	0	---	0.0	---
Male Unknown Age	0	---	0.0	---
Female Unknown Age	0	---	0.0	---
Unknown Sex and Age	0	---	0.0	---
Total	0	---	0.0	---


SOURCE: Alaska Department of Fish and Game, Division of Subsistence, Subsistence Study and Monitor System for Sea Lions and Harbor Seals in Alaska, with assistance from the Qutekcaak Native Tribe, 1994.

FIGURE 44. HARBOR SEAL (*Phoca vitulina*) TAKE ESTIMATES: SEWARD, 1993


A. Percentage Seasonally Adjusted Take By Month



B. Seasonally Adjusted Take By Month



C. Cumulative Seasonally Adjusted Take By Month



SOURCE: Alaska Department of Fish and Game, Division of Subsistence. Subsistence Study and Monitor System for Sea Lions and Harbor Seals in Alaska, with assistance from the Qutekcaq Native Tribe, 1994.

TABLE 45. SEA LION (*Eumetopias jubatus*) HARVEST AND TAKE ESTIMATES: TATITLEK, 1993

SAMPLING DESIGN: CENSUS

Total Native Households	29
Surveyed Households	28
Sampling Fraction	96.6%
Sample Household Members	92
Estimated Household Members	95.3

SEA LION HARVEST AND USE INFORMATION

Percent Of Native Households:

Used	10.7%
Hunted	25.0%
Harvested	7.1%
Received	7.1%
Gave Away	3.6%

Estimated Community Harvest and Take (Expanded):

Total Number Harvested	4.1
Total Number Struck and Lost	1.0
Total Number Taken	5.2
Number Harvested Per Capita	0.04

SEA LION HARVEST BY SEASON

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Unknown Month	Total
REPORTED HARVEST AND TAKE BY SAMPLED HOUSEHOLDS (UNEXPANDED)														
Harvest	0	0	0	1	0	0	0	0	0	0	0	0	3	4
Struck and Lost	0	0	0	0	0	0	0	0	0	0	0	0	1	1
Total Take	0	0	0	1	0	0	0	0	0	0	0	0	4	5
ESTIMATED HARVEST AND TAKE BY COMMUNITY (EXPANDED)														
Harvest	0.0	0.0	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.1	4.1
Struck and Lost	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	1.0
Total Take	0.0	0.0	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.1	5.2
ESTIMATED SEASONALLY ADJUSTED HARVEST AND TAKE BY COMMUNITY (EXPANDED)														
Harvest	0.0	0.0	0.0	4.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		4.1
Struck and Lost	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1		1.0
Total Take	0.1	0.1	0.1	4.2	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1		5.2
Total Take (%)	1.7%	1.7%	1.7%	81.7%	1.7%	1.7%	1.7%	1.7%	1.7%	1.7%	1.7%	1.7%		100%
Cumulative Take	0.1	0.2	0.3	4.5	4.6	4.7	4.7	4.8	4.9	5.0	5.1	5.2		
Cum. Take (%)	1.7%	3.3%	5.0%	86.7%	88.3%	90.0%	91.7%	93.3%	95.0%	96.7%	98.3%	100.0%		


SEA LION HARVEST BY AGE AND SEX

	Reported By Sample (Unexpanded)	Percent	Estimated By Community (Expanded)	Percent
Adult Male	0	0.0%	0.0	0.0%
Adult Female	0	0.0%	0.0	0.0%
Adult Unknown Sex	0	0.0%	0.0	0.0%
Juvenile Male	1	25.0%	1.0	25.0%
Juvenile Female	0	0.0%	0.0	0.0%
Juvenile Unknown Sex	0	0.0%	0.0	0.0%
Pup Male	0	0.0%	0.0	0.0%
Pup Female	0	0.0%	0.0	0.0%
Pup Unknown Sex	0	0.0%	0.0	0.0%
Male Unknown Age	0	0.0%	0.0	0.0%
Female Unknown Age	0	0.0%	0.0	0.0%
Unknown Sex and Age	3	75.0%	3.1	75.0%
Total	4	100.0%	4.1	100.0%


SOURCE: Alaska Department of Fish and Game, Division of Subsistence, Subsistence Study and Monitor System for Sea Lions and Harbor Seals in Alaska, with assistance from the Tatitlek IRA Council, 1994.

FIGURE 45. SEA LION (*Eumetopias jubatus*) TAKE ESTIMATES: TATITLEK, 1993


A. Percentage Seasonally Adjusted Take By Month



B. Seasonally Adjusted Take By Month



C. Cumulative Seasonally Adjusted Take By Month



SOURCE: Alaska Department of Fish and Game, Division of Subsistence, Subsistence Study and Monitor System for Sea Lions and Harbor Seals in Alaska, with assistance from the Tatitlek IRA Council, 1994.

TABLE 46. HARBOR SEAL (*Phoca vitulina*) HARVEST AND TAKE ESTIMATES: TATITLEK, 1993

SAMPLING DESIGN: CENSUS

Total Native Households	29
Surveyed Households	28
Sampling Fraction	96.6%
Sample Household Members	92
Estimated Household Members	95.3

HARBOR SEAL HARVEST AND USE INFORMATION

<i>Percent Of Native Households:</i>		<i>Estimated Community Harvest and Take (Expanded):</i>	
Used	92.9%	Total Number Harvested	108.7
Hunted	42.9%	Total Number Struck and Lost	14.5
Harvested	32.1%	Total Number Taken	123.2
Received	89.3%	Number Harvested Per Capita	1.14
Gave Away	57.1%		

HARBOR SEAL HARVEST BY SEASON

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Unknown Month	Total
REPORTED HARVEST AND TAKE BY SAMPLED HOUSEHOLDS (UNEXPANDED)														
Harvest	10	3	4	14	2	2	2	2	5	10	14	37	0	105
Struck and Lost	0	0	4	0	0	0	0	0	0	0	1	0	9	14
Total Take	10	3	8	14	2	2	2	2	5	10	15	37	9	119
ESTIMATED HARVEST AND TAKE BY COMMUNITY (EXPANDED)														
Harvest	10.4	3.1	4.1	14.5	2.1	2.1	2.1	2.1	5.2	10.4	14.5	38.3	0.0	108.7
Struck and Lost	0.0	0.0	4.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	0.0	9.3	14.5
Total Take	10.4	3.1	8.3	14.5	2.1	2.1	2.1	2.1	5.2	10.4	15.5	38.3	9.3	123.2
ESTIMATED SEASONALLY ADJUSTED HARVEST AND TAKE BY COMMUNITY (EXPANDED)														
Harvest	10.4	3.1	4.1	14.5	2.1	2.1	2.1	2.1	5.2	10.4	14.5	38.3		108.7
Struck and Lost	0.0	0.0	11.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.9	0.0		14.5
Total Take	10.4	3.1	15.7	14.5	2.1	2.1	2.1	2.1	5.2	10.4	17.4	38.3		123.2
Total Take (%)	8.4%	2.5%	12.8%	11.8%	1.7%	1.7%	1.7%	1.7%	4.2%	8.4%	14.1%	31.1%		100%
Cumulative Take	10.4	13.5	29.2	43.7	45.8	47.8	49.9	52.0	57.2	67.5	84.9	123.2		
Cum. Take (%)	8.4%	10.9%	23.7%	35.5%	37.1%	38.8%	40.5%	42.2%	46.4%	54.8%	68.9%	100.0%		


HARBOR SEAL HARVEST BY AGE AND SEX

	Reported		Estimated	
	By Sample (Unexpanded)	Percent	By Community (Expanded)	Percent
Adult Male	21	20.0%	21.8	20.0%
Adult Female	3	2.9%	3.1	2.9%
Adult Unknown Sex	34	32.4%	35.2	32.4%
Juvenile Male	4	3.8%	4.1	3.8%
Juvenile Female	1	1.0%	1.0	1.0%
Juvenile Unknown Sex	8	7.6%	8.3	7.6%
Pup Male	0	0.0%	0.0	0.0%
Pup Female	0	0.0%	0.0	0.0%
Pup Unknown Sex	0	0.0%	0.0	0.0%
Male Unknown Age	0	0.0%	0.0	0.0%
Female Unknown Age	0	0.0%	0.0	0.0%
Unknown Sex and Age	34	32.4%	35.2	32.4%
Total	105	100.0%	108.7	100.1%


SOURCE: Alaska Department of Fish and Game, Division of Subsistence, Subsistence Study and Monitor System for Sea Lions and Harbor Seals in Alaska, with assistance from the Tatitlek IRA Council, 1994.

FIGURE 46. HARBOR SEAL (*Phoca vitulina*) TAKE ESTIMATES: TATITLEK, 1993


A. Percentage Seasonally Adjusted Take By Month



B. Seasonally Adjusted Take By Month



C. Cumulative Seasonally Adjusted Take By Month



SOURCE: Alaska Department of Fish and Game, Division of Subsistence, Subsistence Study and Monitor System for Sea Lions and Harbor Seals in Alaska, with assistance from the Tatitlek IRA Council, 1994.

TABLE 47. SEA LION (*Eumetopias jubatus*) HARVEST AND TAKE ESTIMATES: VALDEZ, 1993

SAMPLING DESIGN: CHAIN REFERRAL

Total Sample Households	6
Surveyed Households	6
Sampling Fraction	100.0%
Sample Household Members	28
Estimated Household Members	28.0

SEA LION HARVEST AND USE INFORMATION

Percent Of Sample Households:

Used	0.0%
Hunted	0.0%
Harvested	0.0%
Received	0.0%
Gave Away	0.0%

Estimated Community Harvest and Take (Expanded):

Total Number Harvested	0.0
Total Number Struck and Lost	0.0
Total Number Taken	0.0
Number Harvested Per Capita	N/A

SEA LION HARVEST BY SEASON

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Unknown Month	Total
REPORTED HARVEST AND TAKE BY SAMPLED HOUSEHOLDS (UNEXPANDED)														
Harvest	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Struck and Lost	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Total Take	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ESTIMATED HARVEST AND TAKE BY COMMUNITY (EXPANDED)														
Harvest	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Struck and Lost	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total Take	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
ESTIMATED SEASONALLY ADJUSTED HARVEST AND TAKE BY COMMUNITY (EXPANDED)														
Harvest	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Struck and Lost	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total Take	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total Take (%)	---	---	---	---	---	---	---	---	---	---	---	---	---	---
Cumulative Take	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Cum. Take (%)	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%


SEA LION HARVEST BY AGE AND SEX

	Reported		Estimated	
	By Sample (Unexpanded)	Percent	By Community (Expanded)	Percent
Adult Male	0	---	0.0	---
Adult Female	0	---	0.0	---
Adult Unknown Sex	0	---	0.0	---
Juvenile Male	0	---	0.0	---
Juvenile Female	0	---	0.0	---
Juvenile Unknown Sex	0	---	0.0	---
Pup Male	0	---	0.0	---
Pup Female	0	---	0.0	---
Pup Unknown Sex	0	---	0.0	---
Male Unknown Age	0	---	0.0	---
Female Unknown Age	0	---	0.0	---
Unknown Sex and Age	0	---	0.0	---
Total	0	---	0.0	---


SOURCE: Alaska Department of Fish and Game, Division of Subsistence, Subsistence Study and Monitor System for Sea Lions and Harbor Seals in Alaska, with assistance from the Valdez Native Association, 1994.

FIGURE 47. SEA LION (*Eumetopias jubatus*) TAKE ESTIMATES: VALDEZ, 1993


A. Percentage Seasonally Adjusted Take By Month



B. Seasonally Adjusted Take By Month



C. Cumulative Seasonally Adjusted Take By Month



SOURCE: Alaska Department of Fish and Game, Division of Subsistence, Subsistence Study and Monitor System for Sea Lions and Harbor Seals in Alaska, with assistance from the Valdez Native Association, 1994.

TABLE 48. HARBOR SEAL (*Phoca vitulina*) HARVEST AND TAKE ESTIMATES: VALDEZ, 1993

SAMPLING DESIGN: CHAIN REFERRAL

Total Sample Households	6
Surveyed Households	6
Sampling Fraction	100.0%
Sample Household Members	28
Estimated Household Members	28.0

HARBOR SEAL HARVEST AND USE INFORMATION

Percent Of Sample Households:

Used	66.7%
Hunted	66.7%
Harvested	66.7%
Received	33.3%
Gave Away	33.3%

Estimated Community Harvest and Take (Expanded):

Total Number Harvested	21.0
Total Number Struck and Lost	4.0
Total Number Taken	25.0
Number Harvested Per Capita	N/A

HARBOR SEAL HARVEST BY SEASON

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Unknown Month	Total
REPORTED HARVEST AND TAKE BY SAMPLED HOUSEHOLDS (UNEXPANDED)														
Harvest	0	0	3	0	0	0	0	0	0	2	3	3	10	21
Struck and Lost	0	0	0	0	0	0	0	0	0	2	0	0	2	4
Total Take	0	0	3	0	0	0	0	0	0	4	3	3	12	25
ESTIMATED HARVEST AND TAKE BY COMMUNITY (EXPANDED)														
Harvest	0.0	0.0	3.0	0.0	0.0	0.0	0.0	0.0	0.0	2.0	3.0	3.0	10.0	21.0
Struck and Lost	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.0	0.0	0.0	2.0	4.0
Total Take	0.0	0.0	3.0	0.0	0.0	0.0	0.0	0.0	0.0	4.0	3.0	3.0	12.0	25.0
ESTIMATED SEASONALLY ADJUSTED HARVEST AND TAKE BY COMMUNITY (EXPANDED)														
Harvest	0.0	0.0	5.7	0.0	0.0	0.0	0.0	0.0	0.0	3.8	5.7	5.7		21.0
Struck and Lost	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.0	0.0	0.0		4.0
Total Take	0.0	0.0	5.7	0.0	0.0	0.0	0.0	0.0	0.0	7.8	5.7	5.7		25.0
Total Take (%)	0.0%	0.0%	22.9%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	31.3%	22.9%	22.9%		100%
Cumulative Take	0.0	0.0	5.7	5.7	5.7	5.7	5.7	5.7	5.7	13.5	19.3	25.0		
Cum. Take (%)	0.0%	0.0%	22.9%	22.9%	22.9%	22.9%	22.9%	22.9%	22.9%	54.2%	77.1%	100.0%		


HARBOR SEAL HARVEST BY AGE AND SEX

	Reported		Estimated	
	By Sample (Unexpanded)	Percent	By Community (Expanded)	Percent
Adult Male	3	14.3%	3.0	14.3%
Adult Female	8	38.1%	8.0	38.1%
Adult Unknown Sex	10	47.6%	10.0	47.6%
Juvenile Male	0	0.0%	0.0	0.0%
Juvenile Female	0	0.0%	0.0	0.0%
Juvenile Unknown Sex	0	0.0%	0.0	0.0%
Pup Male	0	0.0%	0.0	0.0%
Pup Female	0	0.0%	0.0	0.0%
Pup Unknown Sex	0	0.0%	0.0	0.0%
Male Unknown Age	0	0.0%	0.0	0.0%
Female Unknown Age	0	0.0%	0.0	0.0%
Unknown Sex and Age	0	0.0%	0.0	0.0%
Total	21	100.0%	21.0	100.0%


SOURCE: Alaska Department of Fish and Game, Division of Subsistence, Subsistence Study and Monitor System for Sea Lions and Harbor Seals in Alaska, with assistance from the Valdez Native Association, 1994.

FIGURE 48. HARBOR SEAL (*Phoca vitulina*) TAKE ESTIMATES: VALDEZ, 1993


A. Percentage Seasonally Adjusted Take By Month



B. Seasonally Adjusted Take By Month



C. Cumulative Seasonally Adjusted Take By Month



SOURCE: Alaska Department of Fish and Game, Division of Subsistence, Subsistence Study and Monitor System for Sea Lions and Harbor Seals in Alaska, with assistance from the Valdez Native Association, 1994.

C-100

UPPER KENAI-COOK INLET

C-101

TABLE 49. SEA LION (*Eumetopias jubatus*) HARVEST AND TAKE ESTIMATES: ANCHORAGE, 1993

SAMPLING DESIGN: CHAIN REFERRAL

Total Sample Households	40
Surveyed Households	36
Sampling Fraction	90.0%
Sample Household Members	134
Estimated Household Members	148.9

SEA LION HARVEST AND USE INFORMATION

Percent Of Sample Households:

Used	50.0%
Hunted	19.4%
Harvested	11.1%
Received	50.0%
Gave Away	36.1%

Estimated Community Harvest and Take (Expanded):

Total Number Harvested	7.8
Total Number Struck and Lost	3.3
Total Number Taken	11.1
Number Harvested Per Capita	N/A

SEA LION HARVEST BY SEASON													Unknown	Total
Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Month		
REPORTED HARVEST AND TAKE BY SAMPLED HOUSEHOLDS (UNEXPANDED)														
Harvest	2	1	0	2	0	0	0	1	0	1	0	0	0	7
Struck and Lost	0	2	0	0	0	0	0	0	1	0	0	0	0	3
Total Take	2	3	0	2	0	0	0	1	1	1	0	0	0	10
ESTIMATED HARVEST AND TAKE BY COMMUNITY (EXPANDED)														
Harvest	2.2	1.1	0.0	2.2	0.0	0.0	0.0	1.1	0.0	1.1	0.0	0.0	0.0	7.8
Struck and Lost	0.0	2.2	0.0	0.0	0.0	0.0	0.0	0.0	1.1	0.0	0.0	0.0	0.0	3.3
Total Take	2.2	3.3	0.0	2.2	0.0	0.0	0.0	1.1	1.1	1.1	0.0	0.0	0.0	11.1
ESTIMATED SEASONALLY ADJUSTED HARVEST AND TAKE BY COMMUNITY (EXPANDED)														
Harvest	2.2	1.1	0.0	2.2	0.0	0.0	0.0	1.1	0.0	1.1	0.0	0.0	0.0	7.8
Struck and Lost	0.0	2.2	0.0	0.0	0.0	0.0	0.0	0.0	1.1	0.0	0.0	0.0	0.0	3.3
Total Take	2.2	3.3	0.0	2.2	0.0	0.0	0.0	1.1	1.1	1.1	0.0	0.0	0.0	11.1
Total Take (%)	20.0%	30.0%	0.0%	20.0%	0.0%	0.0%	0.0%	10.0%	10.0%	10.0%	0.0%	0.0%	0.0%	100%
Cumulative Take	2.2	5.6	5.6	7.8	7.8	7.8	7.8	8.9	10.0	11.1	11.1	11.1	11.1	
Cum. Take (%)	20.0%	50.0%	50.0%	70.0%	70.0%	70.0%	70.0%	80.0%	90.0%	100.0%	100.0%	100.0%	100.0%	


SEA LION HARVEST BY AGE AND SEX

	Reported		Estimated	
	By Sample (Unexpanded)	Percent	By Community (Expanded)	Percent
Adult Male	2	28.6%	2.2	28.6%
Adult Female	2	28.6%	2.2	28.6%
Adult Unknown Sex	1	14.3%	1.1	14.3%
Juvenile Male	1	14.3%	1.1	14.3%
Juvenile Female	0	0.0%	0.0	0.0%
Juvenile Unknown Sex	0	0.0%	0.0	0.0%
Pup Male	0	0.0%	0.0	0.0%
Pup Female	0	0.0%	0.0	0.0%
Pup Unknown Sex	0	0.0%	0.0	0.0%
Male Unknown Age	1	14.3%	1.1	14.3%
Female Unknown Age	0	0.0%	0.0	0.0%
Unknown Sex and Age	0	0.0%	0.0	0.0%
Total	7	100.0%	7.8	100.0%


SOURCE: Alaska Department of Fish and Game, Division of Subsistence, Subsistence Study and Monitor System for Sea Lions and Harbor Seals in Alaska, with assistance from the Cook Inlet Tribal Council and Alaska Federation of Natives, 1994.

FIGURE 49. SEA LION (*Eumetopias jubatus*) TAKE ESTIMATES: ANCHORAGE, 1993


A. Percentage Seasonally Adjusted Take By Month



B. Seasonally Adjusted Take By Month



C. Cumulative Seasonally Adjusted Take By Month



SOURCE: Alaska Department of Fish and Game, Division of Subsistence, Subsistence Study and Monitor System for Sea Lions and Harbor Seals in Alaska, with assistance from the Cook Inlet Tribal Council and Alaska Federation of Natives, 1994.

TABLE 50. HARBOR SEAL (*Phoca vitulina*) HARVEST AND TAKE ESTIMATES: ANCHORAGE, 1993

SAMPLING DESIGN: CHAIN REFERRAL

Total Sample Households	40
Surveyed Households	36
Sampling Fraction	90.0%
Sample Household Members	134
Estimated Household Members	148.9

HARBOR SEAL HARVEST AND USE INFORMATION

Percent Of Sample Households:

Used	75.0%
Hunted	27.8%
Harvested	19.4%
Received	75.0%
Gave Away	55.6%

Estimated Community Harvest and Take (Expanded):

Total Number Harvested	24.4
Total Number Struck and Lost	5.6
Total Number Taken	30.0
Number Harvested Per Capita	N/A

	HARBOR SEAL HARVEST BY SEASON												Total	
	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec		Unknown Month
REPORTED HARVEST AND TAKE BY SAMPLED HOUSEHOLDS (UNEXPANDED)														
Harvest	1	0	4	6	2	1	2	4	1	1	0	0	0	22
Struck and Lost	1	0	1	0	0	0	0	0	0	0	0	0	3	5
Total Take	2	0	5	6	2	1	2	4	1	1	0	0	3	27
ESTIMATED HARVEST AND TAKE BY COMMUNITY (EXPANDED)														
Harvest	1.1	0.0	4.4	6.7	2.2	1.1	2.2	4.4	1.1	1.1	0.0	0.0	0.0	24.4
Struck and Lost	1.1	0.0	1.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.3	5.6
Total Take	2.2	0.0	5.6	6.7	2.2	1.1	2.2	4.4	1.1	1.1	0.0	0.0	3.3	30.0
ESTIMATED SEASONALLY ADJUSTED HARVEST AND TAKE BY COMMUNITY (EXPANDED)														
Harvest	1.1	0.0	4.4	6.7	2.2	1.1	2.2	4.4	1.1	1.1	0.0	0.0		24.4
Struck and Lost	2.8	0.0	2.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		5.6
Total Take	3.9	0.0	7.2	6.7	2.2	1.1	2.2	4.4	1.1	1.1	0.0	0.0		30.0
Total Take (%)	13.0%	0.0%	24.1%	22.2%	7.4%	3.7%	7.4%	14.8%	3.7%	3.7%	0.0%	0.0%		100%
Cumulative Take	3.9	3.9	11.1	17.8	20.0	21.1	23.3	27.8	28.9	30.0	30.0	30.0		
Cum. Take (%)	13.0%	13.0%	37.0%	59.3%	66.7%	70.4%	77.8%	92.6%	96.3%	100.0%	100.0%	100.0%		


HARBOR SEAL HARVEST BY AGE AND SEX

	Reported		Estimated	
	By Sample (Unexpanded)	Percent	By Community (Expanded)	Percent
Adult Male	5	22.7%	5.6	22.7%
Adult Female	0	0.0%	0.0	0.0%
Adult Unknown Sex	3	13.6%	3.3	13.6%
Juvenile Male	1	4.5%	1.1	4.5%
Juvenile Female	1	4.5%	1.1	4.5%
Juvenile Unknown Sex	0	0.0%	0.0	0.0%
Pup Male	0	0.0%	0.0	0.0%
Pup Female	0	0.0%	0.0	0.0%
Pup Unknown Sex	0	0.0%	0.0	0.0%
Male Unknown Age	0	0.0%	0.0	0.0%
Female Unknown Age	0	0.0%	0.0	0.0%
Unknown Sex and Age	12	54.5%	13.3	54.5%
Total	22	100.0%	24.4	100.0%


SOURCE: Alaska Department of Fish and Game, Division of Subsistence, Subsistence Study and Monitor System for Sea Lions and Harbor Seals in Alaska, with assistance from the Cook Inlet Tribal Council and Alaska Federation of Natives, 1994.

FIGURE 50. HARBOR SEAL (*Phoca vitulina*) TAKE ESTIMATES: ANCHORAGE, 1993


A. Percentage Seasonally Adjusted Take By Month



B. Seasonally Adjusted Take By Month



C. Cumulative Seasonally Adjusted Take By Month



SOURCE: Alaska Department of Fish and Game, Division of Subsistence, Subsistence Study and Monitor System for Sea Lions and Harbor Seals in Alaska, with assistance from the Cook Inlet Tribal Council and Alaska Federation of Natives, 1994.

TABLE 51. SEA LION (*Eumetopias jubatus*) HARVEST AND TAKE ESTIMATES: HOMER, 1993

SAMPLING DESIGN: CHAIN REFERRAL

Total Sample Households	12
Surveyed Households	5
Sampling Fraction	41.7%
Sample Household Members	11
Estimated Household Members	26.4

SEA LION HARVEST AND USE INFORMATION

Percent Of Sample Households:

Used	0.0%
Hunted	0.0%
Harvested	0.0%
Received	0.0%
Gave Away	0.0%

Estimated Community Harvest and Take (Expanded):

Total Number Harvested	0.0
Total Number Struck and Lost	0.0
Total Number Taken	0.0
Number Harvested Per Capita	N/A

SEA LION HARVEST BY SEASON

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Unknown Month	Total
REPORTED HARVEST AND TAKE BY SAMPLED HOUSEHOLDS (UNEXPANDED)														
Harvest	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Struck and Lost	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Total Take	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ESTIMATED HARVEST AND TAKE BY COMMUNITY (EXPANDED)														
Harvest	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Struck and Lost	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total Take	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
ESTIMATED SEASONALLY ADJUSTED HARVEST AND TAKE BY COMMUNITY (EXPANDED)														
Harvest	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Struck and Lost	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total Take	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total Take (%)	---	---	---	---	---	---	---	---	---	---	---	---	---	---
Cumulative Take	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Cum. Take (%)	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%


SEA LION HARVEST BY AGE AND SEX

	Reported By Sample (Unexpanded)	Percent	Estimated By Community (Expanded)	Percent
Adult Male	0	---	0.0	---
Adult Female	0	---	0.0	---
Adult Unknown Sex	0	---	0.0	---
Juvenile Male	0	---	0.0	---
Juvenile Female	0	---	0.0	---
Juvenile Unknown Sex	0	---	0.0	---
Pup Male	0	---	0.0	---
Pup Female	0	---	0.0	---
Pup Unknown Sex	0	---	0.0	---
Male Unknown Age	0	---	0.0	---
Female Unknown Age	0	---	0.0	---
Unknown Sex and Age	0	---	0.0	---
Total	0	---	0.0	---


SOURCE: Alaska Department of Fish and Game, Division of Subsistence, Subsistence Study and Monitor System for Sea Lions and Harbor Seals in Alaska, 1994.

FIGURE 51. SEA LION (*Eumetopias jubatus*) TAKE ESTIMATES: HOMER, 1993


A. Percentage Seasonally Adjusted Take By Month



B. Seasonally Adjusted Take By Month



C. Cumulative Seasonally Adjusted Take By Month



SOURCE: Alaska Department of Fish and Game, Division of Subsistence, Subsistence Study and Monitor System for Sea Lions and Harbor Seals in Alaska, 1994.

TABLE 52. HARBOR SEAL (*Phoca vitulina*) HARVEST AND TAKE ESTIMATES: HOMER, 1993

SAMPLING DESIGN: CHAIN REFERRAL

Total Sample Households	12
Surveyed Households	5
Sampling Fraction	41.7%
Sample Household Members	11
Estimated Household Members	26.4

HARBOR SEAL HARVEST AND USE INFORMATION

Percent Of Sample Households:

Used	80.0%
Hunted	20.0%
Harvested	20.0%
Received	60.0%
Gave Away	40.0%

Estimated Community Harvest and Take (Expanded):

Total Number Harvested	4.8
Total Number Struck and Lost	0.0
Total Number Taken	4.8
Number Harvested Per Capita	N/A

HARBOR SEAL HARVEST BY SEASON

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Unknown Month	Total
REPORTED HARVEST AND TAKE BY SAMPLED HOUSEHOLDS (UNEXPANDED)														
Harvest	0	1	1	0	0	0	0	0	0	0	0	0	0	2
Struck and Lost	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Total Take	0	1	1	0	0	0	0	0	0	0	0	0	0	2
ESTIMATED HARVEST AND TAKE BY COMMUNITY (EXPANDED)														
Harvest	0.0	2.4	2.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.8
Struck and Lost	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total Take	0.0	2.4	2.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.8
ESTIMATED SEASONALLY ADJUSTED HARVEST AND TAKE BY COMMUNITY (EXPANDED)														
Harvest	0.0	2.4	2.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.8
Struck and Lost	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total Take	0.0	2.4	2.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.8
Total Take (%)	0.0%	50.0%	50.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	100%
Cumulative Take	0.0	2.4	4.8	4.8	4.8	4.8	4.8	4.8	4.8	4.8	4.8	4.8	4.8	4.8
Cum. Take (%)	0.0%	50.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%


HARBOR SEAL HARVEST BY AGE AND SEX

	Reported		Estimated	
	By Sample (Unexpanded)	Percent	By Community (Expanded)	Percent
Adult Male	0	0.0%	0.0	0.0%
Adult Female	1	50.0%	2.4	50.0%
Adult Unknown Sex	0	0.0%	0.0	0.0%
Juvenile Male	0	0.0%	0.0	0.0%
Juvenile Female	0	0.0%	0.0	0.0%
Juvenile Unknown Sex	0	0.0%	0.0	0.0%
Pup Male	0	0.0%	0.0	0.0%
Pup Female	0	0.0%	0.0	0.0%
Pup Unknown Sex	0	0.0%	0.0	0.0%
Male Unknown Age	0	0.0%	0.0	0.0%
Female Unknown Age	0	0.0%	0.0	0.0%
Unknown Sex and Age	1	50.0%	2.4	50.0%
Total	2	100.0%	4.8	100.0%


SOURCE: Alaska Department of Fish and Game, Division of Subsistence, Subsistence Study and Monitor System for Sea Lions and Harbor Seals in Alaska, 1994.

FIGURE 52. HARBOR SEAL (*Phoca vitulina*) TAKE ESTIMATES: HOMER, 1993


A. Percentage Seasonally Adjusted Take By Month



B. Seasonally Adjusted Take By Month



C. Cumulative Seasonally Adjusted Take By Month



SOURCE: Alaska Department of Fish and Game, Division of Subsistence, Subsistence Study and Monitor System for Sea Lions and Harbor Seals in Alaska, 1994.

TABLE 53. SEA LION (*Eumetopias jubatus*) HARVEST AND TAKE ESTIMATES: KENAI, 1993

SAMPLING DESIGN: CHAIN REFERRAL

Total Sample Households	2
Surveyed Households	2
Sampling Fraction	100.0%
Sample Household Members	6
Estimated Household Members	6.0

SEA LION HARVEST AND USE INFORMATION

Percent Of Sample Households:

Used	0.0%
Hunted	0.0%
Harvested	0.0%
Received	0.0%
Gave Away	0.0%

Estimated Community Harvest and Take (Expanded):

Total Number Harvested	0.0
Total Number Struck and Lost	0.0
Total Number Taken	0.0
Number Harvested Per Capita	N/A

SEA LION HARVEST BY SEASON

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Unknown Month	Total
REPORTED HARVEST AND TAKE BY SAMPLED HOUSEHOLDS (UNEXPANDED)														
Harvest	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Struck and Lost	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Total Take	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ESTIMATED HARVEST AND TAKE BY COMMUNITY (EXPANDED)														
Harvest	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Struck and Lost	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total Take	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
ESTIMATED SEASONALLY ADJUSTED HARVEST AND TAKE BY COMMUNITY (EXPANDED)														
Harvest	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Struck and Lost	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total Take	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total Take (%)	---	---	---	---	---	---	---	---	---	---	---	---	---	---
Cumulative Take	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Cum. Take (%)	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%


SEA LION HARVEST BY AGE AND SEX

	Reported		Estimated	
	By Sample	Percent	By Community	Percent
	(Unexpanded)		(Expanded)	
Adult Male	0	---	0.0	---
Adult Female	0	---	0.0	---
Adult Unknown Sex	0	---	0.0	---
Juvenile Male	0	---	0.0	---
Juvenile Female	0	---	0.0	---
Juvenile Unknown Sex	0	---	0.0	---
Pup Male	0	---	0.0	---
Pup Female	0	---	0.0	---
Pup Unknown Sex	0	---	0.0	---
Male Unknown Age	0	---	0.0	---
Female Unknown Age	0	---	0.0	---
Unknown Sex and Age	0	---	0.0	---
Total	0	---	0.0	---


SOURCE: Alaska Department of Fish and Game, Division of Subsistence, Subsistence Study and Monitor System for Sea Lions and Harbor Seals in Alaska, with assistance from the Kenaitze Indian Tribe IRA and Cook Inlet Region, Inc., 1994.

FIGURE 53. SEA LION (*Eumetopias jubatus*) TAKE ESTIMATES: KENAI, 1993


A. Percentage Seasonally Adjusted Take By Month



B. Seasonally Adjusted Take By Month



C. Cumulative Seasonally Adjusted Take By Month



SOURCE: Alaska Department of Fish and Game, Division of Subsistence, Subsistence Study and Monitor System for Sea Lions and Harbor Seals in Alaska, with assistance from the Kenaitze Indian Tribe IRA and Cook Inlet Region, Inc., 1994.

TABLE 54. HARBOR SEAL (*Phoca vitulina*) HARVEST AND TAKE ESTIMATES: KENAI, 1993

SAMPLING DESIGN: CHAIN REFERRAL

Total Sample Households	2
Surveyed Households	2
Sampling Fraction	100.0%
Sample Household Members	6
Estimated Household Members	6.0

HARBOR SEAL HARVEST AND USE INFORMATION

Percent Of Sample Households:

Used	100.0%
Hunted	50.0%
Harvested	50.0%
Received	100.0%
Gave Away	100.0%

Estimated Community Harvest and Take (Expanded):

Total Number Harvested	20.0
Total Number Struck and Lost	0.0
Total Number Taken	20.0
Number Harvested Per Capita	N/A

HARBOR SEAL HARVEST BY SEASON

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Unknown Month	Total
REPORTED HARVEST AND TAKE BY SAMPLED HOUSEHOLDS (UNEXPANDED)														
Harvest	0	5	5	0	0	0	0	0	0	10	0	0	0	20
Struck and Lost	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Total Take	0	5	5	0	0	0	0	0	0	10	0	0	0	20
ESTIMATED HARVEST AND TAKE BY COMMUNITY (EXPANDED)														
Harvest	0.0	5.0	5.0	0.0	0.0	0.0	0.0	0.0	0.0	10.0	0.0	0.0	0.0	20.0
Struck and Lost	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total Take	0.0	5.0	5.0	0.0	0.0	0.0	0.0	0.0	0.0	10.0	0.0	0.0	0.0	20.0
ESTIMATED SEASONALLY ADJUSTED HARVEST AND TAKE BY COMMUNITY (EXPANDED)														
Harvest	0.0	5.0	5.0	0.0	0.0	0.0	0.0	0.0	0.0	10.0	0.0	0.0		20.0
Struck and Lost	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		0.0
Total Take	0.0	5.0	5.0	0.0	0.0	0.0	0.0	0.0	0.0	10.0	0.0	0.0		20.0
Total Take (%)	0.0%	25.0%	25.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	50.0%	0.0%	0.0%		100%
Cumulative Take	0.0	5.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	20.0	20.0	20.0		
Cum. Take (%)	0.0%	25.0%	50.0%	50.0%	50.0%	50.0%	50.0%	50.0%	50.0%	100.0%	100.0%	100.0%		


HARBOR SEAL HARVEST BY AGE AND SEX

	Reported		Estimated	
	By Sample (Unexpanded)	Percent	By Community (Expanded)	Percent
Adult Male	0	0.0%	0.0	0.0%
Adult Female	0	0.0%	0.0	0.0%
Adult Unknown Sex	20	100.0%	20.0	100.0%
Juvenile Male	0	0.0%	0.0	0.0%
Juvenile Female	0	0.0%	0.0	0.0%
Juvenile Unknown Sex	0	0.0%	0.0	0.0%
Pup Male	0	0.0%	0.0	0.0%
Pup Female	0	0.0%	0.0	0.0%
Pup Unknown Sex	0	0.0%	0.0	0.0%
Male Unknown Age	0	0.0%	0.0	0.0%
Female Unknown Age	0	0.0%	0.0	0.0%
Unknown Sex and Age	0	0.0%	0.0	0.0%
Total	20	100.0%	20.0	100.0%


SOURCE: Alaska Department of Fish and Game, Division of Subsistence, Subsistence Study and Monitor System for Sea Lions and Harbor Seals in Alaska, with assistance from the Kenaitze Indian Tribe IRA and Cook Inlet Region, Inc., 1994.

FIGURE 54. HARBOR SEAL (*Phoca vitulina*) TAKE ESTIMATES: KENAI, 1993


A. Percentage Seasonally Adjusted Take By Month



B. Seasonally Adjusted Take By Month



C. Cumulative Seasonally Adjusted Take By Month



SOURCE: Alaska Department of Fish and Game, Division of Subsistence, Subsistence Study and Monitor System for Sea Lions and Harbor Seals in Alaska, with assistance from the Kenaitze Indian Tribe IRA and Cook Inlet Region, Inc., 1994.

C-114

KODIAK ISLAND

C-115

TABLE 55. SEA LION (*Eumetopias jubatus*) HARVEST AND TAKE ESTIMATES: AKHIOK, 1993

SAMPLING DESIGN: CENSUS

Total Native Households	21
Surveyed Households	19
Sampling Fraction	90.5%
Sample Household Members	73
Estimated Household Members	80.7

SEA LION HARVEST AND USE INFORMATION

<i>Percent Of Native Households:</i>		<i>Estimated Community Harvest and Take (Expanded):</i>	
Used	0.0%	Total Number Harvested	0.0
Hunted	5.3%	Total Number Struck and Lost	0.0
Harvested	0.0%	Total Number Taken	0.0
Received	0.0%	Number Harvested Per Capita	0.00
Gave Away	0.0%		

SEA LION HARVEST BY SEASON													Unknown	
	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Month	Total
REPORTED HARVEST AND TAKE BY SAMPLED HOUSEHOLDS (UNEXPANDED)														
Harvest	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Struck and Lost	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Total Take	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ESTIMATED HARVEST AND TAKE BY COMMUNITY (EXPANDED)														
Harvest	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Struck and Lost	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total Take	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
ESTIMATED SEASONALLY ADJUSTED HARVEST AND TAKE BY COMMUNITY (EXPANDED)														
Harvest	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		0.0
Struck and Lost	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		0.0
Total Take	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		0.0
Total Take (%)	—	—	—	—	—	—	—	—	—	—	—	—		—
Cumulative Take	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
Cum. Take (%)	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%		


SEA LION HARVEST BY AGE AND SEX

	Reported		Estimated	
	By Sample (Unexpanded)	Percent	By Community (Expanded)	Percent
Adult Male	0	---	0.0	---
Adult Female	0	---	0.0	---
Adult Unknown Sex	0	---	0.0	---
Juvenile Male	0	---	0.0	---
Juvenile Female	0	---	0.0	---
Juvenile Unknown Sex	0	---	0.0	---
Pup Male	0	---	0.0	---
Pup Female	0	---	0.0	---
Pup Unknown Sex	0	---	0.0	---
Male Unknown Age	0	---	0.0	---
Female Unknown Age	0	---	0.0	---
Unknown Sex and Age	0	---	0.0	---
Total	0	---	0.0	---


SOURCE: Alaska Department of Fish and Game, Division of Subsistence, Subsistence Study and Monitor System for Sea Lions and Harbor Seals in Alaska, with assistance from the City of Akhiok and Akhiok Tribal Council, 1994.

FIGURE 55. SEA LION (*Eumetopias jubatus*) TAKE ESTIMATES: AKHIOK, 1993


A. Percentage Seasonally Adjusted Take By Month



B. Seasonally Adjusted Take By Month



C. Cumulative Seasonally Adjusted Take By Month



SOURCE: Alaska Department of Fish and Game, Division of Subsistence, Subsistence Study and Monitor System for Sea Lions and Harbor Seals in Alaska, with assistance from the City of Akhiok and Akhiok Tribal Council, 1994.

TABLE 56. HARBOR SEAL (*Phoca vitulina*) HARVEST AND TAKE ESTIMATES: AKHIOK, 1993

SAMPLING DESIGN: CENSUS

Total Native Households	21
Surveyed Households	19
Sampling Fraction	90.5%
Sample Household Members	73
Estimated Household Members	80.7

HARBOR SEAL HARVEST AND USE INFORMATION

<i>Percent Of Native Households:</i>		<i>Estimated Community Harvest and Take (Expanded):</i>	
Used	68.4%	Total Number Harvested	13.3
Hunted	36.8%	Total Number Struck and Lost	0.0
Harvested	26.3%	Total Number Taken	13.3
Received	47.4%	Number Harvested Per Capita	0.16
Gave Away	42.1%		

HARBOR SEAL HARVEST BY SEASON													Unknown	Total
	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Month	
REPORTED HARVEST AND TAKE BY SAMPLED HOUSEHOLDS (UNEXPANDED)														
Harvest	0	0	0	0	0	0	0	1	3	4	4	0	0	12
Struck and Lost	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Total Take	0	0	0	0	0	0	0	1	3	4	4	0	0	12
ESTIMATED HARVEST AND TAKE BY COMMUNITY (EXPANDED)														
Harvest	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1	3.3	4.4	4.4	0.0	0.0	13.3
Struck and Lost	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total Take	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1	3.3	4.4	4.4	0.0	0.0	13.3
ESTIMATED SEASONALLY ADJUSTED HARVEST AND TAKE BY COMMUNITY (EXPANDED)														
Harvest	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1	3.3	4.4	4.4	0.0		13.3
Struck and Lost	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		0.0
Total Take	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1	3.3	4.4	4.4	0.0		13.3
Total Take (%)	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	8.3%	25.0%	33.3%	33.3%	0.0%		100%
Cumulative Take	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1	4.4	8.8	13.3	13.3		13.3
Cum. Take (%)	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	8.3%	33.3%	66.7%	100.0%	100.0%		100%


HARBOR SEAL HARVEST BY AGE AND SEX

	Reported		Estimated	
	By Sample (Unexpanded)	Percent	By Community (Expanded)	Percent
Adult Male	6	50.0%	6.6	50.0%
Adult Female	0	0.0%	0.0	0.0%
Adult Unknown Sex	6	50.0%	6.6	50.0%
Juvenile Male	0	0.0%	0.0	0.0%
Juvenile Female	0	0.0%	0.0	0.0%
Juvenile Unknown Sex	0	0.0%	0.0	0.0%
Pup Male	0	0.0%	0.0	0.0%
Pup Female	0	0.0%	0.0	0.0%
Pup Unknown Sex	0	0.0%	0.0	0.0%
Male Unknown Age	0	0.0%	0.0	0.0%
Female Unknown Age	0	0.0%	0.0	0.0%
Unknown Sex and Age	0	0.0%	0.0	0.0%
Total	12	100.0%	13.3	100.0%


SOURCE: Alaska Department of Fish and Game, Division of Subsistence, Subsistence Study and Monitor System for Sea Lions and Harbor Seals in Alaska, with assistance from the City of Akhiok and Akhiok Tribal Council, 1994.

FIGURE 56. HARBOR SEAL (*Phoca vitulina*) TAKE ESTIMATES: AKHIOK, 1993


A. Percentage Seasonally Adjusted Take By Month



B. Seasonally Adjusted Take By Month



C. Cumulative Seasonally Adjusted Take By Month



SOURCE: Alaska Department of Fish and Game, Division of Subsistence, Subsistence Study and Monitor System for Sea Lions and Harbor Seals in Alaska, with assistance from the City of Akhiok and Akhiok Tribal Council, 1994.

TABLE 57. SEA LION (*Eumetopias jubatus*) HARVEST AND TAKE ESTIMATES: KARLUK, 1993

SAMPLING DESIGN: CENSUS

Total Native Households	15
Surveyed Households	12
Sampling Fraction	80.0%
Sample Household Members	49
Estimated Household Members	61.3

SEA LION HARVEST AND USE INFORMATION

<i>Percent Of Native Households:</i>		<i>Estimated Community Harvest and Take (Expanded):</i>	
Used	0.0%	Total Number Harvested	0.0
Hunted	0.0%	Total Number Struck and Lost	0.0
Harvested	0.0%	Total Number Taken	0.0
Received	0.0%	Number Harvested Per Capita	0.00
Gave Away	0.0%		

SEA LION HARVEST BY SEASON

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Unknown Month	Total
REPORTED HARVEST AND TAKE BY SAMPLED HOUSEHOLDS (UNEXPANDED)														
Harvest	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Struck and Lost	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Total Take	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ESTIMATED HARVEST AND TAKE BY COMMUNITY (EXPANDED)														
Harvest	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Struck and Lost	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total Take	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
ESTIMATED SEASONALLY ADJUSTED HARVEST AND TAKE BY COMMUNITY (EXPANDED)														
Harvest	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Struck and Lost	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total Take	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total Take (%)	---	---	---	---	---	---	---	---	---	---	---	---	---	---
Cumulative Take	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Cum. Take (%)	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%


SEA LION HARVEST BY AGE AND SEX

	Reported		Estimated	
	By Sample (Unexpanded)	Percent	By Community (Expanded)	Percent
Adult Male	0	---	0.0	---
Adult Female	0	---	0.0	---
Adult Unknown Sex	0	---	0.0	---
Juvenile Male	0	---	0.0	---
Juvenile Female	0	---	0.0	---
Juvenile Unknown Sex	0	---	0.0	---
Pup Male	0	---	0.0	---
Pup Female	0	---	0.0	---
Pup Unknown Sex	0	---	0.0	---
Male Unknown Age	0	---	0.0	---
Female Unknown Age	0	---	0.0	---
Unknown Sex and Age	0	---	0.0	---
Total	0	---	0.0	---


SOURCE: Alaska Department of Fish and Game, Division of Subsistence, Subsistence Study and Monitor System for Sea Lions and Harbor Seals in Alaska, with assistance from the Karluk IRA Council, 1994.

FIGURE 57. SEA LION (*Eumetopias jubatus*) TAKE ESTIMATES: KARLUK, 1993


A. Percentage Seasonally Adjusted Take By Month



B. Seasonally Adjusted Take By Month



C. Cumulative Seasonally Adjusted Take By Month



SOURCE: Alaska Department of Fish and Game, Division of Subsistence, Subsistence Study and Monitor System for Sea Lions and Harbor Seals in Alaska, with assistance from the Karluk IRA Council, 1994.

TABLE 58. HARBOR SEAL (*Phoca vitulina*) HARVEST AND TAKE ESTIMATES: KARLUK, 1993

SAMPLING DESIGN: CENSUS

Total Native Households	15
Surveyed Households	12
Sampling Fraction	80.0%
Sample Household Members	49
Estimated Household Members	61.3

HARBOR SEAL HARVEST AND USE INFORMATION

Percent Of Native Households:

Used	41.7%
Hunted	41.7%
Harvested	41.7%
Received	16.7%
Gave Away	41.7%

Estimated Community Harvest and Take (Expanded):

Total Number Harvested	10.0
Total Number Struck and Lost	1.3
Total Number Taken	11.3
Number Harvested Per Capita	0.18

HARBOR SEAL HARVEST BY SEASON													Unknown	Total
Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Month		
REPORTED HARVEST AND TAKE BY SAMPLED HOUSEHOLDS (UNEXPANDED)														
Harvest	0	0	0	0	0	0	0	2	2	4	0	0	0	8
Struck and Lost	0	0	0	0	0	0	0	1	0	0	0	0	0	1
Total Take	0	0	0	0	0	0	0	3	2	4	0	0	0	9
ESTIMATED HARVEST AND TAKE BY COMMUNITY (EXPANDED)														
Harvest	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.5	2.5	5.0	0.0	0.0	0.0	10.0
Struck and Lost	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3	0.0	0.0	0.0	0.0	0.0	1.3
Total Take	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.8	2.5	5.0	0.0	0.0	0.0	11.3
ESTIMATED SEASONALLY ADJUSTED HARVEST AND TAKE BY COMMUNITY (EXPANDED)														
Harvest	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.5	2.5	5.0	0.0	0.0	0.0	10.0
Struck and Lost	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3	0.0	0.0	0.0	0.0	0.0	1.3
Total Take	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.8	2.5	5.0	0.0	0.0	0.0	11.3
Total Take (%)	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	33.3%	22.2%	44.4%	0.0%	0.0%	0.0%	100%
Cumulative Take	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.8	6.3	11.3	11.3	11.3	11.3	
Cum. Take (%)	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	33.3%	55.6%	100.0%	100.0%	100.0%	100.0%	


HARBOR SEAL HARVEST BY AGE AND SEX

	Reported		Estimated	
	By Sample (Unexpanded)	Percent	By Community (Expanded)	Percent
Adult Male	2	25.0%	2.5	25.0%
Adult Female	1	12.5%	1.3	12.5%
Adult Unknown Sex	3	37.5%	3.8	37.5%
Juvenile Male	1	12.5%	1.3	12.5%
Juvenile Female	0	0.0%	0.0	0.0%
Juvenile Unknown Sex	1	12.5%	1.3	12.5%
Pup Male	0	0.0%	0.0	0.0%
Pup Female	0	0.0%	0.0	0.0%
Pup Unknown Sex	0	0.0%	0.0	0.0%
Male Unknown Age	0	0.0%	0.0	0.0%
Female Unknown Age	0	0.0%	0.0	0.0%
Unknown Sex and Age	0	0.0%	0.0	0.0%
Total	8	100.0%	10.0	100.0%


SOURCE: Alaska Department of Fish and Game, Division of Subsistence, Subsistence Study and Monitor System for Sea Lions and Harbor Seals in Alaska, with assistance from the Karluk IRA Council, 1994.

FIGURE 58. HARBOR SEAL (*Phoca vitulina*) TAKE ESTIMATES: KARLUK, 1993


A. Percentage Seasonally Adjusted Take By Month



B. Seasonally Adjusted Take By Month



C. Cumulative Seasonally Adjusted Take By Month



SOURCE: Alaska Department of Fish and Game, Division of Subsistence, Subsistence Study and Monitor System for Sea Lions and Harbor Seals in Alaska, with assistance from the Karluk IRA Council, 1994.

TABLE 59. SEA LION (*Eumetopias jubatus*) HARVEST AND TAKE ESTIMATES: KODIAK CITY, 1993

SAMPLING DESIGN: TWO STRATA

	Active	Other	Total
Total Native Households	10	393	403
Surveyed Households	10	31	41
Sampling Fraction	100.0%	7.9%	10.2%
Sample Household Members	40	88	128
Estimated Household Members	40.0	1115.6	1155.6

SEA LION HARVEST AND USE INFORMATION

Percent Of Native Households:

Used	9.7%
Hunted	3.1%
Harvested	0.0%
Received	9.7%
Gave Away	0.0%

Estimated Community Harvest and Take (Expanded):

Total Number Harvested	0.0
Total Number Struck and Lost	12.7
Total Number Taken	12.7
Number Harvested Per Capita	0.00

SEA LION HARVEST BY SEASON

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Unknown Month	Total
REPORTED HARVEST AND TAKE BY SAMPLED HOUSEHOLDS (UNEXPANDED)														
Harvest	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Struck and Lost	0	0	0	0	0	0	0	0	1	0	0	0	0	1
Total Take	0	0	0	0	0	0	0	0	1	0	0	0	0	1
ESTIMATED HARVEST AND TAKE BY COMMUNITY (EXPANDED)														
Harvest	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Struck and Lost	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12.7	0.0	0.0	0.0	0.0	12.7
Total Take	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12.7	0.0	0.0	0.0	0.0	12.7
ESTIMATED SEASONALLY ADJUSTED HARVEST AND TAKE BY COMMUNITY (EXPANDED)														
Harvest	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Struck and Lost	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12.7	0.0	0.0	0.0	0.0	12.7
Total Take	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12.7	0.0	0.0	0.0	0.0	12.7
Total Take (%)	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	100.0%	0.0%	0.0%	0.0%	0.0%	100%
Cumulative Take	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12.7	12.7	12.7	12.7	12.7	12.7
Cum. Take (%)	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%


SEA LION HARVEST BY AGE AND SEX

	Reported		Estimated	
	By Sample (Unexpanded)	Percent	By Community (Expanded)	Percent
Adult Male	0	---	0.0	---
Adult Female	0	---	0.0	---
Adult Unknown Sex	0	---	0.0	---
Juvenile Male	0	---	0.0	---
Juvenile Female	0	---	0.0	---
Juvenile Unknown Sex	0	---	0.0	---
Pup Male	0	---	0.0	---
Pup Female	0	---	0.0	---
Pup Unknown Sex	0	---	0.0	---
Male Unknown Age	0	---	0.0	---
Female Unknown Age	0	---	0.0	---
Unknown Sex and Age	0	---	0.0	---
Total	0	---	0.0	---


SOURCE: Alaska Department of Fish and Game, Division of Subsistence, Subsistence Study and Monitor System for Sea Lions and Harbor Seals in Alaska, with assistance from the Kodiak Tribal Council and Kodiak Area Native Association, 1994.

FIGURE 59. SEA LION (*Eumetopias jubatus*) TAKE ESTIMATES: KODIAK CITY, 1993


A. Percentage Seasonally Adjusted Take By Month



B. Seasonally Adjusted Take By Month



C. Cumulative Seasonally Adjusted Take By Month



SOURCE: Alaska Department of Fish and Game, Division of Subsistence, Subsistence Study and Monitor System for Sea Lions and Harbor Seals in Alaska, with assistance from the Kodiak Tribal Council and Kodiak Area Native Association, 1994.

TABLE 60. HARBOR SEAL (*Phoca vitulina*) HARVEST AND TAKE ESTIMATES: KODIAK CITY, 1993

SAMPLING DESIGN: TWO STRATA

	Active	Other	Total
Total Native Households	10	393	403
Surveyed Households	10	31	41
Sampling Fraction	100.0%	7.9%	10.2%
Sample Household Members	40	88	128
Estimated Household Members	40.0	1115.6	1155.6

HARBOR SEAL HARVEST AND USE INFORMATION

Percent Of Native Households:

Used	26.4%
Hunted	1.2%
Harvested	0.2%
Received	26.2%
Gave Away	3.4%

Estimated Community Harvest and Take (Expanded):

Total Number Harvested	6.0
Total Number Struck and Lost	1.0
Total Number Taken	7.0
Number Harvested Per Capita	0.01

HARBOR SEAL HARVEST BY SEASON

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Unknown Month	Total
REPORTED HARVEST AND TAKE BY SAMPLED HOUSEHOLDS (UNEXPANDED)														
Harvest	2	0	0	0	0	1	0	0	0	3	0	0	0	6
Struck and Lost	0	0	0	0	0	0	0	0	1	0	0	0	0	1
Total Take	2	0	0	0	0	1	0	0	1	3	0	0	0	7
ESTIMATED HARVEST AND TAKE BY COMMUNITY (EXPANDED)														
Harvest	2.0	0.0	0.0	0.0	0.0	1.0	0.0	0.0	0.0	3.0	0.0	0.0	0.0	6.0
Struck and Lost	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	0.0	0.0	0.0	0.0	1.0
Total Take	2.0	0.0	0.0	0.0	0.0	1.0	0.0	0.0	1.0	3.0	0.0	0.0	0.0	7.0
ESTIMATED SEASONALLY ADJUSTED HARVEST AND TAKE BY COMMUNITY (EXPANDED)														
Harvest	2.0	0.0	0.0	0.0	0.0	1.0	0.0	0.0	0.0	3.0	0.0	0.0	0.0	6.0
Struck and Lost	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	0.0	0.0	0.0	0.0	1.0
Total Take	2.0	0.0	0.0	0.0	0.0	1.0	0.0	0.0	1.0	3.0	0.0	0.0	0.0	7.0
Total Take (%)	28.6%	0.0%	0.0%	0.0%	0.0%	14.3%	0.0%	0.0%	14.3%	42.9%	0.0%	0.0%	0.0%	100%
Cumulative Take	2.0	2.0	2.0	2.0	2.0	3.0	3.0	3.0	4.0	7.0	7.0	7.0	7.0	
Cum. Take (%)	28.6%	28.6%	28.6%	28.6%	28.6%	42.9%	42.9%	42.9%	57.1%	100.0%	100.0%	100.0%	100.0%	


HARBOR SEAL HARVEST BY AGE AND SEX

	Reported		Estimated	
	By Sample (Unexpanded)	Percent	By Community (Expanded)	Percent
Adult Male	3	50.0%	3.0	50.0%
Adult Female	0	0.0%	0.0	0.0%
Adult Unknown Sex	0	0.0%	0.0	0.0%
Juvenile Male	0	0.0%	0.0	0.0%
Juvenile Female	0	0.0%	0.0	0.0%
Juvenile Unknown Sex	2	33.3%	2.0	33.3%
Pup Male	0	0.0%	0.0	0.0%
Pup Female	0	0.0%	0.0	0.0%
Pup Unknown Sex	1	16.7%	1.0	16.7%
Male Unknown Age	0	0.0%	0.0	0.0%
Female Unknown Age	0	0.0%	0.0	0.0%
Unknown Sex and Age	0	0.0%	0.0	0.0%
Total	6	100.0%	6.0	100.0%


SOURCE: Alaska Department of Fish and Game, Division of Subsistence, Subsistence Study and Monitor System for Sea Lions and Harbor Seals in Alaska, with assistance from the Kodiak Tribal Council and Kodiak Area Native Association, 1994.

FIGURE 60. HARBOR SEAL (*Phoca vitulina*) TAKE ESTIMATES: KODIAK CITY, 1993


A. Percentage Seasonally Adjusted Take By Month



B. Seasonally Adjusted Take By Month



C. Cumulative Seasonally Adjusted Take By Month



SOURCE: Alaska Department of Fish and Game, Division of Subsistence, Subsistence Study and Monitor System for Sea Lions and Harbor Seals in Alaska, with assistance from the Kodiak Tribal Council and Kodiak Area Native Association, 1994.

TABLE 61. SEA LION (*Eumetopias jubatus*) HARVEST AND TAKE ESTIMATES: LARSEN BAY, 1993

SAMPLING DESIGN: CENSUS

Total Native Households	43
Surveyed Households	39
Sampling Fraction	90.7%
Sample Household Members	111
Estimated Household Members	122.4

SEA LION HARVEST AND USE INFORMATION

<i>Percent Of Native Households:</i>		<i>Estimated Community Harvest and Take (Expanded):</i>	
Used	0.0%	Total Number Harvested	0.0
Hunted	0.0%	Total Number Struck and Lost	0.0
Harvested	0.0%	Total Number Taken	0.0
Received	0.0%	Number Harvested Per Capita	0.00
Gave Away	0.0%		

	SEA LION HARVEST BY SEASON												Total	
	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec		Unknown Month
REPORTED HARVEST AND TAKE BY SAMPLED HOUSEHOLDS (UNEXPANDED)														
Harvest	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Struck and Lost	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Total Take	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ESTIMATED HARVEST AND TAKE BY COMMUNITY (EXPANDED)														
Harvest	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Struck and Lost	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total Take	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
ESTIMATED SEASONALLY ADJUSTED HARVEST AND TAKE BY COMMUNITY (EXPANDED)														
Harvest	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Struck and Lost	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total Take	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total Take (%)	---	---	---	---	---	---	---	---	---	---	---	---	---	---
Cumulative Take	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Cum. Take (%)	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%


SEA LION HARVEST BY AGE AND SEX

	Reported		Estimated	
	By Sample (Unexpanded)	Percent	By Community (Expanded)	Percent
Adult Male	0	---	0.0	---
Adult Female	0	---	0.0	---
Adult Unknown Sex	0	---	0.0	---
Juvenile Male	0	---	0.0	---
Juvenile Female	0	---	0.0	---
Juvenile Unknown Sex	0	---	0.0	---
Pup Male	0	---	0.0	---
Pup Female	0	---	0.0	---
Pup Unknown Sex	0	---	0.0	---
Male Unknown Age	0	---	0.0	---
Female Unknown Age	0	---	0.0	---
Unknown Sex and Age	0	---	0.0	---
Total	0	---	0.0	---


SOURCE: Alaska Department of Fish and Game, Division of Subsistence, Subsistence Study and Monitor System for Sea Lions and Harbor Seals in Alaska, with assistance from the City of Larsen Bay and Larsen Bay Tribal Council, 1994.

FIGURE 61. SEA LION (*Eumetopias jubatus*) TAKE ESTIMATES: LARSEN BAY, 1993


A. Percentage Seasonally Adjusted Take By Month



B. Seasonally Adjusted Take By Month



C. Cumulative Seasonally Adjusted Take By Month



SOURCE: Alaska Department of Fish and Game, Division of Subsistence, Subsistence Study and Monitor System for Sea Lions and Harbor Seals in Alaska, with assistance from the City of Larsen Bay and Larsen Bay Tribal Council, 1994.

TABLE 62. HARBOR SEAL (*Phoca vitulina*) HARVEST AND TAKE ESTIMATES: LARSEN BAY, 1993

SAMPLING DESIGN: CENSUS

Total Native Households	43
Surveyed Households	39
Sampling Fraction	90.7%
Sample Household Members	111
Estimated Household Members	122.4

HARBOR SEAL HARVEST AND USE INFORMATION

<i>Percent Of Native Households:</i>		<i>Estimated Community Harvest and Take (Expanded):</i>	
Used	33.3%	Total Number Harvested	7.7
Hunted	17.9%	Total Number Struck and Lost	5.5
Harvested	12.8%	Total Number Taken	13.2
Received	23.1%	Number Harvested Per Capita	0.06
Gave Away	25.6%		

HARBOR SEAL HARVEST BY SEASON

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Unknown Month	Total
REPORTED HARVEST AND TAKE BY SAMPLED HOUSEHOLDS (UNEXPANDED)														
Harvest	0	0	0	0	0	0	0	0	1	2	2	2	0	7
Struck and Lost	0	0	0	0	0	0	0	0	0	1	0	1	3	5
Total Take	0	0	0	0	0	0	0	0	1	3	2	3	3	12
ESTIMATED HARVEST AND TAKE BY COMMUNITY (EXPANDED)														
Harvest	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1	2.2	2.2	2.2	0.0	7.7
Struck and Lost	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1	0.0	1.1	3.3	5.5
Total Take	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1	3.3	2.2	3.3	3.3	13.2
ESTIMATED SEASONALLY ADJUSTED HARVEST AND TAKE BY COMMUNITY (EXPANDED)														
Harvest	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1	2.2	2.2	2.2		7.7
Struck and Lost	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.8	0.0	2.8		5.5
Total Take	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1	5.0	2.2	5.0		13.2
Total Take (%)	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	8.3%	37.5%	16.7%	37.5%		100%
Cumulative Take	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1	6.1	8.3	13.2		
Cum. Take (%)	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	8.3%	45.8%	62.5%	100.0%		


HARBOR SEAL HARVEST BY AGE AND SEX

	Reported By Sample (Unexpanded)		Estimated By Community (Expanded)	
		Percent		Percent
Adult Male	4	57.1%	4.4	57.1%
Adult Female	0	0.0%	0.0	0.0%
Adult Unknown Sex	3	42.9%	3.3	42.9%
Juvenile Male	0	0.0%	0.0	0.0%
Juvenile Female	0	0.0%	0.0	0.0%
Juvenile Unknown Sex	0	0.0%	0.0	0.0%
Pup Male	0	0.0%	0.0	0.0%
Pup Female	0	0.0%	0.0	0.0%
Pup Unknown Sex	0	0.0%	0.0	0.0%
Male Unknown Age	0	0.0%	0.0	0.0%
Female Unknown Age	0	0.0%	0.0	0.0%
Unknown Sex and Age	0	0.0%	0.0	0.0%
Total	7	100.0%	7.7	100.0%


SOURCE: Alaska Department of Fish and Game, Division of Subsistence, Subsistence Study and Monitor System for Sea Lions and Harbor Seals in Alaska, with assistance from the City of Larsen Bay and Larsen Bay Tribal Council, 1994.

FIGURE 62. HARBOR SEAL (*Phoca vitulina*) TAKE ESTIMATES: LARSEN BAY, 1993


A. Percentage Seasonally Adjusted Take By Month



B. Seasonally Adjusted Take By Month



C. Cumulative Seasonally Adjusted Take By Month



SOURCE: Alaska Department of Fish and Game, Division of Subsistence, Subsistence Study and Monitor System for Sea Lions and Harbor Seals in Alaska, with assistance from the City of Larsen Bay and Larsen Bay Tribal Council, 1994.

TABLE 63. SEA LION (*Eumetopias jubatus*) HARVEST AND TAKE ESTIMATES: OLD HARBOR, 1993

SAMPLING DESIGN: TWO STRATA

	Active	Other	Total
Total Native Households	28	53	81
Surveyed Households	27	32	59
Sampling Fraction	96.4%	60.4%	72.8%
Sample Household Members	110	95	205
Estimated Household Members	114.1	157.3	271.4

SEA LION HARVEST AND USE INFORMATION

Percent Of Native Households:

Used	93.3%
Hunted	37.6%
Harvested	27.4%
Received	88.2%
Gave Away	38.1%

Estimated Community Harvest and Take (Expanded):

Total Number Harvested	32.1
Total Number Struck and Lost	1.0
Total Number Taken	33.2
Number Harvested Per Capita	0.12

SEA LION HARVEST BY SEASON

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Unknown Month	Total
REPORTED HARVEST AND TAKE BY SAMPLED HOUSEHOLDS (UNEXPANDED)														
Harvest	0	2	2	1	2	1	0	0	5	3	9	3	0	28
Struck and Lost	0	0	0	0	0	0	0	0	0	1	0	0	0	1
Total Take	0	2	2	1	2	1	0	0	5	4	9	3	0	29
ESTIMATED HARVEST AND TAKE BY COMMUNITY (EXPANDED)														
Harvest	0.0	2.7	2.1	1.0	2.7	1.0	0.0	0.0	5.8	3.1	10.6	3.1	0.0	32.1
Struck and Lost	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	0.0	0.0	0.0	1.0
Total Take	0.0	2.7	2.1	1.0	2.7	1.0	0.0	0.0	5.8	4.1	10.6	3.1	0.0	33.2
ESTIMATED SEASONALLY ADJUSTED HARVEST AND TAKE BY COMMUNITY (EXPANDED)														
Harvest	0.0	2.7	2.1	1.0	2.7	1.0	0.0	0.0	5.8	3.1	10.6	3.1		32.1
Struck and Lost	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	0.0	0.0		1.0
Total Take	0.0	2.7	2.1	1.0	2.7	1.0	0.0	0.0	5.8	4.1	10.6	3.1		33.2
Total Take (%)	0.0%	8.1%	6.3%	3.1%	8.1%	3.1%	0.0%	0.0%	17.5%	12.5%	31.9%	9.4%		100%
Cumulative Take	0.0	2.7	4.8	5.8	8.5	9.5	9.5	9.5	15.3	19.5	30.1	33.2		
Cum. Take (%)	0.0%	8.1%	14.4%	17.5%	25.6%	28.7%	28.7%	28.7%	46.2%	58.7%	90.6%	100.0%		


SEA LION HARVEST BY AGE AND SEX

	Reported		Estimated	
	By Sample (Unexpanded)	Percent	By Community (Expanded)	Percent
Adult Male	11	39.3%	12.6	39.4%
Adult Female	6	21.4%	6.2	19.4%
Adult Unknown Sex	1	3.6%	1.0	3.2%
Juvenile Male	10	35.7%	12.2	38.1%
Juvenile Female	0	0.0%	0.0	0.0%
Juvenile Unknown Sex	0	0.0%	0.0	0.0%
Pup Male	0	0.0%	0.0	0.0%
Pup Female	0	0.0%	0.0	0.0%
Pup Unknown Sex	0	0.0%	0.0	0.0%
Male Unknown Age	0	0.0%	0.0	0.0%
Female Unknown Age	0	0.0%	0.0	0.0%
Unknown Sex and Age	0	0.0%	0.0	0.0%
Total	28	100.0%	32.1	100.0%


SOURCE: Alaska Department of Fish and Game, Division of Subsistence, Subsistence Study and Monitor System for Sea Lions and Harbor Seals in Alaska, with assistance from the City of Old Harbor and Old Harbor Tribal Council, 1994.

FIGURE 63. SEA LION (*Eumetopias jubatus*) TAKE ESTIMATES: OLD HARBOR, 1993


A. Percentage Seasonally Adjusted Take By Month



B. Seasonally Adjusted Take By Month



C. Cumulative Seasonally Adjusted Take By Month



SOURCE: Alaska Department of Fish and Game, Division of Subsistence, Subsistence Study and Monitor System for Sea Lions and Harbor Seals in Alaska, with assistance from the City of Old Harbor and Old Harbor Tribal Council, 1994.

TABLE 64. HARBOR SEAL (*Phoca vitulina*) HARVEST AND TAKE ESTIMATES: OLD HARBOR, 1993

SAMPLING DESIGN: TWO STRATA

	Active	Other	Total
Total Native Households	28	53	81
Surveyed Households	27	32	59
Sampling Fraction	96.4%	60.4%	72.8%
Sample Household Members	110	95	205
Estimated Household Members	114.1	157.3	271.4

HARBOR SEAL HARVEST AND USE INFORMATION

Percent Of Native Households:

Used	94.6%
Hunted	44.3%
Harvested	40.4%
Received	89.5%
Gave Away	47.3%

Estimated Community Harvest and Take (Expanded):

Total Number Harvested	67.6
Total Number Struck and Lost	2.7
Total Number Taken	70.3
Number Harvested Per Capita	0.25

HARBOR SEAL HARVEST BY SEASON

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Unknown Month	Total
REPORTED HARVEST AND TAKE BY SAMPLED HOUSEHOLDS (UNEXPANDED)														
Harvest	1	4	5	5	4	2	3	6	5	14	5	4	0	58
Struck and Lost	0	0	0	0	0	0	0	0	0	1	0	1	0	2
Total Take	1	4	5	5	4	2	3	6	5	15	5	5	0	60
ESTIMATED HARVEST AND TAKE BY COMMUNITY (EXPANDED)														
Harvest	1.7	6.0	5.8	5.2	4.1	2.1	3.7	6.2	5.8	17.0	5.8	4.1	0.0	67.6
Struck and Lost	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.7	0.0	1.0	0.0	2.7
Total Take	1.7	6.0	5.8	5.2	4.1	2.1	3.7	6.2	5.8	18.7	5.8	5.2	0.0	70.3
ESTIMATED SEASONALLY ADJUSTED HARVEST AND TAKE BY COMMUNITY (EXPANDED)														
Harvest	1.7	6.0	5.8	5.2	4.1	2.1	3.7	6.2	5.8	17.0	5.8	4.1		67.6
Struck and Lost	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.7	0.0	1.0		2.7
Total Take	1.7	6.0	5.8	5.2	4.1	2.1	3.7	6.2	5.8	18.7	5.8	5.2		70.3
Total Take (%)	2.4%	8.5%	8.3%	7.4%	5.9%	3.0%	5.3%	8.9%	8.3%	26.5%	8.3%	7.4%		100%
Cumulative Take	1.7	7.7	13.5	18.7	22.8	24.9	28.6	34.8	40.6	59.3	65.1	70.3		
Cum. Take (%)	2.4%	10.9%	19.2%	26.5%	32.4%	35.4%	40.7%	49.6%	57.8%	84.4%	92.6%	100.0%		


HARBOR SEAL HARVEST BY AGE AND SEX

	Reported		Estimated	
	By Sample (Unexpanded)	Percent	By Community (Expanded)	Percent
Adult Male	23	39.7%	26.3	39.0%
Adult Female	7	12.1%	7.3	10.7%
Adult Unknown Sex	1	1.7%	1.0	1.5%
Juvenile Male	21	36.2%	23.6	35.0%
Juvenile Female	1	1.7%	1.7	2.5%
Juvenile Unknown Sex	1	1.7%	1.0	1.5%
Pup Male	0	0.0%	0.0	0.0%
Pup Female	0	0.0%	0.0	0.0%
Pup Unknown Sex	0	0.0%	0.0	0.0%
Male Unknown Age	0	0.0%	0.0	0.0%
Female Unknown Age	4	6.9%	6.6	9.8%
Unknown Sex and Age	0	0.0%	0.0	0.0%
Total	58	100.0%	67.6	100.0%


SOURCE: Alaska Department of Fish and Game, Division of Subsistence, Subsistence Study and Monitor System for Sea Lions and Harbor Seals in Alaska, with assistance from the City of Old Harbor and Old Harbor Tribal Council, 1994.

FIGURE 64. HARBOR SEAL (*Phoca vitulina*) TAKE ESTIMATES: OLD HARBOR, 1993


A. Percentage Seasonally Adjusted Take By Month



B. Seasonally Adjusted Take By Month



C. Cumulative Seasonally Adjusted Take By Month



SOURCE: Alaska Department of Fish and Game, Division of Subsistence, Subsistence Study and Monitor System for Sea Lions and Harbor Seals in Alaska, with assistance from the City of Old Harbor and Old Harbor Tribal Council, 1994.

TABLE 65. SEA LION (*Eumetopias jubatus*) HARVEST AND TAKE ESTIMATES: OUZINKIE, 1993

SAMPLING DESIGN: CENSUS

Total Native Households	65
Surveyed Households	60
Sampling Fraction	92.3%
Sample Household Members	195
Estimated Household Members	211.3

SEA LION HARVEST AND USE INFORMATION

Percent Of Native Households:

Used	6.7%
Hunted	5.0%
Harvested	5.0%
Received	3.3%
Gave Away	3.3%

Estimated Community Harvest and Take (Expanded):

Total Number Harvested	5.4
Total Number Struck and Lost	2.2
Total Number Taken	7.6
Number Harvested Per Capita	0.03

SEA LION HARVEST BY SEASON

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Unknown Month	Total
REPORTED HARVEST AND TAKE BY SAMPLED HOUSEHOLDS (UNEXPANDED)														
Harvest	0	0	0	0	1	0	0	0	0	0	1	0	3	5
Struck and Lost	0	0	0	0	2	0	0	0	0	0	0	0	0	2
Total Take	0	0	0	0	3	0	0	0	0	0	1	0	3	7
ESTIMATED HARVEST AND TAKE BY COMMUNITY (EXPANDED)														
Harvest	0.0	0.0	0.0	0.0	1.1	0.0	0.0	0.0	0.0	0.0	1.1	0.0	3.3	5.4
Struck and Lost	0.0	0.0	0.0	0.0	2.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.2
Total Take	0.0	0.0	0.0	0.0	3.3	0.0	0.0	0.0	0.0	0.0	1.1	0.0	3.3	7.6
ESTIMATED SEASONALLY ADJUSTED HARVEST AND TAKE BY COMMUNITY (EXPANDED)														
Harvest	0.0	0.0	0.0	0.0	2.7	0.0	0.0	0.0	0.0	0.0	2.7	0.0		5.4
Struck and Lost	0.0	0.0	0.0	0.0	2.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0		2.2
Total Take	0.0	0.0	0.0	0.0	4.9	0.0	0.0	0.0	0.0	0.0	2.7	0.0		7.6
Total Take (%)	0.0%	0.0%	0.0%	0.0%	64.3%	0.0%	0.0%	0.0%	0.0%	0.0%	35.7%	0.0%		100%
Cumulative Take	0.0	0.0	0.0	0.0	4.9	4.9	4.9	4.9	4.9	4.9	7.6	7.6		
Cum. Take (%)	0.0%	0.0%	0.0%	0.0%	64.3%	64.3%	64.3%	64.3%	64.3%	64.3%	100.0%	100.0%		


SEA LION HARVEST BY AGE AND SEX

	Reported By Sample (Unexpanded)		Estimated By Community (Expanded)	
		Percent		Percent
Adult Male	0	0.0%	0.0	0.0%
Adult Female	0	0.0%	0.0	0.0%
Adult Unknown Sex	0	0.0%	0.0	0.0%
Juvenile Male	0	0.0%	0.0	0.0%
Juvenile Female	0	0.0%	0.0	0.0%
Juvenile Unknown Sex	2	40.0%	2.2	40.0%
Pup Male	0	0.0%	0.0	0.0%
Pup Female	0	0.0%	0.0	0.0%
Pup Unknown Sex	0	0.0%	0.0	0.0%
Male Unknown Age	0	0.0%	0.0	0.0%
Female Unknown Age	0	0.0%	0.0	0.0%
Unknown Sex and Age	3	60.0%	3.3	60.0%
Total	5	100.0%	5.4	100.0%


SOURCE: Alaska Department of Fish and Game, Division of Subsistence, Subsistence Study and Monitor System for Sea Lions and Harbor Seals in Alaska, with assistance from the Ouzinkie Native Corporation, City of Ouzinkie, and Ouzinkie Tribal Council, 1994.

FIGURE 65. SEA LION (*Eumetopias jubatus*) TAKE ESTIMATES: OUZINKIE, 1993


A. Percentage Seasonally Adjusted Take By Month



B. Seasonally Adjusted Take By Month



C. Cumulative Seasonally Adjusted Take By Month



SOURCE: Alaska Department of Fish and Game, Division of Subsistence, Subsistence Study and Monitor System for Sea Lions and Harbor Seals in Alaska, with assistance from the Ouzinkie Native Corporation, City of Ouzinkie, and Ouzinkie Tribal Council, 1994.

TABLE 66. HARBOR SEAL (*Phoca vitulina*) HARVEST AND TAKE ESTIMATES: OUZINKIE, 1993

SAMPLING DESIGN: CENSUS

Total Native Households	65
Surveyed Households	60
Sampling Fraction	92.3%
Sample Household Members	195
Estimated Household Members	211.3

HARBOR SEAL HARVEST AND USE INFORMATION

Percent Of Native Households:

Used	46.7%
Hunted	33.3%
Harvested	30.0%
Received	36.7%
Gave Away	30.0%

Estimated Community Harvest and Take (Expanded):

Total Number Harvested	41.2
Total Number Struck and Lost	8.7
Total Number Taken	49.8
Number Harvested Per Capita	0.19

HARBOR SEAL HARVEST BY SEASON

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Unknown Month	Total
REPORTED HARVEST AND TAKE BY SAMPLED HOUSEHOLDS (UNEXPANDED)														
Harvest	2	1	2	0	0	0	1	6	4	7	2	4	9	38
Struck and Lost	0	0	0	0	0	0	0	4	0	0	0	0	4	8
Total Take	2	1	2	0	0	0	1	10	4	7	2	4	13	46
ESTIMATED HARVEST AND TAKE BY COMMUNITY (EXPANDED)														
Harvest	2.2	1.1	2.2	0.0	0.0	0.0	1.1	6.5	4.3	7.6	2.2	4.3	9.8	41.2
Struck and Lost	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.3	0.0	0.0	0.0	0.0	4.3	8.7
Total Take	2.2	1.1	2.2	0.0	0.0	0.0	1.1	10.8	4.3	7.6	2.2	4.3	14.1	49.8
ESTIMATED SEASONALLY ADJUSTED HARVEST AND TAKE BY COMMUNITY (EXPANDED)														
Harvest	2.8	1.4	2.8	0.0	0.0	0.0	1.4	8.5	5.7	9.9	2.8	5.7		41.2
Struck and Lost	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8.7	0.0	0.0	0.0	0.0		8.7
Total Take	2.8	1.4	2.8	0.0	0.0	0.0	1.4	17.2	5.7	9.9	2.8	5.7		49.8
Total Take (%)	5.7%	2.8%	5.7%	0.0%	0.0%	0.0%	2.8%	34.5%	11.4%	19.9%	5.7%	11.4%		100%
Cumulative Take	2.8	4.3	7.1	7.1	7.1	7.1	8.5	25.7	31.4	41.3	44.2	49.8		
Cum. Take (%)	5.7%	8.5%	14.2%	14.2%	14.2%	14.2%	17.1%	51.6%	63.0%	82.9%	88.6%	100.0%		

HARBOR SEAL HARVEST BY AGE AND SEX


	Reported		Estimated	
	By Sample (Unexpanded)	Percent	By Community (Expanded)	Percent
Adult Male	6	15.8%	6.5	15.8%
Adult Female	2	5.3%	2.2	5.3%
Adult Unknown Sex	4	10.5%	4.3	10.5%
Juvenile Male	10	26.3%	10.8	26.3%
Juvenile Female	3	7.9%	3.3	7.9%
Juvenile Unknown Sex	4	10.5%	4.3	10.5%
Pup Male	1	2.6%	1.1	2.6%
Pup Female	0	0.0%	0.0	0.0%
Pup Unknown Sex	0	0.0%	0.0	0.0%
Male Unknown Age	0	0.0%	0.0	0.0%
Female Unknown Age	0	0.0%	0.0	0.0%
Unknown Sex and Age	8	21.1%	8.7	21.1%
Total	38	100.0%	41.2	100.0%

SOURCE:


Alaska Department of Fish and Game, Division of Subsistence, Subsistence Study and Monitor System for Sea Lions and Harbor Seals in Alaska, with assistance from the Ouzinkie Native Corporation, City of Ouzinkie, and Ouzinkie Tribal Council, 1994.

FIGURE 66. HARBOR SEAL (*Phoca vitulina*) TAKE ESTIMATES: OUZINKIE, 1993


A. Percentage Seasonally Adjusted Take By Month



B. Seasonally Adjusted Take By Month



C. Cumulative Seasonally Adjusted Take By Month



SOURCE: Alaska Department of Fish and Game, Division of Subsistence, Subsistence Study and Monitor System for Sea Lions and Harbor Seals in Alaska, with assistance from the Ouzinkie Native Corporation, City of Ouzinkie, and Ouzinkie Tribal Council, 1994.

TABLE 67. SEA LION (*Eumetopias jubatus*) HARVEST AND TAKE ESTIMATES: PORT LIONS, 1993

SAMPLING DESIGN: TWO STRATA

	Active	Other	Total
Total Native Households	7	52	59
Surveyed Households	7	26	33
Sampling Fraction	100.0%	50.0%	55.9%
Sample Household Members	28	77	105
Estimated Household Members	28.0	154.0	182.0

SEA LION HARVEST AND USE INFORMATION

Percent Of Native Households:

Used	6.8%
Hunted	6.8%
Harvested	6.8%
Received	0.0%
Gave Away	6.8%

Estimated Community Harvest and Take (Expanded):

Total Number Harvested	4.0
Total Number Struck and Lost	1.0
Total Number Taken	5.0
Number Harvested Per Capita	0.02

SEA LION HARVEST BY SEASON

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Unknown Month	Total
REPORTED HARVEST AND TAKE BY SAMPLED HOUSEHOLDS (UNEXPANDED)														
Harvest	0	0	0	1	0	1	0	0	0	1	0	0	0	3
Struck and Lost	0	0	0	0	0	1	0	0	0	0	0	0	0	1
Total Take	0	0	0	1	0	2	0	0	0	1	0	0	0	4
ESTIMATED HARVEST AND TAKE BY COMMUNITY (EXPANDED)														
Harvest	0.0	0.0	0.0	2.0	0.0	1.0	0.0	0.0	0.0	1.0	0.0	0.0	0.0	4.0
Struck and Lost	0.0	0.0	0.0	0.0	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0
Total Take	0.0	0.0	0.0	2.0	0.0	2.0	0.0	0.0	0.0	1.0	0.0	0.0	0.0	5.0
ESTIMATED SEASONALLY ADJUSTED HARVEST AND TAKE BY COMMUNITY (EXPANDED)														
Harvest	0.0	0.0	0.0	2.0	0.0	1.0	0.0	0.0	0.0	1.0	0.0	0.0	0.0	4.0
Struck and Lost	0.0	0.0	0.0	0.0	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0
Total Take	0.0	0.0	0.0	2.0	0.0	2.0	0.0	0.0	0.0	1.0	0.0	0.0	0.0	5.0
Total Take (%)	0.0%	0.0%	0.0%	40.0%	0.0%	40.0%	0.0%	0.0%	0.0%	20.0%	0.0%	0.0%	0.0%	100%
Cumulative Take	0.0	0.0	0.0	2.0	2.0	4.0	4.0	4.0	4.0	5.0	5.0	5.0	5.0	
Cum. Take (%)	0.0%	0.0%	0.0%	40.0%	40.0%	80.0%	80.0%	80.0%	80.0%	100.0%	100.0%	100.0%	100.0%	


SEA LION HARVEST BY AGE AND SEX

	Reported		Estimated	
	By Sample (Unexpanded)	Percent	By Community (Expanded)	Percent
Adult Male	1	33.3%	1.0	25.0%
Adult Female	0	0.0%	0.0	0.0%
Adult Unknown Sex	0	0.0%	0.0	0.0%
Juvenile Male	2	66.7%	3.0	75.0%
Juvenile Female	0	0.0%	0.0	0.0%
Juvenile Unknown Sex	0	0.0%	0.0	0.0%
Pup Male	0	0.0%	0.0	0.0%
Pup Female	0	0.0%	0.0	0.0%
Pup Unknown Sex	0	0.0%	0.0	0.0%
Male Unknown Age	0	0.0%	0.0	0.0%
Female Unknown Age	0	0.0%	0.0	0.0%
Unknown Sex and Age	0	0.0%	0.0	0.0%
Total	3	100.0%	4.0	100.0%


SOURCE: Alaska Department of Fish and Game, Division of Subsistence, Subsistence Study and Monitor System for Sea Lions and Harbor Seals in Alaska, with assistance from the Port Lions Tribal Council and City of Port Lions, 1994.

FIGURE 67. SEA LION (*Eumetopias jubatus*) TAKE ESTIMATES: PORT LIONS, 1993


A. Percentage Seasonally Adjusted Take By Month



B. Seasonally Adjusted Take By Month



C. Cumulative Seasonally Adjusted Take By Month



SOURCE: Alaska Department of Fish and Game, Division of Subsistence, Subsistence Study and Monitor System for Sea Lions and Harbor Seals in Alaska, with assistance from the Port Lions Tribal Council and City of Port Lions, 1994.

TABLE 68. HARBOR SEAL (*Phoca vitulina*) HARVEST AND TAKE ESTIMATES: PORT LIONS, 1993

SAMPLING DESIGN: TWO STRATA

	Active	Other	Total
Total Native Households	7	52	59
Surveyed Households	7	26	33
Sampling Fraction	100.0%	50.0%	55.9%
Sample Household Members	28	77	105
Estimated Household Members	28.0	154.0	182.0

HARBOR SEAL HARVEST AND USE INFORMATION

Percent Of Native Households:

Used	28.8%
Hunted	10.2%
Harvested	10.2%
Received	23.7%
Gave Away	10.2%

Estimated Community Harvest and Take (Expanded):

Total Number Harvested	26.0
Total Number Struck and Lost	1.0
Total Number Taken	27.0
Number Harvested Per Capita	0.14

HARBOR SEAL HARVEST BY SEASON

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Unknown Month	Total
REPORTED HARVEST AND TAKE BY SAMPLED HOUSEHOLDS (UNEXPANDED)														
Harvest	3	3	4	1	0	0	1	4	2	3	3	2	0	26
Struck and Lost	0	0	0	1	0	0	0	0	0	0	0	0	0	1
Total Take	3	3	4	2	0	0	1	4	2	3	3	2	0	27
ESTIMATED HARVEST AND TAKE BY COMMUNITY (EXPANDED)														
Harvest	3.0	3.0	4.0	1.0	0.0	0.0	1.0	4.0	2.0	3.0	3.0	2.0	0.0	26.0
Struck and Lost	0.0	0.0	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0
Total Take	3.0	3.0	4.0	2.0	0.0	0.0	1.0	4.0	2.0	3.0	3.0	2.0	0.0	27.0
ESTIMATED SEASONALLY ADJUSTED HARVEST AND TAKE BY COMMUNITY (EXPANDED)														
Harvest	3.0	3.0	4.0	1.0	0.0	0.0	1.0	4.0	2.0	3.0	3.0	2.0		26.0
Struck and Lost	0.0	0.0	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		1.0
Total Take	3.0	3.0	4.0	2.0	0.0	0.0	1.0	4.0	2.0	3.0	3.0	2.0		27.0
Total Take (%)	11.1%	11.1%	14.8%	7.4%	0.0%	0.0%	3.7%	14.8%	7.4%	11.1%	11.1%	7.4%		100%
Cumulative Take	3.0	6.0	10.0	12.0	12.0	12.0	13.0	17.0	19.0	22.0	25.0	27.0		
Cum. Take (%)	11.1%	22.2%	37.0%	44.4%	44.4%	44.4%	48.1%	63.0%	70.4%	81.5%	92.6%	100.0%		


HARBOR SEAL HARVEST BY AGE AND SEX

	Reported		Estimated	
	By Sample (Unexpanded)	Percent	By Community (Expanded)	Percent
Adult Male	5	19.2%	5.0	19.2%
Adult Female	2	7.7%	2.0	7.7%
Adult Unknown Sex	6	23.1%	6.0	23.1%
Juvenile Male	6	23.1%	6.0	23.1%
Juvenile Female	4	15.4%	4.0	15.4%
Juvenile Unknown Sex	3	11.5%	3.0	11.5%
Pup Male	0	0.0%	0.0	0.0%
Pup Female	0	0.0%	0.0	0.0%
Pup Unknown Sex	0	0.0%	0.0	0.0%
Male Unknown Age	0	0.0%	0.0	0.0%
Female Unknown Age	0	0.0%	0.0	0.0%
Unknown Sex and Age	0	0.0%	0.0	0.0%
Total	26	100.0%	26.0	100.0%


SOURCE: Alaska Department of Fish and Game, Division of Subsistence, Subsistence Study and Monitor System for Sea Lions and Harbor Seals in Alaska, with assistance from the Port Lions Tribal Council and City of Port Lions, 1994.

FIGURE 68. HARBOR SEAL (*Phoca vitulina*) TAKE ESTIMATES: PORT LIONS, 1993


A. Percentage Seasonally Adjusted Take By Month



B. Seasonally Adjusted Take By Month



C. Cumulative Seasonally Adjusted Take By Month



SOURCE: Alaska Department of Fish and Game, Division of Subsistence, Subsistence Study and Monitor System for Sea Lions and Harbor Seals in Alaska, with assistance from the Port Lions Tribal Council and City of Port Lions, 1994.

C-144

SOUTH ALASKA PENINSULA

C-145

TABLE 69. SEA LION (*Eumetopias jubatus*) HARVEST AND TAKE ESTIMATES: CHIGNIK BAY, 1993

SAMPLING DESIGN: CENSUS

Total Native Households	25
Surveyed Households	20
Sampling Fraction	80.0%
Sample Household Members	63
Estimated Household Members	78.8

SEA LION HARVEST AND USE INFORMATION

Percent Of Native Households:

Used	0.0%
Hunted	0.0%
Harvested	0.0%
Received	0.0%
Gave Away	0.0%

Estimated Community Harvest and Take (Expanded):

Total Number Harvested	0.0
Total Number Struck and Lost	0.0
Total Number Taken	0.0
Number Harvested Per Capita	0.00

SEA LION HARVEST BY SEASON

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Unknown Month	Total
REPORTED HARVEST AND TAKE BY SAMPLED HOUSEHOLDS (UNEXPANDED)														
Harvest	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Struck and Lost	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Total Take	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ESTIMATED HARVEST AND TAKE BY COMMUNITY (EXPANDED)														
Harvest	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Struck and Lost	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total Take	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
ESTIMATED SEASONALLY ADJUSTED HARVEST AND TAKE BY COMMUNITY (EXPANDED)														
Harvest	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Struck and Lost	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total Take	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total Take (%)	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cumulative Take	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Cum. Take (%)	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%


SEA LION HARVEST BY AGE AND SEX

	Reported By Sample (Unexpanded)	Percent	Estimated By Community (Expanded)	Percent
Adult Male	0	---	0.0	---
Adult Female	0	---	0.0	---
Adult Unknown Sex	0	---	0.0	---
Juvenile Male	0	---	0.0	---
Juvenile Female	0	---	0.0	---
Juvenile Unknown Sex	0	---	0.0	---
Pup Male	0	---	0.0	---
Pup Female	0	---	0.0	---
Pup Unknown Sex	0	---	0.0	---
Male Unknown Age	0	---	0.0	---
Female Unknown Age	0	---	0.0	---
Unknown Sex and Age	0	---	0.0	---
Total	0	---	0.0	---


SOURCE: Alaska Department of Fish and Game, Division of Subsistence, Subsistence Study and Monitor System for Sea Lions and Harbor Seals in Alaska, with assistance from the Chignik Bay Traditional Village Council, 1994.

FIGURE 69. SEA LION (*Eumetopias jubatus*) TAKE ESTIMATES: CHIGNIK BAY, 1993


A. Percentage Seasonally Adjusted Take By Month



B. Seasonally Adjusted Take By Month



C. Cumulative Seasonally Adjusted Take By Month



SOURCE: Alaska Department of Fish and Game, Division of Subsistence, Subsistence Study and Monitor System for Sea Lions and Harbor Seals in Alaska, with assistance from the Chignik Bay Traditional Village Council, 1994.

TABLE 70. HARBOR SEAL (*Phoca vitulina*) HARVEST AND TAKE ESTIMATES: CHIGNIK BAY, 1993

SAMPLING DESIGN: CENSUS

Total Native Households	25
Surveyed Households	20
Sampling Fraction	80.0%
Sample Household Members	63
Estimated Household Members	78.8

HARBOR SEAL HARVEST AND USE INFORMATION

<i>Percent Of Native Households:</i>		<i>Estimated Community Harvest and Take (Expanded):</i>	
Used	20.0%	Total Number Harvested	6.3
Hunted	15.0%	Total Number Struck and Lost	5.0
Harvested	15.0%	Total Number Taken	11.3
Received	5.0%	Number Harvested Per Capita	0.08
Gave Away	10.0%		

HARBOR SEAL HARVEST BY SEASON														
	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Unknown Month	Total
REPORTED HARVEST AND TAKE BY SAMPLED HOUSEHOLDS (UNEXPANDED)														
Harvest	0	0	0	1	0	0	0	0	2	1	0	1	0	5
Struck and Lost	0	0	0	0	0	0	0	0	0	0	0	0	4	4
Total Take	0	0	0	1	0	0	0	0	2	1	0	1	4	9
ESTIMATED HARVEST AND TAKE BY COMMUNITY (EXPANDED)														
Harvest	0.0	0.0	0.0	1.3	0.0	0.0	0.0	0.0	2.5	1.3	0.0	1.3	0.0	6.3
Struck and Lost	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5.0	5.0
Total Take	0.0	0.0	0.0	1.3	0.0	0.0	0.0	0.0	2.5	1.3	0.0	1.3	5.0	11.3
ESTIMATED SEASONALLY ADJUSTED HARVEST AND TAKE BY COMMUNITY (EXPANDED)														
Harvest	0.0	0.0	0.0	1.3	0.0	0.0	0.0	0.0	2.5	1.3	0.0	1.3	0.0	6.3
Struck and Lost	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	1.7	5.0
Total Take	0.4	0.4	0.4	1.7	0.4	0.4	0.4	0.4	2.9	1.7	0.4	1.7	11.3	11.3
Total Take (%)	3.7%	3.7%	3.7%	14.8%	3.7%	3.7%	3.7%	3.7%	25.9%	14.8%	3.7%	14.8%	100%	100%
Cumulative Take	0.4	0.8	1.3	2.9	3.3	3.8	4.2	4.6	7.5	9.2	9.6	11.3		
Cum. Take (%)	3.7%	7.4%	11.1%	25.9%	29.6%	33.3%	37.0%	40.7%	66.7%	81.5%	85.2%	100.0%		


HARBOR SEAL HARVEST BY AGE AND SEX

	Reported		Estimated	
	By Sample (Unexpanded)	Percent	By Community (Expanded)	Percent
Adult Male	1	20.0%	1.3	20.0%
Adult Female	0	0.0%	0.0	0.0%
Adult Unknown Sex	1	20.0%	1.3	20.0%
Juvenile Male	2	40.0%	2.5	40.0%
Juvenile Female	0	0.0%	0.0	0.0%
Juvenile Unknown Sex	1	20.0%	1.3	20.0%
Pup Male	0	0.0%	0.0	0.0%
Pup Female	0	0.0%	0.0	0.0%
Pup Unknown Sex	0	0.0%	0.0	0.0%
Male Unknown Age	0	0.0%	0.0	0.0%
Female Unknown Age	0	0.0%	0.0	0.0%
Unknown Sex and Age	0	0.0%	0.0	0.0%
Total	5	100.0%	6.3	100.0%


SOURCE: Alaska Department of Fish and Game, Division of Subsistence, Subsistence Study and Monitor System for Sea Lions and Harbor Seals in Alaska, with assistance from the Chignik Bay Traditional Village Council, 1994.

FIGURE 70. HARBOR SEAL (*Phoca vitulina*) TAKE ESTIMATES: CHIGNIK BAY, 1993


A. Percentage Seasonally Adjusted Take By Month



B. Seasonally Adjusted Take By Month



C. Cumulative Seasonally Adjusted Take By Month



SOURCE: Alaska Department of Fish and Game, Division of Subsistence, Subsistence Study and Monitor System for Sea Lions and Harbor Seals in Alaska, with assistance from the Chignik Bay Traditional Village Council, 1994.

TABLE 71. SEA LION (*Eumetopias jubatus*) HARVEST AND TAKE ESTIMATES: CHIGNIK LAGOON, 1993

SAMPLING DESIGN: CENSUS

Total Native Households	16
Surveyed Households	15
Sampling Fraction	93.8%
Sample Household Members	52
Estimated Household Members	55.5

SEA LION HARVEST AND USE INFORMATION

Percent Of Native Households:

Used	6.7%
Hunted	6.7%
Harvested	6.7%
Received	0.0%
Gave Away	0.0%

Estimated Community Harvest and Take (Expanded):

Total Number Harvested	1.1
Total Number Struck and Lost	0.0
Total Number Taken	1.1
Number Harvested Per Capita	0.02

SEA LION HARVEST BY SEASON

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Unknown Month	Total
REPORTED HARVEST AND TAKE BY SAMPLED HOUSEHOLDS (UNEXPANDED)														
Harvest	0	0	0	0	0	0	0	0	0	1	0	0	0	1
Struck and Lost	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Total Take	0	0	0	0	0	0	0	0	0	1	0	0	0	1
ESTIMATED HARVEST AND TAKE BY COMMUNITY (EXPANDED)														
Harvest	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1	0.0	0.0	0.0	1.1
Struck and Lost	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total Take	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1	0.0	0.0	0.0	1.1
ESTIMATED SEASONALLY ADJUSTED HARVEST AND TAKE BY COMMUNITY (EXPANDED)														
Harvest	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1	0.0	0.0		1.1
Struck and Lost	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		0.0
Total Take	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1	0.0	0.0		1.1
Total Take (%)	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	100.0%	0.0%	0.0%		100%
Cumulative Take	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1	1.1	1.1		1.1
Cum. Take (%)	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	100.0%	100.0%	100.0%		100%

SEA LION HARVEST BY AGE AND SEX


	Reported		Estimated	
	By Sample (Unexpanded)	Percent	By Community (Expanded)	Percent
Adult Male	1	100.0%	1.1	100.0%
Adult Female	0	0.0%	0.0	0.0%
Adult Unknown Sex	0	0.0%	0.0	0.0%
Juvenile Male	0	0.0%	0.0	0.0%
Juvenile Female	0	0.0%	0.0	0.0%
Juvenile Unknown Sex	0	0.0%	0.0	0.0%
Pup Male	0	0.0%	0.0	0.0%
Pup Female	0	0.0%	0.0	0.0%
Pup Unknown Sex	0	0.0%	0.0	0.0%
Male Unknown Age	0	0.0%	0.0	0.0%
Female Unknown Age	0	0.0%	0.0	0.0%
Unknown Sex and Age	0	0.0%	0.0	0.0%
Total	1	100.0%	1.1	100.0%

SOURCE:


Alaska Department of Fish and Game, Division of Subsistence, Subsistence Study and Monitor System for Sea Lions and Harbor Seals in Alaska, with assistance from the Chignik Lagoon Traditional Village Council, 1994.

FIGURE 71. SEA LION (*Eumetopias jubatus*) TAKE ESTIMATES: CHIGNIK LAGOON, 1993


A. Percentage Seasonally Adjusted Take By Month



B. Seasonally Adjusted Take By Month



C. Cumulative Seasonally Adjusted Take By Month



SOURCE: Alaska Department of Fish and Game, Division of Subsistence, Subsistence Study and Monitor System for Sea Lions and Harbor Seals in Alaska, with assistance from the Chignik Lagoon Traditional Village Council, 1994.

TABLE 72. HARBOR SEAL (*Phoca vitulina*) HARVEST AND TAKE ESTIMATES: CHIGNIK LAGOON, 1993

SAMPLING DESIGN: CENSUS

Total Native Households	16
Surveyed Households	15
Sampling Fraction	93.8%
Sample Household Members	52
Estimated Household Members	55.5

HARBOR SEAL HARVEST AND USE INFORMATION

Percent Of Native Households:

Used	20.0%
Hunted	20.0%
Harvested	20.0%
Received	0.0%
Gave Away	0.0%

Estimated Community Harvest and Take (Expanded):

Total Number Harvested	4.3
Total Number Struck and Lost	1.1
Total Number Taken	5.3
Number Harvested Per Capita	0.08

HARBOR SEAL HARVEST BY SEASON

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Unknown Month	Total
REPORTED HARVEST AND TAKE BY SAMPLED HOUSEHOLDS (UNEXPANDED)														
Harvest	1	0	0	0	0	0	0	0	2	0	1	0	0	4
Struck and Lost	0	0	0	0	0	0	0	0	0	0	0	0	1	1
Total Take	1	0	0	0	0	0	0	0	2	0	1	0	1	5
ESTIMATED HARVEST AND TAKE BY COMMUNITY (EXPANDED)														
Harvest	1.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.1	0.0	1.1	0.0	0.0	4.3
Struck and Lost	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1	1.1
Total Take	1.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.1	0.0	1.1	0.0	1.1	5.3
ESTIMATED SEASONALLY ADJUSTED HARVEST AND TAKE BY COMMUNITY (EXPANDED)														
Harvest	1.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.1	0.0	1.1	0.0		4.3
Struck and Lost	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1		1.1
Total Take	1.2	0.1	0.1	0.1	0.1	0.1	0.1	0.1	2.2	0.1	1.2	0.1		5.3
Total Take (%)	21.7%	1.7%	1.7%	1.7%	1.7%	1.7%	1.7%	1.7%	41.7%	1.7%	21.7%	1.7%		100%
Cumulative Take	1.2	1.2	1.3	1.4	1.5	1.6	1.7	1.8	4.0	4.1	5.2	5.3		
Cum. Take (%)	21.7%	23.3%	25.0%	26.7%	28.3%	30.0%	31.7%	33.3%	75.0%	76.7%	98.3%	100.0%		


HARBOR SEAL HARVEST BY AGE AND SEX

	Reported		Estimated	
	By Sample (Unexpanded)	Percent	By Community (Expanded)	Percent
Adult Male	4	100.0%	4.3	100.0%
Adult Female	0	0.0%	0.0	0.0%
Adult Unknown Sex	0	0.0%	0.0	0.0%
Juvenile Male	0	0.0%	0.0	0.0%
Juvenile Female	0	0.0%	0.0	0.0%
Juvenile Unknown Sex	0	0.0%	0.0	0.0%
Pup Male	0	0.0%	0.0	0.0%
Pup Female	0	0.0%	0.0	0.0%
Pup Unknown Sex	0	0.0%	0.0	0.0%
Male Unknown Age	0	0.0%	0.0	0.0%
Female Unknown Age	0	0.0%	0.0	0.0%
Unknown Sex and Age	0	0.0%	0.0	0.0%
Total	4	100.0%	4.3	100.0%


SOURCE: Alaska Department of Fish and Game, Division of Subsistence, Subsistence Study and Monitor System for Sea Lions and Harbor Seals in Alaska, with assistance from the Chignik Lagoon Traditional Village Council, 1994.

FIGURE 72. HARBOR SEAL (*Phoca vitulina*) TAKE ESTIMATES: CHIGNIK LAGOON, 1993


A. Percentage Seasonally Adjusted Take By Month



B. Seasonally Adjusted Take By Month



C. Cumulative Seasonally Adjusted Take By Month



SOURCE: Alaska Department of Fish and Game, Division of Subsistence, Subsistence Study and Monitor System for Sea Lions and Harbor Seals in Alaska, with assistance from the Chignik Lagoon Traditional Village Council, 1994.

TABLE 73. SEA LION (*Eumetopias jubatus*) HARVEST AND TAKE ESTIMATES: CHIGNIK LAKE, 1993

SAMPLING DESIGN: CENSUS

Total Native Households	36
Surveyed Households	26
Sampling Fraction	72.2%
Sample Household Members	109
Estimated Household Members	150.9

SEA LION HARVEST AND USE INFORMATION

Percent Of Native Households:

Used	0.0%
Hunted	0.0%
Harvested	0.0%
Received	0.0%
Gave Away	0.0%

Estimated Community Harvest and Take (Expanded):

Total Number Harvested	0.0
Total Number Struck and Lost	0.0
Total Number Taken	0.0
Number Harvested Per Capita	0.00

SEA LION HARVEST BY SEASON

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Unknown Month	Total
REPORTED HARVEST AND TAKE BY SAMPLED HOUSEHOLDS (UNEXPANDED)														
Harvest	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Struck and Lost	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Total Take	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ESTIMATED HARVEST AND TAKE BY COMMUNITY (EXPANDED)														
Harvest	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Struck and Lost	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total Take	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
ESTIMATED SEASONALLY ADJUSTED HARVEST AND TAKE BY COMMUNITY (EXPANDED)														
Harvest	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Struck and Lost	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total Take	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total Take (%)	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cumulative Take	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Cum. Take (%)	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%


SEA LION HARVEST BY AGE AND SEX

	Reported By Sample (Unexpanded)	Percent	Estimated By Community (Expanded)	Percent
Adult Male	0	---	0.0	---
Adult Female	0	---	0.0	---
Adult Unknown Sex	0	---	0.0	---
Juvenile Male	0	---	0.0	---
Juvenile Female	0	---	0.0	---
Juvenile Unknown Sex	0	---	0.0	---
Pup Male	0	---	0.0	---
Pup Female	0	---	0.0	---
Pup Unknown Sex	0	---	0.0	---
Male Unknown Age	0	---	0.0	---
Female Unknown Age	0	---	0.0	---
Unknown Sex and Age	0	---	0.0	---
Total	0	---	0.0	---


SOURCE: Alaska Department of Fish and Game, Division of Subsistence, Subsistence Study and Monitor System for Sea Lions and Harbor Seals in Alaska, with assistance from the Chignik Lake Traditional Village Council, 1994.

FIGURE 73. SEA LION (*Eumetopias jubatus*) TAKE ESTIMATES: CHIGNIK LAKE, 1993


A. Percentage Seasonally Adjusted Take By Month



B. Seasonally Adjusted Take By Month



C. Cumulative Seasonally Adjusted Take By Month



SOURCE: Alaska Department of Fish and Game, Division of Subsistence, Subsistence Study and Monitor System for Sea Lions and Harbor Seals in Alaska, with assistance from the Chignik Lake Traditional Village Council, 1994.

TABLE 74. HARBOR SEAL (*Phoca vitulina*) HARVEST AND TAKE ESTIMATES: CHIGNIK LAKE, 1993

SAMPLING DESIGN: CENSUS

Total Native Households	36
Surveyed Households	26
Sampling Fraction	72.2%
Sample Household Members	109
Estimated Household Members	150.9

HARBOR SEAL HARVEST AND USE INFORMATION

Percent Of Native Households:

Used	84.6%
Hunted	38.5%
Harvested	19.2%
Received	84.6%
Gave Away	69.2%

Estimated Community Harvest and Take (Expanded):

Total Number Harvested	15.2
Total Number Struck and Lost	5.5
Total Number Taken	20.8
Number Harvested Per Capita	0.10

HARBOR SEAL HARVEST BY SEASON

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Unknown Month	Total
REPORTED HARVEST AND TAKE BY SAMPLED HOUSEHOLDS (UNEXPANDED)														
Harvest	0	0	0	0	0	1	0	3	1	2	2	2	0	11
Struck and Lost	0	0	0	0	0	0	0	2	1	1	0	0	0	4
Total Take	0	0	0	0	0	1	0	5	2	3	2	2	0	15
ESTIMATED HARVEST AND TAKE BY COMMUNITY (EXPANDED)														
Harvest	0.0	0.0	0.0	0.0	0.0	1.4	0.0	4.2	1.4	2.8	2.8	2.8	0.0	15.2
Struck and Lost	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.8	1.4	1.4	0.0	0.0	0.0	5.5
Total Take	0.0	0.0	0.0	0.0	0.0	1.4	0.0	6.9	2.8	4.2	2.8	2.8	0.0	20.8
ESTIMATED SEASONALLY ADJUSTED HARVEST AND TAKE BY COMMUNITY (EXPANDED)														
Harvest	0.0	0.0	0.0	0.0	0.0	1.4	0.0	4.2	1.4	2.8	2.8	2.8		15.2
Struck and Lost	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.8	1.4	1.4	0.0	0.0		5.5
Total Take	0.0	0.0	0.0	0.0	0.0	1.4	0.0	6.9	2.8	4.2	2.8	2.8		20.8
Total Take (%)	0.0%	0.0%	0.0%	0.0%	0.0%	6.7%	0.0%	33.3%	13.3%	20.0%	13.3%	13.3%		100%
Cumulative Take	0.0	0.0	0.0	0.0	0.0	1.4	1.4	8.3	11.1	15.2	18.0	20.8		
Cum. Take (%)	0.0%	0.0%	0.0%	0.0%	0.0%	6.7%	6.7%	40.0%	53.3%	73.3%	86.7%	100.0%		


HARBOR SEAL HARVEST BY AGE AND SEX

	Reported		Estimated	
	By Sample (Unexpanded)	Percent	By Community (Expanded)	Percent
Adult Male	6	54.5%	8.3	54.5%
Adult Female	0	0.0%	0.0	0.0%
Adult Unknown Sex	3	27.3%	4.2	27.3%
Juvenile Male	0	0.0%	0.0	0.0%
Juvenile Female	0	0.0%	0.0	0.0%
Juvenile Unknown Sex	2	18.2%	2.8	18.2%
Pup Male	0	0.0%	0.0	0.0%
Pup Female	0	0.0%	0.0	0.0%
Pup Unknown Sex	0	0.0%	0.0	0.0%
Male Unknown Age	0	0.0%	0.0	0.0%
Female Unknown Age	0	0.0%	0.0	0.0%
Unknown Sex and Age	0	0.0%	0.0	0.0%
Total	11	100.0%	15.2	100.0%


SOURCE: Alaska Department of Fish and Game, Division of Subsistence, Subsistence Study and Monitor System for Sea Lions and Harbor Seals in Alaska, with assistance from the Chignik Lake Traditional Village Council, 1994.

FIGURE 74. HARBOR SEAL (*Phoca vitulina*) TAKE ESTIMATES: CHIGNIK LAKE, 1993


A. Percentage Seasonally Adjusted Take By Month



B. Seasonally Adjusted Take By Month



C. Cumulative Seasonally Adjusted Take By Month



SOURCE: Alaska Department of Fish and Game, Division of Subsistence, Subsistence Study and Monitor System for Sea Lions and Harbor Seals in Alaska, with assistance from the Chignik Lake Traditional Village Council, 1994.

TABLE 75. SEA LION (*Eumetopias jubatus*) HARVEST AND TAKE ESTIMATES: FALSE PASS, 1993

SAMPLING DESIGN: CENSUS

Total Native Households	20
Surveyed Households	20
Sampling Fraction	100.0%
Sample Household Members	60
Estimated Household Members	60.0

SEA LION HARVEST AND USE INFORMATION

Percent Of Native Households:

Used	0.0%
Hunted	0.0%
Harvested	0.0%
Received	0.0%
Gave Away	0.0%

Estimated Community Harvest and Take (Expanded):

Total Number Harvested	0.0
Total Number Struck and Lost	0.0
Total Number Taken	0.0
Number Harvested Per Capita	0.00

SEA LION HARVEST BY SEASON

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Unknown Month	Total
REPORTED HARVEST AND TAKE BY SAMPLED HOUSEHOLDS (UNEXPANDED)														
Harvest	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Struck and Lost	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Total Take	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ESTIMATED HARVEST AND TAKE BY COMMUNITY (EXPANDED)														
Harvest	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Struck and Lost	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total Take	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
ESTIMATED SEASONALLY ADJUSTED HARVEST AND TAKE BY COMMUNITY (EXPANDED)														
Harvest	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Struck and Lost	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total Take	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total Take (%)	---	---	---	---	---	---	---	---	---	---	---	---	---	---
Cumulative Take	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Cum. Take (%)	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%


SEA LION HARVEST BY AGE AND SEX

	Reported By Sample (Unexpanded)	Percent	Estimated By Community (Expanded)	Percent
Adult Male	0	---	0.0	---
Adult Female	0	---	0.0	---
Adult Unknown Sex	0	---	0.0	---
Juvenile Male	0	---	0.0	---
Juvenile Female	0	---	0.0	---
Juvenile Unknown Sex	0	---	0.0	---
Pup Male	0	---	0.0	---
Pup Female	0	---	0.0	---
Pup Unknown Sex	0	---	0.0	---
Male Unknown Age	0	---	0.0	---
Female Unknown Age	0	---	0.0	---
Unknown Sex and Age	0	---	0.0	---
Total	0	---	0.0	---


SOURCE: Alaska Department of Fish and Game, Division of Subsistence, Subsistence Study and Monitor System for Sea Lions and Harbor Seals in Alaska, with assistance from the False Pass Tribal Council and City of False Pass, 1994.

FIGURE 75. SEA LION (*Eumetopias jubatus*) TAKE ESTIMATES: FALSE PASS, 1993


A. Percentage Seasonally Adjusted Take By Month



B. Seasonally Adjusted Take By Month



C. Cumulative Seasonally Adjusted Take By Month



SOURCE: Alaska Department of Fish and Game, Division of Subsistence, Subsistence Study and Monitor System for Sea Lions and Harbor Seals in Alaska, with assistance from the False Pass Tribal Council and City of False Pass, 1994.

TABLE 76. HARBOR SEAL (*Phoca vitulina*) HARVEST AND TAKE ESTIMATES: FALSE PASS, 1993

SAMPLING DESIGN: CENSUS

Total Native Households	20
Surveyed Households	20
Sampling Fraction	100.0%
Sample Household Members	60
Estimated Household Members	60.0

HARBOR SEAL HARVEST AND USE INFORMATION

Percent Of Native Households:

Used	65.0%
Hunted	30.0%
Harvested	30.0%
Received	40.0%
Gave Away	40.0%

Estimated Community Harvest and Take (Expanded):

Total Number Harvested	19.0
Total Number Struck and Lost	0.0
Total Number Taken	19.0
Number Harvested Per Capita	0.32

	HARBOR SEAL HARVEST BY SEASON												Unknown Month	Total
	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec		
REPORTED HARVEST AND TAKE BY SAMPLED HOUSEHOLDS (UNEXPANDED)														
Harvest	1	1	3	1	1	1	3	1	2	3	1	1	0	19
Struck and Lost	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Total Take	1	1	3	1	1	1	3	1	2	3	1	1	0	19
ESTIMATED HARVEST AND TAKE BY COMMUNITY (EXPANDED)														
Harvest	1.0	1.0	3.0	1.0	1.0	1.0	3.0	1.0	2.0	3.0	1.0	1.0	0.0	19.0
Struck and Lost	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total Take	1.0	1.0	3.0	1.0	1.0	1.0	3.0	1.0	2.0	3.0	1.0	1.0	0.0	19.0
ESTIMATED SEASONALLY ADJUSTED HARVEST AND TAKE BY COMMUNITY (EXPANDED)														
Harvest	1.0	1.0	3.0	1.0	1.0	1.0	3.0	1.0	2.0	3.0	1.0	1.0		19.0
Struck and Lost	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		0.0
Total Take	1.0	1.0	3.0	1.0	1.0	1.0	3.0	1.0	2.0	3.0	1.0	1.0		19.0
Total Take (%)	5.3%	5.3%	15.8%	5.3%	5.3%	5.3%	15.8%	5.3%	10.5%	15.8%	5.3%	5.3%		100%
Cumulative Take	1.0	2.0	5.0	6.0	7.0	8.0	11.0	12.0	14.0	17.0	18.0	19.0		
Cum. Take (%)	5.3%	10.5%	26.3%	31.6%	36.8%	42.1%	57.9%	63.2%	73.7%	89.5%	94.7%	100.0%		


HARBOR SEAL HARVEST BY AGE AND SEX

	Reported		Estimated	
	By Sample (Unexpanded)	Percent	By Community (Expanded)	Percent
Adult Male	2	10.5%	2.0	10.5%
Adult Female	0	0.0%	0.0	0.0%
Adult Unknown Sex	16	84.2%	16.0	84.2%
Juvenile Male	0	0.0%	0.0	0.0%
Juvenile Female	0	0.0%	0.0	0.0%
Juvenile Unknown Sex	0	0.0%	0.0	0.0%
Pup Male	0	0.0%	0.0	0.0%
Pup Female	0	0.0%	0.0	0.0%
Pup Unknown Sex	0	0.0%	0.0	0.0%
Male Unknown Age	0	0.0%	0.0	0.0%
Female Unknown Age	0	0.0%	0.0	0.0%
Unknown Sex and Age	1	5.3%	1.0	5.3%
Total	19	100.0%	19.0	100.0%


SOURCE: Alaska Department of Fish and Game, Division of Subsistence, Subsistence Study and Monitor System for Sea Lions and Harbor Seals in Alaska, with assistance from the False Pass Tribal Council and City of False Pass, 1994.

FIGURE 76. HARBOR SEAL (*Phoca vitulina*) TAKE ESTIMATES: FALSE PASS, 1993


A. Percentage Seasonally Adjusted Take By Month



B. Seasonally Adjusted Take By Month



C. Cumulative Seasonally Adjusted Take By Month



SOURCE: Alaska Department of Fish and Game, Division of Subsistence, Subsistence Study and Monitor System for Sea Lions and Harbor Seals in Alaska, with assistance from the False Pass Tribal Council and City of False Pass, 1994.

TABLE 77. SEA LION (*Eumetopias jubatus*) HARVEST AND TAKE ESTIMATES: IVANOF BAY, 1993

SAMPLING DESIGN: CENSUS

Total Native Households	7
Surveyed Households	6
Sampling Fraction	85.7%
Sample Household Members	26
Estimated Household Members	30.3

SEA LION HARVEST AND USE INFORMATION

Percent Of Native Households:

Used	50.0%
Hunted	66.7%
Harvested	33.3%
Received	16.7%
Gave Away	33.3%

Estimated Community Harvest and Take (Expanded):

Total Number Harvested	2.3
Total Number Struck and Lost	1.2
Total Number Taken	3.5
Number Harvested Per Capita	0.08

SEA LION HARVEST BY SEASON

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Unknown Month	Total
REPORTED HARVEST AND TAKE BY SAMPLED HOUSEHOLDS (UNEXPANDED)														
Harvest	0	0	1	0	0	0	0	0	0	1	0	0	0	2
Struck and Lost	0	0	1	0	0	0	0	0	0	0	0	0	0	1
Total Take	0	0	2	0	0	0	0	0	0	1	0	0	0	3
ESTIMATED HARVEST AND TAKE BY COMMUNITY (EXPANDED)														
Harvest	0.0	0.0	1.2	0.0	0.0	0.0	0.0	0.0	0.0	1.2	0.0	0.0	0.0	2.3
Struck and Lost	0.0	0.0	1.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2
Total Take	0.0	0.0	2.3	0.0	0.0	0.0	0.0	0.0	0.0	1.2	0.0	0.0	0.0	3.5
ESTIMATED SEASONALLY ADJUSTED HARVEST AND TAKE BY COMMUNITY (EXPANDED)														
Harvest	0.0	0.0	1.2	0.0	0.0	0.0	0.0	0.0	0.0	1.2	0.0	0.0		2.3
Struck and Lost	0.0	0.0	1.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		1.2
Total Take	0.0	0.0	2.3	0.0	0.0	0.0	0.0	0.0	0.0	1.2	0.0	0.0		3.5
Total Take (%)	0.0%	0.0%	66.7%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	33.3%	0.0%	0.0%		100%
Cumulative Take	0.0	0.0	2.3	2.3	2.3	2.3	2.3	2.3	2.3	3.5	3.5	3.5		
Cum. Take (%)	0.0%	0.0%	66.7%	66.7%	66.7%	66.7%	66.7%	66.7%	66.7%	100.0%	100.0%	100.0%		


SEA LION HARVEST BY AGE AND SEX

	Reported		Estimated	
	By Sample (Unexpanded)	Percent	By Community (Expanded)	Percent
Adult Male	0	0.0%	0.0	0.0%
Adult Female	0	0.0%	0.0	0.0%
Adult Unknown Sex	0	0.0%	0.0	0.0%
Juvenile Male	0	0.0%	0.0	0.0%
Juvenile Female	0	0.0%	0.0	0.0%
Juvenile Unknown Sex	2	100.0%	2.3	100.0%
Pup Male	0	0.0%	0.0	0.0%
Pup Female	0	0.0%	0.0	0.0%
Pup Unknown Sex	0	0.0%	0.0	0.0%
Male Unknown Age	0	0.0%	0.0	0.0%
Female Unknown Age	0	0.0%	0.0	0.0%
Unknown Sex and Age	0	0.0%	0.0	0.0%
Total	2	100.0%	2.3	100.0%


SOURCE: Alaska Department of Fish and Game, Division of Subsistence, Subsistence Study and Monitor System for Sea Lions and Harbor Seals in Alaska, with assistance from the Ivanof Bay Traditional Village Council, 1994.

FIGURE 77. SEA LION (*Eumetopias jubatus*) TAKE ESTIMATES: IVANOF BAY, 1993


A. Percentage Seasonally Adjusted Take By Month



B. Seasonally Adjusted Take By Month



C. Cumulative Seasonally Adjusted Take By Month



SOURCE: Alaska Department of Fish and Game, Division of Subsistence, Subsistence Study and Monitor System for Sea Lions and Harbor Seals in Alaska, with assistance from the Ivanof Bay Traditional Village Council, 1994.

TABLE 78. HARBOR SEAL (*Phoca vitulina*) HARVEST AND TAKE ESTIMATES: IVANOF BAY, 1993

SAMPLING DESIGN: CENSUS

Total Native Households	7
Surveyed Households	6
Sampling Fraction	85.7%
Sample Household Members	28
Estimated Household Members	30.3

HARBOR SEAL HARVEST AND USE INFORMATION

Percent Of Native Households:

Used	83.3%
Hunted	100.0%
Harvested	83.3%
Received	83.3%
Gave Away	83.3%

Estimated Community Harvest and Take (Expanded):

Total Number Harvested	16.3
Total Number Struck and Lost	4.7
Total Number Taken	21.0
Number Harvested Per Capita	0.54

HARBOR SEAL HARVEST BY SEASON

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Unknown Month	Total
REPORTED HARVEST AND TAKE BY SAMPLED HOUSEHOLDS (UNEXPANDED)														
Harvest	0	0	1	1	0	1	0	0	3	4	2	2	0	14
Struck and Lost	0	0	1	0	0	0	0	0	1	2	0	0	0	4
Total Take	0	0	2	1	0	1	0	0	4	6	2	2	0	18
ESTIMATED HARVEST AND TAKE BY COMMUNITY (EXPANDED)														
Harvest	0.0	0.0	1.2	1.2	0.0	1.2	0.0	0.0	3.5	4.7	2.3	2.3	0.0	16.3
Struck and Lost	0.0	0.0	1.2	0.0	0.0	0.0	0.0	0.0	1.2	2.3	0.0	0.0	0.0	4.7
Total Take	0.0	0.0	2.3	1.2	0.0	1.2	0.0	0.0	4.7	7.0	2.3	2.3	0.0	21.0
ESTIMATED SEASONALLY ADJUSTED HARVEST AND TAKE BY COMMUNITY (EXPANDED)														
Harvest	0.0	0.0	1.2	1.2	0.0	1.2	0.0	0.0	3.5	4.7	2.3	2.3		16.3
Struck and Lost	0.0	0.0	1.2	0.0	0.0	0.0	0.0	0.0	1.2	2.3	0.0	0.0		4.7
Total Take	0.0	0.0	2.3	1.2	0.0	1.2	0.0	0.0	4.7	7.0	2.3	2.3		21.0
Total Take (%)	0.0%	0.0%	11.1%	5.6%	0.0%	5.6%	0.0%	0.0%	22.2%	33.3%	11.1%	11.1%		100%
Cumulative Take	0.0	0.0	2.3	3.5	3.5	4.7	4.7	4.7	9.3	16.3	18.7	21.0		
Cum. Take (%)	0.0%	0.0%	11.1%	16.7%	16.7%	22.2%	22.2%	22.2%	44.5%	77.8%	88.9%	100.0%		

HARBOR SEAL HARVEST BY AGE AND SEX


	Reported		Estimated	
	By Sample (Unexpanded)	Percent	By Community (Expanded)	Percent
Adult Male	2	14.3%	2.3	14.3%
Adult Female	0	0.0%	0.0	0.0%
Adult Unknown Sex	3	21.4%	3.5	21.4%
Juvenile Male	1	7.1%	1.2	7.1%
Juvenile Female	2	14.3%	2.3	14.3%
Juvenile Unknown Sex	5	35.7%	5.8	35.7%
Pup Male	0	0.0%	0.0	0.0%
Pup Female	0	0.0%	0.0	0.0%
Pup Unknown Sex	0	0.0%	0.0	0.0%
Male Unknown Age	0	0.0%	0.0	0.0%
Female Unknown Age	0	0.0%	0.0	0.0%
Unknown Sex and Age	1	7.1%	1.2	7.1%
Total	14	100.0%	16.3	100.0%

SOURCE:


Alaska Department of Fish and Game, Division of Subsistence, Subsistence Study and Monitor System for Sea Lions and Harbor Seals in Alaska, with assistance from the Ivanof Bay Traditional Village Council, 1994.

FIGURE 78. HARBOR SEAL (*Phoca vitulina*) TAKE ESTIMATES: IVANOF BAY, 1993


A. Percentage Seasonally Adjusted Take By Month



B. Seasonally Adjusted Take By Month



C. Cumulative Seasonally Adjusted Take By Month



SOURCE: Alaska Department of Fish and Game, Division of Subsistence, Subsistence Study and Monitor System for Sea Lions and Harbor Seals in Alaska, with assistance from the Ivanof Bay Traditional Village Council, 1994.

TABLE 79. SEA LION (*Eumetopias jubatus*) HARVEST AND TAKE ESTIMATES: KING COVE, 1993

SAMPLING DESIGN: TWO STRATA

	Active	Other	Total
Total Native Households	14	103	117
Surveyed Households	12	26	38
Sampling Fraction	85.7%	25.2%	32.5%
Sample Household Members	45	89	134
Estimated Household Members	52.5	352.6	405.1

SEA LION HARVEST AND USE INFORMATION

Percent Of Native Households:

Used	3.0%
Hunted	1.0%
Harvested	1.0%
Received	3.0%
Gave Away	1.0%

Estimated Community Harvest and Take (Expanded):

Total Number Harvested	1.2
Total Number Struck and Lost	0.0
Total Number Taken	1.2
Number Harvested Per Capita	0.00

SEA LION HARVEST BY SEASON

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Unknown Month	Total
REPORTED HARVEST AND TAKE BY SAMPLED HOUSEHOLDS (UNEXPANDED)														
Harvest	0	0	1	0	0	0	0	0	0	0	0	0	0	1
Struck and Lost	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Total Take	0	0	1	0	0	0	0	0	0	0	0	0	0	1
ESTIMATED HARVEST AND TAKE BY COMMUNITY (EXPANDED)														
Harvest	0.0	0.0	1.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2
Struck and Lost	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total Take	0.0	0.0	1.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2
ESTIMATED SEASONALLY ADJUSTED HARVEST AND TAKE BY COMMUNITY (EXPANDED)														
Harvest	0.0	0.0	1.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2
Struck and Lost	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total Take	0.0	0.0	1.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2
Total Take (%)	0.0%	0.0%	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	100%
Cumulative Take	0.0	0.0	1.2	1.2	1.2	1.2	1.2	1.2	1.2	1.2	1.2	1.2	1.2	
Cum. Take (%)	0.0%	0.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	


SEA LION HARVEST BY AGE AND SEX

	Reported		Estimated	
	By Sample (Unexpanded)	Percent	By Community (Expanded)	Percent
Adult Male	0	0.0%	0.0	0.0%
Adult Female	0	0.0%	0.0	0.0%
Adult Unknown Sex	0	0.0%	0.0	0.0%
Juvenile Male	0	0.0%	0.0	0.0%
Juvenile Female	1	100.0%	1.2	100.0%
Juvenile Unknown Sex	0	0.0%	0.0	0.0%
Pup Male	0	0.0%	0.0	0.0%
Pup Female	0	0.0%	0.0	0.0%
Pup Unknown Sex	0	0.0%	0.0	0.0%
Male Unknown Age	0	0.0%	0.0	0.0%
Female Unknown Age	0	0.0%	0.0	0.0%
Unknown Sex and Age	0	0.0%	0.0	0.0%
Total	1	100.0%	1.2	100.0%


SOURCE: Alaska Department of Fish and Game, Division of Subsistence, Subsistence Study and Monitor System for Sea Lions and Harbor Seals in Alaska, with assistance from the Agdaagux Tribe of King Cove, Belofsky Village Council, and City of King Cove, 1994.

FIGURE 79. SEA LION (*Eumetopias jubatus*) TAKE ESTIMATES: KING COVE, 1993


A. Percentage Seasonally Adjusted Take By Month



B. Seasonally Adjusted Take By Month



C. Cumulative Seasonally Adjusted Take By Month



SOURCE: Alaska Department of Fish and Game, Division of Subsistence, Subsistence Study and Monitor System for Sea Lions and Harbor Seals in Alaska, with assistance from the Agdaagux Tribe of King Cove, Belofsky Village Council, and City of King Cove, 1994.

TABLE 80. HARBOR SEAL (*Phoca vitulina*) HARVEST AND TAKE ESTIMATES: KING COVE, 1993

SAMPLING DESIGN: TWO STRATA

	Active	Other	Total
Total Native Households	14	103	117
Surveyed Households	12	26	38
Sampling Fraction	85.7%	25.2%	32.5%
Sample Household Members	45	89	134
Estimated Household Members	52.5	352.6	405.1

HARBOR SEAL HARVEST AND USE INFORMATION

Percent Of Native Households:

Used	8.0%
Hunted	8.0%
Harvested	7.0%
Received	6.0%
Gave Away	6.0%

Estimated Community Harvest and Take (Expanded):

Total Number Harvested	12.8
Total Number Struck and Lost	3.5
Total Number Taken	16.3
Number Harvested Per Capita	0.03

HARBOR SEAL HARVEST BY SEASON

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Unknown Month	Total
REPORTED HARVEST AND TAKE BY SAMPLED HOUSEHOLDS (UNEXPANDED)														
Harvest	0	2	1	1	0	1	0	3	2	0	0	1	0	11
Struck and Lost	0	0	0	0	0	0	0	1	1	1	0	0	0	3
Total Take	0	2	1	1	0	1	0	4	3	1	0	1	0	14
ESTIMATED HARVEST AND TAKE BY COMMUNITY (EXPANDED)														
Harvest	0.0	2.3	1.2	1.2	0.0	1.2	0.0	3.5	2.3	0.0	0.0	1.2	0.0	12.8
Struck and Lost	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	1.2	1.2	0.0	0.0	0.0	3.5
Total Take	0.0	2.3	1.2	1.2	0.0	1.2	0.0	4.7	3.5	1.2	0.0	1.2	0.0	16.3
ESTIMATED SEASONALLY ADJUSTED HARVEST AND TAKE BY COMMUNITY (EXPANDED)														
Harvest	0.0	2.3	1.2	1.2	0.0	1.2	0.0	3.5	2.3	0.0	0.0	1.2		12.8
Struck and Lost	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	1.2	1.2	0.0	0.0		3.5
Total Take	0.0	2.3	1.2	1.2	0.0	1.2	0.0	4.7	3.5	1.2	0.0	1.2		16.3
Total Take (%)	0.0%	14.3%	7.1%	7.1%	0.0%	7.1%	0.0%	28.6%	21.4%	7.1%	0.0%	7.1%		100%
Cumulative Take	0.0	2.3	3.5	4.7	4.7	5.8	5.8	10.5	14.0	15.2	15.2	16.3		
Cum. Take (%)	0.0%	14.3%	21.4%	28.6%	28.6%	35.7%	35.7%	64.3%	85.7%	92.9%	92.9%	100.0%		


HARBOR SEAL HARVEST BY AGE AND SEX

	Reported		Estimated	
	By Sample (Unexpanded)	Percent	By Community (Expanded)	Percent
Adult Male	7	63.6%	8.2	63.6%
Adult Female	1	9.1%	1.2	9.1%
Adult Unknown Sex	2	18.2%	2.3	18.2%
Juvenile Male	1	9.1%	1.2	9.1%
Juvenile Female	0	0.0%	0.0	0.0%
Juvenile Unknown Sex	0	0.0%	0.0	0.0%
Pup Male	0	0.0%	0.0	0.0%
Pup Female	0	0.0%	0.0	0.0%
Pup Unknown Sex	0	0.0%	0.0	0.0%
Male Unknown Age	0	0.0%	0.0	0.0%
Female Unknown Age	0	0.0%	0.0	0.0%
Unknown Sex and Age	0	0.0%	0.0	0.0%
Total	11	100.0%	12.8	100.0%


SOURCE: Alaska Department of Fish and Game, Division of Subsistence, Subsistence Study and Monitor System for Sea Lions and Harbor Seals in Alaska, with assistance from the Agdaagux Tribe of King Cove, Belofsky Village Council, and City of King Cove, 1994.

FIGURE 80. HARBOR SEAL (*Phoca vitulina*) TAKE ESTIMATES: KING COVE, 1993


A. Percentage Seasonally Adjusted Take By Month



B. Seasonally Adjusted Take By Month



C. Cumulative Seasonally Adjusted Take By Month



SOURCE: Alaska Department of Fish and Game, Division of Subsistence, Subsistence Study and Monitor System for Sea Lions and Harbor Seals in Alaska, with assistance from the Agdaagux Tribe of King Cove, Belofsky Village Council, and City of King Cove, 1994.

TABLE 81. SEA LION (*Eumetopias jubatus*) HARVEST AND TAKE ESTIMATES: PERRYVILLE, 1993

SAMPLING DESIGN: CENSUS

Total Native Households	31
Surveyed Households	29
Sampling Fraction	93.5%
Sample Household Members	107
Estimated Household Members	114.4

SEA LION HARVEST AND USE INFORMATION

Percent Of Native Households:		Estimated Community Harvest and Take (Expanded):	
Used	6.9%	Total Number Harvested	0.0
Hunted	6.9%	Total Number Struck and Lost	0.0
Harvested	0.0%	Total Number Taken	0.0
Received	6.9%	Number Harvested Per Capita	0.00
Gave Away	0.0%		

SEA LION HARVEST BY SEASON													Unknown	Total
Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Month		
REPORTED HARVEST AND TAKE BY SAMPLED HOUSEHOLDS (UNEXPANDED)														
Harvest	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Struck and Lost	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Total Take	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ESTIMATED HARVEST AND TAKE BY COMMUNITY (EXPANDED)														
Harvest	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Struck and Lost	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total Take	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
ESTIMATED SEASONALLY ADJUSTED HARVEST AND TAKE BY COMMUNITY (EXPANDED)														
Harvest	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Struck and Lost	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total Take	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total Take (%)	---	---	---	---	---	---	---	---	---	---	---	---	---	---
Cumulative Take	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Cum. Take (%)	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%


SEA LION HARVEST BY AGE AND SEX

	Reported		Estimated	
	By Sample (Unexpanded)	Percent	By Community (Expanded)	Percent
Adult Male	0	---	0.0	---
Adult Female	0	---	0.0	---
Adult Unknown Sex	0	---	0.0	---
Juvenile Male	0	---	0.0	---
Juvenile Female	0	---	0.0	---
Juvenile Unknown Sex	0	---	0.0	---
Pup Male	0	---	0.0	---
Pup Female	0	---	0.0	---
Pup Unknown Sex	0	---	0.0	---
Male Unknown Age	0	---	0.0	---
Female Unknown Age	0	---	0.0	---
Unknown Sex and Age	0	---	0.0	---
Total	0	---	0.0	---


SOURCE: Alaska Department of Fish and Game, Division of Subsistence, Subsistence Study and Monitor System for Sea Lions and Harbor Seals in Alaska, with assistance from the Perryville Traditional Village Council, 1994.

FIGURE 81. SEA LION (*Eumetopias jubatus*) TAKE ESTIMATES: PERRYVILLE, 1993


A. Percentage Seasonally Adjusted Take By Month



B. Seasonally Adjusted Take By Month



C. Cumulative Seasonally Adjusted Take By Month



SOURCE: Alaska Department of Fish and Game, Division of Subsistence, Subsistence Study and Monitor System for Sea Lions and Harbor Seals in Alaska, with assistance from the Perryville Traditional Village Council, 1994.

TABLE 82. HARBOR SEAL (*Phoca vitulina*) HARVEST AND TAKE ESTIMATES: PERRYVILLE, 1993

SAMPLING DESIGN: CENSUS

Total Native Households	31
Surveyed Households	29
Sampling Fraction	93.5%
Sample Household Members	107
Estimated Household Members	114.4

HARBOR SEAL HARVEST AND USE INFORMATION

<i>Percent Of Native Households:</i>		<i>Estimated Community Harvest and Take (Expanded):</i>	
Used	65.5%	Total Number Harvested	12.8
Hunted	51.7%	Total Number Struck and Lost	2.1
Harvested	17.2%	Total Number Taken	15.0
Received	65.5%	Number Harvested Per Capita	0.11
Gave Away	41.4%		

	HARBOR SEAL HARVEST BY SEASON												Total	
	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec		Unknown Month
REPORTED HARVEST AND TAKE BY SAMPLED HOUSEHOLDS (UNEXPANDED)														
Harvest	2	5	1	0	0	0	0	0	2	1	0	0	1	12
Struck and Lost	0	0	0	0	0	0	0	0	0	0	0	2	0	2
Total Take	2	5	1	0	0	0	0	0	2	1	0	2	1	14
ESTIMATED HARVEST AND TAKE BY COMMUNITY (EXPANDED)														
Harvest	2.1	5.3	1.1	0.0	0.0	0.0	0.0	0.0	2.1	1.1	0.0	0.0	1.1	12.8
Struck and Lost	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.1	0.0	2.1
Total Take	2.1	5.3	1.1	0.0	0.0	0.0	0.0	0.0	2.1	1.1	0.0	2.1	1.1	15.0
ESTIMATED SEASONALLY ADJUSTED HARVEST AND TAKE BY COMMUNITY (EXPANDED)														
Harvest	2.3	5.8	1.2	0.0	0.0	0.0	0.0	0.0	2.3	1.2	0.0	0.0		12.8
Struck and Lost	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.1		2.1
Total Take	2.3	5.8	1.2	0.0	0.0	0.0	0.0	0.0	2.3	1.2	0.0	2.1		15.0
Total Take (%)	15.6%	39.0%	7.8%	0.0%	0.0%	0.0%	0.0%	0.0%	15.6%	7.8%	0.0%	14.3%		100%
Cumulative Take	2.3	8.2	9.3	9.3	9.3	9.3	9.3	9.3	11.7	12.8	12.8	15.0		
Cum. Take (%)	15.6%	54.5%	62.3%	62.3%	62.3%	62.3%	62.3%	62.3%	77.9%	85.7%	85.7%	100.0%		


HARBOR SEAL HARVEST BY AGE AND SEX

	Reported		Estimated	
	By Sample (Unexpanded)	Percent	By Community (Expanded)	Percent
Adult Male	1	8.3%	1.1	8.3%
Adult Female	1	8.3%	1.1	8.3%
Adult Unknown Sex	0	0.0%	0.0	0.0%
Juvenile Male	0	0.0%	0.0	0.0%
Juvenile Female	0	0.0%	0.0	0.0%
Juvenile Unknown Sex	5	41.7%	5.3	41.7%
Pup Male	0	0.0%	0.0	0.0%
Pup Female	0	0.0%	0.0	0.0%
Pup Unknown Sex	4	33.3%	4.3	33.3%
Male Unknown Age	0	0.0%	0.0	0.0%
Female Unknown Age	0	0.0%	0.0	0.0%
Unknown Sex and Age	1	8.3%	1.1	8.3%
Total	12	100.0%	12.8	100.0%


SOURCE: Alaska Department of Fish and Game, Division of Subsistence, Subsistence Study and Monitor System for Sea Lions and Harbor Seals in Alaska, with assistance from the Perryville Traditional Village Council, 1994.

FIGURE 82. HARBOR SEAL (*Phoca vitulina*) TAKE ESTIMATES: PERRYVILLE, 1993


A. Percentage Seasonally Adjusted Take By Month



B. Seasonally Adjusted Take By Month



C. Cumulative Seasonally Adjusted Take By Month



SOURCE: Alaska Department of Fish and Game, Division of Subsistence, Subsistence Study and Monitor System for Sea Lions and Harbor Seals in Alaska, with assistance from the Perryville Traditional Village Council, 1994.

TABLE 83. SEA LION (*Eumetopias jubatus*) HARVEST AND TAKE ESTIMATES: SAND POINT, 1993

SAMPLING DESIGN: TWO STRATA

	Active	Other	Total
Total Native Households	14	129	143
Surveyed Households	12	30	42
Sampling Fraction	85.7%	23.3%	29.4%
Sample Household Members	50	93	143
Estimated Household Members	58.3	399.9	458.2

SEA LION HARVEST AND USE INFORMATION

Percent Of Native Households:

Used	0.0%
Hunted	0.0%
Harvested	0.0%
Received	0.0%
Gave Away	0.0%

Estimated Community Harvest and Take (Expanded):

Total Number Harvested	0.0
Total Number Struck and Lost	0.0
Total Number Taken	0.0
Number Harvested Per Capita	0.00

SEA LION HARVEST BY SEASON

													Unknown	Total
	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Month	
REPORTED HARVEST AND TAKE BY SAMPLED HOUSEHOLDS (UNEXPANDED)														
Harvest	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Struck and Lost	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Total Take	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ESTIMATED HARVEST AND TAKE BY COMMUNITY (EXPANDED)														
Harvest	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Struck and Lost	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total Take	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
ESTIMATED SEASONALLY ADJUSTED HARVEST AND TAKE BY COMMUNITY (EXPANDED)														
Harvest	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Struck and Lost	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total Take	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total Take (%)	---	---	---	---	---	---	---	---	---	---	---	---	---	---
Cumulative Take	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Cum. Take (%)	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%


SEA LION HARVEST BY AGE AND SEX

	Reported		Estimated	
	By Sample (Unexpanded)	Percent	By Community (Expanded)	Percent
Adult Male	0	---	0.0	---
Adult Female	0	---	0.0	---
Adult Unknown Sex	0	---	0.0	---
Juvenile Male	0	---	0.0	---
Juvenile Female	0	---	0.0	---
Juvenile Unknown Sex	0	---	0.0	---
Pup Male	0	---	0.0	---
Pup Female	0	---	0.0	---
Pup Unknown Sex	0	---	0.0	---
Male Unknown Age	0	---	0.0	---
Female Unknown Age	0	---	0.0	---
Unknown Sex and Age	0	---	0.0	---
Total	0	---	0.0	---


SOURCE: Alaska Department of Fish and Game, Division of Subsistence, Subsistence Study and Monitor System for Sea Lions and Harbor Seals in Alaska, with assistance from the City of Sand Point, Unga Tribal Council, and Qagan Tayagungi Tribe of Sand Point, 1994.

FIGURE 83. SEA LION (*Eumetopias jubatus*) TAKE ESTIMATES: SAND POINT, 1993


A. Percentage Seasonally Adjusted Take By Month



B. Seasonally Adjusted Take By Month



C. Cumulative Seasonally Adjusted Take By Month



SOURCE: Alaska Department of Fish and Game, Division of Subsistence, Subsistence Study and Monitor System for Sea Lions and Harbor Seals in Alaska, with assistance from the City of Sand Point, Unga Tribal Council, and Qagan Tayagungi Tribe of Sand Point, 1994.

TABLE 84. HARBOR SEAL (*Phoca vitulina*) HARVEST AND TAKE ESTIMATES: SAND POINT, 1993

SAMPLING DESIGN: TWO STRATA

	Active	Other	Total
Total Native Households	14	129	143
Surveyed Households	12	30	42
Sampling Fraction	85.7%	23.3%	29.4%
Sample Household Members	50	93	143
Estimated Household Members	58.3	399.9	458.2

HARBOR SEAL HARVEST AND USE INFORMATION

Percent Of Native Households:		Estimated Community Harvest and Take (Expanded):	
Used	14.7%	Total Number Harvested	13.3
Hunted	9.3%	Total Number Struck and Lost	1.2
Harvested	9.3%	Total Number Taken	14.4
Received	6.3%	Number Harvested Per Capita	0.03
Gave Away	4.6%		

HARBOR SEAL HARVEST BY SEASON													Unknown	Total
Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Month		
REPORTED HARVEST AND TAKE BY SAMPLED HOUSEHOLDS (UNEXPANDED)														
Harvest	0	0	0	0	1	0	2	2	1	0	0	0	0	6
Struck and Lost	0	0	0	0	0	0	0	1	0	0	0	0	0	1
Total Take	0	0	0	0	1	0	2	3	1	0	0	0	0	7
ESTIMATED HARVEST AND TAKE BY COMMUNITY (EXPANDED)														
Harvest	0.0	0.0	0.0	0.0	1.2	0.0	5.5	2.3	4.3	0.0	0.0	0.0	0.0	13.3
Struck and Lost	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	0.0	0.0	0.0	0.0	0.0	1.2
Total Take	0.0	0.0	0.0	0.0	1.2	0.0	5.5	3.5	4.3	0.0	0.0	0.0	0.0	14.4
ESTIMATED SEASONALLY ADJUSTED HARVEST AND TAKE BY COMMUNITY (EXPANDED)														
Harvest	0.0	0.0	0.0	0.0	1.2	0.0	5.5	2.3	4.3	0.0	0.0	0.0	0.0	13.3
Struck and Lost	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	0.0	0.0	0.0	0.0	0.0	1.2
Total Take	0.0	0.0	0.0	0.0	1.2	0.0	5.5	3.5	4.3	0.0	0.0	0.0	0.0	14.4
Total Take (%)	0.0%	0.0%	0.0%	0.0%	8.1%	0.0%	37.9%	24.2%	29.8%	0.0%	0.0%	0.0%	0.0%	100%
Cumulative Take	0.0	0.0	0.0	0.0	1.2	1.2	6.6	10.1	14.4	14.4	14.4	14.4	14.4	
Cum. Take (%)	0.0%	0.0%	0.0%	0.0%	8.1%	8.1%	46.0%	70.2%	100.0%	100.0%	100.0%	100.0%	100.0%	


HARBOR SEAL HARVEST BY AGE AND SEX

	Reported		Estimated	
	By Sample (Unexpanded)	Percent	By Community (Expanded)	Percent
Adult Male	0	0.0%	0.0	0.0%
Adult Female	0	0.0%	0.0	0.0%
Adult Unknown Sex	4	66.7%	7.8	58.8%
Juvenile Male	0	0.0%	0.0	0.0%
Juvenile Female	0	0.0%	0.0	0.0%
Juvenile Unknown Sex	0	0.0%	0.0	0.0%
Pup Male	0	0.0%	0.0	0.0%
Pup Female	0	0.0%	0.0	0.0%
Pup Unknown Sex	0	0.0%	0.0	0.0%
Male Unknown Age	0	0.0%	0.0	0.0%
Female Unknown Age	0	0.0%	0.0	0.0%
Unknown Sex and Age	2	33.3%	5.5	41.2%
Total	6	100.0%	13.3	100.0%


SOURCE: Alaska Department of Fish and Game, Division of Subsistence, Subsistence Study and Monitor System for Sea Lions and Harbor Seals in Alaska, with assistance from the City of Sand Point, Unga Tribal Council, and Qagan Tayagungi Tribe of Sand Point, 1994.

FIGURE 84. HARBOR SEAL (*Phoca vitulina*) TAKE ESTIMATES: SAND POINT, 1993


A. Percentage Seasonally Adjusted Take By Month



B. Seasonally Adjusted Take By Month



C. Cumulative Seasonally Adjusted Take By Month



SOURCE: Alaska Department of Fish and Game, Division of Subsistence, Subsistence Study and Monitor System for Sea Lions and Harbor Seals in Alaska, with assistance from the City of Sand Point, Unga Tribal Council, and Qagan Tayagungi Tribe of Sand Point, 1994.

C-178

ALEUTIAN ISLANDS

C-179

TABLE 85. SEA LION (*Eumetopias jubatus*) HARVEST AND TAKE ESTIMATES: AKUTAN, 1993

SAMPLING DESIGN: CENSUS

Total Native Households	29
Surveyed Households	26
Sampling Fraction	89.7%
Sample Household Members	85
Estimated Household Members	94.8

SEA LION HARVEST AND USE INFORMATION

Percent Of Native Households:

Used	88.5%
Hunted	30.8%
Harvested	23.1%
Received	84.6%
Gave Away	23.1%

Estimated Community Harvest and Take (Expanded):

Total Number Harvested	14.5
Total Number Struck and Lost	8.9
Total Number Taken	23.4
Number Harvested Per Capita	0.15

SEA LION HARVEST BY SEASON													Unknown	Total
Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Month		
REPORTED HARVEST AND TAKE BY SAMPLED HOUSEHOLDS (UNEXPANDED)														
Harvest	0	0	2	0	2	5	1	1	1	0	0	1	0	13
Struck and Lost	0	0	0	0	1	1	1	0	1	4	0	0	0	8
Total Take	0	0	2	0	3	6	2	1	2	4	0	1	0	21
ESTIMATED HARVEST AND TAKE BY COMMUNITY (EXPANDED)														
Harvest	0.0	0.0	2.2	0.0	2.2	5.6	1.1	1.1	1.1	0.0	0.0	1.1	0.0	14.5
Struck and Lost	0.0	0.0	0.0	0.0	1.1	1.1	1.1	0.0	1.1	4.5	0.0	0.0	0.0	8.9
Total Take	0.0	0.0	2.2	0.0	3.3	6.7	2.2	1.1	2.2	4.5	0.0	1.1	0.0	23.4
ESTIMATED SEASONALLY ADJUSTED HARVEST AND TAKE BY COMMUNITY (EXPANDED)														
Harvest	0.0	0.0	2.2	0.0	2.2	5.6	1.1	1.1	1.1	0.0	0.0	1.1		14.5
Struck and Lost	0.0	0.0	0.0	0.0	1.1	1.1	1.1	0.0	1.1	4.5	0.0	0.0		8.9
Total Take	0.0	0.0	2.2	0.0	3.3	6.7	2.2	1.1	2.2	4.5	0.0	1.1		23.4
Total Take (%)	0.0%	0.0%	9.5%	0.0%	14.3%	28.6%	9.5%	4.8%	9.5%	19.1%	0.0%	4.8%		100%
Cumulative Take	0.0	0.0	2.2	2.2	5.6	12.3	14.5	15.6	17.8	22.3	22.3	23.4		
Cum. Take (%)	0.0%	0.0%	9.5%	9.5%	23.8%	52.4%	61.9%	66.7%	76.2%	95.2%	95.2%	100.0%		


SEA LION HARVEST BY AGE AND SEX

	Reported		Estimated	
	By Sample (Unexpanded)	Percent	By Community (Expanded)	Percent
Adult Male	7	53.8%	7.8	53.8%
Adult Female	1	7.7%	1.1	7.7%
Adult Unknown Sex	0	0.0%	0.0	0.0%
Juvenile Male	2	15.4%	2.2	15.4%
Juvenile Female	2	15.4%	2.2	15.4%
Juvenile Unknown Sex	1	7.7%	1.1	7.7%
Pup Male	0	0.0%	0.0	0.0%
Pup Female	0	0.0%	0.0	0.0%
Pup Unknown Sex	0	0.0%	0.0	0.0%
Male Unknown Age	0	0.0%	0.0	0.0%
Female Unknown Age	0	0.0%	0.0	0.0%
Unknown Sex and Age	0	0.0%	0.0	0.0%
Total	13	100.0%	14.5	100.0%


SOURCE: Alaska Department of Fish and Game, Division of Subsistence, Subsistence Study and Monitor System for Sea Lions and Harbor Seals in Alaska, with assistance from the Akutan Traditional Village Council, City of Akutan, and Akututan Corporation, 1994.

FIGURE 85. SEA LION (*Eumetopias jubatus*) TAKE ESTIMATES: AKUTAN, 1993


A. Percentage Seasonally Adjusted Take By Month



B. Seasonally Adjusted Take By Month



C. Cumulative Seasonally Adjusted Take By Month



SOURCE: Alaska Department of Fish and Game, Division of Subsistence, Subsistence Study and Monitor System for Sea Lions and Harbor Seals in Alaska, with assistance from the Akutan Traditional Village Council, City of Akutan, and Akututan Corporation, 1994.

TABLE 86. HARBOR SEAL (*Phoca vitulina*) HARVEST AND TAKE ESTIMATES: AKUTAN, 1993

SAMPLING DESIGN: CENSUS

Total Native Households	29
Surveyed Households	26
Sampling Fraction	89.7%
Sample Household Members	85
Estimated Household Members	94.8

HARBOR SEAL HARVEST AND USE INFORMATION

Percent Of Native Households:

Used	65.4%
Hunted	30.8%
Harvested	23.1%
Received	57.7%
Gave Away	23.1%

Estimated Community Harvest and Take (Expanded):

Total Number Harvested	15.6
Total Number Struck and Lost	4.5
Total Number Taken	20.1
Number Harvested Per Capita	0.16

HARBOR SEAL HARVEST BY SEASON

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Unknown Month	Total
REPORTED HARVEST AND TAKE BY SAMPLED HOUSEHOLDS (UNEXPANDED)														
Harvest	0	0	0	1	3	5	1	1	1	0	1	1	0	14
Struck and Lost	0	0	0	0	0	0	1	1	0	1	0	1	0	4
Total Take	0	0	0	1	3	5	2	2	1	1	1	2	0	18
ESTIMATED HARVEST AND TAKE BY COMMUNITY (EXPANDED)														
Harvest	0.0	0.0	0.0	1.1	3.3	5.6	1.1	1.1	1.1	0.0	1.1	1.1	0.0	15.6
Struck and Lost	0.0	0.0	0.0	0.0	0.0	0.0	1.1	1.1	0.0	1.1	0.0	1.1	0.0	4.5
Total Take	0.0	0.0	0.0	1.1	3.3	5.6	2.2	2.2	1.1	1.1	1.1	2.2	0.0	20.1
ESTIMATED SEASONALLY ADJUSTED HARVEST AND TAKE BY COMMUNITY (EXPANDED)														
Harvest	0.0	0.0	0.0	1.1	3.3	5.6	1.1	1.1	1.1	0.0	1.1	1.1		15.6
Struck and Lost	0.0	0.0	0.0	0.0	0.0	0.0	1.1	1.1	0.0	1.1	0.0	1.1		4.5
Total Take	0.0	0.0	0.0	1.1	3.3	5.6	2.2	2.2	1.1	1.1	1.1	2.2		20.1
Total Take (%)	0.0%	0.0%	0.0%	5.6%	16.7%	27.8%	11.1%	11.1%	5.6%	5.6%	5.6%	11.1%		100%
Cumulative Take	0.0	0.0	0.0	1.1	4.5	10.0	12.3	14.5	15.6	16.7	17.8	20.1		
Cum. Take (%)	0.0%	0.0%	0.0%	5.6%	22.2%	50.0%	61.1%	72.2%	77.8%	83.3%	88.9%	100.0%		


HARBOR SEAL HARVEST BY AGE AND SEX

	Reported		Estimated	
	By Sample (Unexpanded)	Percent	By Community (Expanded)	Percent
Adult Male	7	50.0%	7.8	50.0%
Adult Female	2	14.3%	2.2	14.3%
Adult Unknown Sex	0	0.0%	0.0	0.0%
Juvenile Male	4	28.6%	4.5	28.6%
Juvenile Female	0	0.0%	0.0	0.0%
Juvenile Unknown Sex	0	0.0%	0.0	0.0%
Pup Male	1	7.1%	1.1	7.1%
Pup Female	0	0.0%	0.0	0.0%
Pup Unknown Sex	0	0.0%	0.0	0.0%
Male Unknown Age	0	0.0%	0.0	0.0%
Female Unknown Age	0	0.0%	0.0	0.0%
Unknown Sex and Age	0	0.0%	0.0	0.0%
Total	14	100.0%	15.6	100.0%


SOURCE: Alaska Department of Fish and Game, Division of Subsistence, Subsistence Study and Monitor System for Sea Lions and Harbor Seals in Alaska, with assistance from the Akutan Traditional Village Council, City of Akutan, and Akututan Corporation, 1994.

FIGURE 86. HARBOR SEAL (*Phoca vitulina*) TAKE ESTIMATES: AKUTAN, 1993


A. Percentage Seasonally Adjusted Take By Month



B. Seasonally Adjusted Take By Month



C. Cumulative Seasonally Adjusted Take By Month



SOURCE: Alaska Department of Fish and Game, Division of Subsistence, Subsistence Study and Monitor System for Sea Lions and Harbor Seals in Alaska, with assistance from the Akutan Traditional Village Council, City of Akutan, and Akututan Corporation, 1994.

TABLE 87. SEA LION (*Eumetopias jubatus*) HARVEST AND TAKE ESTIMATES: ATKA, 1993

SAMPLING DESIGN: CENSUS

Total Native Households	24
Surveyed Households	22
Sampling Fraction	91.7%
Sample Household Members	60
Estimated Household Members	65.5

SEA LION HARVEST AND USE INFORMATION

<i>Percent Of Native Households:</i>		<i>Estimated Community Harvest and Take (Expanded):</i>	
Used	86.4%	Total Number Harvested	25.1
Hunted	40.9%	Total Number Struck and Lost	0.0
Harvested	36.4%	Total Number Taken	25.1
Received	68.2%	Number Harvested Per Capita	0.38
Gave Away	45.5%		

SEA LION HARVEST BY SEASON													Unknown	Total
Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Month		
REPORTED HARVEST AND TAKE BY SAMPLED HOUSEHOLDS (UNEXPANDED)														
Harvest	2	0	0	0	0	0	0	1	3	3	7	2	5	23
Struck and Lost	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Total Take	2	0	0	0	0	0	0	1	3	3	7	2	5	23
ESTIMATED HARVEST AND TAKE BY COMMUNITY (EXPANDED)														
Harvest	2.2	0.0	0.0	0.0	0.0	0.0	0.0	1.1	3.3	3.3	7.6	2.2	5.5	25.1
Struck and Lost	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total Take	2.2	0.0	0.0	0.0	0.0	0.0	0.0	1.1	3.3	3.3	7.6	2.2	5.5	25.1
ESTIMATED SEASONALLY ADJUSTED HARVEST AND TAKE BY COMMUNITY (EXPANDED)														
Harvest	2.8	0.0	0.0	0.0	0.0	0.0	0.0	1.4	4.2	4.2	9.8	2.8		25.1
Struck and Lost	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		0.0
Total Take	2.8	0.0	0.0	0.0	0.0	0.0	0.0	1.4	4.2	4.2	9.8	2.8		25.1
Total Take (%)	11.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	5.6%	16.7%	16.7%	38.9%	11.1%		100%
Cumulative Take	2.8	2.8	2.8	2.8	2.8	2.8	2.8	4.2	8.4	12.5	22.3	25.1		
Cum. Take (%)	11.1%	11.1%	11.1%	11.1%	11.1%	11.1%	11.1%	16.7%	33.3%	50.0%	88.9%	100.0%		


SEA LION HARVEST BY AGE AND SEX

	Reported		Estimated	
	By Sample (Unexpanded)	Percent	By Community (Expanded)	Percent
Adult Male	4	17.4%	4.4	17.4%
Adult Female	10	43.5%	10.9	43.5%
Adult Unknown Sex	0	0.0%	0.0	0.0%
Juvenile Male	2	8.7%	2.2	8.7%
Juvenile Female	2	8.7%	2.2	8.7%
Juvenile Unknown Sex	0	0.0%	0.0	0.0%
Pup Male	0	0.0%	0.0	0.0%
Pup Female	0	0.0%	0.0	0.0%
Pup Unknown Sex	0	0.0%	0.0	0.0%
Male Unknown Age	0	0.0%	0.0	0.0%
Female Unknown Age	0	0.0%	0.0	0.0%
Unknown Sex and Age	5	21.7%	5.5	21.7%
Total	23	100.0%	25.1	100.0%


SOURCE: Alaska Department of Fish and Game, Division of Subsistence, Subsistence Study and Monitor System for Sea Lions and Harbor Seals in Alaska, with assistance from the Atka IRA Council and City of Atka, 1994.

FIGURE 87. SEA LION (*Eumetopias jubatus*) TAKE ESTIMATES: ATKA, 1993


A. Percentage Seasonally Adjusted Take By Month



B. Seasonally Adjusted Take By Month



C. Cumulative Seasonally Adjusted Take By Month



SOURCE: Alaska Department of Fish and Game, Division of Subsistence, Subsistence Study and Monitor System for Sea Lions and Harbor Seals in Alaska, with assistance from the Atka IRA Council and City of Atka, 1994.

TABLE 88. HARBOR SEAL (*Phoca vitulina*) HARVEST AND TAKE ESTIMATES: ATKA, 1993

SAMPLING DESIGN: CENSUS

Total Native Households	24
Surveyed Households	22
Sampling Fraction	91.7%
Sample Household Members	60
Estimated Household Members	65.5

HARBOR SEAL HARVEST AND USE INFORMATION

<i>Percent Of Native Households:</i>		<i>Estimated Community Harvest and Take (Expanded):</i>	
Used	77.3%	Total Number Harvested	32.7
Hunted	45.5%	Total Number Struck and Lost	0.0
Harvested	31.8%	Total Number Taken	32.7
Received	72.7%	Number Harvested Per Capita	0.50
Gave Away	36.4%		

HARBOR SEAL HARVEST BY SEASON													Unknown	Total
Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Month		
REPORTED HARVEST AND TAKE BY SAMPLED HOUSEHOLDS (UNEXPANDED)														
Harvest	0	0	3	0	0	0	4	2	4	6	1	10	30	
Struck and Lost	0	0	0	0	0	0	0	0	0	0	0	0	0	
Total Take	0	0	3	0	0	0	4	2	4	6	1	10	30	
ESTIMATED HARVEST AND TAKE BY COMMUNITY (EXPANDED)														
Harvest	0.0	0.0	3.3	0.0	0.0	0.0	4.4	2.2	4.4	6.5	1.1	10.9	32.7	
Struck and Lost	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
Total Take	0.0	0.0	3.3	0.0	0.0	0.0	4.4	2.2	4.4	6.5	1.1	10.9	32.7	
ESTIMATED SEASONALLY ADJUSTED HARVEST AND TAKE BY COMMUNITY (EXPANDED)														
Harvest	0.0	0.0	4.9	0.0	0.0	0.0	6.5	3.3	6.5	9.8	1.6		32.7	
Struck and Lost	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		0.0	
Total Take	0.0	0.0	4.9	0.0	0.0	0.0	6.5	3.3	6.5	9.8	1.6		32.7	
Total Take (%)	0.0%	0.0%	15.0%	0.0%	0.0%	0.0%	20.0%	10.0%	20.0%	30.0%	5.0%		100%	
Cumulative Take	0.0	0.0	4.9	4.9	4.9	4.9	11.5	14.7	21.3	31.1	32.7			
Cum. Take (%)	0.0%	0.0%	15.0%	15.0%	15.0%	15.0%	35.0%	45.0%	65.0%	95.0%	100.0%			


HARBOR SEAL HARVEST BY AGE AND SEX

	Reported		Estimated	
	By Sample (Unexpanded)	Percent	By Community (Expanded)	Percent
Adult Male	1	3.3%	1.1	3.3%
Adult Female	4	13.3%	4.4	13.3%
Adult Unknown Sex	0	0.0%	0.0	0.0%
Juvenile Male	8	26.7%	8.7	26.7%
Juvenile Female	2	6.7%	2.2	6.7%
Juvenile Unknown Sex	0	0.0%	0.0	0.0%
Pup Male	0	0.0%	0.0	0.0%
Pup Female	5	16.7%	5.5	16.7%
Pup Unknown Sex	0	0.0%	0.0	0.0%
Male Unknown Age	0	0.0%	0.0	0.0%
Female Unknown Age	0	0.0%	0.0	0.0%
Unknown Sex and Age	10	33.3%	10.9	33.3%
Total	30	100.0%	32.7	100.0%


SOURCE: Alaska Department of Fish and Game, Division of Subsistence, Subsistence Study and Monitor System for Sea Lions and Harbor Seals in Alaska, with assistance from the Atka IRA Council and City of Atka, 1994.

FIGURE 88. HARBOR SEAL (*Phoca vitulina*) TAKE ESTIMATES: ATKA, 1993


A. Percentage Seasonally Adjusted Take By Month



B. Seasonally Adjusted Take By Month



C. Cumulative Seasonally Adjusted Take By Month



SOURCE: Alaska Department of Fish and Game, Division of Subsistence, Subsistence Study and Monitor System for Sea Lions and Harbor Seals in Alaska, with assistance from the Atka IRA Council and City of Atka, 1994.

TABLE 89. SEA LION (*Eumetopias jubatus*) HARVEST AND TAKE ESTIMATES: NIKOLSKI, 1993

SAMPLING DESIGN: CENSUS

Total Native Households	13
Surveyed Households	13
Sampling Fraction	100.0%
Sample Household Members	19
Estimated Household Members	19.0

SEA LION HARVEST AND USE INFORMATION

Percent Of Native Households:

Used	100.0%
Hunted	30.8%
Harvested	23.1%
Received	92.3%
Gave Away	38.5%

Estimated Community Harvest and Take (Expanded):

Total Number Harvested	6.0
Total Number Struck and Lost	0.0
Total Number Taken	6.0
Number Harvested Per Capita	0.32

SEA LION HARVEST BY SEASON

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Unknown Month	Total
REPORTED HARVEST AND TAKE BY SAMPLED HOUSEHOLDS (UNEXPANDED)														
Harvest	0	0	0	0	0	0	0	0	0	3	3	0	0	6
Struck and Lost	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Total Take	0	0	0	0	0	0	0	0	0	3	3	0	0	6
ESTIMATED HARVEST AND TAKE BY COMMUNITY (EXPANDED)														
Harvest	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.0	3.0	0.0	0.0	6.0
Struck and Lost	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total Take	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.0	3.0	0.0	0.0	6.0
ESTIMATED SEASONALLY ADJUSTED HARVEST AND TAKE BY COMMUNITY (EXPANDED)														
Harvest	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.0	3.0	0.0	0.0	6.0
Struck and Lost	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total Take	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.0	3.0	0.0	0.0	6.0
Total Take (%)	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	50.0%	50.0%	0.0%	0.0%	100%
Cumulative Take	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.0	6.0	6.0	6.0	6.0
Cum. Take (%)	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	50.0%	100.0%	100.0%	100.0%	100.0%


SEA LION HARVEST BY AGE AND SEX

	Reported		Estimated	
	By Sample (Unexpanded)	Percent	By Community (Expanded)	Percent
Adult Male	6	100.0%	6.0	100.0%
Adult Female	0	0.0%	0.0	0.0%
Adult Unknown Sex	0	0.0%	0.0	0.0%
Juvenile Male	0	0.0%	0.0	0.0%
Juvenile Female	0	0.0%	0.0	0.0%
Juvenile Unknown Sex	0	0.0%	0.0	0.0%
Pup Male	0	0.0%	0.0	0.0%
Pup Female	0	0.0%	0.0	0.0%
Pup Unknown Sex	0	0.0%	0.0	0.0%
Male Unknown Age	0	0.0%	0.0	0.0%
Female Unknown Age	0	0.0%	0.0	0.0%
Unknown Sex and Age	0	0.0%	0.0	0.0%
Total	6	100.0%	6.0	100.0%


SOURCE: Alaska Department of Fish and Game, Division of Subsistence, Subsistence Study and Monitor System for Sea Lions and Harbor Seals in Alaska, with assistance from the Nikolski IRA Council and Chaluka Corporation, 1994.

FIGURE 89. SEA LION (*Eumetopias jubatus*) TAKE ESTIMATES: NIKOLSKI, 1993


A. Percentage Seasonally Adjusted Take By Month



B. Seasonally Adjusted Take By Month



C. Cumulative Seasonally Adjusted Take By Month



SOURCE: Alaska Department of Fish and Game, Division of Subsistence, Subsistence Study and Monitor System for Sea Lions and Harbor Seals in Alaska, with assistance from the Nikolski IRA Council and Chaluka Corporation, 1994.

TABLE 90. HARBOR SEAL (*Phoca vitulina*) HARVEST AND TAKE ESTIMATES: NIKOLSKI, 1993

SAMPLING DESIGN: CENSUS

Total Native Households	13
Surveyed Households	13
Sampling Fraction	100.0%
Sample Household Members	19
Estimated Household Members	19.0

HARBOR SEAL HARVEST AND USE INFORMATION

<i>Percent Of Native Households:</i>		<i>Estimated Community Harvest and Take (Expanded):</i>	
Used	38.5%	Total Number Harvested	4.0
Hunted	23.1%	Total Number Struck and Lost	1.0
Harvested	23.1%	Total Number Taken	5.0
Received	15.4%	Number Harvested Per Capita	0.21
Gave Away	30.8%		

HARBOR SEAL HARVEST BY SEASON													Unknown	
	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Month	Total
REPORTED HARVEST AND TAKE BY SAMPLED HOUSEHOLDS (UNEXPANDED)														
Harvest	0	0	0	0	0	0	0	0	0	0	4	0	0	4
Struck and Lost	0	0	0	0	0	0	0	0	0	0	0	0	1	1
Total Take	0	0	0	0	0	0	0	0	0	0	4	0	1	5
ESTIMATED HARVEST AND TAKE BY COMMUNITY (EXPANDED)														
Harvest	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.0	0.0	0.0	4.0
Struck and Lost	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	1.0
Total Take	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.0	0.0	1.0	5.0
ESTIMATED SEASONALLY ADJUSTED HARVEST AND TAKE BY COMMUNITY (EXPANDED)														
Harvest	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.0	0.0		4.0
Struck and Lost	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	1.0
Total Take	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	4.1	0.1		5.0
Total Take (%)	1.7%	1.7%	1.7%	1.7%	1.7%	1.7%	1.7%	1.7%	1.7%	1.7%	81.7%	1.7%		100%
Cumulative Take	0.1	0.2	0.3	0.3	0.4	0.5	0.6	0.7	0.8	0.8	4.9	5.0		
Cum. Take (%)	1.7%	3.3%	5.0%	6.7%	8.3%	10.0%	11.7%	13.3%	15.0%	16.7%	98.3%	100.0%		


HARBOR SEAL HARVEST BY AGE AND SEX

	Reported		Estimated	
	By Sample (Unexpanded)	Percent	By Community (Expanded)	Percent
Adult Male	4	100.0%	4.0	100.0%
Adult Female	0	0.0%	0.0	0.0%
Adult Unknown Sex	0	0.0%	0.0	0.0%
Juvenile Male	0	0.0%	0.0	0.0%
Juvenile Female	0	0.0%	0.0	0.0%
Juvenile Unknown Sex	0	0.0%	0.0	0.0%
Pup Male	0	0.0%	0.0	0.0%
Pup Female	0	0.0%	0.0	0.0%
Pup Unknown Sex	0	0.0%	0.0	0.0%
Male Unknown Age	0	0.0%	0.0	0.0%
Female Unknown Age	0	0.0%	0.0	0.0%
Unknown Sex and Age	0	0.0%	0.0	0.0%
Total	4	100.0%	4.0	100.0%


SOURCE: Alaska Department of Fish and Game, Division of Subsistence, Subsistence Study and Monitor System for Sea Lions and Harbor Seals in Alaska, with assistance from the Nikolski IRA Council and Chaluka Corporation, 1994.

FIGURE 90. HARBOR SEAL (*Phoca vitulina*) TAKE ESTIMATES: NIKOLSKI, 1993


A. Percentage Seasonally Adjusted Take By Month



B. Seasonally Adjusted Take By Month



C. Cumulative Seasonally Adjusted Take By Month



SOURCE: Alaska Department of Fish and Game, Division of Subsistence, Subsistence Study and Monitor System for Sea Lions and Harbor Seals in Alaska, with assistance from the Nikolski IRA Council and Chaluka Corporation, 1994.

TABLE 91. SEA LION (*Eumetopias jubatus*) HARVEST AND TAKE ESTIMATES: UNALASKA, 1993

SAMPLING DESIGN: TWO STRATA

	Active	Other	Total
Total Native Households	24	54	78
Surveyed Households	16	45	61
Sampling Fraction	66.7%	83.3%	78.2%
Sample Household Members	61	120	181
Estimated Household Members	91.5	144.0	235.5

SEA LION HARVEST AND USE INFORMATION

Percent Of Native Households:

Used	100.0%
Hunted	30.4%
Harvested	22.7%
Received	96.2%
Gave Away	20.8%

Estimated Community Harvest and Take (Expanded):

Total Number Harvested	53.4
Total Number Struck and Lost	15.9
Total Number Taken	69.3
Number Harvested Per Capita	0.23

SEA LION HARVEST BY SEASON

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Unknown Month	Total
REPORTED HARVEST AND TAKE BY SAMPLED HOUSEHOLDS (UNEXPANDED)														
Harvest	6	1	6	3	2	2	2	1	6	4	3	0	0	36
Struck and Lost	1	1	4	0	0	1	1	0	1	2	0	0	0	11
Total Take	7	2	10	3	2	3	3	1	7	6	3	0	0	47
ESTIMATED HARVEST AND TAKE BY COMMUNITY (EXPANDED)														
Harvest	9.0	1.5	9.0	4.2	3.0	3.0	3.0	1.5	8.7	6.0	4.5	0.0	0.0	53.4
Struck and Lost	1.5	1.5	5.7	0.0	0.0	1.5	1.5	0.0	1.5	2.7	0.0	0.0	0.0	15.9
Total Take	10.5	3.0	14.7	4.2	3.0	4.5	4.5	1.5	10.2	8.7	4.5	0.0	0.0	69.3
ESTIMATED SEASONALLY ADJUSTED HARVEST AND TAKE BY COMMUNITY (EXPANDED)														
Harvest	9.0	1.5	9.0	4.2	3.0	3.0	3.0	1.5	8.7	6.0	4.5	0.0	0.0	53.4
Struck and Lost	1.5	1.5	5.7	0.0	0.0	1.5	1.5	0.0	1.5	2.7	0.0	0.0	0.0	15.9
Total Take	10.5	3.0	14.7	4.2	3.0	4.5	4.5	1.5	10.2	8.7	4.5	0.0	0.0	69.3
Total Take (%)	15.2%	4.3%	21.2%	6.1%	4.3%	6.5%	6.5%	2.2%	14.7%	12.6%	6.5%	0.0%	0.0%	100%
Cumulative Take	10.5	13.5	28.2	32.4	35.4	39.9	44.4	45.9	56.1	64.8	69.3	69.3	69.3	
Cum. Take (%)	15.2%	19.5%	40.7%	46.8%	51.1%	57.6%	64.1%	66.2%	81.0%	93.5%	100.0%	100.0%	100.0%	


SEA LION HARVEST BY AGE AND SEX

	Reported		Estimated	
	By Sample (Unexpanded)	Percent	By Community (Expanded)	Percent
Adult Male	14	38.9%	20.7	38.8%
Adult Female	3	8.3%	4.5	8.4%
Adult Unknown Sex	0	0.0%	0.0	0.0%
Juvenile Male	7	19.4%	10.2	19.1%
Juvenile Female	6	16.7%	9.0	16.9%
Juvenile Unknown Sex	0	0.0%	0.0	0.0%
Pup Male	3	8.3%	4.5	8.4%
Pup Female	3	8.3%	4.5	8.4%
Pup Unknown Sex	0	0.0%	0.0	0.0%
Male Unknown Age	0	0.0%	0.0	0.0%
Female Unknown Age	0	0.0%	0.0	0.0%
Unknown Sex and Age	0	0.0%	0.0	0.0%
Total	36	100.0%	53.4	100.0%


SOURCE: Alaska Department of Fish and Game, Division of Subsistence, Subsistence Study and Monitor System for Sea Lions and Harbor Seals in Alaska, with assistance from the Cawalangin Tribal Council, 1994.

FIGURE 91. SEA LION (*Eumetopias jubatus*) TAKE ESTIMATES: UNALASKA, 1993


A. Percentage Seasonally Adjusted Take By Month



B. Seasonally Adjusted Take By Month



C. Cumulative Seasonally Adjusted Take By Month



SOURCE: Alaska Department of Fish and Game, Division of Subsistence, Subsistence Study and Monitor System for Sea Lions and Harbor Seals in Alaska, with assistance from the Qawalangin Tribal Council, 1994.

TABLE 92. HARBOR SEAL (*Phoca vitulina*) HARVEST AND TAKE ESTIMATES: UNALASKA, 1993

SAMPLING DESIGN: TWO STRATA

	Active	Other	Total
Total Native Households	24	54	78
Surveyed Households	16	45	61
Sampling Fraction	66.7%	83.3%	78.2%
Sample Household Members	61	120	181
Estimated Household Members	91.5	144.0	235.5

HARBOR SEAL HARVEST AND USE INFORMATION

Percent Of Native Households:

Used	93.8%
Hunted	33.8%
Harvested	22.7%
Received	90.0%
Gave Away	22.7%

Estimated Community Harvest and Take (Expanded):

Total Number Harvested	32.7
Total Number Struck and Lost	9.9
Total Number Taken	42.6
Number Harvested Per Capita	0.14

HARBOR SEAL HARVEST BY SEASON

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Unknown Month	Total
REPORTED HARVEST AND TAKE BY SAMPLED HOUSEHOLDS (UNEXPANDED)														
Harvest	3	1	1	0	3	0	3	3	5	1	1	1	0	22
Struck and Lost	0	1	0	1	0	0	0	3	2	0	0	0	0	7
Total Take	3	2	1	1	3	0	3	6	7	1	1	1	0	29
ESTIMATED HARVEST AND TAKE BY COMMUNITY (EXPANDED)														
Harvest	4.5	1.5	1.5	0.0	4.5	0.0	4.5	4.5	7.2	1.5	1.5	1.5	0.0	32.7
Struck and Lost	0.0	1.5	0.0	1.5	0.0	0.0	0.0	4.2	2.7	0.0	0.0	0.0	0.0	9.9
Total Take	4.5	3.0	1.5	1.5	4.5	0.0	4.5	8.7	9.9	1.5	1.5	1.5	0.0	42.6
ESTIMATED SEASONALLY ADJUSTED HARVEST AND TAKE BY COMMUNITY (EXPANDED)														
Harvest	4.5	1.5	1.5	0.0	4.5	0.0	4.5	4.5	7.2	1.5	1.5	1.5		32.7
Struck and Lost	0.0	1.5	0.0	1.5	0.0	0.0	0.0	4.2	2.7	0.0	0.0	0.0		9.9
Total Take	4.5	3.0	1.5	1.5	4.5	0.0	4.5	8.7	9.9	1.5	1.5	1.5		42.6
Total Take (%)	10.6%	7.0%	3.5%	3.5%	10.6%	0.0%	10.6%	20.4%	23.2%	3.5%	3.5%	3.5%		100%
Cumulative Take	4.5	7.5	9.0	10.5	15.0	15.0	19.5	28.2	38.1	39.6	41.1	42.6		
Cum. Take (%)	10.6%	17.6%	21.1%	24.6%	35.2%	35.2%	45.8%	66.2%	89.4%	93.0%	96.5%	100.0%		


HARBOR SEAL HARVEST BY AGE AND SEX

	Reported		Estimated	
	By Sample (Unexpanded)	Percent	By Community (Expanded)	Percent
Adult Male	7	31.8%	10.5	32.1%
Adult Female	3	13.6%	4.5	13.8%
Adult Unknown Sex	0	0.0%	0.0	0.0%
Juvenile Male	5	22.7%	7.5	22.9%
Juvenile Female	4	18.2%	5.7	17.4%
Juvenile Unknown Sex	2	9.1%	3.0	9.2%
Pup Male	0	0.0%	0.0	0.0%
Pup Female	0	0.0%	0.0	0.0%
Pup Unknown Sex	0	0.0%	0.0	0.0%
Male Unknown Age	1	4.5%	1.5	4.6%
Female Unknown Age	0	0.0%	0.0	0.0%
Unknown Sex and Age	0	0.0%	0.0	0.0%
Total	22	100.0%	32.7	100.0%


SOURCE: Alaska Department of Fish and Game, Division of Subsistence, Subsistence Study and Monitor System for Sea Lions and Harbor Seals in Alaska, with assistance from the Cawalangin Tribal Council, 1994.

FIGURE 92. HARBOR SEAL (*Phoca vitulina*) TAKE ESTIMATES: UNALASKA, 1993


A. Percentage Seasonally Adjusted Take By Month



B. Seasonally Adjusted Take By Month



C. Cumulative Seasonally Adjusted Take By Month



SOURCE: Alaska Department of Fish and Game, Division of Subsistence, Subsistence Study and Monitor System for Sea Lions and Harbor Seals in Alaska, with assistance from the Qawalangin Tribal Council, 1994.

C-196

PRIBILOF ISLANDS

C-197

TABLE 93. SEA LION (*Eumetopias jubatus*) HARVEST AND TAKE ESTIMATES: SAINT GEORGE, 1993

SAMPLING DESIGN: CENSUS

Total Native Households	47
Surveyed Households	38
Sampling Fraction	80.9%
Sample Household Members	117
Estimated Household Members	144.7

SEA LION HARVEST AND USE INFORMATION

Percent Of Native Households:

Used	36.8%
Hunted	18.4%
Harvested	7.9%
Received	31.6%
Gave Away	10.5%

Estimated Community Harvest and Take (Expanded):

Total Number Harvested	3.7
Total Number Struck and Lost	14.8
Total Number Taken	18.6
Number Harvested Per Capita	0.03

SEA LION HARVEST BY SEASON													Unknown	Total
Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Month		
REPORTED HARVEST AND TAKE BY SAMPLED HOUSEHOLDS (UNEXPANDED)														
Harvest	0	1	0	1	0	0	0	0	1	0	0	0	0	3
Struck and Lost	0	0	4	1	0	0	0	0	0	5	0	0	2	12
Total Take	0	1	4	2	0	0	0	0	1	5	0	0	2	15
ESTIMATED HARVEST AND TAKE BY COMMUNITY (EXPANDED)														
Harvest	0.0	1.2	0.0	1.2	0.0	0.0	0.0	0.0	1.2	0.0	0.0	0.0	0.0	3.7
Struck and Lost	0.0	0.0	4.9	1.2	0.0	0.0	0.0	0.0	0.0	6.2	0.0	2.5	0.0	14.8
Total Take	0.0	1.2	4.9	2.5	0.0	0.0	0.0	0.0	1.2	6.2	0.0	2.5	0.0	18.6
ESTIMATED SEASONALLY ADJUSTED HARVEST AND TAKE BY COMMUNITY (EXPANDED)														
Harvest	0.0	1.2	0.0	1.2	0.0	0.0	0.0	0.0	1.2	0.0	0.0	0.0	0.0	3.7
Struck and Lost	0.0	0.0	5.9	1.5	0.0	0.0	0.0	0.0	0.0	7.4	0.0	0.0	0.0	14.8
Total Take	0.0	1.2	5.9	2.7	0.0	0.0	0.0	0.0	1.2	7.4	0.0	0.0	0.0	18.6
Total Take (%)	0.0%	6.7%	32.0%	14.7%	0.0%	0.0%	0.0%	0.0%	6.7%	40.0%	0.0%	0.0%	0.0%	100%
Cumulative Take	0.0	1.2	7.2	9.9	9.9	9.9	9.9	9.9	11.1	18.6	18.6	18.6	18.6	
Cum. Take (%)	0.0%	6.7%	38.7%	53.3%	53.3%	53.3%	53.3%	53.3%	60.0%	100.0%	100.0%	100.0%	100.0%	


SEA LION HARVEST BY AGE AND SEX

	Reported		Estimated	
	By Sample (Unexpanded)	Percent	By Community (Expanded)	Percent
Adult Male	0	0.0%	0.0	0.0%
Adult Female	0	0.0%	0.0	0.0%
Adult Unknown Sex	1	33.3%	1.2	33.3%
Juvenile Male	0	0.0%	0.0	0.0%
Juvenile Female	0	0.0%	0.0	0.0%
Juvenile Unknown Sex	1	33.3%	1.2	33.3%
Pup Male	0	0.0%	0.0	0.0%
Pup Female	0	0.0%	0.0	0.0%
Pup Unknown Sex	0	0.0%	0.0	0.0%
Male Unknown Age	0	0.0%	0.0	0.0%
Female Unknown Age	0	0.0%	0.0	0.0%
Unknown Sex and Age	1	33.3%	1.2	33.3%
Total	3	100.0%	3.7	100.0%


SOURCE: Alaska Department of Fish and Game, Division of Subsistence, Subsistence Study and Monitor System for Sea Lions and Harbor Seals in Alaska, with assistance from the St. George Traditional IRA Council, City of St. George, and St. George Tanaq Corporation, 1994.

FIGURE 93. SEA LION (*Eumetopias jubatus*) TAKE ESTIMATES: SAINT GEORGE, 1993


A. Percentage Seasonally Adjusted Take By Month



B. Seasonally Adjusted Take By Month



C. Cumulative Seasonally Adjusted Take By Month



SOURCE: Alaska Department of Fish and Game, Division of Subsistence, Subsistence Study and Monitor System for Sea Lions and Harbor Seals in Alaska, with assistance from the St. George Traditional IRA Council, City of St. George, and St. George Tanaq Corporation, 1994.

TABLE 94. HARBOR SEAL (*Phoca vitulina*) HARVEST AND TAKE ESTIMATES: SAINT GEORGE, 1993

SAMPLING DESIGN: CENSUS

Total Native Households	47
Surveyed Households	38
Sampling Fraction	80.9%
Sample Household Members	117
Estimated Household Members	144.7

HARBOR SEAL HARVEST AND USE INFORMATION

Percent Of Native Households:		Estimated Community Harvest and Take (Expanded):	
Used	0.0%	Total Number Harvested	0.0
Hunted	0.0%	Total Number Struck and Lost	0.0
Harvested	0.0%	Total Number Taken	0.0
Received	0.0%	Number Harvested Per Capita	0.00
Gave Away	0.0%		

HARBOR SEAL HARVEST BY SEASON													Unknown	Total
Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Month		
REPORTED HARVEST AND TAKE BY SAMPLED HOUSEHOLDS (UNEXPANDED)														
Harvest	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Struck and Lost	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Total Take	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ESTIMATED HARVEST AND TAKE BY COMMUNITY (EXPANDED)														
Harvest	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Struck and Lost	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total Take	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
ESTIMATED SEASONALLY ADJUSTED HARVEST AND TAKE BY COMMUNITY (EXPANDED)														
Harvest	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Struck and Lost	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total Take	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total Take (%)	---	---	---	---	---	---	---	---	---	---	---	---	---	---
Cumulative Take	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Cum. Take (%)	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%


HARBOR SEAL HARVEST BY AGE AND SEX

	Reported		Estimated	
	By Sample (Unexpanded)	Percent	By Community (Expanded)	Percent
Adult Male	0	---	0.0	---
Adult Female	0	---	0.0	---
Adult Unknown Sex	0	---	0.0	---
Juvenile Male	0	---	0.0	---
Juvenile Female	0	---	0.0	---
Juvenile Unknown Sex	0	---	0.0	---
Pup Male	0	---	0.0	---
Pup Female	0	---	0.0	---
Pup Unknown Sex	0	---	0.0	---
Male Unknown Age	0	---	0.0	---
Female Unknown Age	0	---	0.0	---
Unknown Sex and Age	0	---	0.0	---
Total	0	---	0.0	---


SOURCE: Alaska Department of Fish and Game, Division of Subsistence, Subsistence Study and Monitor System for Sea Lions and Harbor Seals in Alaska, with assistance from the St. George Traditional IRA Council, City of St. George, and St. George Tanaq Corporation, 1994.

FIGURE 94. HARBOR SEAL (*Phoca vitulina*) TAKE ESTIMATES: SAINT GEORGE, 1993


A. Percentage Seasonally Adjusted Take By Month



B. Seasonally Adjusted Take By Month



C. Cumulative Seasonally Adjusted Take By Month



SOURCE: Alaska Department of Fish and Game, Division of Subsistence. Subsistence Study and Monitor System for Sea Lions and Harbor Seals in Alaska, with assistance from the St. George Traditional IRA Council, City of St. George, and St. George Tanaq Corporation, 1994.

TABLE 95. SEA LION (*Eumetopias jubatus*) HARVEST AND TAKE ESTIMATES: SAINT PAUL, 1993

SAMPLING DESIGN: TWO STRATA

	Active	Other	Total
Total Native Households	61	70	131
Surveyed Households	53	31	84
Sampling Fraction	86.9%	44.3%	64.1%
Sample Household Members	231	117	348
Estimated Household Members	265.9	264.2	530.1

SEA LION HARVEST AND USE INFORMATION

Percent Of Native Households:

Used	83.5%
Hunted	48.9%
Harvested	37.6%
Received	68.7%
Gave Away	40.2%

Estimated Community Harvest and Take (Expanded):

Total Number Harvested	161.7
Total Number Struck and Lost	65.2
Total Number Taken	226.8
Number Harvested Per Capita	0.31

SEA LION HARVEST BY SEASON

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Unknown Month	Total
	Unknown													
REPORTED HARVEST AND TAKE BY SAMPLED HOUSEHOLDS (UNEXPANDED)														
Harvest	4	5	7	6	6	0	0	3	23	19	7	7	40	127
Struck and Lost	3	3	3	0	1	0	0	0	4	8	7	1	17	47
Total Take	7	8	10	6	7	0	0	3	27	27	14	8	57	174
ESTIMATED HARVEST AND TAKE BY COMMUNITY (EXPANDED)														
Harvest	6.8	5.8	8.1	6.9	6.9	0.0	0.0	3.5	26.5	24.1	9.2	8.1	56.0	161.7
Struck and Lost	3.5	3.5	3.5	0.0	1.2	0.0	0.0	0.0	4.6	10.3	10.3	1.2	27.3	65.2
Total Take	10.3	9.2	11.5	6.9	8.1	0.0	0.0	3.5	31.1	34.4	19.4	9.2	83.3	226.8
ESTIMATED SEASONALLY ADJUSTED HARVEST AND TAKE BY COMMUNITY (EXPANDED)														
Harvest	10.4	8.8	12.3	10.6	10.6	0.0	0.0	5.3	40.5	36.8	14.0	12.3		161.7
Struck and Lost	5.9	5.9	5.9	0.0	2.0	0.0	0.0	0.0	7.9	17.8	17.7	2.0		65.2
Total Take	16.4	14.7	18.3	10.6	12.5	0.0	0.0	5.3	48.4	54.6	31.7	14.3		226.8
Total Take (%)	7.2%	6.5%	8.1%	4.7%	5.5%	0.0%	0.0%	2.3%	21.3%	24.1%	14.0%	6.3%		100%
Cumulative Take	16.4	31.1	49.4	60.0	72.5	72.5	72.5	77.8	126.2	180.8	212.5	226.8		
Cum. Take (%)	7.2%	13.7%	21.8%	26.4%	32.0%	32.0%	32.0%	34.3%	55.6%	79.7%	93.7%	100.0%		


SEA LION HARVEST BY AGE AND SEX

	Reported		Estimated	
	By Sample (Unexpanded)	Percent	By Community (Expanded)	Percent
Adult Male	8	6.3%	9.2	5.7%
Adult Female	0	0.0%	0.0	0.0%
Adult Unknown Sex	0	0.0%	0.0	0.0%
Juvenile Male	82	64.6%	102.1	63.2%
Juvenile Female	1	0.8%	1.2	0.7%
Juvenile Unknown Sex	22	17.3%	33.1	20.5%
Pup Male	10	7.9%	11.5	7.1%
Pup Female	0	0.0%	0.0	0.0%
Pup Unknown Sex	4	3.1%	4.6	2.8%
Male Unknown Age	0	0.0%	0.0	0.0%
Female Unknown Age	0	0.0%	0.0	0.0%
Unknown Sex and Age	0	0.0%	0.0	0.0%
Total	127	100.0%	161.7	100.0%


SOURCE: Alaska Department of Fish and Game, Division of Subsistence, Subsistence Study and Monitor System for Sea Lions and Harbor Seals in Alaska, with assistance from the City of St. Paul and Tribal Government of St. Paul, 1994.

FIGURE 95. SEA LION (*Eumetopias jubatus*) TAKE ESTIMATES: SAINT PAUL, 1993


A. Percentage Seasonally Adjusted Take By Month



B. Seasonally Adjusted Take By Month



C. Cumulative Seasonally Adjusted Take By Month



SOURCE: Alaska Department of Fish and Game, Division of Subsistence, Subsistence Study and Monitor System for Sea Lions and Harbor Seals in Alaska, with assistance from the City of St. Paul and Tribal Government of St. Paul, 1994.

TABLE 96. HARBOR SEAL (*Phoca vitulina*) HARVEST AND TAKE ESTIMATES: SAINT PAUL, 1993

SAMPLING DESIGN: TWO STRATA

	Active	Other	Total
Total Native Households	61	70	131
Surveyed Households	53	31	84
Sampling Fraction	86.9%	44.3%	64.1%
Sample Household Members	231	117	348
Estimated Household Members	265.9	264.2	530.1

HARBOR SEAL HARVEST AND USE INFORMATION

Percent Of Native Households:

Used	6.1%
Hunted	3.5%
Harvested	1.8%
Received	4.4%
Gave Away	3.5%

Estimated Community Harvest and Take (Expanded):

Total Number Harvested	2.3
Total Number Struck and Lost	1.2
Total Number Taken	3.5
Number Harvested Per Capita	0.00

HARBOR SEAL HARVEST BY SEASON

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Unknown Month	Total
REPORTED HARVEST AND TAKE BY SAMPLED HOUSEHOLDS (UNEXPANDED)														
Harvest	0	0	0	1	0	0	0	0	0	0	0	1	0	2
Struck and Lost	0	1	0	0	0	0	0	0	0	0	0	0	0	1
Total Take	0	1	0	1	0	0	0	0	0	0	0	1	0	3
ESTIMATED HARVEST AND TAKE BY COMMUNITY (EXPANDED)														
Harvest	0.0	0.0	0.0	1.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	0.0	2.3
Struck and Lost	0.0	1.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2
Total Take	0.0	1.2	0.0	1.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	0.0	3.5
ESTIMATED SEASONALLY ADJUSTED HARVEST AND TAKE BY COMMUNITY (EXPANDED)														
Harvest	0.0	0.0	0.0	1.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	0.0	2.3
Struck and Lost	0.0	1.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2
Total Take	0.0	1.2	0.0	1.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	0.0	3.5
Total Take (%)	0.0%	33.3%	0.0%	33.3%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	33.3%	0.0%	100%
Cumulative Take	0.0	1.2	1.2	2.3	2.3	2.3	2.3	2.3	2.3	2.3	2.3	3.5	3.5	
Cum. Take (%)	0.0%	33.3%	33.3%	66.7%	66.7%	66.7%	66.7%	66.7%	66.7%	66.7%	66.7%	100.0%	100.0%	


HARBOR SEAL HARVEST BY AGE AND SEX

	Reported		Estimated	
	By Sample (Unexpanded)	Percent	By Community (Expanded)	Percent
Adult Male	0	0.0%	0.0	0.0%
Adult Female	0	0.0%	0.0	0.0%
Adult Unknown Sex	1	50.0%	1.2	50.0%
Juvenile Male	1	50.0%	1.2	50.0%
Juvenile Female	0	0.0%	0.0	0.0%
Juvenile Unknown Sex	0	0.0%	0.0	0.0%
Pup Male	0	0.0%	0.0	0.0%
Pup Female	0	0.0%	0.0	0.0%
Pup Unknown Sex	0	0.0%	0.0	0.0%
Male Unknown Age	0	0.0%	0.0	0.0%
Female Unknown Age	0	0.0%	0.0	0.0%
Unknown Sex and Age	0	0.0%	0.0	0.0%
Total	2	100.0%	2.3	100.0%


SOURCE: Alaska Department of Fish and Game, Division of Subsistence, Subsistence Study and Monitor System for Sea Lions and Harbor Seals in Alaska, with assistance from the City of St. Paul and Tribal Government of St. Paul, 1994.

FIGURE 96. HARBOR SEAL (*Phoca vitulina*) TAKE ESTIMATES: SAINT PAUL, 1993


A. Percentage Seasonally Adjusted Take By Month



B. Seasonally Adjusted Take By Month



C. Cumulative Seasonally Adjusted Take By Month



SOURCE: Alaska Department of Fish and Game, Division of Subsistence, Subsistence Study and Monitor System for Sea Lions and Harbor Seals in Alaska, with assistance from the City of St. Paul and Tribal Government of St. Paul, 1994.

C-206

SOUTH BRISTOL BAY

C-207

TABLE 97. SEA LION (*Eumetopias jubatus*) HARVEST AND TAKE ESTIMATES: EGEGIK, 1993

SAMPLING DESIGN: CENSUS

Total Native Households	44
Surveyed Households	40
Sampling Fraction	90.9%
Sample Household Members	108
Estimated Household Members	118.6

SEA LION HARVEST AND USE INFORMATION

Percent Of Native Households:

Used	0.0%
Hunted	0.0%
Harvested	0.0%
Received	0.0%
Gave Away	0.0%

Estimated Community Harvest and Take (Expanded):

Total Number Harvested	0.0
Total Number Struck and Lost	0.0
Total Number Taken	0.0
Number Harvested Per Capita	0.00

SEA LION HARVEST BY SEASON

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Unknown Month	Total
REPORTED HARVEST AND TAKE BY SAMPLED HOUSEHOLDS (UNEXPANDED)														
Harvest	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Struck and Lost	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Total Take	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ESTIMATED HARVEST AND TAKE BY COMMUNITY (EXPANDED)														
Harvest	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Struck and Lost	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total Take	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
ESTIMATED SEASONALLY ADJUSTED HARVEST AND TAKE BY COMMUNITY (EXPANDED)														
Harvest	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		0.0
Struck and Lost	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		0.0
Total Take	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		0.0
Total Take (%)	—	—	—	—	—	—	—	—	—	—	—	—		—
Cumulative Take	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		0.0
Cum. Take (%)	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%		0.0%


SEA LION HARVEST BY AGE AND SEX

	Reported By Sample (Unexpanded)	Percent	Estimated By Community (Expanded)	Percent
Adult Male	0	---	0.0	---
Adult Female	0	---	0.0	---
Adult Unknown Sex	0	---	0.0	---
Juvenile Male	0	---	0.0	---
Juvenile Female	0	---	0.0	---
Juvenile Unknown Sex	0	---	0.0	---
Pup Male	0	---	0.0	---
Pup Female	0	---	0.0	---
Pup Unknown Sex	0	---	0.0	---
Male Unknown Age	0	---	0.0	---
Female Unknown Age	0	---	0.0	---
Unknown Sex and Age	0	---	0.0	---
Total	0	---	0.0	---


SOURCE: Alaska Department of Fish and Game, Division of Subsistence, Subsistence Study and Monitor System for Sea Lions and Harbor Seals in Alaska, with assistance from the Egegik Traditional Council, 1994.

FIGURE 97. SEA LION (*Eumetopias jubatus*) TAKE ESTIMATES: EGEGIK, 1993


A. Percentage Seasonally Adjusted Take By Month



B. Seasonally Adjusted Take By Month



C. Cumulative Seasonally Adjusted Take By Month



SOURCE: Alaska Department of Fish and Game, Division of Subsistence, Subsistence Study and Monitor System for Sea Lions and Harbor Seals in Alaska, with assistance from the Egegik Traditional Council, 1994.

TABLE 98. HARBOR SEAL (*Phoca vitulina*) HARVEST AND TAKE ESTIMATES: EGEGIK, 1993

SAMPLING DESIGN: CENSUS

Total Native Households	44
Surveyed Households	40
Sampling Fraction	90.9%
Sample Household Members	106
Estimated Household Members	116.6

HARBOR SEAL HARVEST AND USE INFORMATION

<i>Percent Of Native Households:</i>		<i>Estimated Community Harvest and Take (Expanded):</i>	
Used	30.0%	Total Number Harvested	7.7
Hunted	17.5%	Total Number Struck and Lost	3.3
Harvested	7.5%	Total Number Taken	11.0
Received	30.0%	Number Harvested Per Capita	0.07
Gave Away	12.5%		

	HARBOR SEAL HARVEST BY SEASON												Total	
	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec		Unknown Month
REPORTED HARVEST AND TAKE BY SAMPLED HOUSEHOLDS (UNEXPANDED)														
Harvest	0	0	0	0	0	0	2	5	0	0	0	0	0	7
Struck and Lost	0	0	0	0	0	0	1	0	1	0	0	0	1	3
Total Take	0	0	0	0	0	0	3	5	1	0	0	0	1	10
ESTIMATED HARVEST AND TAKE BY COMMUNITY (EXPANDED)														
Harvest	0.0	0.0	0.0	0.0	0.0	0.0	2.2	5.5	0.0	0.0	0.0	0.0	0.0	7.7
Struck and Lost	0.0	0.0	0.0	0.0	0.0	0.0	1.1	0.0	1.1	0.0	0.0	0.0	1.1	3.3
Total Take	0.0	0.0	0.0	0.0	0.0	0.0	3.3	5.5	1.1	0.0	0.0	0.0	1.1	11.0
ESTIMATED SEASONALLY ADJUSTED HARVEST AND TAKE BY COMMUNITY (EXPANDED)														
Harvest	0.0	0.0	0.0	0.0	0.0	0.0	2.2	5.5	0.0	0.0	0.0	0.0	0.0	7.7
Struck and Lost	0.0	0.0	0.0	0.0	0.0	0.0	1.7	0.0	1.7	0.0	0.0	0.0	0.0	3.3
Total Take	0.0	0.0	0.0	0.0	0.0	0.0	3.9	5.5	1.7	0.0	0.0	0.0	0.0	11.0
Total Take (%)	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	35.0%	50.0%	15.0%	0.0%	0.0%	0.0%	0.0%	100%
Cumulative Take	0.0	0.0	0.0	0.0	0.0	0.0	3.9	9.4	11.0	11.0	11.0	11.0	11.0	
Cum. Take (%)	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	35.0%	85.0%	100.0%	100.0%	100.0%	100.0%	100.0%	


HARBOR SEAL HARVEST BY AGE AND SEX

	Reported		Estimated	
	By Sample (Unexpanded)	Percent	By Community (Expanded)	Percent
Adult Male	0	0.0%	0.0	0.0%
Adult Female	0	0.0%	0.0	0.0%
Adult Unknown Sex	5	71.4%	5.5	71.4%
Juvenile Male	2	28.6%	2.2	28.6%
Juvenile Female	0	0.0%	0.0	0.0%
Juvenile Unknown Sex	0	0.0%	0.0	0.0%
Pup Male	0	0.0%	0.0	0.0%
Pup Female	0	0.0%	0.0	0.0%
Pup Unknown Sex	0	0.0%	0.0	0.0%
Male Unknown Age	0	0.0%	0.0	0.0%
Female Unknown Age	0	0.0%	0.0	0.0%
Unknown Sex and Age	0	0.0%	0.0	0.0%
Total	7	100.0%	7.7	100.0%


SOURCE: Alaska Department of Fish and Game, Division of Subsistence, Subsistence Study and Monitor System for Sea Lions and Harbor Seals in Alaska, with assistance from the Egegik Traditional Council, 1994.

FIGURE 98. HARBOR SEAL (*Phoca vitulina*) TAKE ESTIMATES: EGEGIK, 1993


A. Percentage Seasonally Adjusted Take By Month



B. Seasonally Adjusted Take By Month



C. Cumulative Seasonally Adjusted Take By Month



SOURCE: Alaska Department of Fish and Game, Division of Subsistence, Subsistence Study and Monitor System for Sea Lions and Harbor Seals in Alaska, with assistance from the Egegik Traditional Council, 1994.

TABLE 99. SEA LION (*Eumetopias jubatus*) HARVEST AND TAKE ESTIMATES: KING SALMON, 1993

SAMPLING DESIGN: CENSUS

Total Native Households	28
Surveyed Households	21
Sampling Fraction	75.0%
Sample Household Members	57
Estimated Household Members	76.0

SEA LION HARVEST AND USE INFORMATION

Percent Of Native Households:

Used	0.0%
Hunted	4.8%
Harvested	0.0%
Received	0.0%
Gave Away	0.0%

Estimated Community Harvest and Take (Expanded):

Total Number Harvested	0.0
Total Number Struck and Lost	0.0
Total Number Taken	0.0
Number Harvested Per Capita	0.00

SEA LION HARVEST BY SEASON

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Unknown Month	Total
	REPORTED HARVEST AND TAKE BY SAMPLED HOUSEHOLDS (UNEXPANDED)													
Harvest	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Struck and Lost	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Total Take	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ESTIMATED HARVEST AND TAKE BY COMMUNITY (EXPANDED)														
Harvest	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Struck and Lost	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total Take	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
ESTIMATED SEASONALLY ADJUSTED HARVEST AND TAKE BY COMMUNITY (EXPANDED)														
Harvest	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		0.0
Struck and Lost	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		0.0
Total Take	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		0.0
Total Take (%)	---	---	---	---	---	---	---	---	---	---	---	---		---
Cumulative Take	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		0.0
Cum. Take (%)	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%		0.0%


SEA LION HARVEST BY AGE AND SEX

	Reported		Estimated	
	By Sample (Unexpanded)	Percent	By Community (Expanded)	Percent
Adult Male	0	---	0.0	---
Adult Female	0	---	0.0	---
Adult Unknown Sex	0	---	0.0	---
Juvenile Male	0	---	0.0	---
Juvenile Female	0	---	0.0	---
Juvenile Unknown Sex	0	---	0.0	---
Pup Male	0	---	0.0	---
Pup Female	0	---	0.0	---
Pup Unknown Sex	0	---	0.0	---
Male Unknown Age	0	---	0.0	---
Female Unknown Age	0	---	0.0	---
Unknown Sex and Age	0	---	0.0	---
Total	0	---	0.0	---


SOURCE: Alaska Department of Fish and Game, Division of Subsistence, Subsistence Study and Monitor System for Sea Lions and Harbor Seals in Alaska, with assistance from the King Salmon Traditional Council, 1994.

FIGURE 99. SEA LION (*Eumetopias jubatus*) TAKE ESTIMATES: KING SALMON, 1993


A. Percentage Seasonally Adjusted Take By Month



B. Seasonally Adjusted Take By Month



C. Cumulative Seasonally Adjusted Take By Month



SOURCE: Alaska Department of Fish and Game, Division of Subsistence, Subsistence Study and Monitor System for Sea Lions and Harbor Seals in Alaska, with assistance from the King Salmon Traditional Council, 1994.

TABLE 100. HARBOR SEAL (*Phoca vitulina*) HARVEST AND TAKE ESTIMATES: KING SALMON, 1993

SAMPLING DESIGN: CENSUS

Total Native Households	28
Surveyed Households	21
Sampling Fraction	75.0%
Sample Household Members	57
Estimated Household Members	76.0

HARBOR SEAL HARVEST AND USE INFORMATION

Percent Of Native Households:

Used	38.1%
Hunted	23.8%
Harvested	19.0%
Received	38.1%
Gave Away	23.8%

Estimated Community Harvest and Take (Expanded):

Total Number Harvested	21.3
Total Number Struck and Lost	10.7
Total Number Taken	32.0
Number Harvested Per Capita	0.28

HARBOR SEAL HARVEST BY SEASON

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Unknown Month	Total
REPORTED HARVEST AND TAKE BY SAMPLED HOUSEHOLDS (UNEXPANDED)														
Harvest	0	0	0	1	3	2	3	3	3	1	0	0	0	16
Struck and Lost	0	0	0	0	1	0	6	0	0	1	0	0	0	8
Total Take	0	0	0	1	4	2	9	3	3	2	0	0	0	24
ESTIMATED HARVEST AND TAKE BY COMMUNITY (EXPANDED)														
Harvest	0.0	0.0	0.0	1.3	4.0	2.7	4.0	4.0	4.0	1.3	0.0	0.0	0.0	21.3
Struck and Lost	0.0	0.0	0.0	0.0	1.3	0.0	8.0	0.0	0.0	1.3	0.0	0.0	0.0	10.7
Total Take	0.0	0.0	0.0	1.3	5.3	2.7	12.0	4.0	4.0	2.7	0.0	0.0	0.0	32.0
ESTIMATED SEASONALLY ADJUSTED HARVEST AND TAKE BY COMMUNITY (EXPANDED)														
Harvest	0.0	0.0	0.0	1.3	4.0	2.7	4.0	4.0	4.0	1.3	0.0	0.0	0.0	21.3
Struck and Lost	0.0	0.0	0.0	0.0	1.3	0.0	8.0	0.0	0.0	1.3	0.0	0.0	0.0	10.7
Total Take	0.0	0.0	0.0	1.3	5.3	2.7	12.0	4.0	4.0	2.7	0.0	0.0	0.0	32.0
Total Take (%)	0.0%	0.0%	0.0%	4.2%	16.7%	8.3%	37.5%	12.5%	12.5%	8.3%	0.0%	0.0%	0.0%	100%
Cumulative Take	0.0	0.0	0.0	1.3	6.7	9.3	21.3	25.3	29.3	32.0	32.0	32.0	32.0	
Cum. Take (%)	0.0%	0.0%	0.0%	4.2%	20.8%	29.2%	66.7%	79.2%	91.7%	100.0%	100.0%	100.0%	100.0%	


HARBOR SEAL HARVEST BY AGE AND SEX

	Reported		Estimated	
	By Sample (Unexpanded)	Percent	By Community (Expanded)	Percent
Adult Male	2	12.5%	2.7	12.5%
Adult Female	0	0.0%	0.0	0.0%
Adult Unknown Sex	14	87.5%	18.7	87.5%
Juvenile Male	0	0.0%	0.0	0.0%
Juvenile Female	0	0.0%	0.0	0.0%
Juvenile Unknown Sex	0	0.0%	0.0	0.0%
Pup Male	0	0.0%	0.0	0.0%
Pup Female	0	0.0%	0.0	0.0%
Pup Unknown Sex	0	0.0%	0.0	0.0%
Male Unknown Age	0	0.0%	0.0	0.0%
Female Unknown Age	0	0.0%	0.0	0.0%
Unknown Sex and Age	0	0.0%	0.0	0.0%
Total	16	100.0%	21.3	100.0%


SOURCE: Alaska Department of Fish and Game, Division of Subsistence, Subsistence Study and Monitor System for Sea Lions and Harbor Seals in Alaska, with assistance from the King Salmon Traditional Council, 1994.

FIGURE 100. HARBOR SEAL (*Phoca vitulina*) TAKE ESTIMATES: KING SALMON, 1993


A. Percentage Seasonally Adjusted Take By Month



B. Seasonally Adjusted Take By Month



C. Cumulative Seasonally Adjusted Take By Month



SOURCE: Alaska Department of Fish and Game, Division of Subsistence, Subsistence Study and Monitor System for Sea Lions and Harbor Seals in Alaska, with assistance from the King Salmon Traditional Council, 1994.

TABLE 101. SEA LION (*Eumetopias jubatus*) HARVEST AND TAKE ESTIMATES: LEVELOCK, 1993

SAMPLING DESIGN: CENSUS

Total Native Households	35
Surveyed Households	26
Sampling Fraction	74.3%
Sample Household Members	76
Estimated Household Members	102.3

SEA LION HARVEST AND USE INFORMATION

Percent Of Native Households:

Used	0.0%
Hunted	0.0%
Harvested	0.0%
Received	0.0%
Gave Away	0.0%

Estimated Community Harvest and Take (Expanded):

Total Number Harvested	0.0
Total Number Struck and Lost	0.0
Total Number Taken	0.0
Number Harvested Per Capita	0.00

SEA LION HARVEST BY SEASON													Unknown	Total
Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Month		
REPORTED HARVEST AND TAKE BY SAMPLED HOUSEHOLDS (UNEXPANDED)														
Harvest	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Struck and Lost	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Total Take	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ESTIMATED HARVEST AND TAKE BY COMMUNITY (EXPANDED)														
Harvest	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Struck and Lost	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total Take	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
ESTIMATED SEASONALLY ADJUSTED HARVEST AND TAKE BY COMMUNITY (EXPANDED)														
Harvest	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Struck and Lost	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total Take	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total Take (%)	---	---	---	---	---	---	---	---	---	---	---	---	---	---
Cumulative Take	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Cum. Take (%)	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%


SEA LION HARVEST BY AGE AND SEX

	Reported		Estimated	
	By Sample (Unexpanded)	Percent	By Community (Expanded)	Percent
Adult Male	0	---	0.0	---
Adult Female	0	---	0.0	---
Adult Unknown Sex	0	---	0.0	---
Juvenile Male	0	---	0.0	---
Juvenile Female	0	---	0.0	---
Juvenile Unknown Sex	0	---	0.0	---
Pup Male	0	---	0.0	---
Pup Female	0	---	0.0	---
Pup Unknown Sex	0	---	0.0	---
Male Unknown Age	0	---	0.0	---
Female Unknown Age	0	---	0.0	---
Unknown Sex and Age	0	---	0.0	---
Total	0	---	0.0	---


SOURCE: Alaska Department of Fish and Game, Division of Subsistence, Subsistence Study and Monitor System for Sea Lions and Harbor Seals in Alaska, with assistance from the Levelock Traditional Council, 1994.

FIGURE 101. SEA LION (*Eumetopias jubatus*) TAKE ESTIMATES: LEVELOCK, 1993


A. Percentage Seasonally Adjusted Take By Month



B. Seasonally Adjusted Take By Month



C. Cumulative Seasonally Adjusted Take By Month



SOURCE: Alaska Department of Fish and Game, Division of Subsistence, Subsistence Study and Monitor System for Sea Lions and Harbor Seals in Alaska, with assistance from the Levelock Traditional Council, 1994.

TABLE 102. HARBOR SEAL (*Phoca vitulina*) HARVEST AND TAKE ESTIMATES: LEVELOCK, 1993

SAMPLING DESIGN: CENSUS

Total Native Households	35
Surveyed Households	26
Sampling Fraction	74.3%
Sample Household Members	76
Estimated Household Members	102.3

HARBOR SEAL HARVEST AND USE INFORMATION

Percent Of Native Households:

Used	26.9%
Hunted	11.5%
Harvested	3.8%
Received	23.1%
Gave Away	7.7%

Estimated Community Harvest and Take (Expanded):

Total Number Harvested	2.7
Total Number Struck and Lost	5.4
Total Number Taken	8.1
Number Harvested Per Capita	0.03

HARBOR SEAL HARVEST BY SEASON

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Unknown Month	Total
REPORTED HARVEST AND TAKE BY SAMPLED HOUSEHOLDS (UNEXPANDED)														
Harvest	0	0	0	0	0	0	0	0	0	0	0	0	2	2
Struck and Lost	0	0	0	0	0	0	0	0	2	0	0	0	2	4
Total Take	0	0	0	0	0	0	0	0	2	0	0	0	4	6
ESTIMATED HARVEST AND TAKE BY COMMUNITY (EXPANDED)														
Harvest	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.7	2.7
Struck and Lost	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.7	0.0	0.0	0.0	2.7	5.4
Total Take	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.7	0.0	0.0	0.0	5.4	8.1
ESTIMATED SEASONALLY ADJUSTED HARVEST AND TAKE BY COMMUNITY (EXPANDED)														
Harvest	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2		2.7
Struck and Lost	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5.4	0.0	0.0	0.0		5.4
Total Take	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	5.6	0.2	0.2	0.2		8.1
Total Take (%)	2.8%	2.8%	2.8%	2.8%	2.8%	2.8%	2.8%	2.8%	69.4%	2.8%	2.8%	2.8%		100%
Cumulative Take	0.2	0.4	0.7	0.9	1.1	1.3	1.6	1.8	7.4	7.6	7.9	8.1		
Cum. Take (%)	2.8%	5.6%	8.3%	11.1%	13.9%	16.7%	19.4%	22.2%	91.7%	94.4%	97.2%	100.0%		


HARBOR SEAL HARVEST BY AGE AND SEX

	Reported		Estimated	
	By Sample (Unexpanded)	Percent	By Community (Expanded)	Percent
Adult Male	0	0.0%	0.0	0.0%
Adult Female	0	0.0%	0.0	0.0%
Adult Unknown Sex	0	0.0%	0.0	0.0%
Juvenile Male	0	0.0%	0.0	0.0%
Juvenile Female	0	0.0%	0.0	0.0%
Juvenile Unknown Sex	0	0.0%	0.0	0.0%
Pup Male	0	0.0%	0.0	0.0%
Pup Female	0	0.0%	0.0	0.0%
Pup Unknown Sex	0	0.0%	0.0	0.0%
Male Unknown Age	0	0.0%	0.0	0.0%
Female Unknown Age	0	0.0%	0.0	0.0%
Unknown Sex and Age	2	100.0%	2.7	100.0%
Total	2	100.0%	2.7	100.0%


SOURCE: Alaska Department of Fish and Game, Division of Subsistence, Subsistence Study and Monitor System for Sea Lions and Harbor Seals in Alaska, with assistance from the Levelock Traditional Council, 1994.

FIGURE 102. HARBOR SEAL (*Phoca vitulina*) TAKE ESTIMATES: LEVELLOCK, 1993


A. Percentage Seasonally Adjusted Take By Month



B. Seasonally Adjusted Take By Month



C. Cumulative Seasonally Adjusted Take By Month



SOURCE: Alaska Department of Fish and Game, Division of Subsistence. Subsistence Study and Monitor System for Sea Lions and Harbor Seals in Alaska, with assistance from the Levellock Traditional Council, 1994.

TABLE 103. SEA LION (*Eumetopias jubatus*) HARVEST AND TAKE ESTIMATES: NAKNEK, 1993

SAMPLING DESIGN: TWO STRATA

	Active	Other	Total
Total Native Households	19	71	90
Surveyed Households	14	26	40
Sampling Fraction	73.7%	36.6%	44.4%
Sample Household Members	61	82	143
Estimated Household Members	82.8	223.9	306.7

SEA LION HARVEST AND USE INFORMATION

Percent Of Native Households:

Used	0.0%
Hunted	0.0%
Harvested	0.0%
Received	0.0%
Gave Away	0.0%

Estimated Community Harvest and Take (Expanded):

Total Number Harvested	0.0
Total Number Struck and Lost	0.0
Total Number Taken	0.0
Number Harvested Per Capita	0.00

SEA LION HARVEST BY SEASON

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Unknown Month	Total
	REPORTED HARVEST AND TAKE BY SAMPLED HOUSEHOLDS (UNEXPANDED)													
Harvest	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Struck and Lost	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Total Take	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ESTIMATED HARVEST AND TAKE BY COMMUNITY (EXPANDED)														
Harvest	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Struck and Lost	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total Take	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
ESTIMATED SEASONALLY ADJUSTED HARVEST AND TAKE BY COMMUNITY (EXPANDED)														
Harvest	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Struck and Lost	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total Take	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total Take (%)	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cumulative Take	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Cum. Take (%)	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%


SEA LION HARVEST BY AGE AND SEX

	Reported		Estimated	
	By Sample (Unexpanded)	Percent	By Community (Expanded)	Percent
Adult Male	0	---	0.0	---
Adult Female	0	---	0.0	---
Adult Unknown Sex	0	---	0.0	---
Juvenile Male	0	---	0.0	---
Juvenile Female	0	---	0.0	---
Juvenile Unknown Sex	0	---	0.0	---
Pup Male	0	---	0.0	---
Pup Female	0	---	0.0	---
Pup Unknown Sex	0	---	0.0	---
Male Unknown Age	0	---	0.0	---
Female Unknown Age	0	---	0.0	---
Unknown Sex and Age	0	---	0.0	---
Total	0	---	0.0	---


SOURCE: Alaska Department of Fish and Game, Division of Subsistence, Subsistence Study and Monitor System for Sea Lions and Harbor Seals in Alaska, with assistance from the Naknek Traditional Council, 1994.

FIGURE 103. SEA LION (*Eumetopias jubatus*) TAKE ESTIMATES: NAKNEK, 1993


A. Percentage Seasonally Adjusted Take By Month



B. Seasonally Adjusted Take By Month



C. Cumulative Seasonally Adjusted Take By Month



SOURCE: Alaska Department of Fish and Game, Division of Subsistence, Subsistence Study and Monitor System for Sea Lions and Harbor Seals in Alaska, with assistance from the Naknek Traditional Council, 1994.

TABLE 104. HARBOR SEAL (*Phoca vitulina*) HARVEST AND TAKE ESTIMATES: NAKNEK, 1993

SAMPLING DESIGN: TWO STRATA

	Active	Other	Total
Total Native Households	19	71	90
Surveyed Households	14	26	40
Sampling Fraction	73.7%	36.6%	44.4%
Sample Household Members	61	82	143
Estimated Household Members	82.8	223.9	306.7

HARBOR SEAL HARVEST AND USE INFORMATION

Percent Of Native Households:		Estimated Community Harvest and Take (Expanded):	
Used	19.7%	Total Number Harvested	2.7
Hunted	1.5%	Total Number Struck and Lost	0.0
Harvested	1.5%	Total Number Taken	2.7
Received	6.1%	Number Harvested Per Capita	0.01
Gave Away	0.0%		

HARBOR SEAL HARVEST BY SEASON													Unknown	Total
Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Month		
REPORTED HARVEST AND TAKE BY SAMPLED HOUSEHOLDS (UNEXPANDED)														
Harvest	0	0	0	0	0	0	2	0	0	0	0	0	0	2
Struck and Lost	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Total Take	0	0	0	0	0	0	2	0	0	0	0	0	0	2
ESTIMATED HARVEST AND TAKE BY COMMUNITY (EXPANDED)														
Harvest	0.0	0.0	0.0	0.0	0.0	0.0	2.7	0.0	0.0	0.0	0.0	0.0	0.0	2.7
Struck and Lost	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total Take	0.0	0.0	0.0	0.0	0.0	0.0	2.7	0.0	0.0	0.0	0.0	0.0	0.0	2.7
ESTIMATED SEASONALLY ADJUSTED HARVEST AND TAKE BY COMMUNITY (EXPANDED)														
Harvest	0.0	0.0	0.0	0.0	0.0	0.0	2.7	0.0	0.0	0.0	0.0	0.0	0.0	2.7
Struck and Lost	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total Take	0.0	0.0	0.0	0.0	0.0	0.0	2.7	0.0	0.0	0.0	0.0	0.0	0.0	2.7
Total Take (%)	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	100%
Cumulative Take	0.0	0.0	0.0	0.0	0.0	0.0	2.7	2.7	2.7	2.7	2.7	2.7	2.7	
Cum. Take (%)	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	


HARBOR SEAL HARVEST BY AGE AND SEX

	Reported		Estimated	
	By Sample (Unexpanded)	Percent	By Community (Expanded)	Percent
Adult Male	0	0.0%	0.0	0.0%
Adult Female	0	0.0%	0.0	0.0%
Adult Unknown Sex	0	0.0%	0.0	0.0%
Juvenile Male	0	0.0%	0.0	0.0%
Juvenile Female	0	0.0%	0.0	0.0%
Juvenile Unknown Sex	0	0.0%	0.0	0.0%
Pup Male	0	0.0%	0.0	0.0%
Pup Female	0	0.0%	0.0	0.0%
Pup Unknown Sex	0	0.0%	0.0	0.0%
Male Unknown Age	0	0.0%	0.0	0.0%
Female Unknown Age	0	0.0%	0.0	0.0%
Unknown Sex and Age	2	100.0%	2.7	100.0%
Total	2	100.0%	2.7	100.0%


SOURCE: Alaska Department of Fish and Game, Division of Subsistence, Subsistence Study and Monitor System for Sea Lions and Harbor Seals in Alaska, with assistance from the Naknek Traditional Council, 1994.

FIGURE 104. HARBOR SEAL (*Phoca vitulina*) TAKE ESTIMATES: NAKNEK, 1993


A. Percentage Seasonally Adjusted Take By Month



B. Seasonally Adjusted Take By Month



C. Cumulative Seasonally Adjusted Take By Month



SOURCE: Alaska Department of Fish and Game, Division of Subsistence, Subsistence Study and Monitor System for Sea Lions and Harbor Seals in Alaska, with assistance from the Naknek Traditional Council, 1994.

TABLE 105. SEA LION (*Eumetopias jubatus*) HARVEST AND TAKE ESTIMATES: PILOT POINT, 1993

SAMPLING DESIGN: CENSUS

Total Native Households	27
Surveyed Households	25
Sampling Fraction	92.6%
Sample Household Members	82
Estimated Household Members	88.6

SEA LION HARVEST AND USE INFORMATION

<i>Percent Of Native Households:</i>		<i>Estimated Community Harvest and Take (Expanded):</i>	
Used	0.0%	Total Number Harvested	0.0
Hunted	0.0%	Total Number Struck and Lost	0.0
Harvested	0.0%	Total Number Taken	0.0
Received	0.0%	Number Harvested Per Capita	0.00
Gave Away	0.0%		

SEA LION HARVEST BY SEASON													Unknown	
	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Month	Total
REPORTED HARVEST AND TAKE BY SAMPLED HOUSEHOLDS (UNEXPANDED)														
Harvest	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Struck and Lost	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Total Take	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ESTIMATED HARVEST AND TAKE BY COMMUNITY (EXPANDED)														
Harvest	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Struck and Lost	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total Take	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
ESTIMATED SEASONALLY ADJUSTED HARVEST AND TAKE BY COMMUNITY (EXPANDED)														
Harvest	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		0.0
Struck and Lost	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		0.0
Total Take	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		0.0
Total Take (%)	---	---	---	---	---	---	---	---	---	---	---	---		---
Cumulative Take	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
Cum. Take (%)	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%		


SEA LION HARVEST BY AGE AND SEX

	Reported By Sample (Unexpanded)	Percent	Estimated By Community (Expanded)	Percent
Adult Male	0	---	0.0	---
Adult Female	0	---	0.0	---
Adult Unknown Sex	0	---	0.0	---
Juvenile Male	0	---	0.0	---
Juvenile Female	0	---	0.0	---
Juvenile Unknown Sex	0	---	0.0	---
Pup Male	0	---	0.0	---
Pup Female	0	---	0.0	---
Pup Unknown Sex	0	---	0.0	---
Male Unknown Age	0	---	0.0	---
Female Unknown Age	0	---	0.0	---
Unknown Sex and Age	0	---	0.0	---
Total	0	---	0.0	---


SOURCE: Alaska Department of Fish and Game, Division of Subsistence, Subsistence Study and Monitor System for Sea Lions and Harbor Seals in Alaska, with assistance from the Pilot Point Traditional Council, 1994.

FIGURE 105. SEA LION (*Eumetopias jubatus*) TAKE ESTIMATES: PILOT POINT, 1993


A. Percentage Seasonally Adjusted Take By Month



B. Seasonally Adjusted Take By Month



C. Cumulative Seasonally Adjusted Take By Month



SOURCE: Alaska Department of Fish and Game, Division of Subsistence, Subsistence Study and Monitor System for Sea Lions and Harbor Seals in Alaska, with assistance from the Pilot Point Traditional Council, 1994.

TABLE 106. HARBOR SEAL (*Phoca vitulina*) HARVEST AND TAKE ESTIMATES: PILOT POINT, 1993

SAMPLING DESIGN: CENSUS

Total Native Households	27
Surveyed Households	25
Sampling Fraction	92.6%
Sample Household Members	82
Estimated Household Members	88.6

HARBOR SEAL HARVEST AND USE INFORMATION

<i>Percent Of Native Households:</i>		<i>Estimated Community Harvest and Take (Expanded):</i>	
Used	16.0%	Total Number Harvested	2.2
Hunted	8.0%	Total Number Struck and Lost	0.0
Harvested	8.0%	Total Number Taken	2.2
Received	12.0%	Number Harvested Per Capita	0.02
Gave Away	0.0%		

HARBOR SEAL HARVEST BY SEASON													Unknown	Total
Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Month		
REPORTED HARVEST AND TAKE BY SAMPLED HOUSEHOLDS (UNEXPANDED)														
Harvest	0	0	0	0	0	1	0	0	0	0	0	1	0	2
Struck and Lost	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Total Take	0	0	0	0	0	1	0	0	0	0	0	1	0	2
ESTIMATED HARVEST AND TAKE BY COMMUNITY (EXPANDED)														
Harvest	0.0	0.0	0.0	0.0	0.0	1.1	0.0	0.0	0.0	0.0	0.0	1.1	0.0	2.2
Struck and Lost	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total Take	0.0	0.0	0.0	0.0	0.0	1.1	0.0	0.0	0.0	0.0	0.0	1.1	0.0	2.2
ESTIMATED SEASONALLY ADJUSTED HARVEST AND TAKE BY COMMUNITY (EXPANDED)														
Harvest	0.0	0.0	0.0	0.0	0.0	1.1	0.0	0.0	0.0	0.0	0.0	1.1		2.2
Struck and Lost	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		0.0
Total Take	0.0	0.0	0.0	0.0	0.0	1.1	0.0	0.0	0.0	0.0	0.0	1.1		2.2
Total Take (%)	0.0%	0.0%	0.0%	0.0%	0.0%	50.0%	0.0%	0.0%	0.0%	0.0%	0.0%	50.0%		100%
Cumulative Take	0.0	0.0	0.0	0.0	0.0	1.1	1.1	1.1	1.1	1.1	1.1	2.2		
Cum. Take (%)	0.0%	0.0%	0.0%	0.0%	0.0%	50.0%	50.0%	50.0%	50.0%	50.0%	50.0%	100.0%		


HARBOR SEAL HARVEST BY AGE AND SEX

	Reported		Estimated	
	By Sample (Unexpanded)	Percent	By Community (Expanded)	Percent
Adult Male	0	0.0%	0.0	0.0%
Adult Female	0	0.0%	0.0	0.0%
Adult Unknown Sex	0	0.0%	0.0	0.0%
Juvenile Male	1	50.0%	1.1	50.0%
Juvenile Female	0	0.0%	0.0	0.0%
Juvenile Unknown Sex	1	50.0%	1.1	50.0%
Pup Male	0	0.0%	0.0	0.0%
Pup Female	0	0.0%	0.0	0.0%
Pup Unknown Sex	0	0.0%	0.0	0.0%
Male Unknown Age	0	0.0%	0.0	0.0%
Female Unknown Age	0	0.0%	0.0	0.0%
Unknown Sex and Age	0	0.0%	0.0	0.0%
Total	2	100.0%	2.2	100.0%


SOURCE: Alaska Department of Fish and Game, Division of Subsistence, Subsistence Study and Monitor System for Sea Lions and Harbor Seals in Alaska, with assistance from the Pilot Point Traditional Council, 1994.

FIGURE 106. HARBOR SEAL (*Phoca vitulina*) TAKE ESTIMATES: PILOT POINT, 1993


A. Percentage Seasonally Adjusted Take By Month



B. Seasonally Adjusted Take By Month



C. Cumulative Seasonally Adjusted Take By Month



SOURCE: Alaska Department of Fish and Game, Division of Subsistence, Subsistence Study and Monitor System for Sea Lions and Harbor Seals in Alaska, with assistance from the Pilot Point Traditional Council, 1994.

TABLE 107. SEA LION (*Eumetopias jubatus*) HARVEST AND TAKE ESTIMATES: PORT HEIDEN, 1993

SAMPLING DESIGN: CENSUS

Total Native Households	23
Surveyed Households	15
Sampling Fraction	65.2%
Sample Household Members	44
Estimated Household Members	67.5

SEA LION HARVEST AND USE INFORMATION

<i>Percent Of Native Households:</i>		<i>Estimated Community Harvest and Take (Expanded):</i>	
Used	0.0%	Total Number Harvested	0.0
Hunted	0.0%	Total Number Struck and Lost	0.0
Harvested	0.0%	Total Number Taken	0.0
Received	0.0%	Number Harvested Per Capita	0.00
Gave Away	0.0%		

SEA LION HARVEST BY SEASON													Unknown	Total
Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Month		
REPORTED HARVEST AND TAKE BY SAMPLED HOUSEHOLDS (EXPANDED)														
Harvest	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Struck and Lost	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Total Take	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ESTIMATED HARVEST AND TAKE BY COMMUNITY (EXPANDED)														
Harvest	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Struck and Lost	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total Take	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
ESTIMATED SEASONALLY ADJUSTED HARVEST AND TAKE BY COMMUNITY (EXPANDED)														
Harvest	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Struck and Lost	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total Take	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total Take (%)	---	---	---	---	---	---	---	---	---	---	---	---	---	---
Cumulative Take	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Cum. Take (%)	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%


SEA LION HARVEST BY AGE AND SEX

	Reported	Percent	Estimated	Percent
	By Sample (Unexpanded)		By Community (Expanded)	
Adult Male	0	---	0.0	---
Adult Female	0	---	0.0	---
Adult Unknown Sex	0	---	0.0	---
Juvenile Male	0	---	0.0	---
Juvenile Female	0	---	0.0	---
Juvenile Unknown Sex	0	---	0.0	---
Pup Male	0	---	0.0	---
Pup Female	0	---	0.0	---
Pup Unknown Sex	0	---	0.0	---
Male Unknown Age	0	---	0.0	---
Female Unknown Age	0	---	0.0	---
Unknown Sex and Age	0	---	0.0	---
Total	0	---	0.0	---


SOURCE: Alaska Department of Fish and Game, Division of Subsistence, Subsistence Study and Monitor System for Sea Lions and Harbor Seals in Alaska, with assistance from the Port Heiden Traditional Council, 1994.

FIGURE 107. SEA LION (*Eumetopias jubatus*) TAKE ESTIMATES: PORT HEIDEN, 1993


A. Percentage Seasonally Adjusted Take By Month



B. Seasonally Adjusted Take By Month



C. Cumulative Seasonally Adjusted Take By Month



SOURCE: Alaska Department of Fish and Game, Division of Subsistence, Subsistence Study and Monitor System for Sea Lions and Harbor Seals in Alaska, with assistance from the Port Heiden Traditional Council, 1994.

TABLE 108. HARBOR SEAL (*Phoca vitulina*) HARVEST AND TAKE ESTIMATES: PORT HEIDEN, 1993

SAMPLING DESIGN: CENSUS

Total Native Households	23
Surveyed Households	15
Sampling Fraction	65.2%
Sample Household Members	44
Estimated Household Members	67.5

HARBOR SEAL HARVEST AND USE INFORMATION

Percent Of Native Households:

Used	86.7%
Hunted	60.0%
Harvested	40.0%
Received	86.7%
Gave Away	60.0%

Estimated Community Harvest and Take (Expanded):

Total Number Harvested	30.7
Total Number Struck and Lost	19.9
Total Number Taken	50.6
Number Harvested Per Capita	0.45

HARBOR SEAL HARVEST BY SEASON													Unknown	Total
Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Month		
REPORTED HARVEST AND TAKE BY SAMPLED HOUSEHOLDS (UNEXPANDED)														
Harvest	0	0	0	0	5	5	5	0	0	0	0	0	0	20
Struck and Lost	0	0	0	0	1	2	1	7	1	0	0	0	1	13
Total Take	0	0	0	0	6	7	6	12	1	0	0	0	1	33
ESTIMATED HARVEST AND TAKE BY COMMUNITY (EXPANDED)														
Harvest	0.0	0.0	0.0	0.0	7.7	7.7	7.7	0.0	0.0	0.0	0.0	0.0	0.0	30.7
Struck and Lost	0.0	0.0	0.0	0.0	1.5	3.1	1.5	10.7	1.5	0.0	0.0	0.0	1.5	19.9
Total Take	0.0	0.0	0.0	0.0	9.2	10.7	9.2	18.4	1.5	0.0	0.0	0.0	1.5	50.6
ESTIMATED SEASONALLY ADJUSTED HARVEST AND TAKE BY COMMUNITY (EXPANDED)														
Harvest	0.0	0.0	0.0	0.0	7.7	7.7	7.7	0.0	0.0	0.0	0.0	0.0	0.0	30.7
Struck and Lost	0.0	0.0	0.0	0.0	1.7	3.3	1.7	11.6	1.7	0.0	0.0	0.0	0.0	19.9
Total Take	0.0	0.0	0.0	0.0	9.3	11.0	9.3	19.3	1.7	0.0	0.0	0.0	0.0	50.6
Total Take (%)	0.0%	0.0%	0.0%	0.0%	18.4%	21.7%	18.4%	38.1%	3.3%	0.0%	0.0%	0.0%	0.0%	100%
Cumulative Take	0.0	0.0	0.0	0.0	9.3	20.3	29.6	48.9	50.6	50.6	50.6	50.6	50.6	
Cum. Take (%)	0.0%	0.0%	0.0%	0.0%	18.4%	40.2%	58.6%	96.7%	100.0%	100.0%	100.0%	100.0%	100.0%	


HARBOR SEAL HARVEST BY AGE AND SEX

	Reported		Estimated	
	By Sample (Unexpanded)	Percent	By Community (Expanded)	Percent
Adult Male	0	0.0%	0.0	0.0%
Adult Female	1	5.0%	1.5	5.0%
Adult Unknown Sex	18	90.0%	27.6	90.0%
Juvenile Male	0	0.0%	0.0	0.0%
Juvenile Female	0	0.0%	0.0	0.0%
Juvenile Unknown Sex	0	0.0%	0.0	0.0%
Pup Male	0	0.0%	0.0	0.0%
Pup Female	0	0.0%	0.0	0.0%
Pup Unknown Sex	0	0.0%	0.0	0.0%
Male Unknown Age	0	0.0%	0.0	0.0%
Female Unknown Age	0	0.0%	0.0	0.0%
Unknown Sex and Age	1	5.0%	1.5	5.0%
Total	20	100.0%	30.7	100.0%


SOURCE: Alaska Department of Fish and Game, Division of Subsistence, Subsistence Study and Monitor System for Sea Lions and Harbor Seals in Alaska, with assistance from the Port Heiden Traditional Council, 1994.

FIGURE 108. HARBOR SEAL (*Phoca vitulina*) TAKE ESTIMATES: PORT HEIDEN, 1993


A. Percentage Seasonally Adjusted Take By Month



B. Seasonally Adjusted Take By Month



C. Cumulative Seasonally Adjusted Take By Month



SOURCE: Alaska Department of Fish and Game, Division of Subsistence, Subsistence Study and Monitor System for Sea Lions and Harbor Seals in Alaska, with assistance from the Port Heiden Traditional Council, 1994.

TABLE 109. SEA LION (*Eumetopias jubatus*) HARVEST AND TAKE ESTIMATES: SOUTH NAKNEK, 1993

SAMPLING DESIGN: CENSUS

Total Native Households	35
Surveyed Households	33
Sampling Fraction	94.3%
Sample Household Members	99
Estimated Household Members	105.0

SEA LION HARVEST AND USE INFORMATION

<i>Percent Of Native Households:</i>		<i>Estimated Community Harvest and Take (Expanded):</i>	
Used	0.0%	Total Number Harvested	0.0
Hunted	0.0%	Total Number Struck and Lost	0.0
Harvested	0.0%	Total Number Taken	0.0
Received	0.0%	Number Harvested Per Capita	0.00
Gave Away	0.0%		

SEA LION HARVEST BY SEASON													Unknown	
	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Month	Total
REPORTED HARVEST AND TAKE BY SAMPLED HOUSEHOLDS (UNEXPANDED)														
Harvest	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Struck and Lost	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Total Take	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ESTIMATED HARVEST AND TAKE BY COMMUNITY (EXPANDED)														
Harvest	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Struck and Lost	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total Take	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
ESTIMATED SEASONALLY ADJUSTED HARVEST AND TAKE BY COMMUNITY (EXPANDED)														
Harvest	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Struck and Lost	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total Take	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total Take (%)	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cumulative Take	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Cum. Take (%)	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%


SEA LION HARVEST BY AGE AND SEX

	Reported		Estimated	
	By Sample (Unexpanded)	Percent	By Community (Expanded)	Percent
Adult Male	0	---	0.0	---
Adult Female	0	---	0.0	---
Adult Unknown Sex	0	---	0.0	---
Juvenile Male	0	---	0.0	---
Juvenile Female	0	---	0.0	---
Juvenile Unknown Sex	0	---	0.0	---
Pup Male	0	---	0.0	---
Pup Female	0	---	0.0	---
Pup Unknown Sex	0	---	0.0	---
Male Unknown Age	0	---	0.0	---
Female Unknown Age	0	---	0.0	---
Unknown Sex and Age	0	---	0.0	---
Total	0	---	0.0	---


SOURCE: Alaska Department of Fish and Game, Division of Subsistence, Subsistence Study and Monitor System for Sea Lions and Harbor Seals in Alaska, with assistance from the South Naknek Traditional Council, 1994.

FIGURE 109. SEA LION (*Eumetopias jubatus*) TAKE ESTIMATES: SOUTH NAKNEK, 1993


A. Percentage Seasonally Adjusted Take By Month



B. Seasonally Adjusted Take By Month



C. Cumulative Seasonally Adjusted Take By Month



SOURCE: Alaska Department of Fish and Game, Division of Subsistence, Subsistence Study and Monitor System for Sea Lions and Harbor Seals in Alaska, with assistance from the South Naknek Traditional Council, 1994.

TABLE 110. HARBOR SEAL (*Phoca vitulina*) HARVEST AND TAKE ESTIMATES: SOUTH NAKNEK, 1993

SAMPLING DESIGN: CENSUS

Total Native Households	35
Surveyed Households	33
Sampling Fraction	94.3%
Sample Household Members	99
Estimated Household Members	105.0

HARBOR SEAL HARVEST AND USE INFORMATION

<i>Percent Of Native Households:</i>		<i>Estimated Community Harvest and Take (Expanded):</i>	
Used	42.4%	Total Number Harvested	6.4
Hunted	33.3%	Total Number Struck and Lost	18.0
Harvested	12.1%	Total Number Taken	24.4
Received	39.4%	Number Harvested Per Capita	0.06
Gave Away	15.2%		


HARBOR SEAL HARVEST BY SEASON													Unknown	Total
Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Month		
REPORTED HARVEST AND TAKE BY SAMPLED HOUSEHOLDS (UNEXPANDED)														
Harvest	0	0	0	3	0	0	0	2	0	0	0	0	1	6
Struck and Lost	0	0	0	0	0	0	9	6	2	0	0	0	0	17
Total Take	0	0	0	3	0	0	9	8	2	0	0	0	1	23
ESTIMATED HARVEST AND TAKE BY COMMUNITY (EXPANDED)														
Harvest	0.0	0.0	0.0	3.2	0.0	0.0	0.0	2.1	0.0	0.0	0.0	0.0	1.1	6.4
Struck and Lost	0.0	0.0	0.0	0.0	0.0	0.0	9.5	6.4	2.1	0.0	0.0	0.0	0.0	18.0
Total Take	0.0	0.0	0.0	3.2	0.0	0.0	9.5	8.5	2.1	0.0	0.0	0.0	1.1	24.4
ESTIMATED SEASONALLY ADJUSTED HARVEST AND TAKE BY COMMUNITY (EXPANDED)														
Harvest	0.0	0.0	0.0	3.8	0.0	0.0	0.0	2.5	0.0	0.0	0.0	0.0	0.0	6.4
Struck and Lost	0.0	0.0	0.0	0.0	0.0	0.0	9.5	6.4	2.1	0.0	0.0	0.0	0.0	18.0
Total Take	0.0	0.0	0.0	3.8	0.0	0.0	9.5	8.9	2.1	0.0	0.0	0.0	0.0	24.4
Total Take (%)	0.0%	0.0%	0.0%	15.7%	0.0%	0.0%	39.1%	36.5%	8.7%	0.0%	0.0%	0.0%	0.0%	100%
Cumulative Take	0.0	0.0	0.0	3.8	3.8	3.8	13.4	22.3	24.4	24.4	24.4	24.4	24.4	
Cum. Take (%)	0.0%	0.0%	0.0%	15.7%	15.7%	15.7%	54.8%	91.3%	100.0%	100.0%	100.0%	100.0%	100.0%	

	Reported		Estimated	
	By Sample (Unexpanded)	Percent	By Community (Expanded)	Percent
Adult Male	0	0.0%	0.0	0.0%
Adult Female	0	0.0%	0.0	0.0%
Adult Unknown Sex	5	83.3%	5.3	83.3%
Juvenile Male	0	0.0%	0.0	0.0%
Juvenile Female	0	0.0%	0.0	0.0%
Juvenile Unknown Sex	0	0.0%	0.0	0.0%
Pup Male	0	0.0%	0.0	0.0%
Pup Female	0	0.0%	0.0	0.0%
Pup Unknown Sex	0	0.0%	0.0	0.0%
Male Unknown Age	0	0.0%	0.0	0.0%
Female Unknown Age	0	0.0%	0.0	0.0%
Unknown Sex and Age	1	16.7%	1.1	16.7%
Total	6	100.0%	6.4	100.0%


SOURCE: Alaska Department of Fish and Game, Division of Subsistence, Subsistence Study and Monitor System for Sea Lions and Harbor Seals in Alaska, with assistance from the South Naknek Traditional Council, 1994.

FIGURE 110. HARBOR SEAL (*Phoca vitulina*) TAKE ESTIMATES: SOUTH NAKNEK, 1993


A. Percentage Seasonally Adjusted Take By Month



B. Seasonally Adjusted Take By Month



C. Cumulative Seasonally Adjusted Take By Month



SOURCE: Alaska Department of Fish and Game, Division of Subsistence, Subsistence Study and Monitor System for Sea Lions and Harbor Seals in Alaska, with assistance from the South Naknek Traditional Council, 1994.

C-236

NORTH BRISTOL BAY

C-237

TABLE 111. SEA LION (*Eumetopias jubatus*) HARVEST AND TAKE ESTIMATES: ALEKNAGIK, 1993

SAMPLING DESIGN: CENSUS

Total Native Households	37
Surveyed Households	23
Sampling Fraction	62.2%
Sample Household Members	89
Estimated Household Members	143.2

SEA LION HARVEST AND USE INFORMATION

Percent Of Native Households:

Used	0.0%
Hunted	0.0%
Harvested	0.0%
Received	0.0%
Gave Away	0.0%

Estimated Community Harvest and Take (Expanded):

Total Number Harvested	0.0
Total Number Struck and Lost	0.0
Total Number Taken	0.0
Number Harvested Per Capita	0.00

SEA LION HARVEST BY SEASON													Unknown	
	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Month	Total
REPORTED HARVEST AND TAKE BY SAMPLED HOUSEHOLDS (UNEXPANDED)														
Harvest	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Struck and Lost	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Total Take	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ESTIMATED HARVEST AND TAKE BY COMMUNITY (EXPANDED)														
Harvest	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Struck and Lost	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total Take	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
ESTIMATED SEASONALLY ADJUSTED HARVEST AND TAKE BY COMMUNITY (EXPANDED)														
Harvest	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Struck and Lost	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total Take	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total Take (%)	---	---	---	---	---	---	---	---	---	---	---	---	---	---
Cumulative Take	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Cum. Take (%)	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%


SEA LION HARVEST BY AGE AND SEX

	Reported		Estimated	
	By Sample (Unexpanded)	Percent	By Community (Expanded)	Percent
Adult Male	0	---	0.0	---
Adult Female	0	---	0.0	---
Adult Unknown Sex	0	---	0.0	---
Juvenile Male	0	---	0.0	---
Juvenile Female	0	---	0.0	---
Juvenile Unknown Sex	0	---	0.0	---
Pup Male	0	---	0.0	---
Pup Female	0	---	0.0	---
Pup Unknown Sex	0	---	0.0	---
Male Unknown Age	0	---	0.0	---
Female Unknown Age	0	---	0.0	---
Unknown Sex and Age	0	---	0.0	---
Total	0	---	0.0	---


SOURCE: Alaska Department of Fish and Game, Division of Subsistence, Subsistence Study and Monitor System for Sea Lions and Harbor Seals in Alaska, with assistance from the Aleknagik Tribal Council, 1994.

FIGURE 111. SEA LION (*Eumetopias jubatus*) TAKE ESTIMATES: ALEKNAGIK, 1993


A. Percentage Seasonally Adjusted Take By Month



B. Seasonally Adjusted Take By Month



C. Cumulative Seasonally Adjusted Take By Month



SOURCE: Alaska Department of Fish and Game, Division of Subsistence, Subsistence Study and Monitor System for Sea Lions and Harbor Seals in Alaska, with assistance from the Aleknagik Tribal Council, 1994.

TABLE 112. HARBOR SEAL AND SPOTTED SEAL HARVEST AND TAKE ESTIMATES: ALEKNAGIK, 1993

SAMPLING DESIGN: CENSUS

Total Native Households	37
Surveyed Households	23
Sampling Fraction	62.2%
Sample Household Members	89
Estimated Household Members	143.2

HARBOR SEAL AND SPOTTED SEAL HARVEST AND USE INFORMATION

Percent Of Native Households:

Used	91.3%
Hunted	34.8%
Harvested	8.7%
Received	82.6%
Gave Away	21.7%

Estimated Community Harvest and Take (Expanded):

Total Number Harvested	4.8
Total Number Struck and Lost	0.0
Total Number Taken	4.8
Number Harvested Per Capita	0.03

HARBOR SEAL AND SPOTTED SEAL HARVEST BY SEASON													Unknown	Total
Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Month		
REPORTED HARVEST AND TAKE BY SAMPLED HOUSEHOLDS (UNEXPANDED)														
Harvest	0	0	0	0	3	0	0	0	0	0	0	0	0	3
Struck and Lost	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Total Take	0	0	0	0	3	0	0	0	0	0	0	0	0	3
ESTIMATED HARVEST AND TAKE BY COMMUNITY (EXPANDED)														
Harvest	0.0	0.0	0.0	0.0	4.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.8
Struck and Lost	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total Take	0.0	0.0	0.0	0.0	4.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.8
ESTIMATED SEASONALLY ADJUSTED HARVEST AND TAKE BY COMMUNITY (EXPANDED)														
Harvest	0.0	0.0	0.0	0.0	4.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.8
Struck and Lost	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total Take	0.0	0.0	0.0	0.0	4.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.8
Total Take (%)	0.0%	0.0%	0.0%	0.0%	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	100%
Cumulative Take	0.0	0.0	0.0	0.0	4.8	4.8	4.8	4.8	4.8	4.8	4.8	4.8	4.8	
Cum. Take (%)	0.0%	0.0%	0.0%	0.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	


HARBOR SEAL AND SPOTTED SEAL HARVEST BY AGE AND SEX

	Reported		Estimated	
	By Sample (Unexpanded)	Percent	By Community (Expanded)	Percent
Adult Male	1	33.3%	1.6	33.3%
Adult Female	0	0.0%	0.0	0.0%
Adult Unknown Sex	2	66.7%	3.2	66.7%
Juvenile Male	0	0.0%	0.0	0.0%
Juvenile Female	0	0.0%	0.0	0.0%
Juvenile Unknown Sex	0	0.0%	0.0	0.0%
Pup Male	0	0.0%	0.0	0.0%
Pup Female	0	0.0%	0.0	0.0%
Pup Unknown Sex	0	0.0%	0.0	0.0%
Male Unknown Age	0	0.0%	0.0	0.0%
Female Unknown Age	0	0.0%	0.0	0.0%
Unknown Sex and Age	0	0.0%	0.0	0.0%
Total	3	100.0%	4.8	100.0%


SOURCE: Alaska Department of Fish and Game, Division of Subsistence, Subsistence Study and Monitor System for Sea Lions and Harbor Seals in Alaska, with assistance from the Aleknagik Tribal Council, 1994.

FIGURE 112. HARBOR SEAL AND SPOTTED SEAL TAKE ESTIMATES: ALEKNAGIK, 1993


A. Percentage Seasonally Adjusted Take By Month



B. Seasonally Adjusted Take By Month



C. Cumulative Seasonally Adjusted Take By Month



SOURCE: Alaska Department of Fish and Game, Division of Subsistence, Subsistence Study and Monitor System for Sea Lions and Harbor Seals in Alaska, with assistance from the Aleknagik Tribal Council, 1994.

TABLE 113. HARBOR SEAL (*Phoca vitulina*) HARVEST AND TAKE ESTIMATES: ALEKNAGIK, 1993

SAMPLING DESIGN: CENSUS

Total Native Households	37
Surveyed Households	23
Sampling Fraction	62.2%
Sample Household Members	89
Estimated Household Members	143.2

ISSURIQ HARVEST AND USE INFORMATION

Percent Of Native Households:

Used	91.3%
Hunted	34.8%
Harvested	8.7%
Received	82.6%
Gave Away	21.7%

HARBOR SEAL HARVEST INFORMATION

Estimated Community Harvest and Take (Expanded):

Total Number Harvested	0.0
Total Number Struck and Lost	0.0
Total Number Taken	0.0
Number Harvested Per Capita	0.00

HARBOR SEAL HARVEST BY SEASON													Unknown	Total
Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Month		
REPORTED HARVEST AND TAKE BY SAMPLED HOUSEHOLDS (UNEXPANDED)														
Harvest	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Struck and Lost	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Total Take	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ESTIMATED HARVEST AND TAKE BY COMMUNITY (EXPANDED)														
Harvest	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Struck and Lost	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total Take	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
ESTIMATED SEASONALLY ADJUSTED HARVEST AND TAKE BY COMMUNITY (EXPANDED)														
Harvest	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Struck and Lost	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total Take	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total Take (%)	---	---	---	---	---	---	---	---	---	---	---	---	---	---
Cumulative Take	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Cum. Take (%)	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%


HARBOR SEAL HARVEST BY AGE AND SEX

	Reported		Estimated	
	By Sample (Unexpanded)	Percent	By Community (Expanded)	Percent
Adult Male	0	---	0.0	---
Adult Female	0	---	0.0	---
Adult Unknown Sex	0	---	0.0	---
Juvenile Male	0	---	0.0	---
Juvenile Female	0	---	0.0	---
Juvenile Unknown Sex	0	---	0.0	---
Pup Male	0	---	0.0	---
Pup Female	0	---	0.0	---
Pup Unknown Sex	0	---	0.0	---
Male Unknown Age	0	---	0.0	---
Female Unknown Age	0	---	0.0	---
Unknown Sex and Age	0	---	0.0	---
Total	0	---	0.0	---


SOURCE: Alaska Department of Fish and Game, Division of Subsistence, Subsistence Study and Monitor System for Sea Lions and Harbor Seals in Alaska, with assistance from the Aleknagik Tribal Council, 1994.

FIGURE 113. HARBOR SEAL (*Phoca vitulina*) TAKE ESTIMATES: ALEKNAGIK, 1993


A. Percentage Seasonally Adjusted Take By Month



B. Seasonally Adjusted Take By Month



C. Cumulative Seasonally Adjusted Take By Month



SOURCE: Alaska Department of Fish and Game, Division of Subsistence, Subsistence Study and Monitor System for Sea Lions and Harbor Seals in Alaska, with assistance from the Aleknagik Tribal Council, 1994.

TABLE 114. SPOTTED SEAL (*Phoca largha*) HARVEST AND TAKE ESTIMATES: ALEKNAGIK, 1993

SAMPLING DESIGN: CENSUS

Total Native Households	37
Surveyed Households	23
Sampling Fraction	62.2%
Sample Household Members	89
Estimated Household Members	143.2

ISSURIQ HARVEST AND USE INFORMATION

Percent Of Native Households:

Used	91.3%
Hunted	34.8%
Harvested	8.7%
Received	82.6%
Gave Away	21.7%

SPOTTED SEAL HARVEST INFORMATION

Estimated Community Harvest and Take (Expanded):

Total Number Harvested	4.8
Total Number Struck and Lost	0.0
Total Number Taken	4.8
Number Harvested Per Capita	0.03

SPOTTED SEAL HARVEST BY SEASON													Unknown	Total
Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Month		
REPORTED HARVEST AND TAKE BY SAMPLED HOUSEHOLDS (UNEXPANDED)														
Harvest	0	0	0	0	3	0	0	0	0	0	0	0	0	3
Struck and Lost	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Total Take	0	0	0	0	3	0	0	0	0	0	0	0	0	3
ESTIMATED HARVEST AND TAKE BY COMMUNITY (EXPANDED)														
Harvest	0.0	0.0	0.0	0.0	4.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.8
Struck and Lost	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total Take	0.0	0.0	0.0	0.0	4.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.8
ESTIMATED SEASONALLY ADJUSTED HARVEST AND TAKE BY COMMUNITY (EXPANDED)														
Harvest	0.0	0.0	0.0	0.0	4.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.8
Struck and Lost	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total Take	0.0	0.0	0.0	0.0	4.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.8
Total Take (%)	0.0%	0.0%	0.0%	0.0%	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	100%
Cumulative Take	0.0	0.0	0.0	0.0	4.8	4.8	4.8	4.8	4.8	4.8	4.8	4.8	4.8	
Cum. Take (%)	0.0%	0.0%	0.0%	0.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	


SPOTTED SEAL HARVEST BY AGE AND SEX

	Reported		Estimated	
	By Sample (Unexpanded)	Percent	By Community (Expanded)	Percent
Adult Male	1	33.3%	1.6	33.3%
Adult Female	0	0.0%	0.0	0.0%
Adult Unknown Sex	2	66.7%	3.2	66.7%
Juvenile Male	0	0.0%	0.0	0.0%
Juvenile Female	0	0.0%	0.0	0.0%
Juvenile Unknown Sex	0	0.0%	0.0	0.0%
Pup Male	0	0.0%	0.0	0.0%
Pup Female	0	0.0%	0.0	0.0%
Pup Unknown Sex	0	0.0%	0.0	0.0%
Male Unknown Age	0	0.0%	0.0	0.0%
Female Unknown Age	0	0.0%	0.0	0.0%
Unknown Sex and Age	0	0.0%	0.0	0.0%
Total	3	100.0%	4.8	100.0%


SOURCE: Alaska Department of Fish and Game, Division of Subsistence, Subsistence Study and Monitor System for Sea Lions and Harbor Seals in Alaska, with assistance from the Aleknagik Tribal Council, 1994.

FIGURE 114. SPOTTED SEAL (*Phoca largha*) TAKE ESTIMATES: ALEKNAGIK, 1993


A. Percentage Seasonally Adjusted Take By Month



B. Seasonally Adjusted Take By Month



C. Cumulative Seasonally Adjusted Take By Month



SOURCE: Alaska Department of Fish and Game, Division of Subsistence, Subsistence Study and Monitor System for Sea Lions and Harbor Seals in Alaska, with assistance from the Aleknagik Tribal Council, 1994.

TABLE 115. SEA LION (*Eumetopias jubatus*) HARVEST AND TAKE ESTIMATES: CLARK'S POINT, 1993

SAMPLING DESIGN: CENSUS

Total Native Households	15
Surveyed Households	15
Sampling Fraction	100.0%
Sample Household Members	40
Estimated Household Members	40.0

SEA LION HARVEST AND USE INFORMATION

Percent Of Native Households:

Used	0.0%
Hunted	0.0%
Harvested	0.0%
Received	0.0%
Gave Away	0.0%

Estimated Community Harvest and Take (Expanded):

Total Number Harvested	0.0
Total Number Struck and Lost	0.0
Total Number Taken	0.0
Number Harvested Per Capita	0.00

SEA LION HARVEST BY SEASON

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Unknown Month	Total
	REPORTED HARVEST AND TAKE BY SAMPLED HOUSEHOLDS (UNEXPANDED)													
Harvest	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Struck and Lost	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Total Take	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ESTIMATED HARVEST AND TAKE BY COMMUNITY (EXPANDED)														
Harvest	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Struck and Lost	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total Take	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
ESTIMATED SEASONALLY ADJUSTED HARVEST AND TAKE BY COMMUNITY (EXPANDED)														
Harvest	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		0.0
Struck and Lost	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		0.0
Total Take	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		0.0
Total Take (%)	—	—	—	—	—	—	—	—	—	—	—	—		—
Cumulative Take	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		0.0
Cum. Take (%)	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%		0.0%


SEA LION HARVEST BY AGE AND SEX

	Reported		Estimated	
	By Sample (Unexpanded)	Percent	By Community (Expanded)	Percent
Adult Male	0	---	0.0	---
Adult Female	0	---	0.0	---
Adult Unknown Sex	0	---	0.0	---
Juvenile Male	0	---	0.0	---
Juvenile Female	0	---	0.0	---
Juvenile Unknown Sex	0	---	0.0	---
Pup Male	0	---	0.0	---
Pup Female	0	---	0.0	---
Pup Unknown Sex	0	---	0.0	---
Male Unknown Age	0	---	0.0	---
Female Unknown Age	0	---	0.0	---
Unknown Sex and Age	0	---	0.0	---
Total	0	---	0.0	---


SOURCE: Alaska Department of Fish and Game, Division of Subsistence, Subsistence Study and Monitor System for Sea Lions and Harbor Seals in Alaska, with assistance from the Clark's Point Traditional Council, 1994.

FIGURE 115. SEA LION (*Eumetopias jubatus*) TAKE ESTIMATES: CLARK'S POINT, 1993


A. Percentage Seasonally Adjusted Take By Month



B. Seasonally Adjusted Take By Month



C. Cumulative Seasonally Adjusted Take By Month



SOURCE: Alaska Department of Fish and Game, Division of Subsistence, Subsistence Study and Monitor System for Sea Lions and Harbor Seals in Alaska, with assistance from the Clark's Point Traditional Council, 1994.

TABLE 116. HARBOR SEAL AND SPOTTED SEAL HARVEST AND TAKE ESTIMATES: CLARK'S POINT, 1993

SAMPLING DESIGN: CENSUS

Total Native Households	15
Surveyed Households	15
Sampling Fraction	100.0%
Sample Household Members	40
Estimated Household Members	40.0

HARBOR SEAL AND SPOTTED SEAL HARVEST AND USE INFORMATION

<i>Percent Of Native Households:</i>		<i>Estimated Community Harvest and Take (Expanded):</i>	
Used	13.3%	Total Number Harvested	2.0
Hunted	20.0%	Total Number Struck and Lost	0.0
Harvested	6.7%	Total Number Taken	2.0
Received	6.7%	Number Harvested Per Capita	0.05
Gave Away	6.7%		

HARBOR SEAL AND SPOTTED SEAL HARVEST BY SEASON														
	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Unknown Month	Total
REPORTED HARVEST AND TAKE BY SAMPLED HOUSEHOLDS (UNEXPANDED)														
Harvest	0	0	0	2	0	0	0	0	0	0	0	0	0	2
Struck and Lost	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Total Take	0	0	0	2	0	0	0	0	0	0	0	0	0	2
ESTIMATED HARVEST AND TAKE BY COMMUNITY (EXPANDED)														
Harvest	0.0	0.0	0.0	2.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.0
Struck and Lost	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total Take	0.0	0.0	0.0	2.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.0
ESTIMATED SEASONALLY ADJUSTED HARVEST AND TAKE BY COMMUNITY (EXPANDED)														
Harvest	0.0	0.0	0.0	2.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.0
Struck and Lost	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total Take	0.0	0.0	0.0	2.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.0
Total Take (%)	0.0%	0.0%	0.0%	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	100%
Cumulative Take	0.0	0.0	0.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	
Cum. Take (%)	0.0%	0.0%	0.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	


HARBOR SEAL AND SPOTTED SEAL HARVEST BY AGE AND SEX

	<i>Reported</i>		<i>Estimated</i>	
	<i>By Sample</i>	<i>Percent</i>	<i>By Community</i>	<i>Percent</i>
	<i>(Unexpanded)</i>		<i>(Expanded)</i>	
Adult Male	2	100.0%	2.0	100.0%
Adult Female	0	0.0%	0.0	0.0%
Adult Unknown Sex	0	0.0%	0.0	0.0%
Juvenile Male	0	0.0%	0.0	0.0%
Juvenile Female	0	0.0%	0.0	0.0%
Juvenile Unknown Sex	0	0.0%	0.0	0.0%
Pup Male	0	0.0%	0.0	0.0%
Pup Female	0	0.0%	0.0	0.0%
Pup Unknown Sex	0	0.0%	0.0	0.0%
Male Unknown Age	0	0.0%	0.0	0.0%
Female Unknown Age	0	0.0%	0.0	0.0%
Unknown Sex and Age	0	0.0%	0.0	0.0%
Total	2	100.0%	2.0	100.0%


SOURCE: Alaska Department of Fish and Game, Division of Subsistence, Subsistence Study and Monitor System for Sea Lions and Harbor Seals in Alaska, with assistance from the Clark's Point Traditional Council, 1994.

FIGURE 116. HARBOR SEAL AND SPOTTED SEAL TAKE ESTIMATES: CLARK'S POINT, 1993


A. Percentage Seasonally Adjusted Take By Month



B. Seasonally Adjusted Take By Month



C. Cumulative Seasonally Adjusted Take By Month



SOURCE: Alaska Department of Fish and Game, Division of Subsistence, Subsistence Study and Monitor System for Sea Lions and Harbor Seals in Alaska, with assistance from the Clark's Point Traditional Council, 1994.

TABLE 117. HARBOR SEAL (*Phoca vitulina*) HARVEST AND TAKE ESTIMATES: CLARK'S POINT, 1993

SAMPLING DESIGN: CENSUS

Total Native Households	15
Surveyed Households	15
Sampling Fraction	100.0%
Sample Household Members	40
Estimated Household Members	40.0

ISSURIQ HARVEST AND USE INFORMATION

Percent Of Native Households:

Used	13.3%
Hunted	20.0%
Harvested	6.7%
Received	6.7%
Gave Away	6.7%

HARBOR SEAL HARVEST INFORMATION

Estimated Community Harvest and Take (Expanded):

Total Number Harvested	0.0
Total Number Struck and Lost	0.0
Total Number Taken	0.0
Number Harvested Per Capita	0.00

	HARBOR SEAL HARVEST BY SEASON												Total	
	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec		Unknown Month
REPORTED HARVEST AND TAKE BY SAMPLED HOUSEHOLDS (UNEXPANDED)														
Harvest	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Struck and Lost	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Total Take	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ESTIMATED HARVEST AND TAKE BY COMMUNITY (EXPANDED)														
Harvest	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Struck and Lost	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total Take	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
ESTIMATED SEASONALLY ADJUSTED HARVEST AND TAKE BY COMMUNITY (EXPANDED)														
Harvest	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Struck and Lost	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total Take	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total Take (%)	---	---	---	---	---	---	---	---	---	---	---	---	---	---
Cumulative Take	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Cum. Take (%)	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%


HARBOR SEAL HARVEST BY AGE AND SEX

	Reported		Estimated	
	By Sample (Unexpanded)	Percent	By Community (Expanded)	Percent
Adult Male	0	---	0.0	---
Adult Female	0	---	0.0	---
Adult Unknown Sex	0	---	0.0	---
Juvenile Male	0	---	0.0	---
Juvenile Female	0	---	0.0	---
Juvenile Unknown Sex	0	---	0.0	---
Pup Male	0	---	0.0	---
Pup Female	0	---	0.0	---
Pup Unknown Sex	0	---	0.0	---
Male Unknown Age	0	---	0.0	---
Female Unknown Age	0	---	0.0	---
Unknown Sex and Age	0	---	0.0	---
Total	0	---	0.0	---


SOURCE: Alaska Department of Fish and Game, Division of Subsistence, Subsistence Study and Monitor System for Sea Lions and Harbor Seals in Alaska, with assistance from the Clark's Point Traditional Council, 1994.

FIGURE 117. HARBOR SEAL (*Phoca vitulina*) TAKE ESTIMATES: CLARK'S POINT, 1993


A. Percentage Seasonally Adjusted Take By Month



B. Seasonally Adjusted Take By Month



C. Cumulative Seasonally Adjusted Take By Month



SOURCE: Alaska Department of Fish and Game, Division of Subsistence, Subsistence Study and Monitor System for Sea Lions and Harbor Seals in Alaska, with assistance from the Clark's Point Traditional Council, 1994.

TABLE 118. SPOTTED SEAL (*Phoca largha*) HARVEST AND TAKE ESTIMATES: CLARK'S POINT, 1993

SAMPLING DESIGN: CENSUS

Total Native Households	15
Surveyed Households	15
Sampling Fraction	100.0%
Sample Household Members	40
Estimated Household Members	40.0

ISSURIQ HARVEST AND USE INFORMATION

Percent Of Native Households:

Used	13.3%
Hunted	20.0%
Harvested	6.7%
Received	6.7%
Gave Away	6.7%

SPOTTED SEAL HARVEST INFORMATION

Estimated Community Harvest and Take (Expanded):

Total Number Harvested	2.0
Total Number Struck and Lost	0.0
Total Number Taken	2.0
Number Harvested Per Capita	0.05

	SPOTTED SEAL HARVEST BY SEASON												Total	
	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec		Unknown Month
REPORTED HARVEST AND TAKE BY SAMPLED HOUSEHOLDS (UNEXPANDED)														
Harvest	0	0	0	2	0	0	0	0	0	0	0	0	0	2
Struck and Lost	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Total Take	0	0	0	2	0	0	0	0	0	0	0	0	0	2
ESTIMATED HARVEST AND TAKE BY COMMUNITY (EXPANDED)														
Harvest	0.0	0.0	0.0	2.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.0
Struck and Lost	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total Take	0.0	0.0	0.0	2.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.0
ESTIMATED SEASONALLY ADJUSTED HARVEST AND TAKE BY COMMUNITY (EXPANDED)														
Harvest	0.0	0.0	0.0	2.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.0
Struck and Lost	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total Take	0.0	0.0	0.0	2.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.0
Total Take (%)	0.0%	0.0%	0.0%	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	100%
Cumulative Take	0.0	0.0	0.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0
Cum. Take (%)	0.0%	0.0%	0.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100%


SPOTTED SEAL HARVEST BY AGE AND SEX

	Reported		Estimated	
	By Sample (Unexpanded)	Percent	By Community (Expanded)	Percent
Adult Male	2	100.0%	2.0	100.0%
Adult Female	0	0.0%	0.0	0.0%
Adult Unknown Sex	0	0.0%	0.0	0.0%
Juvenile Male	0	0.0%	0.0	0.0%
Juvenile Female	0	0.0%	0.0	0.0%
Juvenile Unknown Sex	0	0.0%	0.0	0.0%
Pup Male	0	0.0%	0.0	0.0%
Pup Female	0	0.0%	0.0	0.0%
Pup Unknown Sex	0	0.0%	0.0	0.0%
Male Unknown Age	0	0.0%	0.0	0.0%
Female Unknown Age	0	0.0%	0.0	0.0%
Unknown Sex and Age	0	0.0%	0.0	0.0%
Total	2	100.0%	2.0	100.0%


SOURCE: Alaska Department of Fish and Game, Division of Subsistence, Subsistence Study and Monitor System for Sea Lions and Harbor Seals in Alaska, with assistance from the Clark's Point Traditional Council, 1994.

FIGURE 118. SPOTTED SEAL (*Phoca largha*) TAKE ESTIMATES: CLARK'S POINT, 1993


A. Percentage Seasonally Adjusted Take By Month



B. Seasonally Adjusted Take By Month



C. Cumulative Seasonally Adjusted Take By Month



SOURCE: Alaska Department of Fish and Game, Division of Subsistence, Subsistence Study and Monitor System for Sea Lions and Harbor Seals in Alaska, with assistance from the Clark's Point Traditional Council, 1994.

TABLE 119. SEA LION (*Eumetopias jubatus*) HARVEST AND TAKE ESTIMATES: DILLINGHAM, 1993

SAMPLING DESIGN: TWO STRATA

	Active	Other	Total
Total Native Households	24	432	456
Surveyed Households	23	29	52
Sampling Fraction	95.8%	6.7%	11.4%
Sample Household Members	84	95	179
Estimated Household Members	87.7	1415.2	1502.8

SEA LION HARVEST AND USE INFORMATION

Percent Of Native Households:

Used	0.0%
Hunted	0.0%
Harvested	0.0%
Received	0.0%
Gave Away	0.0%

Estimated Community Harvest and Take (Expanded):

Total Number Harvested	0.0
Total Number Struck and Lost	0.0
Total Number Taken	0.0
Number Harvested Per Capita	0.00

SEA LION HARVEST BY SEASON

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Unknown Month	Total
	REPORTED HARVEST AND TAKE BY SAMPLED HOUSEHOLDS (UNEXPANDED)													
Harvest	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Struck and Lost	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Total Take	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ESTIMATED HARVEST AND TAKE BY COMMUNITY (EXPANDED)														
Harvest	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Struck and Lost	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total Take	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
ESTIMATED SEASONALLY ADJUSTED HARVEST AND TAKE BY COMMUNITY (EXPANDED)														
Harvest	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Struck and Lost	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total Take	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total Take (%)	---	---	---	---	---	---	---	---	---	---	---	---	---	---
Cumulative Take	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Cum. Take (%)	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%


SEA LION HARVEST BY AGE AND SEX

	Reported		Estimated	
	By Sample (Unexpanded)	Percent	By Community (Expanded)	Percent
Adult Male	0	---	0.0	---
Adult Female	0	---	0.0	---
Adult Unknown Sex	0	---	0.0	---
Juvenile Male	0	---	0.0	---
Juvenile Female	0	---	0.0	---
Juvenile Unknown Sex	0	---	0.0	---
Pup Male	0	---	0.0	---
Pup Female	0	---	0.0	---
Pup Unknown Sex	0	---	0.0	---
Male Unknown Age	0	---	0.0	---
Female Unknown Age	0	---	0.0	---
Unknown Sex and Age	0	---	0.0	---
Total	0	---	0.0	---


SOURCE: Alaska Department of Fish and Game, Division of Subsistence, Subsistence Study and Monitor System for Sea Lions and Harbor Seals in Alaska, with assistance from the Dillingham Traditional Council, 1994.

FIGURE 119. SEA LION (*Eumetopias jubatus*) TAKE ESTIMATES: DILLINGHAM, 1993


A. Percentage Seasonally Adjusted Take By Month



B. Seasonally Adjusted Take By Month



C. Cumulative Seasonally Adjusted Take By Month



SOURCE: Alaska Department of Fish and Game, Division of Subsistence, Subsistence Study and Monitor System for Sea Lions and Harbor Seals in Alaska, with assistance from the Dillingham Traditional Council, 1994.

TABLE 120. HARBOR SEAL AND SPOTTED SEAL HARVEST AND TAKE ESTIMATES: DILLINGHAM, 1993

SAMPLING DESIGN: TWO STRATA

	Active	Other	Total
Total Native Households	24	432	456
Surveyed Households	23	29	52
Sampling Fraction	95.8%	6.7%	11.4%
Sample Household Members	84	95	179
Estimated Household Members	87.7	1415.2	1502.8

HARBOR SEAL AND SPOTTED SEAL HARVEST AND USE INFORMATION

Percent Of Native Households:

Used	29.6%
Hunted	6.0%
Harvested	6.0%
Received	24.0%
Gave Away	15.6%

Estimated Community Harvest and Take (Expanded):

Total Number Harvested	44.1
Total Number Struck and Lost	4.2
Total Number Taken	48.3
Number Harvested Per Capita	0.03

HARBOR SEAL AND SPOTTED SEAL HARVEST BY SEASON

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Unknown Month	Total
REPORTED HARVEST AND TAKE BY SAMPLED HOUSEHOLDS (UNEXPANDED)														
Harvest	0	0	3	19	3	0	3	0	1	0	0	0	0	29
Struck and Lost	0	0	0	0	0	0	4	0	0	0	0	0	0	4
Total Take	0	0	3	19	3	0	7	0	1	0	0	0	0	33
ESTIMATED HARVEST AND TAKE BY COMMUNITY (EXPANDED)														
Harvest	0.0	0.0	3.1	19.8	3.1	0.0	17.0	0.0	1.0	0.0	0.0	0.0	0.0	44.1
Struck and Lost	0.0	0.0	0.0	0.0	0.0	0.0	4.2	0.0	0.0	0.0	0.0	0.0	0.0	4.2
Total Take	0.0	0.0	3.1	19.8	3.1	0.0	21.2	0.0	1.0	0.0	0.0	0.0	0.0	48.3
ESTIMATED SEASONALLY ADJUSTED HARVEST AND TAKE BY COMMUNITY (EXPANDED)														
Harvest	0.0	0.0	3.1	19.8	3.1	0.0	17.0	0.0	1.0	0.0	0.0	0.0	0.0	44.1
Struck and Lost	0.0	0.0	0.0	0.0	0.0	0.0	4.2	0.0	0.0	0.0	0.0	0.0	0.0	4.2
Total Take	0.0	0.0	3.1	19.8	3.1	0.0	21.2	0.0	1.0	0.0	0.0	0.0	0.0	48.3
Total Take (%)	0.0%	0.0%	6.5%	41.1%	6.5%	0.0%	43.8%	0.0%	2.2%	0.0%	0.0%	0.0%	0.0%	100%
Cumulative Take	0.0	0.0	3.1	23.0	26.1	26.1	47.2	47.2	48.3	48.3	48.3	48.3	48.3	
Cum. Take (%)	0.0%	0.0%	6.5%	47.5%	54.0%	54.0%	97.8%	97.8%	100.0%	100.0%	100.0%	100.0%	100.0%	


HARBOR SEAL AND SPOTTED SEAL HARVEST BY AGE AND SEX

	Reported		Estimated	
	By Sample (Unexpanded)	Percent	By Community (Expanded)	Percent
Adult Male	1	3.4%	1.0	2.4%
Adult Female	0	0.0%	0.0	0.0%
Adult Unknown Sex	11	37.9%	25.3	57.4%
Juvenile Male	1	3.4%	1.0	2.4%
Juvenile Female	1	3.4%	1.0	2.4%
Juvenile Unknown Sex	11	37.9%	11.5	26.0%
Pup Male	0	0.0%	0.0	0.0%
Pup Female	0	0.0%	0.0	0.0%
Pup Unknown Sex	0	0.0%	0.0	0.0%
Male Unknown Age	0	0.0%	0.0	0.0%
Female Unknown Age	1	3.4%	1.0	2.4%
Unknown Sex and Age	3	10.3%	3.1	7.1%
Total	29	100.0%	44.1	100.0%


SOURCE: Alaska Department of Fish and Game, Division of Subsistence, Subsistence Study and Monitor System for Sea Lions and Harbor Seals in Alaska, with assistance from the Dillingham Traditional Council, 1994.

FIGURE 120. HARBOR SEAL AND SPOTTED SEAL TAKE ESTIMATES: DILLINGHAM, 1993


A. Percentage Seasonally Adjusted Take By Month



B. Seasonally Adjusted Take By Month



C. Cumulative Seasonally Adjusted Take By Month



SOURCE: Alaska Department of Fish and Game, Division of Subsistence, Subsistence Study and Monitor System for Sea Lions and Harbor Seals in Alaska, with assistance from the Dillingham Traditional Council, 1994.

TABLE 121. HARBOR SEAL (*Phoca vitulina*) HARVEST AND TAKE ESTIMATES: DILLINGHAM, 1993

SAMPLING DESIGN: TWO STRATA

	Active	Other	Total
Total Native Households	24	432	456
Surveyed Households	23	29	52
Sampling Fraction	95.8%	6.7%	11.4%
Sample Household Members	84	95	179
Estimated Household Members	87.7	1415.2	1502.8

ISSURIQ HARVEST AND USE INFORMATION

Percent Of Native Households:

Used	29.6%
Hunted	6.0%
Harvested	6.0%
Received	24.0%
Gave Away	15.6%

HARBOR SEAL HARVEST INFORMATION

Estimated Community Harvest and Take (Expanded):

Total Number Harvested	18.0
Total Number Struck and Lost	4.2
Total Number Taken	22.2
Number Harvested Per Capita	0.01

HARBOR SEAL HARVEST BY SEASON

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Unknown Month	Total
	REPORTED HARVEST AND TAKE BY SAMPLED HOUSEHOLDS (UNEXPANDED)													
Harvest	0	0	0	0	0	0	3	0	1	0	0	0	0	4
Struck and Lost	0	0	0	0	0	0	4	0	0	0	0	0	0	4
Total Take	0	0	0	0	0	0	7	0	1	0	0	0	0	8
ESTIMATED HARVEST AND TAKE BY COMMUNITY (EXPANDED)														
Harvest	0.0	0.0	0.0	0.0	0.0	0.0	17.0	0.0	1.0	0.0	0.0	0.0	0.0	18.0
Struck and Lost	0.0	0.0	0.0	0.0	0.0	0.0	4.2	0.0	0.0	0.0	0.0	0.0	0.0	4.2
Total Take	0.0	0.0	0.0	0.0	0.0	0.0	21.2	0.0	1.0	0.0	0.0	0.0	0.0	22.2
ESTIMATED SEASONALLY ADJUSTED HARVEST AND TAKE BY COMMUNITY (EXPANDED)														
Harvest	0.0	0.0	0.0	0.0	0.0	0.0	17.0	0.0	1.0	0.0	0.0	0.0	0.0	18.0
Struck and Lost	0.0	0.0	0.0	0.0	0.0	0.0	4.2	0.0	0.0	0.0	0.0	0.0	0.0	4.2
Total Take	0.0	0.0	0.0	0.0	0.0	0.0	21.2	0.0	1.0	0.0	0.0	0.0	0.0	22.2
Total Take (%)	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	95.3%	0.0%	4.7%	0.0%	0.0%	0.0%	0.0%	100%
Cumulative Take	0.0	0.0	0.0	0.0	0.0	0.0	21.2	21.2	22.2	22.2	22.2	22.2	22.2	
Cum. Take (%)	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	95.3%	95.3%	100.0%	100.0%	100.0%	100.0%	100.0%	


HARBOR SEAL HARVEST BY AGE AND SEX

	Reported		Estimated	
	By Sample (Unexpanded)	Percent	By Community (Expanded)	Percent
Adult Male	1	25.0%	1.0	5.8%
Adult Female	0	0.0%	0.0	0.0%
Adult Unknown Sex	1	25.0%	14.9	82.6%
Juvenile Male	0	0.0%	0.0	0.0%
Juvenile Female	0	0.0%	0.0	0.0%
Juvenile Unknown Sex	1	25.0%	1.0	5.8%
Pup Male	0	0.0%	0.0	0.0%
Pup Female	0	0.0%	0.0	0.0%
Pup Unknown Sex	0	0.0%	0.0	0.0%
Male Unknown Age	0	0.0%	0.0	0.0%
Female Unknown Age	0	0.0%	0.0	0.0%
Unknown Sex and Age	1	25.0%	1.0	5.8%
Total	4	100.0%	18.0	100.0%


SOURCE: Alaska Department of Fish and Game, Division of Subsistence, Subsistence Study and Monitor System for Sea Lions and Harbor Seals in Alaska, with assistance from the Dillingham Traditional Council, 1994.

FIGURE 121. HARBOR SEAL (*Phoca vitulina*) TAKE ESTIMATES: DILLINGHAM, 1993


A. Percentage Seasonally Adjusted Take By Month



B. Seasonally Adjusted Take By Month



C. Cumulative Seasonally Adjusted Take By Month



SOURCE: Alaska Department of Fish and Game, Division of Subsistence, Subsistence Study and Monitor System for Sea Lions and Harbor Seals in Alaska, with assistance from the Dillingham Traditional Council, 1994.

TABLE 122. SPOTTED SEAL (*Phoca largha*) HARVEST AND TAKE ESTIMATES: DILLINGHAM, 1993

SAMPLING DESIGN: TWO STRATA

	Active	Other	Total
Total Native Households	24	432	456
Surveyed Households	23	29	52
Sampling Fraction	95.8%	6.7%	11.4%
Sample Household Members	84	95	179
Estimated Household Members	87.7	1415.2	1502.8

ISSURIQ HARVEST AND USE INFORMATION

Percent Of Native Households:

Used	29.6%
Hunted	6.0%
Harvested	6.0%
Received	24.0%
Gave Away	15.6%

SPOTTED SEAL HARVEST INFORMATION

Estimated Community Harvest and Take (Expanded):

Total Number Harvested	26.1
Total Number Struck and Lost	0.0
Total Number Taken	26.1
Number Harvested Per Capita	0.02

SPOTTED SEAL HARVEST BY SEASON

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Unknown Month	Total
REPORTED HARVEST AND TAKE BY SAMPLED HOUSEHOLDS (UNEXPANDED)														
Harvest	0	0	3	19	3	0	0	0	0	0	0	0	0	25
Struck and Lost	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Total Take	0	0	3	19	3	0	0	0	0	0	0	0	0	25
ESTIMATED HARVEST AND TAKE BY COMMUNITY (EXPANDED)														
Harvest	0.0	0.0	3.1	19.8	3.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	26.1
Struck and Lost	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total Take	0.0	0.0	3.1	19.8	3.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	26.1
ESTIMATED SEASONALLY ADJUSTED HARVEST AND TAKE BY COMMUNITY (EXPANDED)														
Harvest	0.0	0.0	3.1	19.8	3.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	26.1
Struck and Lost	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total Take	0.0	0.0	3.1	19.8	3.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	26.1
Total Take (%)	0.0%	0.0%	12.0%	76.0%	12.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	100%
Cumulative Take	0.0	0.0	3.1	23.0	26.1	26.1	26.1	26.1	26.1	26.1	26.1	26.1	26.1	
Cum. Take (%)	0.0%	0.0%	12.0%	88.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	


SPOTTED SEAL HARVEST BY AGE AND SEX

	Reported		Estimated	
	By Sample (Unexpanded)	Percent	By Community (Expanded)	Percent
Adult Male	0	0.0%	0.0	0.0%
Adult Female	0	0.0%	0.0	0.0%
Adult Unknown Sex	10	40.0%	10.4	40.0%
Juvenile Male	1	4.0%	1.0	4.0%
Juvenile Female	1	4.0%	1.0	4.0%
Juvenile Unknown Sex	10	40.0%	10.4	40.0%
Pup Male	0	0.0%	0.0	0.0%
Pup Female	0	0.0%	0.0	0.0%
Pup Unknown Sex	0	0.0%	0.0	0.0%
Male Unknown Age	0	0.0%	0.0	0.0%
Female Unknown Age	1	4.0%	1.0	4.0%
Unknown Sex and Age	2	8.0%	2.1	8.0%
Total	25	100.0%	26.1	100.0%


SOURCE: Alaska Department of Fish and Game, Division of Subsistence, Subsistence Study and Monitor System for Sea Lions and Harbor Seals in Alaska, with assistance from the Dillingham Traditional Council, 1994.

FIGURE 122. SPOTTED SEAL (*Phoca largha*) TAKE ESTIMATES: DILLINGHAM, 1993


A. Percentage Seasonally Adjusted Take By Month



B. Seasonally Adjusted Take By Month



C. Cumulative Seasonally Adjusted Take By Month



SOURCE: Alaska Department of Fish and Game, Division of Subsistence, Subsistence Study and Monitor System for Sea Lions and Harbor Seals in Alaska, with assistance from the Dillingham Traditional Council, 1994.

TABLE 123. SEA LION (*Eumetopias jubatus*) HARVEST AND TAKE ESTIMATES: MANOKOTAK, 1993

SAMPLING DESIGN: TWO STRATA

	Active	Other	Total
Total Native Households	11	66	77
Surveyed Households	11	30	41
Sampling Fraction	100.0%	45.5%	53.2%
Sample Household Members	56	140	196
Estimated Household Members	56.0	308.0	364.0

SEA LION HARVEST AND USE INFORMATION

Percent Of Native Households:

Used	37.7%
Hunted	0.0%
Harvested	0.0%
Received	37.7%
Gave Away	0.0%

Estimated Community Harvest and Take (Expanded):

Total Number Harvested	0.0
Total Number Struck and Lost	0.0
Total Number Taken	0.0
Number Harvested Per Capita	0.00

SEA LION HARVEST BY SEASON

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Unknown Month	Total
REPORTED HARVEST AND TAKE BY SAMPLED HOUSEHOLDS (UNEXPANDED)														
Harvest	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Struck and Lost	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Total Take	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ESTIMATED HARVEST AND TAKE BY COMMUNITY (EXPANDED)														
Harvest	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Struck and Lost	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total Take	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
ESTIMATED SEASONALLY ADJUSTED HARVEST AND TAKE BY COMMUNITY (EXPANDED)														
Harvest	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Struck and Lost	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total Take	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total Take (%)	---	---	---	---	---	---	---	---	---	---	---	---	---	---
Cumulative Take	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Cum. Take (%)	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%


SEA LION HARVEST BY AGE AND SEX

	Reported		Estimated	
	By Sample (Unexpanded)	Percent	By Community (Expanded)	Percent
Adult Male	0	---	0.0	---
Adult Female	0	---	0.0	---
Adult Unknown Sex	0	---	0.0	---
Juvenile Male	0	---	0.0	---
Juvenile Female	0	---	0.0	---
Juvenile Unknown Sex	0	---	0.0	---
Pup Male	0	---	0.0	---
Pup Female	0	---	0.0	---
Pup Unknown Sex	0	---	0.0	---
Male Unknown Age	0	---	0.0	---
Female Unknown Age	0	---	0.0	---
Unknown Sex and Age	0	---	0.0	---
Total	0	---	0.0	---


SOURCE: Alaska Department of Fish and Game, Division of Subsistence, Subsistence Study and Monitor System for Sea Lions and Harbor Seals in Alaska, with assistance from the Manokotak Traditional Council, 1994.

FIGURE 123. SEA LION (*Eumetopias jubatus*) TAKE ESTIMATES: MANOKOTAK, 1993


A. Percentage Seasonally Adjusted Take By Month



B. Seasonally Adjusted Take By Month



C. Cumulative Seasonally Adjusted Take By Month



SOURCE: Alaska Department of Fish and Game, Division of Subsistence, Subsistence Study and Monitor System for Sea Lions and Harbor Seals in Alaska, with assistance from the Manokotak Traditional Council, 1994.

TABLE 124. HARBOR SEAL AND SPOTTED SEAL HARVEST AND TAKE ESTIMATES: MANOKOTAK, 1993

SAMPLING DESIGN: TWO STRATA

	Active	Other	Total
Total Native Households	11	66	77
Surveyed Households	11	30	41
Sampling Fraction	100.0%	45.5%	53.2%
Sample Household Members	56	140	196
Estimated Household Members	56.0	308.0	364.0

HARBOR SEAL AND SPOTTED SEAL HARVEST AND USE INFORMATION

Percent Of Native Households:

Used	100.0%
Hunted	26.5%
Harvested	13.8%
Received	95.8%
Gave Away	53.2%

Estimated Community Harvest and Take (Expanded):

Total Number Harvested	10.6
Total Number Struck and Lost	0.0
Total Number Taken	10.6
Number Harvested Per Capita	0.03

HARBOR SEAL AND SPOTTED SEAL HARVEST BY SEASON

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Unknown Month	Total
	REPORTED HARVEST AND TAKE BY SAMPLED HOUSEHOLDS (UNEXPANDED)													
Harvest	0	1	3	0	1	0	0	2	0	0	0	0	0	7
Struck and Lost	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Total Take	0	1	3	0	1	0	0	2	0	0	0	0	0	7
ESTIMATED HARVEST AND TAKE BY COMMUNITY (EXPANDED)														
Harvest	0.0	2.2	4.2	0.0	1.0	0.0	0.0	3.2	0.0	0.0	0.0	0.0	0.0	10.6
Struck and Lost	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total Take	0.0	2.2	4.2	0.0	1.0	0.0	0.0	3.2	0.0	0.0	0.0	0.0	0.0	10.6
ESTIMATED SEASONALLY ADJUSTED HARVEST AND TAKE BY COMMUNITY (EXPANDED)														
Harvest	0.0	2.2	4.2	0.0	1.0	0.0	0.0	3.2	0.0	0.0	0.0	0.0	0.0	10.6
Struck and Lost	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total Take	0.0	2.2	4.2	0.0	1.0	0.0	0.0	3.2	0.0	0.0	0.0	0.0	0.0	10.6
Total Take (%)	0.0%	20.8%	39.6%	0.0%	9.4%	0.0%	0.0%	30.2%	0.0%	0.0%	0.0%	0.0%	0.0%	100%
Cumulative Take	0.0	2.2	6.4	6.4	7.4	7.4	7.4	10.6	10.6	10.6	10.6	10.6	10.6	
Cum. Take (%)	0.0%	20.8%	60.4%	60.4%	69.8%	69.8%	69.8%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	


HARBOR SEAL AND SPOTTED SEAL HARVEST BY AGE AND SEX

	Reported		Estimated	
	By Sample (Unexpanded)	Percent	By Community (Expanded)	Percent
Adult Male	4	57.1%	7.6	71.7%
Adult Female	0	0.0%	0.0	0.0%
Adult Unknown Sex	0	0.0%	0.0	0.0%
Juvenile Male	2	28.6%	2.0	18.9%
Juvenile Female	0	0.0%	0.0	0.0%
Juvenile Unknown Sex	0	0.0%	0.0	0.0%
Pup Male	1	14.3%	1.0	9.4%
Pup Female	0	0.0%	0.0	0.0%
Pup Unknown Sex	0	0.0%	0.0	0.0%
Male Unknown Age	0	0.0%	0.0	0.0%
Female Unknown Age	0	0.0%	0.0	0.0%
Unknown Sex and Age	0	0.0%	0.0	0.0%
Total	7	100.0%	10.6	100.0%


SOURCE: Alaska Department of Fish and Game, Division of Subsistence, Subsistence Study and Monitor System for Sea Lions and Harbor Seals in Alaska, with assistance from the Manokotak Traditional Council, 1994.

FIGURE 124. HARBOR SEAL AND SPOTTED SEAL TAKE ESTIMATES: MANOKOTAK, 1993


A. Percentage Seasonally Adjusted Take By Month



B. Seasonally Adjusted Take By Month



C. Cumulative Seasonally Adjusted Take By Month



SOURCE: Alaska Department of Fish and Game, Division of Subsistence, Subsistence Study and Monitor System for Sea Lions and Harbor Seals in Alaska, with assistance from the Manokotak Traditional Council, 1994.

TABLE 125. HARBOR SEAL (*Phoca vitulina*) HARVEST AND TAKE ESTIMATES: MANOKOTAK, 1993

SAMPLING DESIGN: TWO STRATA

	Active	Other	Total
Total Native Households	11	66	77
Surveyed Households	11	30	41
Sampling Fraction	100.0%	45.5%	53.2%
Sample Household Members	56	140	196
Estimated Household Members	56.0	308.0	364.0

ISSURIQ HARVEST AND USE INFORMATION

Percent Of Native Households:

Used	100.0%
Hunted	26.5%
Harvested	13.8%
Received	95.8%
Gave Away	53.2%

HARBOR SEAL HARVEST INFORMATION

Estimated Community Harvest and Take (Expanded):

Total Number Harvested	3.2
Total Number Struck and Lost	0.0
Total Number Taken	3.2
Number Harvested Per Capita	0.01

HARBOR SEAL HARVEST BY SEASON

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Unknown Month	Total
REPORTED HARVEST AND TAKE BY SAMPLED HOUSEHOLDS (UNEXPANDED)														
Harvest	0	0	0	0	0	0	0	2	0	0	0	0	0	2
Struck and Lost	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Total Take	0	0	0	0	0	0	0	2	0	0	0	0	0	2
ESTIMATED HARVEST AND TAKE BY COMMUNITY (EXPANDED)														
Harvest	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.2	0.0	0.0	0.0	0.0	0.0	3.2
Struck and Lost	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total Take	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.2	0.0	0.0	0.0	0.0	0.0	3.2
ESTIMATED SEASONALLY ADJUSTED HARVEST AND TAKE BY COMMUNITY (EXPANDED)														
Harvest	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.2	0.0	0.0	0.0	0.0	0.0	3.2
Struck and Lost	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total Take	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.2	0.0	0.0	0.0	0.0	0.0	3.2
Total Take (%)	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	100%
Cumulative Take	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.2	3.2	3.2	3.2	3.2	3.2	
Cum. Take (%)	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	


HARBOR SEAL HARVEST BY AGE AND SEX

	Reported By Sample (Unexpanded)	Percent	Estimated By Community (Expanded)	Percent
Adult Male	1	50.0%	2.2	68.8%
Adult Female	0	0.0%	0.0	0.0%
Adult Unknown Sex	0	0.0%	0.0	0.0%
Juvenile Male	0	0.0%	0.0	0.0%
Juvenile Female	0	0.0%	0.0	0.0%
Juvenile Unknown Sex	0	0.0%	0.0	0.0%
Pup Male	1	50.0%	1.0	31.3%
Pup Female	0	0.0%	0.0	0.0%
Pup Unknown Sex	0	0.0%	0.0	0.0%
Male Unknown Age	0	0.0%	0.0	0.0%
Female Unknown Age	0	0.0%	0.0	0.0%
Unknown Sex and Age	0	0.0%	0.0	0.0%
Total	2	100.0%	3.2	100.0%


SOURCE: Alaska Department of Fish and Game, Division of Subsistence, Subsistence Study and Monitor System for Sea Lions and Harbor Seals in Alaska, with assistance from the Manokotak Traditional Council, 1994.

FIGURE 125. HARBOR SEAL (*Phoca vitulina*) TAKE ESTIMATES: MANOKOTAK, 1993


A. Percentage Seasonally Adjusted Take By Month



B. Seasonally Adjusted Take By Month



C. Cumulative Seasonally Adjusted Take By Month



SOURCE: Alaska Department of Fish and Game, Division of Subsistence, Subsistence Study and Monitor System for Sea Lions and Harbor Seals in Alaska, with assistance from the Manokotak Traditional Council, 1994.

TABLE 126. SPOTTED SEAL (*Phoca largha*) HARVEST AND TAKE ESTIMATES: MANOKOTAK, 1993

SAMPLING DESIGN: TWO STRATA

	Active	Other	Total
Total Native Households	11	66	77
Surveyed Households	11	30	41
Sampling Fraction	100.0%	45.5%	53.2%
Sample Household Members	58	140	196
Estimated Household Members	56.0	308.0	364.0

ISSURIQ HARVEST AND USE INFORMATION

Percent Of Native Households:

Used	100.0%
Hunted	26.5%
Harvested	13.8%
Received	95.8%
Gave Away	53.2%

SPOTTED SEAL HARVEST INFORMATION

Estimated Community Harvest and Take (Expanded):

Total Number Harvested	7.4
Total Number Struck and Lost	0.0
Total Number Taken	7.4
Number Harvested Per Capita	0.02

	SPOTTED SEAL HARVEST BY SEASON												Unknown Month	Total
	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec		
REPORTED HARVEST AND TAKE BY SAMPLED HOUSEHOLDS (UNEXPANDED)														
Harvest	0	1	3	0	1	0	0	0	0	0	0	0	0	5
Struck and Lost	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Total Take	0	1	3	0	1	0	0	0	0	0	0	0	0	5
ESTIMATED HARVEST AND TAKE BY COMMUNITY (EXPANDED)														
Harvest	0.0	2.2	4.2	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7.4
Struck and Lost	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total Take	0.0	2.2	4.2	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7.4
ESTIMATED SEASONALLY ADJUSTED HARVEST AND TAKE BY COMMUNITY (EXPANDED)														
Harvest	0.0	2.2	4.2	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7.4
Struck and Lost	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total Take	0.0	2.2	4.2	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7.4
Total Take (%)	0.0%	29.7%	56.8%	0.0%	13.5%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	100%
Cumulative Take	0.0	2.2	6.4	6.4	7.4	7.4	7.4	7.4	7.4	7.4	7.4	7.4	7.4	
Cum. Take (%)	0.0%	29.7%	86.5%	86.5%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	


SPOTTED SEAL HARVEST BY AGE AND SEX

	Reported		Estimated	
	By Sample (Unexpanded)	Percent	By Community (Expanded)	Percent
Adult Male	3	60.0%	5.4	73.0%
Adult Female	0	0.0%	0.0	0.0%
Adult Unknown Sex	0	0.0%	0.0	0.0%
Juvenile Male	2	40.0%	2.0	27.0%
Juvenile Female	0	0.0%	0.0	0.0%
Juvenile Unknown Sex	0	0.0%	0.0	0.0%
Pup Male	0	0.0%	0.0	0.0%
Pup Female	0	0.0%	0.0	0.0%
Pup Unknown Sex	0	0.0%	0.0	0.0%
Male Unknown Age	0	0.0%	0.0	0.0%
Female Unknown Age	0	0.0%	0.0	0.0%
Unknown Sex and Age	0	0.0%	0.0	0.0%
Total	5	100.0%	7.4	100.0%


SOURCE: Alaska Department of Fish and Game, Division of Subsistence, Subsistence Study and Monitor System for Sea Lions and Harbor Seals in Alaska, with assistance from the Manokotak Traditional Council, 1994.

FIGURE 126. SPOTTED SEAL (*Phoca largha*) TAKE ESTIMATES: MANOKOTAK, 1993


A. Percentage Seasonally Adjusted Take By Month



B. Seasonally Adjusted Take By Month



C. Cumulative Seasonally Adjusted Take By Month



SOURCE: Alaska Department of Fish and Game, Division of Subsistence, Subsistence Study and Monitor System for Sea Lions and Harbor Seals in Alaska, with assistance from the Manokotak Traditional Council, 1994.

TABLE 127. SEA LION (*Eumetopias jubatus*) HARVEST AND TAKE ESTIMATES: TOGIAK, 1993

SAMPLING DESIGN: TWO STRATA

	Active	Other	Total
Total Native Households	36	80	116
Surveyed Households	33	34	67
Sampling Fraction	91.7%	42.5%	57.8%
Sample Household Members	159	162	321
Estimated Household Members	173.5	381.2	554.6

SEA LION HARVEST AND USE INFORMATION

Percent Of Native Households:

Used	5.6%
Hunted	2.8%
Harvested	1.9%
Received	4.7%
Gave Away	0.9%

Estimated Community Harvest and Take (Expanded):

Total Number Harvested	3.3
Total Number Struck and Lost	3.3
Total Number Taken	6.5
Number Harvested Per Capita	0.01

SEA LION HARVEST BY SEASON

													Unknown	Total
	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Month	
REPORTED HARVEST AND TAKE BY SAMPLED HOUSEHOLDS (UNEXPANDED)														
Harvest	0	0	0	0	0	1	0	0	1	1	0	0	0	3
Struck and Lost	0	0	0	0	1	0	0	0	0	1	0	0	1	3
Total Take	0	0	0	0	1	1	0	0	1	2	0	0	1	6
ESTIMATED HARVEST AND TAKE BY COMMUNITY (EXPANDED)														
Harvest	0.0	0.0	0.0	0.0	0.0	1.1	0.0	0.0	1.1	1.1	0.0	0.0	0.0	3.3
Struck and Lost	0.0	0.0	0.0	0.0	1.1	0.0	0.0	0.0	0.0	1.1	0.0	0.0	1.1	3.3
Total Take	0.0	0.0	0.0	0.0	1.1	1.1	0.0	0.0	1.1	2.2	0.0	0.0	1.1	6.5
ESTIMATED SEASONALLY ADJUSTED HARVEST AND TAKE BY COMMUNITY (EXPANDED)														
Harvest	0.0	0.0	0.0	0.0	0.0	1.1	0.0	0.0	1.1	1.1	0.0	0.0		3.3
Struck and Lost	0.0	0.0	0.0	0.0	1.6	0.0	0.0	0.0	0.0	1.6	0.0	0.0		3.3
Total Take	0.0	0.0	0.0	0.0	1.6	1.1	0.0	0.0	1.1	2.7	0.0	0.0		6.5
Total Take (%)	0.0%	0.0%	0.0%	0.0%	25.0%	16.7%	0.0%	0.0%	16.7%	41.7%	0.0%	0.0%		100%
Cumulative Take	0.0	0.0	0.0	0.0	1.6	2.7	2.7	2.7	3.8	6.5	6.5	6.5		
Cum. Take (%)	0.0%	0.0%	0.0%	0.0%	25.0%	41.7%	41.7%	41.7%	58.3%	100.0%	100.0%	100.0%		


SEA LION HARVEST BY AGE AND SEX

	Reported		Estimated	
	By Sample (Unexpanded)	Percent	By Community (Expanded)	Percent
Adult Male	0	0.0%	0.0	0.0%
Adult Female	0	0.0%	0.0	0.0%
Adult Unknown Sex	1	33.3%	1.1	33.3%
Juvenile Male	1	33.3%	1.1	33.3%
Juvenile Female	0	0.0%	0.0	0.0%
Juvenile Unknown Sex	1	33.3%	1.1	33.3%
Pup Male	0	0.0%	0.0	0.0%
Pup Female	0	0.0%	0.0	0.0%
Pup Unknown Sex	0	0.0%	0.0	0.0%
Male Unknown Age	0	0.0%	0.0	0.0%
Female Unknown Age	0	0.0%	0.0	0.0%
Unknown Sex and Age	0	0.0%	0.0	0.0%
Total	3	100.0%	3.3	100.0%


SOURCE: Alaska Department of Fish and Game, Division of Subsistence, Subsistence Study and Monitor System for Sea Lions and Harbor Seals in Alaska, with assistance from the Togiak Traditional Council, 1994.

FIGURE 127. SEA LION (*Eumetopias jubatus*) TAKE ESTIMATES: TOGIAK, 1993


A. Percentage Seasonally Adjusted Take By Month



B. Seasonally Adjusted Take By Month



C. Cumulative Seasonally Adjusted Take By Month



SOURCE: Alaska Department of Fish and Game, Division of Subsistence, Subsistence Study and Monitor System for Sea Lions and Harbor Seals in Alaska, with assistance from the Togiak Traditional Council, 1994.

TABLE 128. HARBOR SEAL AND SPOTTED SEAL HARVEST AND TAKE ESTIMATES: TOGIAK, 1993

SAMPLING DESIGN: TWO STRATA

	Active	Other	Total
Total Native Households	36	80	116
Surveyed Households	33	34	67
Sampling Fraction	91.7%	42.5%	57.8%
Sample Household Members	159	162	321
Estimated Household Members	173.5	381.2	554.6

HARBOR SEAL AND SPOTTED SEAL HARVEST AND USE INFORMATION

<i>Percent Of Native Households:</i>		<i>Estimated Community Harvest and Take (Expanded):</i>	
Used	72.2%	Total Number Harvested	199.6
Hunted	61.3%	Total Number Struck and Lost	64.9
Harvested	49.2%	Total Number Taken	264.5
Received	54.4%	Number Harvested Per Capita	0.36
Gave Away	43.1%		

HARBOR SEAL AND SPOTTED SEAL HARVEST BY SEASON

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Unknown Month	Total
REPORTED HARVEST AND TAKE BY SAMPLED HOUSEHOLDS (UNEXPANDED)														
Harvest	6	8	18	21	30	4	0	4	9	10	17	12	0	139
Struck and Lost	0	1	3	1	5	1	0	2	7	10	6	3	2	41
Total Take	6	9	21	22	35	5	0	6	16	20	23	15	2	180
ESTIMATED HARVEST AND TAKE BY COMMUNITY (EXPANDED)														
Harvest	10.3	10.0	23.4	26.7	45.3	5.6	0.0	6.9	12.3	13.4	27.4	18.1	0.0	199.6
Struck and Lost	0.0	1.1	3.3	1.1	8.0	1.1	0.0	3.4	10.2	16.0	11.6	4.5	4.7	64.9
Total Take	10.3	11.1	26.7	27.8	53.3	6.7	0.0	10.3	22.5	29.4	39.0	22.7	4.7	264.5
ESTIMATED SEASONALLY ADJUSTED HARVEST AND TAKE BY COMMUNITY (EXPANDED)														
Harvest	10.3	10.0	23.4	26.7	45.3	5.6	0.0	6.9	12.3	13.4	27.4	18.1		199.6
Struck and Lost	0.0	1.2	3.5	1.2	8.6	1.2	0.0	3.7	11.0	17.2	12.5	4.9		64.9
Total Take	10.3	11.2	27.0	27.9	54.0	6.8	0.0	10.6	23.3	30.6	39.9	23.0		264.5
Total Take (%)	3.9%	4.2%	10.2%	10.5%	20.4%	2.6%	0.0%	4.0%	8.8%	11.6%	15.1%	8.7%		100%
Cumulative Take	10.3	21.5	48.4	76.3	130.3	137.1	137.1	147.7	171.0	201.6	241.5	264.5		
Cum. Take (%)	3.9%	8.1%	18.3%	28.9%	49.2%	51.8%	51.8%	55.8%	64.6%	76.2%	91.3%	100.0%		


HARBOR SEAL AND SPOTTED SEAL HARVEST BY AGE AND SEX

	Reported		Estimated	
	By Sample (Unexpanded)	Percent	By Community (Expanded)	Percent
Adult Male	35	25.2%	50.8	25.5%
Adult Female	14	10.1%	19.1	9.5%
Adult Unknown Sex	46	33.1%	71.6	35.9%
Juvenile Male	10	7.2%	14.7	7.4%
Juvenile Female	9	6.5%	12.3	6.2%
Juvenile Unknown Sex	20	14.4%	24.3	12.2%
Pup Male	1	0.7%	2.4	1.2%
Pup Female	0	0.0%	0.0	0.0%
Pup Unknown Sex	4	2.9%	4.4	2.2%
Male Unknown Age	0	0.0%	0.0	0.0%
Female Unknown Age	0	0.0%	0.0	0.0%
Unknown Sex and Age	0	0.0%	0.0	0.0%
Total	139	100.0%	199.6	100.0%


SOURCE: Alaska Department of Fish and Game, Division of Subsistence, Subsistence Study and Monitor System for Sea Lions and Harbor Seals in Alaska, with assistance from the Togiak Traditional Council, 1994.

FIGURE 128. HARBOR SEAL AND SPOTTED SEAL (*Phoca vitulina*) TAKE ESTIMATES: TOGIAK, 1993


A. Percentage Seasonally Adjusted Take By Month



B. Seasonally Adjusted Take By Month



C. Cumulative Seasonally Adjusted Take By Month



SOURCE: Alaska Department of Fish and Game, Division of Subsistence. Subsistence Study and Monitor System for Sea Lions and Harbor Seals in Alaska, with assistance from the Togiak Traditional Council, 1994.

TABLE 129. HARBOR SEAL (*Phoca vitulina*) HARVEST AND TAKE ESTIMATES: TOGIAC, 1993

SAMPLING DESIGN: TWO STRATA

	Active	Other	Total
Total Native Households	36	80	116
Surveyed Households	33	34	67
Sampling Fraction	91.7%	42.5%	57.8%
Sample Household Members	159	182	321
Estimated Household Members	173.5	381.2	554.6

ISSURIQ HARVEST AND USE INFORMATION

Percent Of Native Households:

Used	72.2%
Hunted	61.3%
Harvested	49.2%
Received	54.4%
Gave Away	43.1%

HARBOR SEAL HARVEST INFORMATION

Estimated Community Harvest and Take (Expanded):

Total Number Harvested	24.9
Total Number Struck and Lost	14.7
Total Number Taken	39.6
Number Harvested Per Capita	0.04

HARBOR SEAL HARVEST BY SEASON

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Unknown Month	Total
REPORTED HARVEST AND TAKE BY SAMPLED HOUSEHOLDS (UNEXPANDED)														
Harvest	0	0	0	0	0	4	0	4	9	0	0	0	0	17
Struck and Lost	0	0	0	0	0	1	0	2	7	0	0	0	0	10
Total Take	0	0	0	0	0	5	0	6	16	0	0	0	0	27
ESTIMATED HARVEST AND TAKE BY COMMUNITY (EXPANDED)														
Harvest	0.0	0.0	0.0	0.0	0.0	5.6	0.0	6.9	12.3	0.0	0.0	0.0	0.0	24.9
Struck and Lost	0.0	0.0	0.0	0.0	0.0	1.1	0.0	3.4	10.2	0.0	0.0	0.0	0.0	14.7
Total Take	0.0	0.0	0.0	0.0	0.0	6.7	0.0	10.3	22.5	0.0	0.0	0.0	0.0	39.6
ESTIMATED SEASONALLY ADJUSTED HARVEST AND TAKE BY COMMUNITY (EXPANDED)														
Harvest	0.0	0.0	0.0	0.0	0.0	5.6	0.0	6.9	12.3	0.0	0.0	0.0	0.0	24.9
Struck and Lost	0.0	0.0	0.0	0.0	0.0	1.1	0.0	3.4	10.2	0.0	0.0	0.0	0.0	14.7
Total Take	0.0	0.0	0.0	0.0	0.0	6.7	0.0	10.3	22.5	0.0	0.0	0.0	0.0	39.6
Total Take (%)	0.0%	0.0%	0.0%	0.0%	0.0%	17.0%	0.0%	26.1%	56.9%	0.0%	0.0%	0.0%	0.0%	100%
Cumulative Take	0.0	0.0	0.0	0.0	0.0	6.7	6.7	17.0	39.6	39.6	39.6	39.6	39.6	
Cum. Take (%)	0.0%	0.0%	0.0%	0.0%	0.0%	17.0%	17.0%	43.1%	100.0%	100.0%	100.0%	100.0%	100.0%	


HARBOR SEAL HARVEST BY AGE AND SEX

	Reported		Estimated	
	By Sample (Unexpanded)	Percent	By Community (Expanded)	Percent
Adult Male	2	11.8%	4.7	18.9%
Adult Female	2	11.8%	2.2	8.8%
Adult Unknown Sex	8	47.1%	10.0	40.2%
Juvenile Male	3	17.6%	4.5	18.2%
Juvenile Female	1	5.9%	2.4	9.5%
Juvenile Unknown Sex	1	5.9%	1.1	4.4%
Pup Male	0	0.0%	0.0	0.0%
Pup Female	0	0.0%	0.0	0.0%
Pup Unknown Sex	0	0.0%	0.0	0.0%
Male Unknown Age	0	0.0%	0.0	0.0%
Female Unknown Age	0	0.0%	0.0	0.0%
Unknown Sex and Age	0	0.0%	0.0	0.0%
Total	17	100.0%	24.9	100.0%


SOURCE: Alaska Department of Fish and Game, Division of Subsistence, Subsistence Study and Monitor System for Sea Lions and Harbor Seals in Alaska, with assistance from the Togiak Traditional Council, 1994.

FIGURE 129. HARBOR SEAL (*Phoca vitulina*) TAKE ESTIMATES: TOGIAK, 1993


A. Percentage Seasonally Adjusted Take By Month



B. Seasonally Adjusted Take By Month



C. Cumulative Seasonally Adjusted Take By Month



SOURCE: Alaska Department of Fish and Game, Division of Subsistence, Subsistence Study and Monitor System for Sea Lions and Harbor Seals in Alaska, with assistance from the Togiak Traditional Council, 1994.

TABLE 130. SPOTTED SEAL (*Phoca largha*) HARVEST AND TAKE ESTIMATES: TOGIK, 1993

SAMPLING DESIGN: TWO STRATA

	Active	Other	Total
Total Native Households	38	80	116
Surveyed Households	33	34	67
Sampling Fraction	91.7%	42.5%	57.8%
Sample Household Members	159	162	321
Estimated Household Members	173.5	381.2	554.6

ISSURIQ HARVEST AND USE INFORMATION

Percent Of Native Households:

Used	72.2%
Hunted	61.3%
Harvested	49.2%
Received	54.4%
Gave Away	43.1%

SPOTTED SEAL HARVEST INFORMATION

Estimated Community Harvest and Take (Expanded):

Total Number Harvested	174.7
Total Number Struck and Lost	50.2
Total Number Taken	225.0
Number Harvested Per Capita	0.32

SPOTTED SEAL HARVEST BY SEASON

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Unknown Month	Total
REPORTED HARVEST AND TAKE BY SAMPLED HOUSEHOLDS (UNEXPANDED)														
Harvest	6	8	18	21	30	0	0	0	0	10	17	12	0	122
Struck and Lost	0	1	3	1	5	0	0	0	0	10	6	3	2	31
Total Take	6	9	21	22	35	0	0	0	0	20	23	15	2	153
ESTIMATED HARVEST AND TAKE BY COMMUNITY (EXPANDED)														
Harvest	10.3	10.0	23.4	26.7	45.3	0.0	0.0	0.0	0.0	13.4	27.4	18.1	0.0	174.7
Struck and Lost	0.0	1.1	3.3	1.1	8.0	0.0	0.0	0.0	0.0	16.0	11.6	4.5	4.7	50.2
Total Take	10.3	11.1	26.7	27.8	53.3	0.0	0.0	0.0	0.0	29.4	39.0	22.7	4.7	225.0
ESTIMATED SEASONALLY ADJUSTED HARVEST AND TAKE BY COMMUNITY (EXPANDED)														
Harvest	10.3	10.0	23.4	26.7	45.3	0.0	0.0	0.0	0.0	13.4	27.4	18.1		174.7
Struck and Lost	0.0	1.2	3.6	1.2	8.8	0.0	0.0	0.0	0.0	17.6	12.8	5.0		50.2
Total Take	10.3	11.2	27.0	27.9	54.2	0.0	0.0	0.0	0.0	31.0	40.2	23.1		225.0
Total Take (%)	4.6%	5.0%	12.0%	12.4%	24.1%	0.0%	0.0%	0.0%	0.0%	13.8%	17.9%	10.3%		100%
Cumulative Take	10.3	21.5	48.8	76.5	130.6	130.6	130.6	130.6	130.6	161.6	201.8	225.0		
Cum. Take (%)	4.6%	9.6%	21.6%	34.0%	58.1%	58.1%	58.1%	58.1%	58.1%	71.9%	89.7%	100.0%		


SPOTTED SEAL HARVEST BY AGE AND SEX

	Reported		Estimated	
	By Sample (Unexpanded)	Percent	By Community (Expanded)	Percent
Adult Male	33	27.0%	46.1	26.4%
Adult Female	12	9.8%	16.9	9.7%
Adult Unknown Sex	38	31.1%	61.6	35.3%
Juvenile Male	7	5.7%	10.2	5.8%
Juvenile Female	8	6.6%	10.0	5.7%
Juvenile Unknown Sex	19	15.6%	23.3	13.3%
Pup Male	1	0.8%	2.4	1.3%
Pup Female	0	0.0%	0.0	0.0%
Pup Unknown Sex	4	3.3%	4.4	2.5%
Male Unknown Age	0	0.0%	0.0	0.0%
Female Unknown Age	0	0.0%	0.0	0.0%
Unknown Sex and Age	0	0.0%	0.0	0.0%
Total	122	100.0%	174.7	100.0%


SOURCE: Alaska Department of Fish and Game, Division of Subsistence, Subsistence Study and Monitor System for Sea Lions and Harbor Seals in Alaska, with assistance from the Togiak Traditional Council, 1994.

FIGURE 130. SPOTTED SEAL (*Phoca largha*) TAKE ESTIMATES: TOGIAK, 1993


A. Percentage Seasonally Adjusted Take By Month



B. Seasonally Adjusted Take By Month



C. Cumulative Seasonally Adjusted Take By Month



SOURCE: Alaska Department of Fish and Game, Division of Subsistence, Subsistence Study and Monitor System for Sea Lions and Harbor Seals in Alaska, with assistance from the Togiak Traditional Council, 1994.