Overview of the 2024 Southeast Alaska and Yakutat Commercial, Personal Use, and Subsistence Salmon Fisheries

by

Sara Conrad

and

Troy Thynes

April 2025

Alaska Department of Fish and Game

Divisions of Sport Fish and Commercial Fisheries



Symbols and Abbreviations

The following symbols and abbreviations, and others approved for the Système International d'Unités (SI), are used without definition in the following reports by the Divisions of Sport Fish and of Commercial Fisheries: Fishery Manuscripts, Fishery Data Series Reports, Fishery Management Reports, and Special Publications. All others, including deviations from definitions listed below, are noted in the text at first mention, as well as in the titles or footnotes of tables, and in figures or figure captions.

Weights and measures (metric)GeneralMathematics, statisticscentimetercmAlaska Administrativeall standard mathematicaldeciliterdLCodeAACsigns, symbols and abbreviationsgramgall commonly acceptedabbreviationshectarehaabbreviationse.g., Mr., Mrs., AM, PM, etc.alternate hypothesis H_A kilogramkgAM, PM, etc.base of natural logarithm catch per unit effort $CPUE$ literLprofessional titlese.g., Dr., Ph.D., R.N., etc.coefficient of variation CV metermR.N., etc.common test statistics (F, t, χ^2, t) millilitermLat $@$ confidence interval CI millimetermmcompass directions:correlation coefficienteastE(multiple)RWeights and measures (English)northNcorrelation coefficientcubic feet per second ft^3 /ssouthS(simple)rfootftwestWcovariancecov
$\begin{array}{cccccccccccccccccccccccccccccccccccc$
$\begin{array}{cccccccccccccccccccccccccccccccccccc$
hectare ha abbreviations e.g., Mr., Mrs., alternate hypothesis H_A kilogram kg all commonly accepted liter L professional titles e.g., Dr., Ph.D., coefficient of variation CV meter m R.N., etc. common test statistics $(F, t, \chi^2, millimeter)$ mm compass directions: correlation coefficient E mm compass directions: correlation coefficient E m E morth E makes E millies E makes E morth E more E morth E morth E morth E morth E morth E morth E
kilogram kg all commonly accepted kilometer km all commonly accepted liter L professional titles e.g., Dr., Ph.D., coefficient of variation CV meter m R.N., etc. common test statistics (F, t, χ^2, m) milliliter mL at @ confidence interval CI millimeter mm compass directions: correlation coefficient E (multiple) R E E (multiple) R E
kilometer km all commonly accepted liter L professional titles e.g., Dr., Ph.D., coefficient of variation CV meter m R.N., etc. common test statistics (F, t, χ^2, m) milliliter mL at @ confidence interval CI millimeter mm compass directions: correlation coefficient E morth E multiple) R E
liter L professional titles e.g., Dr., Ph.D., coefficient of variation CV meter m R.N., etc. common test statistics (F, t, χ^2, t) milliliter mL at @ confidence interval CI millimeter mm compass directions: correlation coefficient E (multiple) R E Weights and measures (English) north N correlation coefficient E cubic feet per second E E (simple) E
meter m R.N., etc. common test statistics $(F, t, \chi^2, milliliter)$ mL at @ confidence interval CI millimeter mm compass directions: correlation coefficient east E (multiple) R Weights and measures (English) north N correlation coefficient cubic feet per second ft west W covariance cov
milliliter mL at @ confidence interval CI millimeter mm compass directions: correlation coefficient east E (multiple) R Weights and measures (English) north N correlation coefficient cubic feet per second ft³/s south S (simple) r foot ft west W covariance cov
millimeter mm compass directions: correlation coefficient east E (multiple) R Weights and measures (English) north N correlation coefficient cubic feet per second ft south S (simple) r foot ft west W covariance cov
east E (multiple) R Weights and measures (English) north N correlation coefficient cubic feet per second ft 3 /s south S (simple) r foot ft west W covariance cov
Weights and measures (English) north N correlation coefficient cubic feet per second ft³/s south S (simple) r foot ft west W covariance cov
cubic feet per second ft ³ /s south S (simple) r foot ft west W covariance cov
foot ft west W covariance cov
1000 to to the time to the tim
gallon gal copyright © degree (angular) °
inch in corporate suffixes: degree (angular)
mile mi Company Co. expected value E
nautical mile nmi Corporation Corp. greater than
powing in the property of the
1
, ,
minute (ungular)
The supplier of the supplier o
The second secon
productive of a type I street
(-3
Physics and chemistry figures): first three hypothesis when true) α
all stomic graphels letters Ion Dag and Allie Service
all atomic symbols letters Jan,,Dec probability of a type II error
alternating current AC registered trademark ® (acceptance of the null
alternating current AC registered trademark $^{\mathbb{R}}$ (acceptance of the null ampere A trademark $^{\mathbb{T}M}$ hypothesis when false) β
alternating current AC registered trademark $^{\text{TM}}$ (acceptance of the null ampere A trademark $^{\text{TM}}$ hypothesis when false) $^{\text{TM}}$ calorie cal United States second (angular) $^{\text{TM}}$
alternating current AC registered trademark $^{\text{TM}}$ (acceptance of the null ampere A trademark $^{\text{TM}}$ hypothesis when false) $^{\text{R}}$ calorie cal United States second (angular) $^{\text{TM}}$ direct current DC (adjective) U.S. standard deviation SD
alternating current AC registered trademark $^{\text{TM}}$ (acceptance of the null ampere A trademark $^{\text{TM}}$ hypothesis when false) $^{\text{R}}$ calorie cal United States second (angular) $^{\text{TM}}$ direct current DC (adjective) U.S. standard deviation SD hertz United States of standard error SE
alternating current AC registered trademark $^{\mathbb{R}}$ (acceptance of the null ampere A trademark $^{\mathbb{T}M}$ hypothesis when false) $^{\mathbb{R}}$ calorie cal United States second (angular) $^{\mathbb{R}}$ direct current DC (adjective) U.S. standard deviation SD hertz Hz United States of standard error SE horsepower hp America (noun) USA variance
alternating current ampere A trademark ampere calorie direct current byte current byt current
alternating current ampere AC registered trademark $^{\text{TM}}$ $^{\text{M}}$ hypothesis when false) $^{\text{Calorie}}$ calorie cal United States calorie direct current DC (adjective) U.S. standard deviation SD hertz Hz United States of hypothesis when false) $^{\text{Calorie}}$ $^{\text{Calorie}}$ direct current DC (adjective) U.S. standard deviation SD hertz hydrogen ion activity (negative log of) parts per million ppm U.S. state
alternating current ampere A trademark Calorie Calori
alternating current alternating current ampere A trademark $^{\otimes}$ (acceptance of the null ampere cal United States second (angular) " direct current DC (adjective) U.S. standard deviation SD hertz Hz United States of standard error SE horsepower hp America (noun) USA variance hydrogen ion activity pH U.S.C. United States population Var (negative log of) parts per million ppm U.S. state use two-letter abbreviations (e.g., AK, WA)
alternating current ampere A trademark Calorie Calori

FISHERY MANAGEMENT REPORT NO. 25-13

OVERVIEW OF THE 2024 SOUTHEAST ALASKA AND YAKUTAT COMMERCIAL, PERSONAL USE, AND SUBSISTENCE SALMON FISHERIES

by
Sara Conrad
Alaska Department of Fish and Game, Division of Commercial Fisheries, Douglas

and

Troy Thynes
Alaska Department of Fish and Game, Division of Commercial Fisheries, Petersburg

Alaska Department of Fish and Game Division of Sport Fish, Research and Technical Services 333 Raspberry Road, Anchorage, Alaska, 99518-1565

April 2025

The Fishery Management Report series was established in 1989 by the Division of Sport Fish for the publication of an overview of management activities and goals in a specific geographic area, and became a joint divisional series in 2004 with the Division of Commercial Fisheries. Fishery Management Reports are intended for fishery and other technical professionals, as well as lay persons. Fishery Management Reports are available through the Alaska State Library and on the Internet: http://www.adfg.alaska.gov/sf/publications/. This publication has undergone regional peer review.

Product names used in this publication are included for completeness and do not constitute product endorsement. The Alaska Department of Fish and Game does not endorse or recommend any specific company or their products.

Sara Conrad Alaska Department of Fish and Game, Division of Commercial Fisheries 802 3rd Street Douglas, AK 99811

and

Troy Thynes Alaska Department of Fish and Game, Division of Commercial Fisheries 16 Sing Lee Alley Petersburg, AK 99835

This document should be cited as follows:

Conrad, S., and T. Thynes. 2025. Overview of the 2024 Southeast Alaska and Yakutat commercial, personal use, and subsistence salmon fisheries. Alaska Department of Fish and Game, Fishery Management Report No. 25-13, Anchorage.

The Alaska Department of Fish and Game (ADF&G) administers all programs and activities free from discrimination based on race, color, national origin, age, sex, religion, marital status, pregnancy, parenthood, or disability. The department administers all programs and activities in compliance with Title VI of the Civil Rights Act of 1964, Section 504 of the Rehabilitation Act of 1973, Title II of the Americans with Disabilities Act (ADA) of 1990, the Age Discrimination Act of 1975, and Title IX of the Education Amendments of 1972.

If you believe you have been discriminated against in any program, activity, or facility please write:

ADF&G ADA Coordinator, P.O. Box 115526, Juneau, AK 99811-5526 U.S. Fish and Wildlife Service, 4401 N. Fairfax Drive, MS 2042, Arlington, VA 22203 Office of Equal Opportunity, U.S. Department of the Interior, 1849 C Street NW MS 5230, Washington DC 20240

The department's ADA Coordinator can be reached via phone at the following numbers:

(VOICE) 907-465-6077, (Statewide Telecommunication Device for the Deaf) 1-800-478-3648, (Juneau TDD) 907-465-3646, or (FAX) 907-465-6078

For information on alternative formats and questions on this publication, please contact:

ADF&G Division of Sport Fish, Research and Technical Services, 333 Raspberry Road, Anchorage AK 99518 (907) 267-2517.

TABLE OF CONTENTS

	P	age
LIST O	F TABLES	i
LIST O	F FIGURES	ii
ABSTR	ACT	1
INTRO	DUCTION	1
SOUTH	IEAST ALASKA/YAKUTAT REGION	1
FISHER	RIES MANAGEMENT ORGANIZATION	1
FISHER	RY CHARACTERISTICS	2
2024 HI	ISTORICAL COMPARISON	2
FISHER	RY PARTICIPATION	4
	ALMON HARVEST	
	EST BY GEAR TYPE	
	SEL VALUE	
	STENCE AND PERSONAL USE SALMON FISHERIES	_
	ENCES CITED	
	S AND FIGURES	
Table	LIST OF TABLES	яσе
Table		age
1.	Region 1 annual total commercial salmon harvest in numbers and percentages of the total by species, 1962–2024.	8
2.	Southeast Alaska annual commercial total salmon harvest by harvest type, in numbers and percent, 1962–2024	
3.	Southeast Alaska annual commercial Chinook salmon harvest by harvest type, in numbers and percent, 1962–2024.	
4.	Southeast Alaska annual commercial total sockeye salmon harvest by harvest type, in numbers and percent, 1962–2024.	14
5.	Southeast Alaska annual commercial total coho salmon harvest by harvest type, in numbers and percent, 1962–2024.	16
6.	Southeast Alaska annual commercial total pink salmon harvest by harvest type, in numbers and percent, 1962–2024.	18
7.	Southeast Alaska annual commercial total chum salmon harvest by harvest type, in numbers and percent, 1962–2024.	20
8.	Number of active limited entry and interim use permits issued and fished in Southeast Alaska fisheries, 1975–2024.	
9.	Southeast Alaska commercial salmon harvest, in numbers, by harvest type and fishery, 2024	
10.	Southeast Alaska estimated exvessel value, harvest, average weight, and price paid per pound by gear and species, 2024	24
11.	Southeast Alaska annual salmon exvessel value estimates from Commercial Fisheries Entry	
12.	Commission and fish ticket data by gear group, 1976–2024	25
14.	Southeast Maska samon subsistence personal use effort and nativest by species, 1703–2024	20

LIST OF FIGURES

Figure		Page
	Southeast Alaska consists of Alaska waters between Cape Suckling on the north and Dixon Entrance on the south.	27
2.	Boundaries for regulatory Districts 1 to 16, as well as Dixon Entrance District, within Southeast	
	Alaska	28
3.	Boundaries for Yakutat and Yakataga regulatory Districts within the Yakutat management area	29
	Southeast Alaska historical salmon harvest and recent 10-year average harvest, 1878–2024	
5.	Southeast Alaska historical salmon harvest by species and season, 1878–2024.	31
6.	Southeast Alaska total commercial exvessel value by gear type and season from Commercial Fisheries	8
	Entry Commission and fish ticket data, and number of salmon harvested by season, 1976–2024	32
7.	Number of fish harvested by species and effort in the Southeast Alaska subsistence/personal use	
	fishery, 1989–2024	33

ABSTRACT

This report summarizes Southeast Alaska and Yakutat commercial, personal use, and subsistence salmon fisheries for the 2024 season. Historical harvests are provided for comparison. Total commercial harvest in 2024 was 38.2 million salmon with an estimated exvessel value of \$104.3 million. Harvest by species in 2024 included 206,000 Chinook *Oncorhynchus tshawytscha*, 796,000 sockeye *O. nerka*, 1.4 million coho *O. kisutch*, 20.1 million pink *O. gorbuscha*, and 15.7 million chum *O. keta* salmon. In the purse seine fishery, 197 permit holders harvested 24.8 million salmon, including 18.4 million pink and 5.8 million chum salmon. In the drift gillnet fishery, 167 permit holders harvested 4.5 million salmon, including 3.9 million chum, 142,000 pink, 250,000 sockeye, 221,000 coho, and 12,000 Chinook salmon. In the troll fishery, 520 power troll and 139 hand troll permit holders (659 total permits) harvested 151,000 Chinook, 579,000 coho, and 821,000 chum salmon. In the set gillnet fishery, 77 permit holders harvested 58,000 sockeye and 110,000 coho salmon. Hatchery organizations harvested a total of 5.3 million salmon for cost recovery, including 4.6 million chum salmon. In the 2024 subsistence and personal use fisheries, 2,815 household permits were issued for fishing in Southeast Alaska and Yakutat; reported 2024 harvest to date is 27,700 salmon.

Keywords: Southeast Alaska, Yakutat, 2024 season, commercial fisheries, personal use fisheries, subsistence fisheries, Chinook salmon *Oncorhynchus tshawytscha*, sockeye salmon *Oncorhynchus nerka*, coho salmon *Oncorhynchus kisutch*, pink salmon *Oncorhynchus gorbuscha*, chum salmon *Oncorhynchus keta*, exvessel value, permit holders, hatchery, purse seine, drift gillnet, power troll, hand troll, set gillnet

INTRODUCTION

This report is an overview of the commercial and subsistence/personal use salmon fisheries in the Southeast Alaska and Yakutat Region (Region 1) for the 2024 season. Separate annual management reports will be issued providing more detailed summaries of the 2024 Region 1 salmon troll fishery, set gillnet fishery, and the purse seine and drift gillnet fisheries.

SOUTHEAST ALASKA AND YAKUTAT REGION

Fisheries management in the State of Alaska is divided among 4 large geographical regions: Southeast/Yakutat, Central, Westward, and Arctic-Yukon-Kuskokwim. Region 1 consists of Alaska waters between Cape Suckling on the north and Dixon Entrance on the south (Figure 1). Region 1 is divided into 2 salmon net registration areas. Registration Area A, the Southeast Alaska area, extends from Dixon Entrance to Cape Fairweather. The Southeast Alaska area is divided into 17 regulatory districts, Districts 1 through 16 and the Dixon Entrance District (Figure 2). Some Registration Area A districts are further divided into sections by regulation. Registration Area D, the Yakutat area, extends from Cape Fairweather to Cape Suckling. The Yakutat area is further divided into the Yakutat District, extending from Cape Fairweather to Icy Cape, and the Yakataga District, extending westward from Icy Cape to Cape Suckling (Figure 3).

For management and administrative purposes, Region 1 is divided into 6 management areas with offices located in Juneau, Ketchikan/Craig, Petersburg, Sitka, Haines, and Yakutat. Offices in Craig and Yakutat are seasonally staffed and other offices are open all year.

FISHERIES MANAGEMENT ORGANIZATION

Management of Region 1 salmon fisheries is provided by area management biologists, regional management biologists, and their staff. There are 6 area management biologists, corresponding with each area office. Management biologists with area responsibilities oversee the commercial salmon net fisheries (purse seine, drift gillnet, and set gillnet), herring fishery, shrimp fishery (pot gear), miscellaneous shellfish fisheries (dive fisheries), and the subsistence/personal use fisheries in their respective areas. Management biologists with regional responsibilities oversee the salmon troll, groundfish, crab, and shrimp beam trawl fisheries. There is a closely coordinated regional

management approach for every fishery due to the size of the region and the spatial and temporal movement of fish and fishers among the various management areas. Prior to each salmon season, the Alaska Department of Fish and Game (ADF&G) publishes detailed management plans that specify how that season's fisheries will be managed and contain information about expected returns. Inseason management actions specify times and areas of fishery openings and explain additional measures. These actions are implemented through emergency orders under authority delegated by the department commissioner to regional and area management biologists. Details of openings are announced in widely distributed department-issued advisory announcements. All landings of commercially harvested salmon are reported to the department on fish tickets by the initial buyers. Subsistence and personal use fisheries are managed under permit authority; a regional permit is issued online or in area offices. Permit conditions vary by management area. Harvests are reported online during or after the season or when permits are returned at the end of the season.

FISHERY CHARACTERISTICS

Salmon are commercially harvested in Southeast Alaska (Registration Area A) with purse seines and drift gillnets, in Yakutat (Registration Area D) with set gillnets, and in both areas with hand troll and power troll gear. The salmon net fisheries are confined to state waters. The troll fishery operates in both state waters and in the federal waters of the Exclusive Economic Zone. The use of floating fish traps is only allowed within the Annette Islands Reserve (AIR), established by Presidential Proclamation in 1916; however, there have been no reported fish trap harvests since 1993.

Region 1 salmon fisheries are complex due to the mixed stock and mixed species nature of the runs and different gear groups targeting the same stocks of fish. Because the region contains approximately 5,500 salmon-producing streams and tributaries of various productivity levels, it is impractical to apply stock-specific fisheries management for most stocks. Additionally, some salmon harvested in the region originate from other states (primarily Washington and Oregon) and Canada. Salmon fisheries are managed for sustained yield and allocated among users according to Alaska Board of Fisheries regulations and harvest-sharing provisions of the Pacific Salmon Treaty (PST) between the United States and Canada.

2024 HISTORICAL COMPARISON

Commercial utilization of Region 1 salmon resources began in the late 1870s (Figure 4). Until the early 1900s, sockeye salmon *Oncorhynchus nerka* was the primary species harvested (Figure 5). Pink salmon *O. gorbuscha* began to dominate the harvest in the early 1900s. During the past 10 years, pink salmon has composed 64% of the region's total salmon harvest (Table 1). The relative order of harvest (in numbers of fish) from highest to lowest is generally pink, chum *O. keta*, coho *O. kisutch*, sockeye, and Chinook *O. tshawytscha* salmon.

Region 1 salmon harvest peaked at over 60 million fish in the late 1930s and early 1940s and declined to historically low levels in the 1950s and early 1960s (Figure 4). During the middle to late 1960s, harvests increased, but in the early 1970s another decline in production occurred. From the early 1980s through the mid-2000s, salmon harvests increased substantially. Record harvests since statehood occurred during the 12-year period from 1993 through 2004 for Chinook (2004), sockeye (1993), coho (1994), and chum salmon (1996; Table 1). All-time record harvests dating back to 1878 were set for sockeye and Chinook salmon prior to statehood, with 3.5 million sockeye

salmon harvested in 1914 and 878,000 Chinook salmon harvested in 1937 (Byerly et al. 1999). The record harvest for coho salmon was 5.7 million fish in 1994; the record for chum salmon was 16.0 million fish in 1996; and the record pink salmon harvest was 94.8 million fish in 2013. The record regional total commercial harvest was set in 2013 at 112 million salmon. Within the most recent decade, harvests have fluctuated greatly. Because pink salmon are the most abundant species, downward harvest trends are in large part due to low even-year pink salmon runs that began in 2006. With the exception of 2019, odd-year harvests over the same period have been above the long-term average (1962–2023).

Salmon harvests since 1962 and average harvests by gear and harvest type are presented in Table 2. The various salmon fisheries in the region are well established, and the distribution of harvests among fisheries has changed little when comparing the recent 10-year average (2014–2023) or the long-term average since 1962. The exception is that private hatchery cost-recovery harvests, which began around 1980, can account for a substantial proportion of overall harvests. Recent 10-year average harvests in percentages by gear type are as follows: 69% by purse seine, 11% by drift gillnet, 10% by hatchery organizations, 5% by troll, 4% by AIR, and 1% by set gillnet. In 2024, the total harvest of 38.2 million salmon ranked 30th of 63 years since 1962.

Chinook salmon harvest of 206,000 fish in 2024 was below both the recent and long-term averages (Table 3, Figure 5). The 2024 Chinook salmon harvest ranks 57th lowest over the 63-year period since 1962. Targeted Chinook salmon fisheries are composed of 3 elements: (1) coastwide mixed stocks harvested within limits of the all-gear PST harvest ceiling, (2) production from Alaska Chinook salmon enhancement programs, and (3) directed fisheries on surplus returns to the Stikine River, Taku River, or both. The average total Chinook salmon harvest since 1962 is approximately 292,000 fish. Chinook salmon less than 28 inches may be retained but not sold in the purse seine fishery, and Chinook salmon of all sizes may be sold in the drift gillnet fishery. The PST accounts for large Chinook salmon—defined as greater than or equal to 28 inches overall length—as Treaty Chinook salmon. Preliminary harvests of coastwide Chinook salmon accountable under the PST included 144,000 fish by troll gear, 9,600 fish by purse seine gear, 1,400 fish by drift gillnet gear, 105 by set gillnet gear, and 53,000 fish for sport fisheries. Total commercial harvests of Alaska hatchery origin Chinook salmon were 25,800 fish-14% of total Chinook salmon harvests. This harvest included 12,800 fish determined by CWT to have been harvested in commercial fisheries outside of hatchery terminal harvest areas, harvests from terminal harvest areas, and private hatchery cost-recovery harvests. For transboundary river stocks regulated under the PST, forecasts for the Stikine and Taku Rivers in 2024 provided no allowable catch (AC) for directed fisheries on returns of large Chinook salmon (28 inches in length or greater).

The 2024 sockeye salmon harvest was 796,000 fish (Table 4, Figure 5). This harvest was below both the recent 10-year average of 1.1 million fish and long-term average of 1.3 million fish. The 2024 sockeye salmon harvest ranks 51st over the 63-year period since 1962. Sockeye salmon harvests in the northern boundary area and transboundary river fisheries are regulated under the PST to provide for conservation and harvest sharing with Canada. The Southeast Alaska purse seine fishery harvest of 409,000 sockeye salmon was below both the recent 10-year and long-term averages and accounted for 51% of the region's total sockeye salmon harvest. The drift gillnet fishery harvest of 250,000 sockeye salmon was below both the recent and the long-term averages and accounted for 31% of the region's total sockeye salmon harvest. The set gillnet fishery harvest of 58,000 sockeye salmon was below both the recent and long-term averages and accounted for 7% of the regional total sockeye salmon harvest.

Coho salmon harvest was 1.4 million fish in 2024 (Table 5, Figure 5). This harvest was less than both the recent and long-term averages and ranks 47th of the 63-year period since 1962. Coho salmon harvest in the troll fishery was 579,000 fish, less than both the long-term and recent averages, and accounted for 43% of the harvest. Only the hatchery cost-recovery harvest of coho salmon was above both the recent and long-term averages.

Pink salmon harvest was 20.1 million fish in 2024, 53% of the region's total salmon harvest (Table 1, Figure 5). Pink salmon harvest was below both the recent and long-term averages, ranking as the 38th largest harvest since 1962. Purse seine pink salmon harvest was 18.4 million fish, 91% of the total pink salmon harvest (Table 6).

Chum salmon harvest of 15.7 million fish in 2024 ranks 3rd since 1962 and was well above the recent and long-term averages (Table 7; Figure 5). The purse seine chum salmon harvest was 5.8 million fish, 37% of the total chum salmon harvest. The drift gillnet chum salmon harvest was 3.9 million fish, 25% of the total chum harvest. The hatchery cost-recovery chum harvest was 4.6 million fish, 29% of the total harvest. Most chum salmon production in Region 1 is attributable to hatchery production. Before hatchery chum salmon production became significant in 1984, the 1962–1983 regional average chum salmon harvest was 1.6 million fish.

FISHERY PARTICIPATION

According to information from the Commercial Fisheries Entry Commission (CFEC 2025), 2,592 limited entry permits were active (issued or eligible to be renewed) in 2024. Active permits included 284 purse seine, 475 drift gillnet, 167 set gillnet, 712 hand troll, and 954 power troll (Table 8). A total of 1,252 permit holders reported salmon landings in 2024, including 197 purse seine, 319 drift gillnet, 77 set gillnet, 139 hand troll, and 520 power troll.

Participation was the lowest or near the lowest for all gear groups since limited entry went into effect in 1976. Purse seine participation by 197 permit holders in 2024 was a decrease of 13 permits from 2023 and a decrease from the recent average participation of 235 permits; it was the second-lowest participation level since 1976. The number of purse seine permits issued was reduced in 2008 by 35 permits through a permit buyback fleet-reduction program. In 2012, an additional buyback program administered by the CFEC and the National Marine Fisheries Service further reduced the number of permits by 64 permits (Table 8). Drift gillnet participation by 319 permit holders was a decrease from the 2023 level by 47 permits, and was the lowest participation level since 1976. Set gillnet effort in 2024 by 77 permit holders was the third lowest since 1976. Power troll participation by 520 permit holders was below both the recent and long-term average, and hand troll effort by 139 permit holders was also below both recent and long-term averages. Participation by both hand and power troll was the lowest participation since 1976. Overall participation in all 2024 fisheries was 24%, below the recent 10-year average and 44% below the longer-term average.

2024 SALMON HARVEST

Region 1 cumulative commercial salmon harvest by all harvest categories, including hatchery cost recovery, was 38.2 million fish in 2024 (Table 9). Total common property commercial harvest was 31.1 million fish, 81% of the total harvest (Table 9). Overall, harvest in numbers of salmon in 2024 were 57% of the 2023 harvest. The 2024 harvests by species compared with 2023 were as follows: Chinook–106%, sockeye–85%, coho–75%, pink–42%, and chum salmon–100% (Table 1). Total commercial salmon harvest proportions by species were as follows: 1% Chinook, 2% sockeye, 4%

coho, 53% pink, and 41% chum salmon. The 2024 combined-gear, large Chinook salmon harvest of 204,000 fish was 81% of the most recent average and 70% of the long-term average. Sockeye salmon harvest of 796,000 fish was 73% of the recent average and 62% of the long-term average. Coho salmon harvest of 1.4 million fish was 64% of the recent and 66% of the long-term averages. Pink salmon harvest of 20.1 million fish was 73% of the recent and 66% of the long-term averages. Chum salmon harvest of 15.7 million fish was 161% of the recent and 245% of the long-term averages. The all-species total harvest was 93% of the recent average and 94% of the long-term average harvest (Table 1).

HARVEST BY GEAR TYPE

Region 1 2024 salmon harvest by gear type or harvest category and species are summarized in Table 9. Historical harvests showing percentages of harvest by gear are summarized in Table 2. Salmon landed by purse seine gear accounted for 65% of the total salmon harvest, followed by hatchery cost recovery (14%), drift gillnet (12%), AIR fisheries (4%), and troll (4%). Combined hand and power troll harvests accounted for 73% of regional Chinook salmon harvest and 43% of coho salmon harvest (Tables 3 and 5). Of the total harvest, purse seine accounted for 51% of sockeye, 91% of pink, and 37% of chum salmon harvest in the region (Tables 4, 6, and 7). Drift gillnet accounted for 6% of Chinook, 31% of sockeye, 16% of coho, and 25% of chum salmon harvest (Tables 3, 4, 5, and 7). Set gillnet harvested 7% of sockeye and 8% of coho salmon (Tables 4 and 5). Approximately 9% of Chinook, 7% of sockeye, 16% of coho, and 29% of chum salmon harvests were taken in hatchery cost-recovery fisheries (Tables 3, 4, 5, and 7).

Total Chinook salmon harvests of 206,000 fish included 151,000 by troll, 20,000 by purse seine, 12,000 by drift gillnet, 19,000 in hatchery cost recovery, 2,500 by AIR, and 300 by Yakutat set gillnet fisheries (Table 3). Sockeye salmon harvests of 796,000 fish included 409,000 by purse seine, 250,000 by drift gillnet, 57,000 by hatchery cost recovery, and 58,000 by set gillnet fisheries (Table 4). Coho salmon harvests of 1.4 million fish included 579,000 by troll, 221,000 by drift gillnet, 194,000 by purse seine, 219,000 in hatchery cost recovery, and 109,000 by set gillnet fisheries (Table 5). Pink salmon harvests of 20.1 million fish included 18.4 million by purse seine, 142,000 by drift gillnet, 412,000 by hatchery cost recovery, and 1.1 million by AIR fisheries (Table 6). Chum salmon harvests of 15.7 million fish included 5.8 million by purse seine, 3.9 million by drift gillnet, 4.6 million in hatchery cost recovery, 821,000 by troll, and 525,000 fish by AIR fisheries (Table 7).

EXVESSEL VALUE

The initial reported value of the 2024 Region 1 commercial salmon harvest based on fish ticket data for all fisheries was \$104 million (Table 10). The total 2024 salmon harvest in numbers of fish was 57% of the 2023 harvest. The 2024 commercial harvest of 179 million pounds was 68% of the 2023 commercial harvest of 263 million pounds. In 2024, pink salmon accounted for 33% of the total weight of salmon harvested, compared with 55% in 2023. In 2024, chum salmon accounted for 59% of the total weight of salmon harvested, compared with 39% in 2023. Average weights by species were slightly lower (4–8% less) in 2024 compared with 2023 for Chinook, sockeye, and pink salmon, and increased for coho (14%) and chum (4%) salmon. Prices from 2024 fish tickets compared to 2023 prices increased for all but Chinook salmon (9% less), and the overall price per pound was 43% higher than 2023 (Table 10).

The preliminary reported exvessel value of the 2024 Region 1 commercial salmon harvest for common property purse seine, gillnet, and troll fisheries combined based on fish ticket data is \$75 million. The 2024 season exvessel value for these salmon fisheries is 66% of the recent 10-year average of \$113 million and ranks 33rd over the 49-year period from 1976 (Table 11; Figure 6). Common property fishery exvessel value estimates for 2024 exclude AIR, hatchery cost recovery, and miscellaneous harvests.

The 2024 exvessel value by gear was highest for the purse seine fishery (\$35.7 million), followed by the hatchery cost recovery (\$25.2 million), troll (\$19.8 million), drift gillnet (\$18.4 million), AIR (\$3.7 million), and set gillnet (\$1.2 million) fisheries (Table 10). Comparing the preliminary value for 2024 to reported CFEC fishery values by fishery for the 49 years since 1976, 2024 would rank as the 35th highest value for purse seine, 20th highest for drift gillnet, 36th highest for troll, and 41st highest for the set gillnet fishery (Table 11; Figure 6). The regional value breakdown by species included \$12.5 million for Chinook, \$6.3 million for sockeye, \$12.9 million for coho, \$14.9 million for pink, and \$57.8 million for chum salmon (Table 10).

SUBSISTENCE AND PERSONAL USE SALMON FISHERIES

In 2018, ADF&G began online permitting for personal use and subsistence fisheries in Southeast Alaska. There is now one permit for all Southeast Alaska and Yakutat with specific regulations and guidelines for individual management areas provided to the user depending on where they intend to fish. Because unique permits are not required for each management area, there is no area office associated with permit data. As a result, permits and harvest will be analyzed by city of residence instead of management area (as was done in past versions of this report).

Reporting of 2024 harvest information for subsistence and personal use fisheries for Region 1 remains incomplete. A total of 2,815 subsistence and personal use salmon permits were issued in 2024. One permit may be issued per household. As of February 23, 2025, 1,820 permits have been returned and 1,092 permits fished harvesting 27,728 salmon, of which sockeye salmon accounted for 86% of the reported harvest (Table 12; Figure 7). Combined subsistence and personal use fishery permits issued to households by community include the following: 111 from Ketchikan, 194 from Prince of Wales Island Communities, 95 from Wrangell, 134 from Petersburg, 76 from Kake, 54 from Angoon, 697 from Sitka, 59 from Hoonah, 696 from Juneau, 355 from Haines, 74 from Yakutat, and 270 from other Alaska communities. Salmon harvests by management area included 2,960 fish for Ketchikan, 1,640 fish for Petersburg, 11,180 fish for Sitka, 11,180 fish for Juneau, 5,190, fish for Haines, and 1,940 fish for Yakutat.

REFERENCES CITED

Byerly, M., B. Brooks, B. Simonson, H. Savikko, and H. J. Geiger. 1999. Alaska commercial salmon catches, 1878–1997. Alaska Department of Fish and Game, Division of Commercial Fisheries, Regional Information Report No. 5J99-05, Juneau.

CFEC (Commercial Fisheries Entry Commission). 2025. Fishery Statistics—Permits and Permit Holders—Permit Status—Fishery Statistics—Participation and Earnings—Basic Information Tables—Salmon, S01A, S03A, S04D, S05B, and S15B. https://www.cfec.state.ak.us/fishery_statistics/permits.htm (Accessed February 25, 2025).

TABLES AND FIGURES

Table 1.-Region 1 annual total commercial salmon harvest in numbers and percentages of the total by species, 1962–2024.

•		%		%		%		%		%		%	
Year	Chinooka	Chinook	Jacks ^b	Jacks	Sockeye	Sockeye	Coho	Coho	Pink	Pink	Chum	Chum	Total
1962	196,650	1	_	_	727,437	5	1,156,277	8	11,255,790	74	1,837,010	12	15,173,164
1963	257,706	1	_	_	675,750	3	1,265,328	6	19,115,942	84	1,470,239	6	22,784,965
1964	357,139	2	_	_	919,124	4	1,586,258	7	18,580,259	80	1,927,834	8	23,370,614
1965	287,109	2	_	_	1,076,998	7	1,543,807	10	10,879,097	71	1,466,256	10	15,253,267
1966	308,042	1	_	_	1,046,075	4	1,218,827	5	20,350,917	78	3,227,402	12	26,151,263
1967	300,938	4	_	_	966,398	14	864,250	12	3,109,343°	44	1,806,940	26	7,047,869
1968	331,511	1	_	_	826,195	3	1,539,686	5	25,077,871	82	2,636,207	9	30,411,470
1969	312,761	4	_	_	811,654	11	595,187	8	4,872,385	68	560,595°	8	7,152,582
1970	322,418	2 3	_	_	667,963	5	755,871	5	10,619,295	72	2,428,112	16	14,793,659
1971	333,138	3	_	_	622,746	5	910,535	7	9,355,233	71	1,945,606	15	13,167,258
1972	287,621	2	_	_	918,904	5	1,511,041	8	12,393,119	69	2,943,415	16	18,054,100
1973	343,512	3	_	_	1,005,609	10	834,541	8	6,458,875	62	1,765,064	17	10,407,601
1974	347,114	4	_	_	687,624	8	1,277,050	14	4,889,037	55	1,673,002	19	8,873,827
1975	301,006	5	_	_	244,855°	4	427,457°	0.08	4,030,028	71	687,687	0.12	5,691,033°
1976	240,628	3	_	_	594,075	7	823,342	0.1	5,334,159	66	1,030,580	0.13	8,022,784
1977	284,157	0.02	_	_	1,089,916	6	918,161	5	13,904,838	82	736,024	4	16,933,096
1978	401,418	2	_	_	788,319	3	1,714,508	7	21,243,378	85	868,963	3	25,016,586
1979	363,550	2	_	_	1,073,401	7	1,284,613	9	10,975,941	75	888,270	6	14,585,775
1980	239,478	2	_	_	1,106,039	6	1,116,237	6	14,500,415	78	1,642,938	9	18,689,986
1981	262,432	1	_	_	1,072,201	5	1,358,948	6	19,038,208	84	837,240	4	22,575,081
1982	36,403°	1	_	_	1,480,596	5	2,086,331	7	24,244,823	82	1,330,219	5	29,432,403
1983	219,073	1	166°	<1	1,559,011	4	1,929,073	5	37,545,915	88	1,170,126	3	42,493,719
1984	270,451	1	_	_	1,215,822	4	1,910,255	6	24,705,756	77	4,084,200	13	32,186,484
1985	253,713	<1	_	_	1,863,815	3	2,597,278	4	51,959,321	87	3,275,417	5	59,949,544
1986	262,432	<1	1,158	<1	1,442,986	3	3,404,602	6	46,172,277	84	3,358,992	6	54,642,447
1987	261,396	2	1,792	<1	1,377,717	9	1,543,348	10	10,280,422	64	2,721,661	17	16,186,336
1988	263,847	2	1,034	<1	1,460,417	8	1,046,668	6	11,207,162	64	3,535,591	20	17,514,719
1989	280,964	0	4,092	<1	2,124,840	3	2,204,044	3	59,460,203	90	1,968,894	3	66,043,037
1990	342,379	1	3,776	<1	2,155,716	5	2,868,217	7	32,342,002	81	2,217,895	6	39,929,985
1991	325,602	0	5,575	<1	2,063,586	3	3,197,003	5	61,926,339	87	3,336,043	5	70,854,148
1992	233,924	1	2,363	<1	2,666,422	6	3,696,209	8	34,963,298	75	4,936,515	11	46,498,731
1993	280,849	0	3,962	<1	$3,190,960^{d}$	4	3,665,435	5	57,299,350	79	7,879,868	11	72,320,424
1994	241,100	0	$6,336^{d}$	<1	2,392,489	3	$5,721,700^{d}$	8	57,274,877	75	10,403,085	14	76,039,587
1995	218,451	0	1,978	<1	1,795,331	3	3,345,678	5	47,965,506	74	11,225,693	17	64,552,637
1996	213,640	0	947	<1	2,799,848	3	3,156,951	4	64,629,714	74	16,043,397 ^d	18	86,844,497
1997	303,898	1	558	<1	2,477,394	5	1,974,427	4	28,975,224	64	11,789,139	26	45,520,640
1998	232,906	0	1,705	<1	1,375,358	2	2,989,080	5	42,535,402	68	15,695,285	25	62,829,736
1999	195,048	0	3,047	<1	1,160,730	1	3,630,234	4	77,848,284	80	14,930,932	15	97,768,275
2000	232,546	1	1,349	<1	1,229,390	3	1,957,028	5	20,313,426	51	15,910,909	40	39,644,648
2001	243,225	0	2,585	<1	2,035,230	3	3,300,932	4	67,055,991	82	8,754,416	11	81,392,379
2002	386,384	1	1,583	<1	806,447	1	3,242,516	6	45,331,007	79	7,455,007	13	57,222,944
2003	416,684	1	1,188	<1	1,525,356	2	2,498,375	4	52,515,632	77	11,115,085	16	68,072,320

Table 1.—Page 2 of 2.

										%		%	
Year	Chinooka	% Chinook	Jacks ^b	% Jacks	Sockeye	% Sockeye	Coho	% Coho	Pink	Pink	Chum	Chum	Total
2004	$483,330^{d}$	1	697	<1	2,037,745	3	3,084,663	5	45,333,012	73	11,371,623	18	62,311,070
2005	447,264	1	728	<1	1,607,835	2	3,002,784	4	59,182,242	84	6,427,530	9	70,668,383
2006	370,366	1	1,275	<1	1,333,496	5	2,091,875	7	11,695,411	40	13,555,280	47	29,047,703
2007	357,900	1	1,328	<1	1,904,802	3	2,062,643	4	44,884,740	77	9,417,807	16	58,629,220
2008	245,738	1	533	<1	436,302	2	2,381,473	8	15,974,351	57	9,053,088	32	28,091,485
2009	267,657	1	976	<1	925,749	2	2,635,482	5	38,101,430	74	9,660,363	19	51,591,657
2010	260,787	1	883	<1	720,926	2	2,587,595	7	24,303,499	65	9,475,929	25	37,349,619
2011	343,928	<1	2,517	<1	1,242,445	2	2,311,332	3	59,088,287	80	10,730,140	15	73,718,649
2012	279,177	1	796	<1	947,219	3	2,086,721	6	21,304,390	58	12,374,853	33	36,993,156
2013	240,308	<1	1,881	<1	974,665	1	3,877,145	3	94,786,940 ^d	84	12,573,032	11	112,453,971
2014	427,270	1	1,105	<1	1,669,932	3	3,791,109	8	37,194,633	75	6,679,796	13	49,763,845
2015	350,191	1	611	<1	1,528,774	3	2,163,943	4	35,161,426	69	11,627,334	23	50,832,279
2016	336,647	1	229	<1	1,505,984	5	2,332,200	7	18,395,997	58	9,117,266	29	31,688,323
2017	172,844	<1	897	<1	801,577	2	2,884,514	6	34,826,589	69	11,430,306	23	50,116,727
2018	167,093	1	614	<1	636,924	3	1,603,570	7	8,096,772	37	11,484,333	52	21,989,306
2019	184,090	1	1,634	<1	1,011,716	3	1,718,470	5	21,174,964	63	9,383,312	28	33,474,186
2020	214,899	1	1,756	<1	457,917	3	1,164,337	8	8,077,656	55	4,693,866	32	14,610,431
2021	221,600	<1	4,391	<1	1,124,327	2	1,570,973	3	48,556,318	82	7,416,793	13	58,894,402
2022	264,310	1	1,309	<1	1,198,899	4	1,495,547	5	18,321,958	58	10,457,189	33	31,739,212
2023	192,763	<1	3,113	<1	936,908	1	1,802,413	3	47,849,148	72	15,725,821	24	66,510,166
2024	203,815	1	2,400	<1	796,089	2	1,354,399	4	20,125,860	53	15,733,676	41	38,216,239
Averages													
1962–2023	290,844	1	_	_	1,292,337	4	2,117,780	6	30,562,029	72	6,422,373	16	40,686,533
2013–2023	253,171	1	1,566	<1	1,087,296	3	2,052,708	6	27,765,546	64	9,801,602	27	40,961,888

a Annual Chinook salmon harvest is reported by troll season, October 1, 2023-September 30, 2024, since 1979 when the regulatory season was implemented.

b Jack Chinook salmon are ≤28 inches. Prior to the 2018 season in the traditional purse seine fishery, Chinook salmon of <21 inches could be retained and sold, and Chinook salmon >21 and <28 inches could be retained as personal use. From 2018, Chinook salmon ≤28 inches harvested in traditional fisheries could only be retained as personal use. Chinook of all sizes may be sold in the drift gillnet fishery. Jack fish ticket data were revised in 2012, for the years 2005–2012, to provide more accurate accounting of gillnet-harvested Chinook salmon for Pacific Salmon Treaty accounting purposes. Chinook salmon in the drift gillnet fishery are recorded as 1 size category on fish tickets, and separate accounting of jacks is based on port sampling data.

^c Minimum harvest by species.

d Maximum harvest by species.

Table 2.-Southeast Alaska annual commercial total salmon harvest by harvest type, in numbers and percent, 1962-2024

Year	Seine	%	Driftnet	%	Setnet	%	Trolla	%	Annette I.	%	Hatchery ^b	%	Miscc	%	Total
1962	12,394,256	85	1,010,200	7	274,139	2	896,277	6	_	_	_	_	_	_	14,574,872
1963	20,120,230	89	1,232,700	5	283,814	1	1,051,912	5	_	_	_	_	_	_	22,688,656
1964	20,060,487	87	1,431,389	6	302,962	1	1,188,373	5	_	_	_	_	_	_	22,983,211
1965	12,490,889	82	1,426,018	9	252,443	2	1,044,147	7	_	_	_	_	_	_	15,213,497
1966	22,697,106	89	1,658,535	7	257,968	1	880,209	3	_	_	_	_	_	_	25,493,818
1967	5,151,431	73	880,264	13	222,423	3	782,935	11	_	_	_	_	_	_	7,037,053
1968	27,306,485	91	1,432,710	5	189,474	1	1,213,591	4	_	_	_	_	_	_	30,142,260
1969	5,100,084	71	1,019,273	14	239,486	3	762,944	11	$30,866^{d}$	<1	_	_	_	_	7,152,653
1970	12,116,863	82	1,756,060	12	166,361	1	644,603	4	109,740	1	_	_	_	_	14,793,627
1971	10,503,078	80	1,595,052	12	257,560	2	811,581	6	_	_	_	_	_	_	13,167,271
1972	14,259,003	79	1,938,787	11	199,356	1	1,228,289	7	433,366	2	_	_	_	_	18,058,801
1973	7,311,874	70	1,859,357	18	198,960	2	994,137	10	43,385	<1	_	_	_	_	10,407,713
1974	5,572,498	63	1,570,936	18	170,621	2	1,446,830	16	113,064	1	_	_	_	_	8,873,949
1975	3,929,881 ^d	69	868,518 ^d	15	196,956	3	582,091 ^d	10	110,901	2	_	_	_	_	5,688,347 ^d
1976	5,026,317	63	1,372,788	17	219,928	3	955,244	12	446,652	6	_	_	_	_	8,020,929
1977	12,245,751	73	2,523,128	15	364,933	2	1,075,556	6	629,734	4	_	_	_	_	16,839,102
1978	19,596,101	78	1,690,223	7	309,944	1	2,123,122	8	1,293,536	5	_	_	_	_	25,012,926
1979	9,955,755	68	1,884,809	13	424,247	3	1,914,484	13	359,761	2	_	_	_	_	14,539,056
1980	13,579,693	73	2,179,192	12	445,334	2	1,283,115	7	1,191,723	6	752 ^d	<1	10,177	<1	18,689,986
1981	17,472,456	77	2,094,807	9	428,332	2	1,705,417	8	729,389	3	137,749	1	6,931 ^d	<1	22,575,081
1982	23,750,598	81	1,976,165	7	379,365	1	2,069,317	7	1,227,906	4	20,639	<1	8,413	<1	29,432,403
1983	35,376,038	83	2,527,515	6	271,593	1	2,073,004	5	2,091,874	5	143,178	<1	10,251	<1	42,493,453
1984	24,332,522	76	3,132,879	10	337,983	1	1,979,620	6	1,736,351	5	650,799	2	15,915	<1	32,186,069
1985	50,238,448	84	4,117,020	7	467,777	1	2,839,247	5	1,611,119	3	640,062	1	35,718	<1	59,949,391
1986	46,156,636	84	3,161,172	6	268,174	<1	2,605,376	5	2,047,763	4	367,868	1	35,458	<1	54,642,447
1987	8,691,654	54	3,016,768	19	413,943	3	1,792,464	11	538,333	3	1,642,715	10	81,776	1	16,177,653
1988	11,274,603	64	2,607,418	15	518,455	3	1,348,285	8	1,058,584	6	645,811	4	61,563	<1	17,514,719
1989	54,320,898	82	4,450,699	7	580,479	1	3,511,698	5	2,691,297	4	444,565	1	41,733	<1	66,041,369
1990	30,330,838	76	2,917,511	7	530,825	1	2,963,172	7	1,727,293	4	1,414,924	4	44,645	<1	39,929,208
1991	62,191,634	88	2,803,393	4	404,417	1	2,447,041	3	1,127,702	2	1,811,164	3	68,797	<1	70,854,148
1992	34,808,120	75	3,832,020	8	632,425°	1	2,894,863	6	1,190,707	3	3,094,606	7	45,851	<1	46,498,592
1993	60,196,878	83	3,946,447	5	598,618	1	4,075,696	6	1,725,815	2	1,727,084	2	49,886	<1	72,320,424
1994	60,075,945	79	4,255,756	6	570,976	1	4,948,777e	7	725,117	1	5,386,836	7	76,180	<1	76,039,587
1995	51,650,711	80	4,885,907	8	514,753	1	2,907,372	5	2,165,624	3	2,374,544	4	53,726	<1	64,552,637
1996	72,547,199	84	4,054,104	5	474,783	1	3,277,938	4	1,066,239	1	5,352,633	6	71,534	<1	86,844,430
1997	32,418,643	71	3,861,436	8	530,584	1	2,313,468	5	649,343	1	5,655,779	12	91,387	<1	45,520,640
1998	49,057,331	78	4,332,833	7	365,039	1	2,213,999	4	1,070,302	2	5,700,976	9	89,256	<1	62,829,736

Table 2.—Page 2 of 2.

Year	Seine	%	Driftnet	%	Setnet	%	Trolla	%	Annette I.	%	Hatchery ^b	%	Miscc	%	Total
1999	81,768,382	84	4,347,194	4	351,396	<1	3,039,972	3	1,068,721	1	7,053,481e	7	139,129	<1	97,768,275
2000	27,180,728	69	3,918,771	10	338,124	1	1,953,985	5	1,128,736	3	5,028,361	13	95,943	<1	39,644,648
2001	67,965,608	84	4,141,301	5	382,060	<1	2,734,661	3	2,224,126	3	3,854,849	5	88,160	<1	81,390,765
2002	45,891,149	80	3,129,105	5	331,848	1	1,845,766	3	1,548,231	3	4,378,603	8	96,389	<1	57,221,091
2003	55,331,699	81	3,926,654	6	281,529	<1	2,004,826	3	674,026	1	5,759,988	8	93,598	<1	68,072,320
2004	49,621,064	80	3,914,562	6	312,708	1	2,503,067	4	876,978	1	4,978,262	8	104,429	<1	62,311,070
2005	59,823,736	85	3,832,649	5	223,835	<1	2,670,355	4	706,778	1	3,264,074	5	146,956	<1	70,668,383
2006	16,281,579	56	4,796,219	17	315,892	1	1,867,125	6	475,603	2	5,233,643	18	77,642	<1	29,047,703
2007	46,461,718	79	4,176,973	7	405,180	1	1,947,109	3	1,092,752	2	4,340,585	7	204,904e	<1	58,629,221
2008	17,811,215	63	3,787,192	13	255,562	1	1,533,878	5	1,139,310	4	3,537,129	13	17,864	<1	28,082,150
2009	39,070,600	76	4,051,167	8	318,993	1	2,182,554	4	1,951,852	4	3,975,060	8	41,431	<1	51,591,657
2010	24,226,360	65	4,473,808	12	445,692	1	2,022,651	5	1,742,725	5	4,378,443	12	59,940	<1	37,349,619
2011	58,827,114	80	5,229,724	7	500,818	1	2,760,759	4	1,255,465	2	5,081,084	7	63,685	<1	73,718,649
2012	24,466,785	66	5,246,512	14	253,904	1	2,058,871	6	1,342,408	4	3,563,712	10	60,964	<1	36,993,156
2013	95,415,053°	85	6,018,624°	5	396,575	<1	4,285,439	4	2,823,494	3	3,433,823	3	80,963	<1	112,453,971
2014	37,174,155	75	4,879,094	10	301,169	1	2,882,972	6	2,166,575	4	2,336,055	5	23,825	<1	49,763,845
2015	38,274,679	75	5,396,585	11	282,196	1	2,200,627	4	1,544,035	3	2,990,176	6	143,981	<1	50,832,279
2016	19,392,679	61	4,739,184	15	259,759	1	1,888,100	6	1,884,040	6	3,450,634	11	73,468	<1	31,687,864
2017	36,674,989	73	5,046,710	10	355,300	1	2,743,528	5	1,177,403	2	4,006,267	8	112,519	<1	50,116,716
2018	12,237,848	56	3,589,256	16	132,666	1	1,634,854	7	532,538	2	3,823,877	17	38,267	<1	21,989,306
2019	23,701,493	71	3,812,510	11	189,041	1	1,428,783	4	1,366,637	4	2,892,665	9	83,057	<1	33,474,186
2020	8,302,911	57	1,809,711	12	123,276	1	1,046,556	7	622,966	4	2,655,179	18	49,832	<1	14,610,431
2021	48,225,642	82	2,625,599	4	191,571	<1	1,823,982	3	2,930,391	5	3,025,485	5	71,732	<1	58,894,402
2022	19,018,256	60	3,655,714	12	134,580	<1	2,178,496	7	2,136,136	7	4,558,958	14	57,072	<1	31,739,212
2023	52,693,682	79	4,609,093	7	130,201	<1	1,644,557	2	1,783,754	3	5,586,377	8	62,503	<1	66,510,167
2024	24,847,366	65	4,490,991	12	175,985	<1	1,610,453	4	1,640,424	4	5,339,009	14	112,011	<1	38,216,239
Averages															
1962–2023	31,776,582	76	3,168,673	10	330,311	1	1,995,569	6	1,009,164	2	319,0897	7	67,897	<1	40,592,991
2014-2023	29,569,633	69	4,016,346	11	209,976	1	1,947,246	5	1,614,448	4	3,532,567	10	71,626	<1	40,961,841

^a Salmon harvest is reported by calendar year except for the troll fishery. Troll is reported by season (October 1–September 30) beginning October 1, 1979, for the 1980 season.

b Includes salmon caught and sold in private, state, and federal hatchery fisheries and carcass sales.

^c Includes confiscations, commercial test fisheries, and sport fish salmon derbies where fish were sold.

d Minimum harvest by harvest type.

^e Maximum harvest by harvest type.

Table 3.-Southeast Alaska annual commercial Chinook salmon harvest by harvest type, in numbers and percent, 1962–2024.

								•	• •		•				
Year	Seine	%	Driftnet	%	Setnet	%	Troll	%	Annette I.	%	Hatchery	%	Misca	%	Total
1962	10,145	5	10,161	5	2,747	1	173,597	88	=	_	_	_	_	_	196,650
1963	6,659	3	6,427	2	941	<1	243,679	95	_	_	_	_	_	_	257,706
1964	16,819	5	9,371	3	1,488	<1	329,461	92	_	_	_	_	_	_	357,139
1965	14,992	5	11,892	4	1,323	<1	258,902	90	_	_	_	_	_	_	287,109
1966	11,874	4	12,527	4	1,555	1	282,083	92	3	<1	_	_	=	_	308,042
1967	9,054	3	16,464	5	742	<1	274,678	91	_	_	_	_	_	_	300,938
1968	13,335	4	12,902	4	697	<1	304,455	92	122	<1	_	_	_	_	331,511
1969	6,731	2	15,175	5	1,935	1	288,920	92	_	_	_	_	_	_	312,761
1970	5,909	2	9,449	3	2,299	1	304,707	95	_	_	_	_	_	_	322,364
1971	4,799	1	15,681	5	2,062	1	310,596	93	=	_	_	_	_	_	333,138
1972	16,730	6	25,125	9	2,467	1	243,150	85	149	<1	_	_	_	_	287,621
1973	8,754	3	24,501	7	2,733	1	307,499	90	25	<1	_	_	_	_	343,512
1974	6,750	2	15,483	4	2,214	1	322,652	93	15	<1	_	_	_	_	347,114
1975	2,056	1	9,077	3	2,224	1	287,646	96	3 ^b	<1	_	_	_	_	301,006
1976	1,428 ^b	1	7,224	3	1,830	1	230,101	96	45	<1	_	_	_	_	240,628
1977	5,242	2	5,578	2	2,549	1	270,714	95	72	<1	_	_	_	_	284,155
1978	13,972	3	8,266	2	3,057	1	375,427°	94	197	<1	_	_	_	_	400,919
1979	10,079	3	13,738	4	4,232	1	334,317	92	339	<1	_	_	_	_	362,705
1980	11,701	4	5,433	2	2,800	1	303,632	94	180	<1	_	_	611	<1	324,357
1981	10,264	4	6,317	2	2,069	1	248,785	93	301	<1	_	_	748	<1	268,484
1982	30,529	11	14,710	5	1,456	1	241,938	83	838	<1	_	_	963	<1	290,434
1983	13,560	5	$4,598^{b}$	2	976	<1	269,821	93	367	<1	_	_	6 ^b	<1	289,328
1984	20,762	8	10,338	4	1,062	<1	235,694	87	237	<1	937^{b}	<1	1,063	<1	270,093
1985	21,535	8	10,386	4	1,231	<1	216,049	85	713	<1	2,658	1	1,121	<1	253,693
1986	13,271	5	8,441	3	1,428	1	237,699	90	121	<1	1,093	<1	1,537	1	263,590
1987	6,284	2	8,430	3	2,072	1	242,529	92	565	<1	2,376	1	932	<1	263,188
1988	12,165	5	9,079	3	893	<1	231,110	87	941	<1	9,649	4	1,044	<1	264,881
1989	17,103	6	9,579	3	798	<1	235,609	83	892	<1	19,680	7	1,275	<1	284,936
1990	14,777	4	14,693	4	663	<1	287,100	83	1,840	1	26,692	8	390	<1	346,155
1991	17,107	5	18,457	6	1,747	1	263,153	79	4,015	1	25,995	8	703	<1	331,177
1992	20,320	9	11,285	5	2,025	1	183,353	78	1,210	1	16,723	7	1,369	1	236,285
1993	12,291	4	18,011	6	1,311	<1	226,561	80	639	<1	23,246	8	$2,749^{c}$	1	284,808
1994	21,089	9	16,735	7	3,820	2	186,299	75	230	<1	17,750	7	1,513	1	247,436
1995	26,777	12	13,342	6	9,374°	4	138,117	63	133	<1	31,405	14	1,281	1	220,429
1996	23,155	11	9,982	5	4,854	2	141,447	66	243	<1	33,496	16	1,410	1	214,587
1997	10,841	4	11,006	4	3,264	1	246,402	81	505	<1	30,144	10	2,294	1	304,456
1998	16,167	7	5,937	3	2,804	1	192,066	82	304	<1	15,943	7	1,390	1	234,611

Table 3.–Page 2 of 2.

Year	Seine	%	Driftnet	%	Setnet	%	Troll	%	Annette	%	Hatchery	%	Misca	%	Total
1999	20,849	11	8,983	5	5,108°	3	146,218	74	744	<1	15,100	8	1,093	1	198,095
2000	22,044	9	13,475	6	2,460	1	158,791	68	$4,769^{c}$	2	31,637	14	719	<1	233,895
2001	22,314	9	13,644	6	2,631	1	153,280	62	4,156	2	49,028	20	776	<1	245,829
2002	18,725	5	10,216	3	2,510	1	325,368	84	1,818	<1	28,445	7	819	<1	387,901
2003	25,236	6	10,704	3	3,842	1	330,719	79	780	<1	45,723	11	868	<1	417,872
2004	39,984°	8	20,148	4	2,734	1	354,607	73	1,914	<1	$62,470^{\circ}$	13	2,170	<1	484,027°
2005	20,421	5	55,754°	12	766	<1	338,024	75	1,697	<1	29,408	7	1,922	<1	447,992
2006	25,970	7	47,202	13	1,208	<1	282,258	76	806	<1	12,794	3	1,403	<1	371,641
2007	28,398	8	30,067	8	1,562	<1	267,986	75	1,232	<1	28,167	8	1,817	1	359,229
2008	16,018	7	32,044	13	850	<1	151,852	62	743	<1	41,799	17	931	<1	244,237
2009	29,888	11	25,221	9	1,533	1	175,335	65	1,033	<1	35,107	13	516	<1	268,633
2010	16,709	6	19,364	7	501	<1	195,488	75	943	<1	28,135	11	530	<1	261,670
2011	27,770	8	31,010	9	1,123	<1	242,560	70	1,705	<1	41,301	12	976	<1	346,445
2012	21,713	8	26,243	9	942	<1	209,061	75	1,623	1	18,809	7	1,582	1	279,973
2013	24,516	10	34,525	14	1,401	1	149,485	62	1,453	1	30,665	13	144	<1	242,189
2014	28,290	7	27,877	7	1,403	<1	355,426	83	1,418	<1	13,194	3	767	<1	428,375
2015	30,067	9	29,267	8	934	<1	269,813	77	2,190	1	17,521	5	1,010	<1	350,802
2016	27,558	8	20,701	6	343	<1	276,043	82	1,731	1	9,136	3	905	<1	336,417
2017	11,344	7	17,057	10	946	1	129,237	74	1,985	1	12,725	7	447	<1	173,741
2018	16,752	10	21,276	13	295	<1	107,103	64	2,001	1	20,060	12	220	<1	167,707
2019	22,398	12	20,847	11	315	<1	108,616	58	1,429	1	31,736	17	383	<1	185,724
2020	18,359	8	19,493	9	404	<1	169,838	78	906	<1	7,437	3	218	<1	216,655
2021	20,889	9	17,312	8	577	<1	162,886	72	1,633	1	22,052	10	642	<1	225,991
2022	27,475	10	16,174	6	423	<1	196,690	74	1,659	1	22,688	9	510	<1	265,619
2023	22,637	12	16,057	8	353	<1	142,717	73	2,111	1	11,350	6	652	<1	195,877
2024	20,177	10	12,338	6	303	<1	150,801	73	2,476	1	19,434	9	686	<1	206,215
Averages															
1962-2023	17,280	6	16,459	6	1,886	1	239,757	81	931	<1	23,107	9	1,010	<1	291,937
2014–2023	22,577	9	20,606	9	599	<1	191,837	74	1,706	1	16,790	8	575	<1	254,691

Note: Chinook salmon harvest is reported by season (October 1–September 30) beginning October 1, 1979, for the 1980 season. *Note*: En dashes indicate no data.

^a Includes confiscations, test fisheries, and sanctioned sport fish salmon derbies where fish were sold.

^b Minimum harvest by harvest type.

^c Maximum harvest by harvest type.

Table 4.—Southeast Alaska annual commercial total sockeye salmon harvest by harvest type, in numbers and percent, 1962–2024.

Year	Seine	%	Driftnet	%	Setnet	%	Troll	%	Annette I.	%	Hatchery	%	Misca	%	Total
1962	411,748	57	233,082	32	73,937	10	1,181	<1	7,489	1	_	_	_	_	727,437
1963	422,605	63	194,420	29	52,517	8	2,014	<1	4,194	1	_	_	_	_	675,750
1964	570,250	62	246,250	27	90,175	10	1,004	<1	11,445	1	_	_	_	_	919,124
1965	672,001	62	279,349	26	120,417	11	1,872	<1	3,359	<1	_	_	_	_	1,076,998
1966	480,024	46	334,702	32	185,360	18	679	<1	45,310	4	_	-	_	-	1,046,075
1967	600,602	62	274,038	28	88,431	9	157 ^b	<1	3,170	<1	_	-	_	-	966,398
1968	494,851	60	245,865	30	80,776	10	574	<1	4,129	<1	_	_	_	_	826,195
1969	338,357	42	348,350	43	123,540	15	437	<1	970	<1	_	-	_	-	811,654
1970	308,198	46	240,538	36	115,795	17	485	<1	2,947	<1	_	-	_	-	667,963
1971	162,253	26	329,017	53	130,547	21	929	<1	_	-	_	-	_	-	622,746
1972	324,893	35	450,148	49	134,617	15	1,068	<1	8,178	1	_	_	_	_	918,904
1973	342,336	34	532,485	53	128,466	13	1,204	<1	1,118	<1	_	-	_	-	1,005,609
1974	236,064	34	364,312	53	82,418	12	2,215	<1	2,615	<1	_	_	_	_	687,624
1975	$61,784^{b}$	25	108,574	44	73,291	30	584	<1	622 ^b	<1	_	-	_	-	$244,855^{b}$
1976	135,192	23	322,017	54	130,603	22	1,241	<1	5,022	1	_	_	_	_	594,075
1977	328,932	30	541,443	50	186,001	17	5,713	1	26,967	2	_	_	_	_	1,089,056
1978	272,197	35	358,917	46	130,681	17	2,804	<1	23,619	3	_	_	_	_	788,218
1979	397,137	37	472,610	44	164,813	15	7,018	1	31,345	3	_	_	_	_	1,072,923
1980	510,956	46	408,296	37	159,564	14	2,921	<1	23,734	2	_	_	568	<1	1,106,039
1981	438,921	41	438,824	41	149,273	14	7,476	1	37,528	4	1 ^b	<1	178 ^b	<1	1,072,201
1982	445,385	30	749,348	51	212,882	14	2,458	<1	70,317	5	1	<1	205	<1	1,480,596
1983	778,195	50	586,574	38	152,571	10	7,974	1	32,478	2	1	<1	1,218	<1	1,559,011
1984	457,160	38	593,319	49	102,565	8	9,563	1	49,740	4	7	<1	3,412	<1	1,215,766
1985	716,342	38	830,238	45	234,896	13	7,806	<1	67,946	4	18	<1	6,569	<1	1,863,815
1986	587,730	41	658,611	46	150,770	10	6,885	<1	36,510	3	6	<1	2,474	<1	1,442,986
1987	310,282	23	736,200	53	259,989	19	9,722	1	54,186	4	1,121	<1	6,217	<1	1,377,717
1988	654,748	45	600,925	41	162,168	11	9,339	1	30,979	2	85	<1	2,173	<1	1,460,417
1989	823,185	39	893,976	42	329,454	16	20,173	1	50,496	2	66	<1	7,490	<1	2,124,840
1990	965,918	45	767,492	36	344,606	16	9,175	<1	59,644	3	75	<1	8,806	<1	2,155,716
1991	1,051,269	51	711,874	34	229,903	11	9,806	<1	45,130	2	1,478	<1	14,126°	1	2,063,586
1992	1,336,889	50	922,069	35	314,175	12	22,854	1	61,169	2	2,108	<1	7,158	<1	2,666,422
1993	1,690,471°	53	1,021,899	32	345,887°	11	25,337	1	95,063°	3	7,545	<1	4,758	<1	$3,190,960^{\circ}$
1994	1,430,610	60	686,792	29	206,760	9	21,777	1	41,615	2	3,322	<1	1,613	<1	2,392,489
1995	907,120	51	640,971	36	153,723	9	27,323	2	55,503	3	8,448	<1	2,243	<1	1,795,331
1996	1,514,523	54	1,026,591°	37	209,029	7	11,024	<1	29,859	1	6,636	<1	2,186	<1	2,799,848
1997	1,578,021	64	645,516	26	110,078	4	39,428°	2	41,365	2	58,879	2	4,107	<1	2,477,394
1998	732,790	53	501,291	36	77,189	6	6,476	<1	16,554	1	34,590	3	6,468	<1	1,375,358

Table 4.—Page 2 of 2.

Year	Seine	%	Driftnet	%	Setnet	%	Troll	%	Annette I.	%	Hatchery	%	Misca	%	Total
1999	425,298	37	545,681	47	128,751	11	5,730	<1	21,867	2	24,075	2	9,328	1	1,160,730
2000	489,257	40	496,614	40	99,182	8	4,467	<1	22,529	2	107,244	9	10,097	1	1,229,390
2001	1,013,151	50	687,476	34	141,449	7	8,992	<1	41,245	2	138,233	7	4,684	<1	2,035,230
2002	154,478	19	464,138	58	112,656	14	1,247	<1	34,821	4	36,859	5	2,248	<1	806,447
2003	681,418	45	598,679	39	154,384	10	4,596	<1	7,806	1	75,869	5	2,604	<1	1,525,356
2004	900,557	44	798,096	39	88,282	4	5,009	<1	30,743	2	210,665°	10	4,393	<1	2,037,745
2005	898,515	56	462,209	29	79,221	5	13,277	1	13,285	1	140,245	9	1,083	<1	1,607,835
2006	413,938	31	625,667	47	138,510	10	8,084	1	20,908	2	124,109	9	2,280	<1	1,333,496
2007	1,063,704	56	501,765	26	236,289	12	6,439	<1	19,579	1	74,419	4	2,607	<1	1,904,802
2008	74,389	17	264,877	61	35,227	8	1,253	<1	5,770	1	53,981	12	805	<1	436,302
2009	307,436	33	408,336	44	105,825	11	2,929	<1	15,036	2	85,049	9	1,138	<1	925,749
2010	151,434	21	391,252	54	122,022	17	1,923	<1	14,769	2	38,334	5	1,192	<1	720,926
2011	499,289	40	517,994	42	167,704	13	5,190	<1	29,329	2	22,001	2	938	<1	1,242,445
2012	170,345	18	498,318	53	124,780	13	3,231	<1	22,091	2	125,664	13	2,790	<1	947,219
2013	282,350	29	456,014	47	168,356	17	5,019	1	10,901	1	49,609	5	2,416	<1	974,665
2014	900,955	54	497,968	30	116,435	7	7,289	<1	21,675	1	123,029	7	2,581	<1	1,669,932
2015	908,663	59	389,979	26	82,748	5	6,977	<1	26,633	2	111,381	7	2,393	<1	1,528,774
2016	610,532	41	622,390	41	93,052	6	6,699	<1	22,185	1	148,032	10	3,094	<1	1,505,984
2017	287,857	36	239,571	30	120,665	15	5,454	1	11,275	1	135,018	17	1,737	<1	801,577
2018	230,931	36	226,707	36	7,213	1	5,182	1	6,299	1	158,537	25	2,055	<1	636,924
2019	445,273	44	395,279	39	54,810	5	6,264	1	10,142	1	97,181	10	2,767	<1	1,011,716
2020	237,220	52	102,330	22	26,384	6	1,659	<1	14,593	3	74,187	16	1,544	<1	457,917
2021	793,754	71	209,166	19	87,850	8	5,248	<1	13,414	1	13,908	1	987	<1	1,124,327
2022	629,070	52	479,728	40	48,374	4	2,214	<1	12,468	1	24,894	2	2,151	<1	1,198,899
2023	504,562	54	316,072	34	39,932	4	1,693	<1	14,080	2	58,791	6	1,778	<1	936,908
2024	409,023	51	249,608	31	57,514	7	666	<1	17,682	2	56,542	7	5,054	1	796,089
Averages															
1962-2023	589,747	43	491,826	40	138,354	11	6,690	<1	24,932	2	55,250	8	3,446	<1	1,292,313
2014–2023	554,882	50	347,919	32	67,746	6	4,868	<1	15,276	1	94,496	10	2,109	<1	1,087,296

^a Includes confiscations, test fisheries, and sanctioned sport fish salmon derbies where fish were sold.

^b Minimum harvest by harvest type.

^c Maximum harvest by harvest type.

Table 5.—Southeast Alaska annual commercial total coho salmon harvest by harvest type, in numbers and percent, 1962–2024.

Year	Seine	%	Driftnet	%	Setnet	%	Troll	%	Annette I.	%	Hatchery	%	Misca	%	Total
1962	239,382	21	98,404	9	170,776	15	643,740	56	3,975	<1	=	_	_	_	1,156,277
1963	316,449	25	112,776	9	141,365	11	693,050	55	1,688	<1	_	_	_	_	1,265,328
1964	506,341	32	172,411	11	169,780	11	730,766	46	6,960	<1	_	_	_	_	1,586,258
1965	556,981	36	166,452	11	122,207	8	695,887	45	2,280	<1	_	_	_	_	1,543,807
1966	451,888	37	155,922	13	66,252	5	528,621	43	16,144	1	_	_	_	_	1,218,827
1967	188,959	22	134,029	16	97,211	11	443,677	51	374	<1	_	_	_	_	864,250
1968	463,270	30	202,955	13	92,005	6	779,500	51	1,956	<1	=	_	_	_	1,539,686
1969	108,907	18	$65,101^{b}$	11	32,537	5	388,242	65	400	<1	_	_	_	_	595,187
1970	293,435	39	163,354	22	$30,279^{b}$	4	266,293	35	2,499	<1	_	_	_	_	755,860
1971	325,772	36	158,957	17	37,848	4	387,958	43	_	_	_	_	_	_	910,535
1972	385,221	25	274,206	18	46,293	3	800,615	53	4,706	<1	_	_	_	_	1,511,041
1973	128,220	15	123,948	15	41,776	5	540,270	65	324 ^b	<1	_	_	_	_	834,538
1974	166,836	13	186,482	15	77,593	6	845,133	66	1,006	<1	=	_	_	_	1,277,050
1975	$70,193^{b}$	17	102,372	24	37,403	9	214,219 ^b	50	570	<1	_	_	_	_	424,757 ^b
1976	87,344	11	155,968	19	51,540	6	525,270	64	1,354	<1	_	_	_	_	821,476
1977	130,902	14	183,044	20	92,230	10	506,432	55	5,545	1	=	_	_	_	918,153
1978	242,961	14	221,134	13	139,500	8	1,100,902	64	8,671	1	=	_	_	_	1,713,168
1979	176,354	14	81,324	6	95,866	8	918,838	72	5,642	<1	_	_	_	_	1,278,024
1980	184,570	17	109,516	10	119,684	11	697,181	62	5,263	<1	_	_	23^{b}	<1	1,116,237
1981	237,402	17	114,535	8	132,579	10	861,040	63	7,839	1	5,003	<1	550	<1	1,358,948
1982	397,349	19	194,424	9	148,857	7	1,315,977	63	14,312	1	12,514	1	2,898	<1	2,086,331
1983	338,881	18	210,332	11	81,573	4	1,276,370	66	17,498	1	$4,220^{b}$	<1	199	<1	1,929,073
1984	350,017	18	191,023	10	182,256	10	1,133,357	59	25,125	1	26,856	1	1,621	<1	1,910,255
1985	417,852	16	309,380	12	202,772	8	1,599,227	62	30,849	1	33,386	1	3,696	<1	2,597,162
1986	568,410	17	395,889	12	92,097	3	2,127,695	62	75,384	2	143,799	4	1,328	<1	3,404,602
1987	121,974	8	165,249	11	124,407	8	1,041,015	67	35,790	2	50,465	3	4,448	<1	1,543,348
1988	157,003	15	163,808	16	205,926	20	500,208	48	8,681	1	7,539	1	3,503	<1	1,046,668
1989	330,989	15	234,423	11	176,773	8	1,415,517	64	23,870	1	18,921	1	3,551	<1	2,204,044
1990	372,471	13	351,039	12	148,891	5	1,832,414	64	35,104	1	125,762	4	2,536	<1	2,868,217
1991	405,592	13	545,376	17	166,731	5	1,718,318	54	63,146	2	294,490	9	3,350	<1	3,197,003
1992	488,399	13	645,159	17	290,095	8	1,929,832	52	71,282	2	268,913	7	2,529	<1	3,696,209
1993	473,138	13	417,681	11	237,446	6	2,395,874	65	32,690	1	106,476	3	2,130	<1	3,665,435
1994	967,691°	17	698,125°	12	343,843°	6	3,467,541°	61	48,900	1	188,847	3	6,753°	<1	5,721,700°
1995	617,777	18	415,158	12	295,030	9	1,750,167	52	51,452	2	215,431	6	663	<1	3,345,678
1996	441,457	14	368,570	12	227,802	7	1,906,312	60	42,044	1	166,941	5	3,825	<1	3,156,951
1997	183,693	9	131,240	7	322,776	16	1,170,288	59	30,846	2	135,179	7	405	<1	1,974,427
1998	464,716	16	412,446	14	197,629	7	1,636,711	55	39,467	1	234,675	8	3,436	<1	2,989,080

Table 5.—Page 2 of 2.

Year	Seine	%	Driftnet	%	Setnet	%	Troll	%	Annette I.	%	Hatchery	%	Misca	%	Total
1999	416,415	11	351,598	10	187,055	5	2,272,461	63	49,365	1	349,200	10	4,140	<1	3,630,234
2000	206,479	11	167,623	9	170,948	9	1,125,219	57	18,189	1	268,171	14	399	<1	1,957,028
2001	542,643	16	294,441	9	205,344	6	1,845,609	56	57,055	2	352,904	11	2,936	<1	3,300,932
2002	469,680	14	436,612	13	200,888	6	1,315,080	41	64,880	2	749,889°	23	5,487	<1	3,242,516
2003	394,168	16	434,234	17	74,343	3	1,223,458	49	39,879	2	328,650	13	3,643	<1	2,498,375
2004	399,267	13	316,192	10	196,930	6	1,914,945	62	30,883	1	221,721	7	4,725	<1	3,084,663
2005	341,295	11	272,873	9	82,887	3	2,034,874	68	35,204	1	231,341	8	4,310	<1	3,002,784
2006	109,498	5	252,449	12	86,085	4	1,362,915	65	30,287	1	246,062	12	4,579	<1	2,091,875
2007	247,568	12	175,286	8	76,550	4	1,376,679	67	35,185	2	146,797	7	4,578	<1	2,062,643
2008	208,196	9	337,447	14	153,712	6	1,291,821	54	48,632	2	340,538	14	1,127	<1	2,381,473
2009	283,431	11	320,910	12	133,808	5	1,585,703	60	51,495	2	246,285	9	138	<1	2,621,770
2010	193,223	7	505,310	20	161,460	6	1,342,919	52	85,055°	3	299,129	12	499	<1	2,587,595
2011	347,132	15	237,976	10	125,830	5	1,313,888	57	53,336	2	232,531	10	639	<1	2,311,332
2012	275,426	13	265,357	13	98,677	5	1,201,520	58	42,468	2	201,044	10	2,229	<1	2,086,721
2013	545,667	14	441,552	11	158,046	4	2,392,138	62	50,477	1	285,491	7	3,774	<1	3,877,145
2014	388,692	10	554,301	15	161,977	4	2,245,272	59	51,275	1	387,988	10	1,604	<1	3,791,109
2015	284,301	13	251,058	12	129,069	6	1,240,195	57	34,100	2	221,087	10	4,133	<1	2,163,943
2016	257,065	11	263,968	11	144,032	6	1,387,055	59	45,823	2	231,478	10	2,779	<1	2,332,200
2017	270,043	9	158,610	6	140,844	5	2,150,880	75	35,862	1	122,289	4	4,404	<1	2,882,932
2018	154,176	10	258,883	16	95,954	6	938,433	59	16,712	1	136,604	9	2,808	<1	1,603,570
2019	246,357	14	196,587	11	100,473	6	973,881	57	17,624	1	181,360	11	2,188	<1	1,718,470
2020	76,706	7	124,811	11	81,709	7	752,152	65	7,593	1	119,943	10	1,423	<1	1,164,337
2021	305,694	19	193,718	12	75,004	5	850,034	54	25,143	2	118,080	8	3,300	<1	1,570,973
2022	162,379	11	132,514	9	62,888	4	854,281	57	11,751	1	270,572	18	1,162	<1	1,495,547
2023	253,083	14	150,139	8	80,242	4	1,052,896	58	25,800	1	237,284	13	2,969	<1	1,802,413
2024	193,900	14	221,178	16	109,577	8	579,237	43	30,162	2	219,273	16	1,072	<1	1,354,399
Averages															
1962-2023	318,345	16	256,882	12	135,877	7	1,239,174	58	27,221	1	199,206	8	2,668	<1	2,117,551
2013-2023	239,850	12	228,459	11	107,219	5	1,244,508	60	27,168	1	202,669	10	2,677	<1	2,052,549

^a Includes confiscations, test fisheries, and sanctioned sport fish salmon derbies where fish were sold.

b Minimum harvest by harvest type.

^c Maximum harvest by harvest type.

Table 6.—Southeast Alaska annual commercial total pink salmon harvest by harvest type, in numbers and percent, 1962–2024.

Year	Seine	%	Driftnet	%	Setnet	%	Troll	%	Annette I.	%	Hatchery	%	Misca	%	Total
1962	10,139,595	90	435,132	4	26,063	<1	75,083	1	579,917	5	=	_	_	_	11,255,790
1963	18,188,335	95	653,826	3	78,697	<1	106,939	1	88,145	<1	=	_	_	_	19,115,942
1964	17,305,646	93	753,312	4	40,038	<1	124,566	1	356,697	2	=	_	_	_	18,580,259
1965	10,061,346	92	698,339	6	4,402	<1	81,127	1	33,883	<1	=	_	_	_	10,879,097
1966	18,906,895	93	790,314	4	1,405 ^b	<1	63,623	<1	588,680	3	_	_	_	_	20,350,917
1967	2,807,759b	90	205,683 ^b	7	31,580	1	57,372	2	6,949 ^b	<1	_	_	_	_	3,109,343 ^b
1968	24,083,473	96	607,275	2	2,130	<1	126,271	1	258,722	1	=	_	_	_	25,077,871
1969	4,313,575	89	381,729	8	64,271	1	83,572	2	29,238	1	_	_	_	_	4,872,385
1970	9,589,943	90	848,425	8	7,841	<1	70,179	1	102,907	1	_	_	_	_	10,619,295
1971	8,514,499	91	655,473	7	80,797	1	104,464	1	_	_	_	_	_	_	9,355,233
1972	11,363,527	92	444,375	4	3,092	<1	167,082	1	415,043	3	_	_	_	_	12,393,119
1973	5,611,363	87	654,224	10	16,990	<1	134,606	2	41,692	1	_	_	_	_	6,458,875
1974	4,174,551	85	338,346	7	4,211	<1	262,876	5	109,053	2	=	_	_	_	4,889,037
1975	3,414,308	85	350,199	9	80,277	2	76,844	2	108,400	3	_	_	_	_	4,030,028
1976	4,290,526	80	384,349	7	28,493	1	194,370	4	436,421	8	_	_	_	_	5,334,159
1977	11,444,267	83	1,428,899	10	75,530	1	281,009	2	581,957	4	_	_	_	_	13,811,662
1978	18,545,091	87	812,947	4	30,525	<1	617,633	3	1,235,444	6	_	_	_	_	21,241,640
1979	8,934,010	82	915,976	8	151,937	1	629,117	6	305,998	3	_	_	_	_	10,937,038
1980	11,869,988	82	1,107,273	8	143,135	1	267,213	2	1,105,482	8	_	_	7,324	<1	14,500,415
1981	16,268,867	85	1,264,900	7	133,756	1	579,436	3	653,409	3	132,744	1	5,096	<1	19,038,208
1982	22,048,891	91	569,351	2	9,850	<1	503,306	2	1,102,077	5	7,346 ^b	<1	$4,002^{b}$	<1	24,244,823
1983	33,666,234	90	1,209,372	3	25,278	<1	498,530	1	2,017,294	5	120,688	<1	8,519	<1	37,545,915
1984	21,070,834	85	1,307,853	5	19,870	<1	572,949	2	1,556,298	6	169,795	1	8,157	<1	24,705,756
1985	47,233,196	91	1,832,570	4	16,410	<1	963,395	2	1,424,695	3	470,949	1	18,105	<1	51,959,320
1986	42,788,318	93	1,282,418	3	7,263	<1	181,706	<1	1,823,069	4	61,178	<1	28,325	<1	46,172,277
1987	7,018,562	68	1,359,526	13	12,920	<1	486,355	5	338,763	3	994,190	10	70,106	1	10,280,422
1988	8,825,252	79	688,750	6	120,212	1	519,367	5	890,272	8	115,729	1	47,580	<1	11,207,162
1989	52,070,066	88	2,769,875°	5	57,195	<1	1,771,409°	3	2,550,624	4	213,371	<1	27,663	<1	59,460,203
1990	27,915,150	86	1,168,061	4	30,840	<1	771,665	2	1,546,186	5	880,750	3	29,350	<1	32,342,002
1991	58,592,358	95	820,409	1	3,052	<1	427,326	1	933,309	2	1,112,888	2	36,997	<1	61,926,339
1992	29,769,079	85	1,408,331	4	18,526	<1	673,795	2	954,756	3	2,111,411	6	27,400	<1	34,963,298
1993	53,414,515	93	1,087,670	2	9,909	<1	902,766	2	1,521,934	3	332,763	1	29,793	<1	57,299,350
1994	51,280,083	90	1,030,607	2	12,324	<1	942,783	2	498,031	1	3,459,436°	6	51,613	<1	57,274,877
1995	43,498,508	91	1,337,764	3	54,041	<1	714,312	1	1,925,156	4	411,701	1	24,024	<1	47,965,506
1996	61,649,487	95	615,311	1	31,295	<1	812,899	1	867,799	1	609,316	1	43,607	<1	64,629,714
1997	24,782,485	86	1,384,200	5	93,658	<1	545,308	2	410,054	1	1,695,171	6	64,348	<1	28,975,224
1998	38,436,679	90	1,489,395	4	86,066	<1	261,104	1	799,296	2	1,411,511	3	51,351	<1	42,535,402

Table 6.–Page 2 of 2.

Year	Seine	%	Driftnet	%	Setnet	%	Troll	%	Annette I.	%	Hatchery	%	Misca	%	Total
1999	71,961,636	92	1,274,672	2	29,554	<1	540,859	1	896,414	1	3,053,220°	4	91,929	<1	77,848,284
2000	18,156,691	89	679,452	3	64,349	<1	187,364	1	918,280	5	267,913	1	39,377	<1	20,313,426
2001	61,951,322	92	1,568,859	2	32,230	<1	258,943	<1	1,995,215	3	1,189,294	2	60,128	<1	67,055,991
2002	42,137,936	93	802,290	2	15,590	<1	86,399	<1	1,363,274	3	853,059	2	72,459	<1	45,331,007
2003	49,894,749	95	1,354,839	3	48,418	<1	159,643	<1	569,512	1	420,141	1	68,330	<1	52,515,632
2004	42,596,809	94	944,447	2	23,207	<1	57,199	<1	715,774	2	933,287	2	62,289	<1	45,333,012
2005	55,746,479	94	1,530,243	3	60,436	<1	109,584	<1	598,105	1	1,004,250	2	133,145	<1	59,182,242
2006	10,117,941	87	744,048	6	88,864	1	60,323	1	263,420	2	377,353	3	43,462	<1	11,695,411
2007	42,078,209	94	984,250	2	87,997	<1	104,325	<1	846,271	2	606,443	1	177,245°	<1	44,884,740
2008	14,297,381	90	560,612	4	65,227	<1	28,123 ^b	<1	926,190	6	83,099	1	6,418	<1	15,967,050
2009	34,946,847	92	566,734	1	76,956	<1	75,722	<1	1,725,651	5	682,266	2	27,254	<1	38,101,430
2010	20,630,148	85	1,337,194	6	160,470	1	87,625	<1	1,327,540	5	713,810	3	46,712	<1	24,303,499
2011	55,251,280	94	1,641,100	3	205,261°	<1	496,220	1	740,510	1	698,067	1	55,849	<1	59,088,287
2012	19,172,555	90	938,892	4	27,343	<1	168,539	1	807,922	4	153,194	1	35,945	<1	21,304,390
2013	88,764,579°	94	1,664,045	2	67,344	1	684,532	1	2,578,174	3	968,118	1	60,148	<1	94,786,940
2014	33,471,883	90	1,417,432	4	20,733	<1	75,278	<1	1,962,729	5	236,214	1	10,364	<1	37,194,633
2015	32,224,601	92	1,374,363	4	68,785	<1	259,411	1	776,981	2	333,233	1	124,052	<1	35,161,426
2016	15,388,943	84	1,152,890	6	21,778	<1	53,359	<1	1,418,243	8	330,519	2	30,265	<1	18,395,997
2017	32,061,417	92	1,019,549	3	91,933	<1	54,469	<1	879,193	3	641,437	2	78,591	<1	34,826,589
2018	6,850,978	85	556,370	7	29,072	<1	53,578	1	296,378	4	293,654	4	16,742	<1	8,096,772
2019	18,611,309	88	872,362	4	33,048	<1	70,422	<1	1,239,672	6	322,560	2	25,591	<1	21,174,964
2020	5,958,004	74	501,173	6	14,657	<1	43,456	1	524,496	6	995,829	12	40,041	<1	8,077,656
2021	44,522,154	92	673,318	1	28,071	<1	101,489	<1	2,756,194	6	419,985	1	55,107	<1	48,556,318
2022	14,738,246	80	632,895	3	22,798	<1	79,397	<1	1,991,260	1	819,538	4	37,824	<1	18,321,958
2023	44,758,527	94	636,850	1	9,637	<1	90,290	<1	1,481,496	3	842,809	2	29,539	<1	47,849,148
2024	18,398,959	91	141,958	1	8,348	<1	59,102	<1	1,065,158	5	412,027	2	40,308	<1	20,125,860
Averages		<u> </u>		<u> </u>		•				•				•	
1962-2023	27,744,805	89	976,151	4	48,510	<1	316,757	1	932,202	3	733,727	3	45,730	<1	30,559,753
2014-2023	24,858,606	87	883,720	4	34,051	<1	88,115	<1	1,332,664	5	523,578	3	44,812	<1	27,765,546

^a Includes confiscations, test fisheries, and sanctioned sport fish salmon derbies where fish were sold.

^b Minimum harvest by harvest type.

^c Maximum harvest by harvest type.

Table 7.—Southeast Alaska annual commercial total chum salmon harvest by harvest type, in numbers and percent, 1962–2024.

								-	7 1	_	1		,		
Year	Seine	%	Driftnet	%	Setnet	%	Troll	%	Annette I.	%	Hatchery	%	Misc.a	%	Total
1962	1,593,386	87	233,421	13	616	<1	2,676	<1	6,911	<1	_	_	-	-	1,837,010
1963	1,186,182	81	265,251	18	10,294	1	6,230	<1	2,282	<1	_	-	_	_	1,470,239
1964	1,661,431	86	250,045	13	1,481	<1	2,576	<1	12,301	1	=	-	_	_	1,927,834
1965	1,185,569	81	269,986	18	4,094	<1	6,359	<1	248	<1	=	-	_	_	1,466,256
1966	2,846,425	88	365,070	11	3,396	<1	5,203	<1	7,308	<1	_	-	_	_	3,227,402
1967	1,545,057	86	250,050	14	4,459	<1	7,051	<1	323	<1	_	-	_	_	1,806,940
1968	2,251,556	85	363,713	14	13,866	1	2,791	<1	4,281	<1	_	-	_	_	2,636,207
1969	332,514 ^b	59	208,918 ^b	37	17,203	3	1,702 ^b	<1	258	<1	_	-	_	_	560,595 ^b
1970	1,919,378	79	494,294	20	10,147	<1	2,906	<1	1,387	<1	_	-	_	_	2,428,112
1971	1,495,755	77	435,924	22	6,306	<1	7,621	<1	_	_	_	-	_	_	1,945,606
1972	2,168,632	74	744,933	25	12,887	<1	11,673	<1	5,290	<1	_	-	_	_	2,943,415
1973	1,221,201	69	524,199	30	8,995	1	10,443	1	226 ^b	<1	_	-	_	_	1,765,064
1974	988,297	59	666,313	40	4,185	<1	13,832	1	375	<1	=	-	_	_	1,673,002
1975	381,540	55	298,296	43	3,761	1	2,784	<1	1,306	<1	_	-	_	_	687,687
1976	511,827	50	503,230	49	7,462	1	4,251	<1	3,810	<1	_	-	_	_	1,030,580
1977	336,408	46	364,164	49	8,623	1	11,621	2	15,193	2	=	-	_	_	736,009
1978	521,880	60	288,959	33	6,181	1	26,193	3	25,605	3	_	-	_	_	868,818
1979	438,175	49	401,161	45	7,399	1	24,661	3	16,437	2	_	-	_	_	887,833
1980	1,002,478	61	548,674	33	20,151	1	12,168	1	57,064	3	752	<1	1,651	<1	1,642,938
1981	517,002	62	270,231	32	10,655	1	8,680	1	30,312	4	1 ^b	<1	359	<1	837,240
1982	828,444	62	448,332	34	6,320	<1	5,638	<1	40,362	3	778	<1	345	<1	1,330,219
1983	579,168	49	516,639	44	11,195	1	20,309	2	24,237	2	18,269	2	309^{b}	<1	1,170,126
1984	2,433,749	60	1,030,346	25	32,230	1	28,057	1	104,951	3	453,204	11	1,662	<1	4,084,199
1985	1,849,523	56	1,134,446	35	12,468	<1	52,770	2	86,916	3	133,051	4	6,227	<1	3,275,401
1986	2,198,907	65	815,813	24	16,616	<1	51,391	2	112,679	3	161,792	5	1,794	<1	3,358,992
1987	1,234,552	45	747,363	27	14,555	1	12,843	<1	109,029	4	594,563	22	8,756	<1	2,721,661
1988	1,625,435	46	1,144,856	32	$29,256^{c}$	1	88,261	2	127,711	4	512,809	15	7,263	<1	3,535,591
1989	1,079,555	55	542,846	28	16,259	1	68,990	4	65,415	3	192,527	10	3,302	<1	1,968,894
1990	1,062,522	48	616,226	28	5,825	<1	62,818	3	84,519	4	381,645	17	4,340	<1	2,217,895
1991	2,125,308	64	707,277	21	2,984	<1	28,438	1	82,102	2	376,313	11	13,621	<1	3,336,043
1992	3,193,433	65	845,176	17	7,604	<1	85,029	2	102,290	2	695,451	14	7,532	<1	4,936,515
1993	4,606,463	58	1,401,186	18	4,065	<1	525,158	7	75,489	1	1,256,796	16	10,711	<1	7,879,868
1994	6,376,472	61	1,823,497	18	4,229	<1	330,377	3	136,341	1	1,717,481	17	14,688	<1	10,403,085
1995	6,600,529	59	2,478,672	22	2,585	<1	277,453	2	133,380	1	1,707,559	15	25,515	<1	11,225,693
1996	8,918,577	56	2,033,650	13	1,803	<1	406,256	3	126,294	1	4,536,244	28	20,506	<1	16,043,330°
1997	5,863,603	50	1,689,474	14	808	<1	312,042	3	166,573	1	3,736,406	32	20,233	<1	11,789,139
1998	$9,406,979^{\circ}$	60	1,923,764	12	1,351	<1	117,642	1	214,681	1	4,004,257	26	26,611	<1	15,695,285

Table 7.—Page 2 of 2.

Year	Seine	%	Driftnet	%	Setnet	%	Troll	%	Annette I.	%	Hatchery	%	Misc.a	%	Total
1999	8,944,184	60	2,166,260	15	928	<1	74,704	1	100,331	1	3,611,886	24	32,639	<1	14,930,932
2000	8,306,257	52	2,561,607	16	1,185	<1	478,144	3	164,969	1	4,353,396	27	45,351	<1	15,910,909
2001	4,436,178	51	1,576,881	18	406	<1	467,837	5	126,455	1	2,125,390	24	21,269	<1	8,754,416
2002	3,110,330	42	1,415,849	19	204	<1	117,672	2	83,438	1	2,710,351	36	17,163	<1	7,455,007
2003	4,336,128	39	1,528,198	14	542	<1	286,410	3	56,049	1	4,889,605°	44	18,153	<1	11,115,085
2004	5,684,447	50	1,835,679	16	1,555	<1	171,307	2	97,664	1	3,550,119	31	30,852	<1	11,371,623
2005	2,817,026	44	1,511,570	24	525	<1	174,596	3	58,487	1	1,858,830	29	6,496	<1	6,427,530
2006	5,614,232	41	3,126,853	23	1,225	<1	153,545	1	160,182	1	4,473,325	33	25,918	<1	13,555,280
2007	3,043,839	32	2,485,605	26	2,782	<1	191,680	2	190,485	2	3,484,759	37	18,657	<1	9,417,807
2008	3,215,231	36	2,592,212	29	546	<1	60,829	1	157,975	2	3,017,712	33	8,583	<1	9,053,088
2009	3,502,998	36	2,729,966	28	871	<1	342,865	4	158,637	2	2,926,353	30	12,385	<1	9,674,075
2010	3,234,846	34	2,220,688	23	1,239	<1	394,696	4	314,418	3	3,299,035	35	11,007	<1	9,475,929
2011	2,701,643	25	2,801,644	26	900	<1	702,901	7	430,585	4	4,087,184	38	5,283	<1	10,730,140
2012	4,826,746	39	3,517,702	28	2,162	<1	476,520	4	468,304	4	3,065,001	25	18,418	<1	12,374,853
2013	5,797,941	46	3,422,488	27	1,428	<1	1,054,265°	8	182,489	1	2,099,940	17	14,481	<1	12,573,032
2014	2,384,335	36	2,381,516	36	621	<1	199,707	3	129,478	2	1,575,630	24	8,509	<1	6,679,796
2015	4,827,047	42	3,351,918	29	660	<1	424,231	4	704,131	6	2,306,954	20	12,393	<1	11,627,334
2016	3,108,581	34	2,679,235	29	554	<1	164,944	2	396,058	4	2,731,469	30	36,425	<1	9,117,266
2017	4,044,328	35	3,611,923	32	912	<1	403,488	4	249,088	2	3,094,798	27	25,768	<1	11,430,305
2018	4,985,011	43	2,526,020	22	132	<1	530,558	5	211,148	2	3,215,022	28	16,442	<1	11,484,333
2019	4,376,156	47	2,327,435	25	395	<1	269,600	3	97,770	1	2,259,828	24	52,128	1	9,383,312
2020	2,012,622	43	1,061,904	23	122	<1	79,451	2	75,378	2	1,457,783	31	6,606	<1	4,693,866
2021	2,583,151	35	1,532,085	21	69	<1	704,325	9	134,007	2	2,451,460	33	11,696	<1	7,416,793
2022	3,461,086	33	2,394,403	23	97	<1	1,045,914	1	118,998	1	3,421,266	33	15,425	<1	10,457,189
2023	7,154,873	45	3,489,975	22	37	<1	356,961	2	260,267	2	4,436,143	28	27,565	<1	15,725,821
2024	5,825,307	37	3,865,909	25	243	<1	820,647	5	524,946	3	4,631,733	29	64,891	<1	15,733,676
Averages															
1962-2023	3,106,405	54	1,427,355	25	5,684	<1	193,097	2	114,688	2	2,204,166	24	15,338	<1	6,422,362
2014–2023	3,893,719	39	2,535,641	26	360	<1	417,918	4	237,632	2	2,695,035	28	21,296	<1	9,801,602

^a Includes confiscations, test fisheries, and sanctioned sport fish salmon derbies where fish were sold.

^b Minimum harvest by harvest type.

^c Maximum harvest by harvest type.

Table 8.-Number of active limited entry and interim use permits issued and fished in Southeast Alaska fisheries, 1975–2024.

	Purse	seine	Drift g	gillnet	Set g	illnet	Hand	troll	Power	r troll	То	tal
Year	Issued	Fished	Issued	Fished	Issued	Fished	Issued	Fished	Issued	Fished	Issued	Fished
1975	477	287	511	443	215	141	2,088	1,092	1,079	762	4,370	2,725
1976	418	280	487	432	159	133	2,082	1,238	998	745	4,144	2,828
1977	414	325	474	438	159	144	2,953	1,836	970	750	4,970	3,493
1978	420	376	491	474	164	155	3,923	2,624	976	816	5,974	4,445
1979	418	319	491	449	167	155	3,702	2,207	980	819	5,758	3,949
1980	418	335	489	445	167	159	2,436	1,667	974	842	4,484	3,448
1981	418	364	487	447	167	158	2,048	1,153	970	793	4,090	2,915
1982	421	370	487	431	164	147	1,914	1,067	968	810	3,954	2,825
1983	421	338	481	432	165	145	2,150	946	968	810	4,185	2,671
1984	423	383	481	437	164	140	2,147	860	963	795	4,178	2,615
1985	420	368	485	446	164	148	2,030	903	963	830	4,062	2,695
1986	420	368	488	460	164	154	1,983	804	957	827	4,012	2,613
1987	420	381	486	465	165	154	1,937	763	957	828	3,965	2,591
1988	420	394	485	470	165	159	1,870	777	956	828	3,896	2,628
1989	420	365	485	466	166	160	1,817	694	955	830	3,843	2,515
1990	420	360	486	465	166	158	1,782	699	956	839	3,810	2,521
1991	420	383	485	465	168	161	1,741	700	959	847	3,773	2,556
1992	420	354	485	467	170	159	1,689	645	957	837	3,721	2,462
1993	419	382	482	460	171	157	1,633	600	956	836	3,661	2,435
1994	418	390	483	446	171	150	1,579	547	954	804	3,605	2,337
1995	418	373	483	452	171	147	1,540	460	954	818	3,566	2,250
1996	417	357	484	439	171	139	1,501	412	967	737	3,540	2,084
1997	416	351	482	423	170	141	1,459	387	968	740	3,495	2,042
1998	416	377	479	422	170	142	1,409	304	967	732	3,441	1,977
1999	416	359	481	430	170	128	1,370	338	965	721	3,402	1,976
2000	416	356	480	422	170	125	1,329	315	963	712	3,358	1,930
2001	415	345	482	433	169	114	1,295	307	965	701	3,326	1,900
2002	415	273	482	391	167	87	1,247	253	965	666	3,276	1,670
2003	416	235	477	375	167	104	1,189	265	965	637	3,214	1,616
2004	414	209	478	348	168	112	1,139	324	961	688	3,160	1,681
2005	415	232	478	368	168	114	1,108	353	961	715	3,130	1,782
2006	414	230	477	358	167	104	1,104	371	961	737	3,123	1,800
2007	415	237	476	387	166	120	1,083	375	961	740	3,101	1,859
2008	380	212	475	392	165	128	1,065	375	961	745	3,046	1,852
2009	379	256	474	406	167	122	1,055	364	961	745	3,036	1,893
2010	379	235	474	422	167	127	1,044	339	962	729	3,026	1,852
2011	379	269	474	442	167	121	1,037	372	962	760	3,019	1,964
2012	315	233	474	444	168	113	1,019	353	961	743	2,937	1,887
2013	315	276	473	451	168	106	1,002	362	961	722	2,919	1,917
2014	315	261	473	431	168	117	992	346	962	756	2,910	1,910
2015	315	281	473	421	167	112	978	316	962	740	2,895	1,870
2016	315	254	473	424	167	109	959	269	961	745 721	2,866	1,801
2017	315	259	473	421	167	113	950	256	961	721	2,866	1,784
2018	315	242	474	421	166	102	945	235	961	669	2,861	1,669
2019	279	240	474	419	166	94	918	227	959	661	2,796	1,641
2020	279	200	474	368	167	91 05	910	218	960	628	2,790	1,505
2021	278	208	473	370	166	95 76	902	210	957	629	2,776	1,504
2022	278	194	472	373	167	76	880	173	955	609	2,752	1,425
2023	278	210	472	366	166	71	866	159	953	552 520	2,735	1,358
2024	284	197	475	319	167	77	712	139	954	520	2,592	1,252
Average	205	202	400	124	160	120	1.520	(20	0.65	745	2 5 4 7	2 220
1975–2023	385	302	480	424	168	128	1,530	620	965	745	3,547	2,238
2014–2023	297	235	473	401	167	98	930	241	959	671	2,825	1,647

Note: Data are provided beginning in the year salmon limited entry permits were first issued; this is 1975 for seine, drift gillnet, set gillnet, and power troll. Limited entry permits for hand troll were first issued in 1982. Data for 2024 are preliminary.

Table 9.-Southeast Alaska commercial salmon harvest, in numbers, by harvest type and fishery, 2024.

Total purse seine total	Fishery	Chinooka	Jacks ^b	Sockeye	Coho	Pink	Chum	Total
Southern purse seine traditional 8,023 1,999 268,278 167,410 15,174,30 1,472,998 17,093,138 Southern purse seine hatchery terminal 5,418 256 6,297 1,718 74,894 820,984 909,567 Northern purse seine traditional 486 43 125,263 22,043 2,918,048 1,096,572 4,162,455 Northern purse seine hatchery terminal 3,861 91 9,185 2,729 231,587 2,434,753 2,682,206 Total drift gillnet 12,338 0 249,608 221,178 141,958 3,865,909 4,409,91 Tree Point 1,166 0 245,608 221,178 141,958 3,865,909 4,409,91 Tree Point 1,166 0 40,687 57,780 15,217 125,083 23,989 565,541 127,523 25,541 167,333 239,893 6,554 82,752 957,155 16,972 1,60,433 1,60,253 116,973 1,60,253 1,60,253 1,60,253 1,60,253 1,60,253	Total purse seine	17,788	2,389	409,023	193,900	18,398,959	5,825,307	24,847,366
Southern purse seine hatchery terminal Northern purse seine total ⁴ 4,347 134 134,448 24,772 3,149,635 3,531,325 6,844,661 Northern purse seine traditional Northern purse seine traditional Purse seine hatchery terminal Northern purse seine hatchery terminal 486 43 125,263 22,043 2,918,048 1,096,572 4,162,455 Northern purse seine hatchery terminal Prince of Wales 1,166 0 249,608 221,178 141,958 3,865,909 4,490,991 Tree Point 1,166 0 24,587 45,078 88,176 401,534 560,541 Prince of Wales 1,126 0 40,687 57,780 15,217 125,083 239,893 Stikine 535 0 16,167 9,538 2,504 88,229 116,973 Taku-Snettisham 810 0 89,343 32,896 6,554 827,552 957,155 Lynn Canal 246 0 56,582 62,004 11,222 84,117 944,171 Drift gillnet hatchery terminal 3,03 0 <td< td=""><td>Southern purse seine total^c</td><td>13,441</td><td>2,255</td><td>274,575</td><td>169,128</td><td>15,249,324</td><td>2,293,982</td><td>18,002,705</td></td<>	Southern purse seine total ^c	13,441	2,255	274,575	169,128	15,249,324	2,293,982	18,002,705
Northern purse seine total ^{id} 4,347 134 134,448 24,772 3,149,635 3,531,325 6,844,661 Northern purse seine traditional 486 43 125,263 22,043 2,918,048 1,096,572 4,162,455 Northern purse seine hatchery terminal 3,861 91 9,185 2,729 231,587 2,434,753 2,682,206 Total drift gillnet 12,338 0 249,608 221,178 141,958 3,865,909 4,409,091 Tree Point 1,166 0 24,587 45,078 88,176 401,534 560,541 Prince of Wales 1,126 0 40,687 57,780 15,217 125,083 239,883 Stkine 535 0 16,167 9,538 2,504 88,229 116,975 Taku-Snettisham 810 0 56,582 62,004 11,222 814,117 944,171 Drift gillnet hatchery terminal 8,455 0 22,242 13,882 18,285 1,609,334 Ste gillnet	Southern purse seine traditional	8,023	1,999	268,278	167,410	15,174,430	1,472,998	17,093,138
Northern purse seine traditional Northern purse seine hatchery terminal 486 43 125,263 22,043 2,918,048 1,096,572 4,162,455 Northern purse seine hatchery terminal 3,861 91 9,185 2,729 231,587 2,434,753 2,682,206 Total drift gillnet 12,338 0 249,608 221,178 141,958 3,665,009 4490,991 Tree Point 1,166 0 245,887 45,078 881,76 401,534 560,541 Prince of Wales 1,126 0 40,687 57,780 15,217 125,083 239,893 Stikine 535 0 16,167 9,538 2,504 88,229 116,973 Taku-Snettisham 810 8,8455 0 22,242 13,882 18,285 1,693,34 2,504 11,222 84,117 944,171 944,171 194,175 15,258 2,525 2,957,155 2,724 13,882 18,285 1,609,394 1,672,258 362 1,010 1,022 88,293 1,715,95 <td>Southern purse seine hatchery terminal</td> <td>5,418</td> <td>256</td> <td>6,297</td> <td>1,718</td> <td>74,894</td> <td>820,984</td> <td>909,567</td>	Southern purse seine hatchery terminal	5,418	256	6,297	1,718	74,894	820,984	909,567
Northern purse seine hatchery terminal 3,861 91 9,185 2,729 231,587 2,434,753 2,682,206 Total drift gillnet 12,338 0 249,608 221,178 141,958 3,865,909 4,490,991 Tree Point 1,166 0 24,587 45,078 88,176 401,534 506,541 Prince of Wales 1,126 0 40,687 57,780 15,217 125,083 239,893 Stikine 535 0 16,167 9,538 2,504 488,229 116,973 Taku-Snettisham 810 0 89,343 32,896 6,554 827,552 957,155 Lynn Canal 246 0 56,582 62,004 11,222 814,117 944,171 Drift gillnet hatchery terminal 8,455 0 22,242 13,882 1,609,394 1,610,453 Set gillnet 30,304 0 16 9,527 8,74 1,59,85 Total troll 150,801 0 666 579,237	Northern purse seine total ^d	4,347	134	134,448	24,772	3,149,635	3,531,325	6,844,661
Total drift gillnet 12,338 0 249,608 221,178 141,958 3,865,909 4,490,991 Tree Point 1,166 0 24,587 45,078 88,176 401,534 560,541 Prince of Wales 1,126 0 40,687 57,780 15,217 125,083 239,893 Stikine 535 0 16,167 9,538 2,504 88,229 116,973 Taku-Snettisham 810 0 89,343 32,896 6,554 827,552 957,155 Lynn Canal 246 0 56,582 62,004 11,222 814,117 944,171 Drift gillnet hatchery terminal 8,455 0 22,242 13,882 18,285 1,609,394 1,672,258 Set gilnet 303 0 57,514 109,577 8,348 243 175,985 Set gilnet 303 0 57,514 109,577 8,348 243 175,985 Set gilnet 303 0 57,514 109,5	Northern purse seine traditional	486	43	125,263	22,043	2,918,048	1,096,572	4,162,455
Tree Point 1,166 0 24,587 45,078 88,176 401,534 560,541 Prince of Wales 1,126 0 40,687 57,780 15,217 125,083 239,893 Stikine 535 0 16,167 9,538 2,504 88,229 116,973 Taku-Snettisham 810 0 89,343 32,896 6,554 827,552 957,155 Lynn Canal 246 0 56,582 62,004 11,222 814,117 944,171 Drift gillnet hatchery terminal 8,455 0 22,242 13,882 18,285 1,609,394 1,672,258 Set gillnet 303 0 57,514 109,577 8,348 243 175,985 Set gillnet 303 0 57,514 109,577 8,348 243 175,985 Set gillnet 303 0 666 579,237 59,102 80,647 1,610,453 Hand troll total 38,94 0 16 9,720	Northern purse seine hatchery terminal	3,861	91	9,185	2,729	231,587	2,434,753	2,682,206
Prince of Wales 1,126 0 40,687 57,780 15,217 125,083 239,893 Stikine 535 0 16,167 9,538 2,504 88,229 116,973 Taku-Snettisham 810 0 89,343 32,896 6,554 827,552 957,155 Lyn Canal 246 0 56,582 62,004 11,222 814,117 944,171 Drift gillnet hatchery terminal 8,455 0 22,242 13,882 18,285 1,609,394 167,258 Set gillnet 303 0 57,514 109,577 8,348 243 175,985 Total troll 150,801 0 666 579,237 59,102 820,647 1,610,453 Hand troll traditional 3,221 0 16 9,699 881 1,355 15,172 Hand troll spring fishery 381 0 0 19 5 31 357 Hand troll spring fishery 131,208 0 631 569,335<	Total drift gillnet	12,338	0	249,608	221,178	141,958	3,865,909	4,490,991
Stikine 535 0 16,167 9,538 2,504 88,229 116,973 Taku-Snettisham 810 0 89,343 32,896 6,554 827,552 957,155 Lynn Canal 246 0 56,582 62,004 11,222 814,117 944,171 Drift gillnet hatchery terminal 8,455 0 22,242 13,882 18,285 1,609,394 1,672,258 Set gillnet 303 0 57,514 109,577 8,348 243 175,985 Set gillnet 303 0 57,514 109,577 8,348 243 175,985 Set gillnet 302 0 16 69,699 881 1,355 15,918 Hand troll total 3,221 0 16 9,699 881 1,355 15,172 Hand troll spring fishery 381 0 0 2 1 5 389 Power troll traditional 131,208 0 631 569,351 58,215	Tree Point	1,166	0	24,587	45,078	88,176	401,534	560,541
Taku-Snettisham 810 0 89,343 32,896 6,554 827,552 957,155 Lynn Canal 246 0 56,582 62,004 11,222 814,117 944,171 Drift gillnet hatchery terminal 8,455 0 22,242 13,882 18,285 1,609,394 1,672,258 Set gillnet 303 0 57,514 109,577 8,348 243 175,985 Total troll 150,801 0 666 579,237 59,102 820,647 1,610,453 Hand troll traditional 3,904 0 16 9,720 887 1,391 15,918 Hand troll traditional 3,221 0 0 19 5 31 357 Hand troll spring fishery 381 0 0 2 1 5 389 Power troll traditional 131,208 0 631 569,335 56,571 802,898 1,560,643 Power troll hatchery terminal 1,893 0 3	Prince of Wales	1,126	0	40,687	57,780	15,217	125,083	239,893
Lynn Canal 246 0 56,582 6,004 11,222 814,117 944,171 Drift gillnet hatchery terminal 8,455 0 22,242 13,882 18,285 1,609,394 1,672,258 Set gillnet 303 0 57,514 109,577 8,348 243 175,985 Total troll 150,801 0 666 579,237 59,102 820,647 1,610,453 Hand troll total 3,904 0 16 9,720 887 1,391 15,918 Hand troll traditional 3,221 0 16 9,699 881 1,355 15,172 Hand troll spring fishery 381 0 0 19 5 31 357 Hand troll spring fishery 381 0 0 2 11 5 389 Power troll total 146,897 0 650 569,517 58,215 819,256 1,594,355 Power troll total fractional 13,208 0 631 569,335 <td>Stikine</td> <td>535</td> <td>0</td> <td>16,167</td> <td>9,538</td> <td>2,504</td> <td>88,229</td> <td>116,973</td>	Stikine	535	0	16,167	9,538	2,504	88,229	116,973
Drift gillnet hatchery terminal 8,455 0 22,242 13,882 18,285 1,609,394 1,672,258 Set gillnet 303 0 57,514 109,577 8,348 243 175,985 Total troll 150,801 0 666 579,237 59,102 820,647 1,610,453 Hand troll total 3,904 0 16 9,720 887 1,391 15,918 Hand troll traditional 3,221 0 16 9,699 881 1,355 15,172 Hand troll spring fishery 381 0 0 19 5 31 357 Hand troll spring fishery 381 0 0 19 5 31 357 Hand troll traditional 146,897 0 650 569,517 58,215 819,256 1,594,535 Power troll traditional 131,208 0 631 569,335 56,571 802,898 1,560,643 Power troll traditional 1,893 0 3	Taku-Snettisham	810	0	89,343	32,896	6,554	827,552	957,155
Set gillnet 303 0 57,514 109,577 8,348 243 175,985 Total troll 150,801 0 666 579,237 59,102 820,647 1,610,453 Hand troll total 3,904 0 16 9,720 887 1,391 15,918 Hand troll traditional 3,221 0 16 9,699 881 1,355 15,172 Hand troll spring fishery 381 0 0 19 5 31 357 Hand troll total 146,897 0 650 569,517 58,215 819,256 1,594,535 Power troll traditional 131,208 0 631 569,335 56,571 802,898 1,560,643 Power troll hatchery terminal 1,893 0 3 128 1,225 14,655 17,994 Power troll spring fishery 13,796 0 16 54 419 1,703 15,988 Total Annette Island Puser seine 1,094 6 15,773	Lynn Canal	246	0	56,582	62,004	11,222	814,117	944,171
Total troll 150,801 0 666 579,237 59,102 820,647 1,610,453 Hand troll total 3,904 0 16 9,720 887 1,391 15,918 Hand troll traditional 3,221 0 16 9,699 881 1,355 15,172 Hand troll spring fishery 381 0 0 19 5 31 357 Hand troll spring fishery 381 0 0 2 1 5 389 Power troll total 146,897 0 650 569,517 58,215 819,256 1,594,535 Power troll traditional 131,208 0 631 569,335 56,571 802,898 1,560,643 Power troll spring fishery 13,796 0 16 54 419 1,703 15,988 Total Annette Island Reserve 2,470 6 17,682 30,162 1,065,158 524,946 1,640,424 Annette Island drift gillnet 887 0 1,909	Drift gillnet hatchery terminal	8,455	0	22,242	13,882	18,285	1,609,394	1,672,258
Hand troll total 3,904 0 16 9,720 887 1,391 15,918 Hand troll traditional 3,221 0 16 9,699 881 1,355 15,172 Hand troll hatchery terminal 302 0 0 19 5 31 357 Hand troll spring fishery 381 0 0 2 1 5 389 Power troll total 146,897 0 650 569,517 58,215 819,256 1,594,535 Power troll traditional 131,208 0 631 569,335 56,571 802,898 1,560,643 Power troll hatchery terminal 1,893 0 3 128 1,225 14,655 17,904 Power troll spring fishery 13,796 0 16 54 419 1,703 15,988 Total Annette Island Reserve 2,470 6 17,682 30,162 1,065,158 524,946 1,640,424 Annette Island drift gillnet 887 0 1,9	Set gillnet	303	0	57,514	109,577	8,348	243	175,985
Hand troll traditional 3,221 0 16 9,699 881 1,355 15,172 Hand troll hatchery terminal 302 0 0 19 5 31 357 Hand troll spring fishery 381 0 0 2 1 5 389 Power troll total 146,897 0 650 569,517 58,215 819,256 1,594,535 Power troll traditional 131,208 0 631 569,335 56,571 802,898 1,560,643 Power troll hatchery terminal 1,893 0 3 128 1,225 14,655 17,904 Power troll spring fishery 13,796 0 16 54 419 1,703 15,988 Total Annette Island Reserve 2,470 6 17,682 30,162 1,065,158 524,946 1,640,424 Annette Island drift gillnet 887 0 1,909 18,089 12,598 180,925 214,408 Total Annette Island troll 489 0 <td>Total troll</td> <td>150,801</td> <td>0</td> <td>666</td> <td>579,237</td> <td>59,102</td> <td>820,647</td> <td>1,610,453</td>	Total troll	150,801	0	666	579,237	59,102	820,647	1,610,453
Hand troll hatchery terminal 302 0 0 19 5 31 357 Hand troll spring fishery 381 0 0 2 1 5 389 Power troll total 146,897 0 650 569,517 58,215 819,256 1,594,535 Power troll traditional 131,208 0 631 569,335 56,571 802,898 1,560,643 Power troll spring fishery 13,796 0 16 54 419 1,703 15,988 Total Annette Island Reserve 2,470 6 17,682 30,162 1,065,158 524,946 1,640,424 Annette Island purse seine 1,094 6 15,773 11,914 1,052,550 344,021 1,425,358 Annette Island drift gillnet 887 0 1,909 18,089 12,598 180,925 214,408 Total Annette Island troll 489 0 0 15 10 0 658 Annette Island Power troll 489 0	Hand troll total	3,904	0	16	9,720	887	1,391	15,918
Hand troll spring fishery 381 0 0 2 1 5 389 Power troll total 146,897 0 650 569,517 58,215 819,256 1,594,535 Power troll traditional 131,208 0 631 569,335 56,571 802,898 1,560,643 Power troll hatchery terminal 1,893 0 3 128 1,225 14,655 17,904 Power troll spring fishery 13,796 0 16 54 419 1,703 15,988 Total Annette Island Reserve 2,470 6 17,682 30,162 1,065,158 524,946 1,640,424 Annette Island purse seine 1,094 6 15,773 11,914 1,052,550 344,021 1,425,358 Annette Island drift gillnet 887 0 1,909 18,089 12,598 180,925 214,408 Total Annette Island troll 489 0 0 159 10 0 658 Annette Island Power troll 489 <td>Hand troll traditional</td> <td>3,221</td> <td>0</td> <td>16</td> <td>9,699</td> <td>881</td> <td>1,355</td> <td>15,172</td>	Hand troll traditional	3,221	0	16	9,699	881	1,355	15,172
Power troll total 146,897 0 650 569,517 58,215 819,256 1,594,535 Power troll traditional 131,208 0 631 569,335 56,571 802,898 1,560,643 Power troll hatchery terminal 1,893 0 3 128 1,225 14,655 17,904 Power troll spring fishery 13,796 0 16 54 419 1,703 15,988 Total Annette Island Reserve 2,470 6 17,682 30,162 1,065,158 524,946 1,640,424 Annette Island purse seine 1,094 6 15,773 11,914 1,052,550 344,021 1,425,358 Annette Island drift gillnet 887 0 1,909 18,089 12,598 180,925 214,408 Total Annette Island Hand troll 0 0 15 10 0 658 Annette Island Power troll 489 0 0 15 10 0 633 Hatchery cost recovery 19,429	Hand troll hatchery terminal	302	0	0	19	5	31	357
Power troll traditional 131,208 0 631 569,335 56,571 802,898 1,560,643 Power troll hatchery terminal 1,893 0 3 128 1,225 14,655 17,904 Power troll spring fishery 13,796 0 16 54 419 1,703 15,988 Total Annette Island Reserve 2,470 6 17,682 30,162 1,065,158 524,946 1,640,424 Annette Island purse seine 1,094 6 15,773 11,914 1,052,550 344,021 1,425,358 Annette Island drift gillnet 887 0 1,909 18,089 12,598 180,925 214,408 Total Annette Island troll 489 0 0 159 10 0 658 Annette Island Power troll 489 0 0 15 10 0 633 Hatchery cost recovery 19,429 5 56,542 219,273 412,027 4,631,733 5,339,009 Miscellaneouse 686 </td <td>Hand troll spring fishery</td> <td>381</td> <td>0</td> <td>0</td> <td>2</td> <td>1</td> <td>5</td> <td>389</td>	Hand troll spring fishery	381	0	0	2	1	5	389
Power troll hatchery terminal 1,893 0 3 128 1,225 14,655 17,904 Power troll spring fishery 13,796 0 16 54 419 1,703 15,988 Total Annette Island Reserve 2,470 6 17,682 30,162 1,065,158 524,946 1,640,424 Annette Island purse seine 1,094 6 15,773 11,914 1,052,550 344,021 1,425,358 Annette Island drift gillnet 887 0 1,909 18,089 12,598 180,925 214,408 Total Annette Island troll 489 0 0 159 10 0 658 Annette Island Power troll 489 0 0 15 10 0 633 Hatchery cost recovery 19,429 5 56,542 219,273 412,027 4,631,733 5,339,009 Miscellaneouse 686 0 5,054 1,072 40,308 64,891 112,011 Southern totals 79,500	Power troll total	146,897	0	650	569,517	58,215	819,256	1,594,535
Power troll spring fishery 13,796 0 16 54 419 1,703 15,988 Total Annette Island Reserve 2,470 6 17,682 30,162 1,065,158 524,946 1,640,424 Annette Island purse seine 1,094 6 15,773 11,914 1,052,550 344,021 1,425,358 Annette Island drift gillnet 887 0 1,909 18,089 12,598 180,925 214,408 Total Annette Island troll 489 0 0 159 10 0 658 Annette Island Power troll 489 0 0 15 10 0 25 Annette Island Power troll 489 0 0 144 0 0 633 Hatchery cost recovery 19,429 5 56,542 219,273 412,027 4,631,733 5,339,009 Miscellaneouse 686 0 5,054 1,072 40,308 64,891 112,011 Southern totals 79,500 2,261	Power troll traditional	131,208	0	631	569,335	56,571	802,898	1,560,643
Total Annette Island Reserve 2,470 6 17,682 30,162 1,065,158 524,946 1,640,424 Annette Island purse seine 1,094 6 15,773 11,914 1,052,550 344,021 1,425,358 Annette Island drift gillnet 887 0 1,909 18,089 12,598 180,925 214,408 Total Annette Island troll 489 0 0 159 10 0 658 Annette Island Power troll 489 0 0 15 10 0 25 Annette Island Power troll 489 0 0 144 0 0 633 Hatchery cost recovery 19,429 5 56,542 219,273 412,027 4,631,733 5,339,009 Miscellaneouse 686 0 5,054 1,072 40,308 64,891 112,011 Southern totals 79,500 2,261 374,991 621,204 16,433,841 4,720,774 22,232,571 Northern totals 119,550	Power troll hatchery terminal	1,893	0	3	128	1,225	14,655	17,904
Annette Island purse seine 1,094 6 15,773 11,914 1,052,550 344,021 1,425,358 Annette Island drift gillnet 887 0 1,909 18,089 12,598 180,925 214,408 Total Annette Island troll 489 0 0 159 10 0 658 Annette Island Hand troll 0 0 0 15 10 0 25 Annette Island Power troll 489 0 0 144 0 0 633 Hatchery cost recovery 19,429 5 56,542 219,273 412,027 4,631,733 5,339,009 Miscellaneouse 686 0 5,054 1,072 40,308 64,891 112,011 Southern totals 79,500 2,261 374,991 621,204 16,433,841 4,720,774 22,232,571 Northern totals 119,550 139 362,366 595,322 3,683,666 11,012,645 15,773,688 Yakutat 4,765 0	Power troll spring fishery	13,796	0	16	54	419	1,703	15,988
Annette Island drift gillnet 887 0 1,909 18,089 12,598 180,925 214,408 Total Annette Island troll 489 0 0 159 10 0 658 Annette Island Hand troll 0 0 0 15 10 0 25 Annette Island Power troll 489 0 0 144 0 0 633 Hatchery cost recovery 19,429 5 56,542 219,273 412,027 4,631,733 5,339,009 Miscellaneouse 686 0 5,054 1,072 40,308 64,891 112,011 Southern totals 79,500 2,261 374,991 621,204 16,433,841 4,720,774 22,232,571 Northern totals 119,550 139 362,366 595,322 3,683,666 11,012,645 15,773,688 Yakutat 4,765 0 58,732 137,873 8,353 257 209,980	Total Annette Island Reserve	2,470	6	17,682	30,162	1,065,158	524,946	1,640,424
Total Annette Island troll 489 0 0 159 10 0 658 Annette Island Hand troll 0 0 0 15 10 0 25 Annette Island Power troll 489 0 0 144 0 0 633 Hatchery cost recovery 19,429 5 56,542 219,273 412,027 4,631,733 5,339,009 Miscellaneouse 686 0 5,054 1,072 40,308 64,891 112,011 Southern totals 79,500 2,261 374,991 621,204 16,433,841 4,720,774 22,232,571 Northern totals 119,550 139 362,366 595,322 3,683,666 11,012,645 15,773,688 Yakutat 4,765 0 58,732 137,873 8,353 257 209,980	Annette Island purse seine	1,094	6	15,773	11,914	1,052,550	344,021	1,425,358
Annette Island Hand troll 0 0 0 15 10 0 25 Annette Island Power troll 489 0 0 144 0 0 633 Hatchery cost recovery 19,429 5 56,542 219,273 412,027 4,631,733 5,339,009 Miscellaneouse 686 0 5,054 1,072 40,308 64,891 112,011 Southern totals 79,500 2,261 374,991 621,204 16,433,841 4,720,774 22,232,571 Northern totals 119,550 139 362,366 595,322 3,683,666 11,012,645 15,773,688 Yakutat 4,765 0 58,732 137,873 8,353 257 209,980	Annette Island drift gillnet	887	0	1,909	18,089	12,598	180,925	214,408
Annette Island Power troll 489 0 0 144 0 0 633 Hatchery cost recovery 19,429 5 56,542 219,273 412,027 4,631,733 5,339,009 Miscellaneouse 686 0 5,054 1,072 40,308 64,891 112,011 Southern totals 79,500 2,261 374,991 621,204 16,433,841 4,720,774 22,232,571 Northern totals 119,550 139 362,366 595,322 3,683,666 11,012,645 15,773,688 Yakutat 4,765 0 58,732 137,873 8,353 257 209,980	Total Annette Island troll	489	0	0	159	10	0	658
Hatchery cost recovery 19,429 5 56,542 219,273 412,027 4,631,733 5,339,009 Miscellaneouse 686 0 5,054 1,072 40,308 64,891 112,011 Southern totals 79,500 2,261 374,991 621,204 16,433,841 4,720,774 22,232,571 Northern totals 119,550 139 362,366 595,322 3,683,666 11,012,645 15,773,688 Yakutat 4,765 0 58,732 137,873 8,353 257 209,980	Annette Island Hand troll	0	0	0	15	10	0	25
Miscellaneouse 686 0 5,054 1,072 40,308 64,891 112,011 Southern totals 79,500 2,261 374,991 621,204 16,433,841 4,720,774 22,232,571 Northern totals 119,550 139 362,366 595,322 3,683,666 11,012,645 15,773,688 Yakutat 4,765 0 58,732 137,873 8,353 257 209,980	Annette Island Power troll	489	0	0	144	0	0	633
Southern totals 79,500 2,261 374,991 621,204 16,433,841 4,720,774 22,232,571 Northern totals 119,550 139 362,366 595,322 3,683,666 11,012,645 15,773,688 Yakutat 4,765 0 58,732 137,873 8,353 257 209,980	Hatchery cost recovery	19,429	5	56,542	219,273	412,027	4,631,733	5,339,009
Northern totals 119,550 139 362,366 595,322 3,683,666 11,012,645 15,773,688 Yakutat 4,765 0 58,732 137,873 8,353 257 209,980	Miscellaneouse	686	0	5,054	1,072	40,308	64,891	112,011
Yakutat 4,765 0 58,732 137,873 8,353 257 209,980	Southern totals	79,500	2,261	374,991	621,204	16,433,841	4,720,774	22,232,571
	Northern totals	119,550	139	362,366	595,322	3,683,666	11,012,645	15,773,688
Region totals 203,815 2,400 796,089 1,354,399 20,125,860 15,733,676 38,216,239	Yakutat	4,765	0	58,732	137,873	8,353	257	209,980
	Region totals	203,815	2,400	796,089	1,354,399	20,125,860	15,733,676	38,216,239

^a Harvest accounting period for the Chinook salmon season in the troll fishery is from October 1, 2023, through September 30, 2024.

b Jack Chinook salmon are ≤28 inches. Prior to the 2018 season in the traditional purse seine fishery, Chinook salmon of <21 inches could be retained and sold, and Chinook salmon >21 and <28 inches could be retained as personal use. From 2018, Chinook salmon ≤28 inches harvested in traditional fisheries could only be retained as personal use. Chinook of all sizes may be sold in the drift gillnet fishery. Jack fish ticket data were revised in 2012, for the years 2005–2012, to provide more accurate accounting of gillnet harvested Chinook salmon for Pacific Salmon Treaty (PST) accounting purposes. Chinook salmon in the drift gillnet fishery are recorded as 1 size category on fish tickets, and separate accounting of jacks is based on port sampling data. The PST accounts for large Chinook salmon, ≥28 inches overall length, as Treaty Chinook.

^c Southern Southeast Alaska includes Districts 101 to 108.

^d Northern Southeast Alaska includes Districts 109 to 114.

e Includes salmon that were confiscated or caught in sport fish salmon derbies or commercial test fisheries and sold.

Table 10.—Southeast Alaska estimated exvessel value, harvest, average weight, and price paid per pound by gear and species, 2024.

Fishery	Chinook	Jacks	Sockeye	Coho	Pink	Chum	Total
Exvessel value in dollars ^a							
Purse seine ^b	\$820,380	\$11,984	\$2,751,812	\$954,426	\$13,477,873	\$17,727,128	\$35,743,604
Drift gillnet ^b	\$528,297	_	\$2,641,400	\$2,277,467	\$131,953	\$12,848,204	\$18,427,320
Setnet	\$5,300	_	\$406,033	\$763,823	\$8,170	\$210	\$1,183,536
Troll	\$10,457,534	_	\$4,977	\$6,352,723	\$55,548	\$2,975,931	\$19,846,714
Annette Island ^c	\$154,032	_	\$205,204	\$259,518	\$888,074	\$2,143,964	\$3,650,792
Hatchery cost recovery	\$451,240	3.7	\$305,972	\$2,252,502	\$308,002	\$21,880,604	\$25,198,324
Miscellaneous ^d	\$25,981	_	\$26,189	\$207	\$30,063	\$197,954	\$280,394
Total exvessel value	\$12,442,765	\$11,987	\$6,341,588	\$12,860,667	\$14,899,683	\$57,773,995	\$104,330,684
Number harvested							
Purse seine ^b	17,788	2,389	409,023	193,900	18,398,959	5,825,307	24,847,366
Drift gillnet ^b	12,338	0	249,608	221,178	141,958	3,865,909	4,490,991
Setnet	303	0	57,514	109,577	8,348	243	175,985
Troll	150,801	0	666	579,237	59,102	820,647	1,610,453
Annette Island ^c	2,470	6	17,682	30,162	1,065,158	524,946	1,640,424
Hatchery cost recovery	19,429	5	56,542	219,273	412,027	4,631,733	5,339,009
Miscellaneous ^d	686	0	5,054	1,072	40,308	64,891	112,011
Total harvested	203,815	2,400	796,089	1,354,399	20,125,860	15,733,676	38,216,239
Average weight in pounds ^e							
Purse seine	12.6	4.6	5.3	5.6	2.9	6.8	
Drift gillnet	10.1	_	5.2	7.5	3.4	6.9	
Setnet	8	_	4.8	7	3.9	3.5	
Troll	10.3	_	4.1	5.6	3.2	6.9	
Annette Island ^c	12.9	3.5	5.6	7.1	2.8	8.1	
Hatchery cost recovery	11.3	7.4	4.7	6.5	3.1	6.3	
Miscellaneous	11.3	_	5.2	6.2	3	6.1	
Estimated average exvessel							•
price per poundf							
Purse seine	\$3.66	\$0.44	\$1.27	\$0.87	\$0.25	\$0.45	
Drift gillnet	\$4.22	_	\$2.02	\$1.38	\$0.27	\$0.49	
Setnet	\$2.18	_	\$1.46	\$1.00	\$0.25	\$0.25	
Troll	\$6.85	_	\$1.81	\$1.96	\$0.29	\$0.53	
Annette Island ^c	\$5.21	_	\$2.04	\$1.22	\$0.30	\$0.50	
Hatchery cost recovery	\$2.11	\$0.10	\$1.03	\$1.50	\$0.34	\$0.53	
Miscellaneous	\$5.25	_	\$1.00	\$0.95	\$0.25	\$0.50	
Note: En deshes indicate no deta							•

^a Exvessel value calculation = (number caught) x (average weight) x (average exvessel price).

b In addition to adults, jack Chinook salmon <28 inches may only be sold in the drift gillnet fishery and jack salmon <28 inches may be sold in the purse seine fishery if harvested in a hatchery terminal harvest area.

^c Annette Island Reserve includes purse seine, drift gillnet, and hand and power troll gear types.

^d Includes confiscations, commercial test fisheries, and sport derbies where fish were sold.

e Average weight = (total pounds for all fish tickets (where pounds>0))/(total number of fish for all tickets (where number>0)).

f Average price = (total value for all fish tickets (where value>0))/(total pounds for all fish tickets (where pounds>0)).

Table 11.—Southeast Alaska annual salmon exvessel value estimates from Commercial Fisheries Entry Commission (1976–2023) and fish ticket data (2024) by gear group, 1976–2024.

		·			
Year	Purse seine	Drift gillnet	Set gillnet	Troll	Total
1976	\$11,064,253	\$8,605,228	\$1,266,918	\$9,960,934	\$30,897,333
1977	\$24,528,760	\$11,849,486	\$2,165,108	\$15,355,560	\$53,898,914
1978	\$27,664,646	\$9,750,459	\$2,588,725	\$23,142,387	\$63,146,217
1979	\$19,632,769	\$11,434,552	\$3,022,174	\$27,876,636	\$61,966,131
1980	\$29,487,986	\$9,388,349	\$2,272,641	\$16,404,446	\$57,553,422
1981	\$36,786,344	\$9,393,150	\$2,631,179	\$19,708,310	\$68,518,983
1982	\$28,147,770	\$10,423,447	\$2,220,866	\$24,414,056	\$65,206,139
1983	\$33,292,294	\$7,602,633	\$1,200,401	\$15,975,186	\$58,070,514
1984	\$35,000,066	\$13,498,190	\$2,305,102	\$26,602,196	\$77,405,554
1985	\$52,018,934	\$17,083,901	\$2,777,108	\$25,009,669	\$96,889,612
1986	\$53,893,815	\$14,585,793	\$2,044,606	\$28,074,767	\$98,598,981
1987	\$22,739,529	\$19,227,191	\$4,587,640	\$25,368,212	\$71,922,572
1988	\$53,314,374	\$32,342,986	\$8,703,413	\$29,827,740	\$124,188,513
1989	\$91,241,060	\$20,578,737	\$4,217,986	\$23,526,234	\$139,564,017
1990	\$44,821,503	\$16,439,366	\$4,560,978	\$31,101,694	\$96,923,541
1991	\$36,071,105	\$12,037,061	\$2,330,261	\$25,162,099	\$75,600,526
1992	\$51,054,882	\$20,850,361	\$5,320,994	\$29,351,980	\$106,578,217
1993	\$52,894,318	\$15,904,271	\$3,000,832	\$26,642,558	\$98,441,979
1994	\$61,164,567	\$17,207,769	\$3,653,893	\$38,943,302	\$120,969,531
1995	\$55,806,812	\$16,899,040	\$2,479,193	\$16,673,792	\$91,858,837
1995	\$42,813,455		\$2,406,670	\$16,394,667	\$76,045,787
		\$14,430,995			
1997	\$40,813,997	\$11,143,699	\$3,216,870	\$18,853,651	\$74,028,217
1998	\$45,509,746	\$11,345,286	\$1,416,481	\$14,974,147	\$73,245,660
1999	\$56,402,089	\$11,489,118	\$2,324,296	\$20,442,587	\$90,658,090
2000	\$38,060,764	\$10,940,909	\$1,491,218	\$14,786,178	\$65,279,069
2001	\$48,742,800	\$11,316,836	\$1,134,695	\$17,191,517	\$78,385,848
2002	\$20,244,170	\$8,132,853	\$741,392	\$13,164,474	\$42,282,889
2003	\$26,705,739	\$8,903,210	\$1,140,130	\$14,812,555	\$51,561,634
2004	\$31,672,452	\$11,778,867	\$1,629,266	\$29,016,910	\$74,097,495
2005	\$36,073,649	\$12,753,519	\$926,824	\$26,770,816	\$76,524,808
2006	\$27,536,028	\$20,007,955	\$1,724,122	\$34,645,633	\$83,913,738
2007	\$49,646,050	\$15,081,267	\$2,516,647	\$30,985,116	\$98,229,080
2008	\$40,986,039	\$24,209,429	\$1,657,225	\$36,566,992	\$103,419,685
2009	\$48,417,377	\$18,578,453	\$1,681,645	\$22,942,077	\$91,619,552
2010	\$56,238,100	\$26,618,998	\$2,157,567	\$31,945,182	\$116,959,847
2011	\$122,181,438	\$31,126,506	\$2,311,802	\$32,407,478	\$188,028,596
2012	\$73,082,279	\$37,475,066	\$1,536,822	\$29,851,966	\$141,949,908
2013	\$154,063,851	\$29,456,023	\$3,018,685	\$41,311,596	\$227,851,157
2014	\$58,359,164	\$28,377,429	\$2,117,425	\$46,553,102	\$135,409,768
2015	\$55,228,561	\$20,621,188	\$1,324,263	\$25,790,377	\$102,967,142
2016	\$41,671,425	\$22,718,531	\$1,930,288	\$34,529,503	\$100,849,747
2017	\$75,696,745	\$30,751,155	\$2,549,101	\$35,998,740	\$144,995,741
2018	\$54,947,950	\$29,095,148	\$1,089,417	\$31,615,900	\$116,748,415
2019	\$47,218,277	\$18,700,718	\$1,548,185	\$23,484,419	\$90,951,599
2020	\$18,149,095	\$7,509,495	\$1,139,018	\$24,191,880	\$50,989,488
2021	\$88,104,903	\$18,549,004	\$1,857,105	\$31,744,721	\$140,255,733
2022	\$69,792,171	\$30,197,573	\$1,056,397	\$34,836,988	\$135,883,129
2023 a	\$75,404,666	\$16,410,466	\$744,485	\$21,751,049	\$114,310,666
2024	\$35,743,604	\$18,427,320	\$1,183,536	\$19,846,714	\$75,201,174
Average	, , ,	, ,-	, ,	, ,	, , ;
2014–2023	\$58,457,296	\$22,293,071	\$1,535,568	\$31,049,668	\$113,336,143
			. , -,	. , - ,	. ,, -

^a Exvessel value estimates for 2024 are preliminary.

Table 12.-Southeast Alaska salmon subsistence/personal use effort and harvest by species, 1985-2024.

	Permits ^a Numbers of salmon harvested								
Year ^b	Issued	Returned	Fished ^c	Chinook	Sockeye	Coho	Pink	Chum	Total
1985	3,012	1,271	1,271	19	20,006	360	2,136	2,951	25,472
1986	2,777	1,353	1,353	29	21,974	277	971	2,840	26,091
1987	2,678	1,322	1,322	34	25,430	117	1,491	3,881	30,953
1988	2,821	998	998	94	20,011	97	1,145	3,013	24,360
1989	3,255	1,460	1,460	580	32,731	1,393	3,693	3,137	41,534
1990	3,270	1,503	1,503	524	36,446	1,615	3,750	3,438	45,773
1991	3,581	1,521	1,521	262	38,265	868	1,830	3,358	44,583
1992	3,470	1,800	1,800	614	53,099	4,939	2,942	3,201	64,795
1993	3,861	2,044	2,044	537	56,172	3,515	2,153	2,583	64,960
1994	4,070	2,158	2,158	800	57,077	3,607	3,639	4,211	69,334
1995	3,975	1,931	1,931	1,201	45,062	3,700	3,215	3,361	56,539
1996	4,171	2,085	2,085	1,078	54,956	2,482	2,437	4,143	65,096
1997	4,211	2,120	2,120	739	48,761	2,314	3,354	3,617	58,785
1998	4,272	2,296	2,296	1,051	53,660	2,843	3,361	5,042	65,957
1999	4,308	2,262	2,262	1,310	49,509	1,748	2,843	4,356	59,766
2000	3,771	1,947	1,947	1,255	46,036	1,908	2,204	2,981	54,384
2001	3,609	1,878	1,878	1,266	48,307	2,697	3,762	3,308	59,340
2002	3,328	1,771	1,771	1,823	48,585	3,081	2,807	1,846	58,142
2003	3,597	1,968	1,968	1,346	55,994	2,503	3,198	3,206	66,247
2004	3,703	2,081	2,081	1,288	54,057	2,109	2,833	2,748	63,035
2005	3,315	1,554	1,552	741	34,077	1,939	4,439	1,636	42,832
2006	3,406	1,758	1,757	1,238	46,454	1,620	3,050	1,524	53,886
2007	3,160	1,608	1,608	810	36,853	1,166	2,413	628	41,870
2008	3,153	1,541	1,540	882	36,383	3,188	1,722	1,325	43,500
2009	3,427	1,868	1,868	976	43,979	3,160	3,093	1,716	52,924
2010	3,548	1,832	1,830	1,288	42,250	3,014	3,197	801	50,550
2011	3,314	1,950	1,646	766	36,098	2,605	5,070	1,059	45,598
2012	3,268	2,541	1,775	690	43,867	2,699	2,406	1,042	50,704
2013	3,441	2,792	1,869	764	42,513	3,124	3,094	1,215	50,710
2014	3,320	2,703	1,763	769	38,059	2,748	2,041	818	44,435
2015	3,025	2,421	1,489	393	31,084	2,552	4,267	968	39,264
2016	3,041	2,425	1,628	368	38,365	2,828	3,026	1,319	45,906
2017	3,065	2,318	1,501	406	31,968	1,934	4,064	840	39,212
2018	3,554	656	1,690	259	41,491	3,191	1,412	1,102	47,455
2019	3,605	2,322	1,656	363	40,966	2,456	2,229	928	46,942
2020	3,555	2,704	1,425	254	27,728	2,529	2,587	526	33,624
2021	3,077	2,374	1,466	327	32,448	2,071	2,018	459	37,323
2022	3,030	2,430	1,435	150	32,073	2,046	1,330	460	36,059
2023	2,986	2,329	1,387	273	28,841	1,997	2,501	888	34,500
2024 ^d	2,815	1,820	1,092	133	23,826	1,592	1,652	525	27,728
Averages	_,010	-,020	-,~,2	100	,00	1,072	1,002	323	
1985–2023	3,421	1,943	1,694	693	39,887	2,266	2,734	2,175	48,268
2014–2023	3,226	2,268	1,544	356	34,302	2,435	2,548	831	40,472
Note: Data are f	•	•			·		•		•

Note: Data are from State of Alaska personal use and subsistence fisheries only. Data do not include harvest from federal subsistence fisheries or from fish retained as personal use from commercial harvest.

^a Prior to 1996, the numbers of permits issued and returned are not as reliable due to data entry omissions (if a permit had zero harvest, it was not recorded as a returned permit).

^b Prior to 1985, the numbers of permits issued and returned were not recorded.

^c Number of permits fished is estimated from permit data.

d Data for 2024 are preliminary because not all permits have been returned. Permits will continue to be returned and entered through the next season.




Figure 1.—Southeast Alaska consists of Alaska waters between Cape Suckling in the north and Dixon Entrance in the south. Troll fisheries are managed regionally, and drift gillnet, setnet, and purse seine fisheries are managed by area offices in Ketchikan, Petersburg/Wrangell, Sitka, Juneau, Haines, and Yakutat.




Figure 2.-Boundaries for regulatory Districts 1 to 16, as well as Dixon Entrance District, within Southeast Alaska.




Figure 3.—Boundaries for Yakutat and Yakataga regulatory Districts within the Yakutat management area (Registration Area D).




Figure 4.—Southeast Alaska historical salmon harvest and recent 10-year average harvest, 1878–2024.




Figure 5.—Southeast Alaska historical salmon harvest by species and season, 1878–2024.




Figure 6.—Southeast Alaska total commercial exvessel value by gear type and season from Commercial Fisheries Entry Commission (1976–2023) and fish ticket (2024) data, and number of salmon harvested by season, 1976–2024.




Figure 7.—Number of fish harvested by species and effort in the Southeast Alaska subsistence/personal use fishery, 1989–2024. *Note*: Harvest information for 2024 is preliminary because not all permits had been returned at time of reporting.