2014 Southeast Alaska Herring Spawn-On-Kelp Pound Fishery Management Plan

by

Dave Gordon,

Dave Harris,

Troy Thynes,

and

Scott Walker

March 2014

Alaska Department of Fish and Game



Division of Commercial Fisheries

Symbols and Abbreviations

The following symbols and abbreviations, and others approved for the Système International d'Unités (SI), are used without definition in the following reports by the Divisions of Sport Fish and of Commercial Fisheries: Fishery Manuscripts, Fishery Data Series Reports, Fishery Management Reports, and Special Publications. All others, including deviations from definitions listed below, are noted in the text at first mention, as well as in the titles or footnotes of tables, and in figure or figure captions.

| Weights and measures (metric) | | General | | Mathematics, statistics | |
|--------------------------------|--------------------|--------------------------|-------------------|--------------------------------|-------------------------|
| centimeter | cm | Alaska Administrative (| Code AAC | all standard mathematical | |
| deciliter | dL | all commonly accepted | | signs, symbols and | |
| gram | g | abbreviations | e.g., Mr., Mrs., | abbreviations | |
| hectare | ha | | AM, PM, etc. | alternate hypothesis | H_A |
| kilogram | kg | all commonly accepted | | base of natural logarithm | e |
| kilometer | km | professional titles | e.g., Dr., Ph.D., | catch per unit effort | CPUE |
| liter | L | | R.N., etc. | coefficient of variation | CV |
| meter | m | at | @ | common test statistics | $(F, t, \chi^2, etc.)$ |
| milliliter | mL | compass directions: | | confidence interval | CI |
| millimeter | mm | east | E | correlation coefficient | |
| | | north | N | (multiple) | R |
| Weights and measures (English) | | south | S | correlation coefficient | |
| cubic feet per second | ft ³ /s | west | W | (simple) | r |
| foot | ft | copyright | © | covariance | cov |
| gallon | gal | corporate suffixes: | | degree (angular) | 0 |
| inch | in | Company | Co. | degrees of freedom | df |
| mile | mi | Corporation | Corp. | expected value | E |
| nautical mile | nmi | Incorporated | Inc. | greater than | > |
| ounce | OZ | Limited | Ltd. | greater than or equal to | ≥ |
| pound | lb | District of Columbia | D.C. | harvest per unit effort | HPUE |
| quart | qt | et alii (and others) | et al. | less than | < |
| yard | yd | et cetera (and so forth) | etc. | less than or equal to | \leq |
| | | exempli gratia | | logarithm (natural) | ln |
| Time and temperature | | (for example) | e.g. | logarithm (base 10) | log |
| day | d | Federal Information | | logarithm (specify base) | log ₂ , etc. |
| degrees Celsius | °C | Code | FIC | minute (angular) | • |
| degrees Fahrenheit | °F | id est (that is) | i.e. | not significant | NS |
| degrees kelvin | K | latitude or longitude | lat or long | null hypothesis | H_{O} |
| hour | h | monetary symbols | | percent | % |
| minute | min | (U.S.) | \$, ¢ | probability | P |
| second | S | months (tables and | | probability of a type I error | |
| | | figures): first three | | (rejection of the null | |
| Physics and chemistry | | letters | Jan,,Dec | hypothesis when true) | α |
| all atomic symbols | | registered trademark | ® | probability of a type II error | |
| alternating current | AC | trademark | ТМ | (acceptance of the null | |
| ampere | A | United States | | hypothesis when false) | β |
| calorie | cal | (adjective) | U.S. | second (angular) | " |
| direct current | DC | United States of | | standard deviation | SD |
| hertz | Hz | America (noun) | USA | standard error | SE |
| horsepower | hp | U.S.C. | United States | variance | |
| hydrogen ion activity | pН | | Code | population | Var |
| (negative log of) | | U.S. state | use two-letter | sample | var |
| parts per million | ppm | | abbreviations | | |
| parts per thousand | ppt, | | (e.g., AK, WA) | | |
| | ‰ | | | | |
| volts | V | | | | |
| watts | W | | | | |

REGIONAL INFORMATION REPORT NO. 1J14-01

2014 SOUTHEAST ALASKA HERRING SPAWN-ON-KELP POUND FISHERY MANAGEMENT PLAN

by

Scott Walker Alaska Department of Fish and Game, Division of Commercial Fisheries, Ketchikan

Dave Gordon Alaska Department of Fish and Game, Division of Commercial Fisheries, Sitka

Dave Harris Alaska Department of Fish and Game, Division of Commercial Fisheries, Douglas and

Troy Thynes
Alaska Department of Fish and Game, Division of Commercial Fisheries, Petersburg

Alaska Department of Fish and Game Division of Commercial Fisheries, Publications Section 802 3rd, Douglas, Alaska, 99824-0020 The Regional Information Report Series was established in 1987 and was redefined in 2007 to meet the Division of Commercial Fisheries regional need for publishing and archiving information such as project operational plans, area management plans, budgetary information, staff comments and opinions to Board of Fisheries proposals, interim or preliminary data and grant agency reports, special meeting or minor workshop results and other regional information not generally reported elsewhere. Reports in this series may contain raw data and preliminary results. Reports in this series receive varying degrees of regional, biometric and editorial review; information in this series may be subsequently finalized and published in a different department reporting series or in the formal literature. Please contact the author or the Division of Commercial Fisheries if in doubt of the level of review or preliminary nature of the data reported. Regional Information Reports are available through the Alaska State Library and on the Internet at: http://www.adfg.alaska.gov/sf/publications/

Dave Gordon, Alaska Department of Fish and Game, Division of Commercial Fisheries, 304 Lake St. Rm. 103 Sitka, AK 99835 USA

Dave Harris,
Alaska Department of Fish and Game, Division of Commercial Fisheries,
802 3rd St.
Juneau, AK. 99811-0024 USA

Troy Thynes, Alaska Department of Fish and Game, Division of Commercial Fisheries, 16 Sing Lee Alley Petersburg, AK 99833 USA

and

Scott Walker, Alaska Department of Fish and Game, Division of Commercial Fisheries, 2039 Sea level Drive Suite 205, Ketchikan, AK 99901, USA

This document should be cited as:

Gordon, D., D. Harris, T. Thynes, and S. Walker. 2014. 2014 Southeast Alaska herring spawn-on-kelp pound fishery management plan. Alaska Department of Fish and Game, Division of Commercial Fisheries, Regional Information Report 1J14-01, Douglas.

The Alaska Department of Fish and Game (ADF&G) administers all programs and activities free from discrimination based on race, color, national origin, age, sex, religion, marital status, pregnancy, parenthood, or disability. The department administers all programs and activities in compliance with Title VI of the Civil Rights Act of 1964, Section 504 of the Rehabilitation Act of 1973, Title II of the Americans with Disabilities Act (ADA) of 1990, the Age Discrimination Act of 1975, and Title IX of the Education Amendments of 1972.

If you believe you have been discriminated against in any program, activity, or facility please write:

ADF&G ADA Coordinator, P.O. Box 115526, Juneau, AK 99811-5526 U.S. Fish and Wildlife Service, 4401 N. Fairfax Drive, MS 2042, Arlington, VA 22203 Office of Equal Opportunity, U.S. Department of the Interior, 1849 C Street NW MS 5230, Washington DC 20240

The department's ADA Coordinator can be reached via phone at the following numbers: (VOICE) 907-465-6077, (Statewide Telecommunication Device for the Deaf) 1-800-478-3648, (Juneau TDD) 907-465-3646, or (FAX) 907-465-6078

For information on alternative formats and questions on this publication, please contact:

ADF&G, Division of Sport Fish, Research and Technical Services, 333 Raspberry Rd, Anchorage AK 99518 (907) 267-2375

TABLE OF CONTENTS

| | Page |
|---|------|
| LIST OF TABLES | ii |
| LIST OF FIGURES | ii |
| ABSTRACT | 1 |
| INTRODUCTION | 1 |
| HERRING STOCK STATUS AND HISTORIC FISHERY PERFORMANCE | 2 |
| Methods of Forecasting Herring Biomass | 2 |
| Craig-Klawock (Section 3-B) | |
| Ernest Sound (District 7) | |
| Tenakee Inlet (Section 12-A) | |
| CALENDAR OF EVENTS | |
| | |
| REGULATIONS | |
| General Spawn-On-Kelp Regulations | |
| Herring Pound Marking Requirements | |
| Placement and Release of Herring in Pounds | |
| Connection of Herring Pounds | |
| Presence of Permit Holders Required | |
| Post-Harvest Requirements | |
| • | |
| Harvest and Production | |
| Requirements for Buyers | |
| Other Regulations | |
| Section 3-B Regulations Open Waters | |
| Closed Waters | 10 |
| District 7 Regulations | 10 |
| Open Waters | 10 |
| Section 12-A Regulations Open Waters | |
| Section 13-C Regulations | 11 |
| Open Waters | |
| HARVEST AND ALLOCATION OF KELP FOR 2014 | 11 |
| FISHERY CONDUCT AND MANAGEMENT | 12 |
| OTHER AGENCY REQUIREMENTS | 14 |

TABLE OF CONTENTS (Continued)

| | | Page |
|---------|--|------|
| | Department Of Natural Resources | |
| | rest Service | |
| | ational Marine Fisheries Service | |
| | past Guard | |
| Private | Lands | 15 |
| LIST O | F MANAGEMENT CONTACTS | 16 |
| TABLE | ES AND FIGURES | 17 |
| | LIST OF TABLES | |
| Table | | Page |
| 1. | Craig/Klawock stock size and winter food and bait harvests, 1987–2013. | 18 |
| 2. | Craig/Klawock herring spawn-on-kelp fishery summary, 1996–2013 | |
| 3. | A comparison of Craig and Ernest Sound herring spawning dates for years 1994–2013 | |
| 4. | Ernest Sound miles of spawn, stock size and harvest, 1969–2014. | |
| 5. | Ernest Sound herring spawn-on-kelp fishery summary, 2004, 2008-2009, 2011, and 2013 | |
| 6. | Tenakee Inlet herring seasonal spawning dates and mileage, biomass estimate, and harvest | |
| 7. | Tenakee Inlet herring spawn-on-kelp fishery summary, 2003–2005 and 2009 | |
| 8. | A comparison of Hoonah Sound and Tenakee Inlet herring spawn dates for years 1993–2013 | |
| 9. | Hoonah Sound herring spawning stock and fishery performance, 1971–2013. | |
| 10. | Hoonah Sound herring spawn-on-kelp fishery summary, 1997–2014 | 28 |
| | LIST OF FIGURES | |
| Figure | e | Page |
| 1. | Open area for Craig/Klawock pound fishery (Section 3-B). | 29 |
| 2. | Open area (dark shaded) for the district 7 Ernest Sound pound fishery. | |
| 3. | Areas open to spawn-on-kelp fishery in Hoonah Sound and Tenakee Inlet | |
| 4. | Diagram of a herring pound showing two alternatives methods of marking herring pounds | |
| 5. | Coast Guard Requirements for marking pounds. | |
| 6 | Private lands in the Craig/Klawock area | 3/1 |

ABSTRACT

This plan provides an overview of the management approach, permit requirements and regulations for the 2014 herring spawn-on-kelp pound fisheries in Southeast Alaska. Spawn-on-kelp pound fisheries will occur in Craig-Klawock, Ernest Sound, and Tenakee Inlet. Staff biologists listed at the end of this document are available to answer questions regarding this plan. Pound operators are also advised to review the section of this plan that describes requirements of other agencies.

Key words: Pacific herring, *Clupea pallasii*, herring pound, *Macrocystis* kelp, allocation, management plan, spawn on kelp

INTRODUCTION

This plan provides an overview of the 2014 management approach, permit requirements, and regulations for the Southeast Alaska herring (*Clupea pallasii*) spawn-on-kelp fisheries. 5 AAC 27.185 *Management Plan for Herring Spawn on Kelp in Southeastern Alaska* establishes the regulatory framework for the Southeast Alaska spawn-on-kelp fisheries and provides for fisheries in Sections 3-B (Craig/Klawock), 12-A (Tenakee Inlet), 13-C (Hoonah Sound), and in District 7 (Ernest Sound).

A *closed-pound-fishery* involves releasing sexually mature herring into a net impoundment in which kelp is suspended. The herring are released from the pound after they spawn on the kelp, and the kelp with eggs is then sold. An *open-pound-fishery* involves suspending kelp from a floating frame structure in an area where herring are spawning. The herring are not impounded by a net but instead are allowed to naturally spawn on the suspended kelp. The kelp blades with eggs are removed from the water then sold.

In the Southeast Alaska herring spawn-on-kelp (SOK) fisheries, a closed or an open pound may be operated by one or more Commercial Fisheries Entry Commission (CFEC) permit holders. To reduce the amount of gear on the fishing grounds and the associated handling and impoundment of herring, the Alaska Board of Fisheries (BOF) has provided an incentive for multiple permit pound operators by giving them a larger allocation of *Macrocystis* kelp blades or fronds.

The 2013–2014 herring guideline harvest level (GHL) for the Craig/Klawock area stock is 4,808 tons. Forty percent (40%) or 1,924 tons is allocated to the SOK fishery plus any unharvested portion of the winter food and bait quota. The 2013–2014 winter food and bait harvest is confidential. However, based solely on the 1,924 tons allocated to the SOK fishery in Craig/Klawock the maximum kelp allocation is assigned.

The 2013–2014 GHL for Ernest Sound herring stock is 1,073 tons, of which 90% is allocated to the winter food-and-bait fishery and 10% to the bait pound fishery. The SOK GHL is that portion of the GHL that is not harvested in the bait fisheries. Additionally, for a SOK fishery in Ernest Sound to be allowed, there must be a minimum GHL threshold of 50 tons remaining. The 2013–2014 winter food and bait harvest is confidential and there are no active bait pound permits in the district. The remaining GHL for the Ernest Sound SOK fishery is over 700 tons. This will allow for the maximum kelp allocation for closed pounds for each permit holder.

No fishery will occur in Hoonah Sound during the 2013–2014 season. The 2013–2014 forecast for Hoonah Sound is 833 tons, which is below the 1,000 ton threshold necessary to conduct a commercial fishery.

The 2013–2014 GHL for the Tenakee Inlet herring stock is 557 tons, of which 90% is allocated to the winter food and bait fishery and 10% to the bait pound fishery. The SOK GHL is that

portion of the GHL not harvested in the bait fisheries. Additionally, for a closed pound SOK fishery in Tenakee Inlet to be allowed, there must be a minimum GHL threshold of 100 tons remaining. The 2013–2014 winter food and bait harvest is confidential and there were no active bait pound permits in the district. The remaining GHL for the Tenakee Inlet SOK fishery will be within the 300 to 499 ton range. This will allow for a kelp allocation of 300 blades per single-permit closed pound. Any remaining GHL available for the SOK fishery will be announced via news release by March 15, 2014.

The BOF has found that the use of test fish revenues to develop new commercial herring fisheries is consistent with the Alaska Department of Fish and Game (ADF&G), Division of Commercial Fisheries Test Fishery Policy. The department conducted closed pound SOK test fisheries in 2003, 2004, 2005 and 2008. In recent years budget increments approved by the legislature have provided sufficient funding for management of the fishery and no test fisheries have occurred.

HERRING STOCK STATUS AND HISTORIC FISHERY PERFORMANCE

METHODS OF FORECASTING HERRING BIOMASS

The Biomass Accounting (BA) method of forecasting is used to determine the expected prefishery mature spawning biomass and to establish the fishery GHL in Hoonah Sound and Ernest Sound. The BA method uses the most recent year's spawn deposition estimate of eggs, the age composition of the spawning biomass, and weights-at-age to project the following year's return of mature herring. The Hoonah Sound projection uses the estimated survival and maturity estimates from the age-structured-analyses (ASA) for the nearby Sitka Sound herring stock. A median historical level of recruitment of age-3 herring specific to Hoonah Sound is also applied to forecast biomass. The Ernest Sound projection uses the estimated survival and maturity estimates from the ASA for the Craig herring stock and a median historical recruitment of age-3 herring specific to Ernest Sound is applied to forecast biomass.

This BA method is unlike the ASA method used for forecasting herring biomass for several of the larger stocks in Southeast Alaska, including Craig/Klawock and Tenakee Inlet. The ASA method also uses the spawn deposition estimate of the eggs and the age composition to project the following year's return of mature herring. However, the ASA model calculates survival and maturation rates specific to the spawning stock. The ASA model utilizes a long time series of spawn deposition and age composition information to provide an estimate of the most recent biomass, from which the forecast biomass for the next year is determined. ADF&G will continue to consider converting to use of the preferred ASA method for forecasting once there is an adequate time series of data to do so.

Once a forecast of the season's biomass is calculated, a variable harvest rate formula allows for a harvest rate of 10–20% of the forecast of mature spawning biomass. When the spawning biomass forecast for an area equals the threshold, the exploitation rate is 10% of the estimated spawning biomass. For each incremental increase in the spawning biomass equal to the threshold, the exploitation rate increases by 2%.

CRAIG-KLAWOCK (SECTION 3-B)

Winter food and bait herring fisheries have occurred in Section 3-B (in the Mears Passage and Bocas de Finas area) since the 1960s. Seasonal landings from the 1960s through 1985 were

small, averaging approximately 210 tons. From the start of the herring SOK fishery in 1992, the Craig/Klawock herring GHLs have averaged 2,041 tons, ranging from a low of 626 tons in 2000 to last year's high of 6,847 tons (Table 1). Spawn-on-kelp fishing effort, harvest, spawning dates, fishery dates, and product values are summarized in Table 2.

Annual harvest levels are based on a formula that allows for higher harvest rates as the herring population increases relative to the threshold level. No harvest is allowed if the biomass estimate for the stock is less than the threshold level. The established threshold level for the Craig/Klawock stock is 5,000 tons. The 2014 forecast for the Craig area is 26,085 tons. The 18.4% harvest rate will allow a combined quota of 4,808 tons for the winter food and bait and the SOK fisheries. The age class structure anticipates the primary age class will be age-4 herring.

The GHL for the Section 3-B stock is allocated between both the winter food and bait fishery and the herring SOK fishery. Initially, the GHL allocation was 85% for the winter food and bait fishery and 15% for the SOK fishery. In 1998 the allocation was modified so that the winter food and bait fishery is allocated 60% of the GHL with the remaining 40% going to the herring SOK fishery. Therefore, for the 2013/2014 season, the GHL for the winter food and bait fishery was 2,884 tons, and the GHL for the SOK fishery will be 1,923 tons plus the unharvested portion of the winter food and bait fishery GHL. The winter food and bait fishery closed on February 28, 2013, and the harvest is confidential. The 2014 herring allocation for the Section 3-B SOK fishery is more than 1,000 tons, therefore the *Macrocystis* kelp allocation will be at the highest end of the range.

Herring spawning normally occurs in the Craig/Klawock area between mid-March and early April. The earliest spawning observed since the mid-1970s was March 9 and the latest date of initial spawning occurred April 9, 2005. Traditionally, herring spawn on Fish Egg, Wadleigh, Clam, and Abbess Islands. However, spawning has also been recorded in the area of Portillo Channel, Port Real Marina, the northern and southern shore of San Fernando Island, San Juan Bautista Island, Blanquizal Island, and along the Prince of Wales Island shore at San Christoval Channel and Shinaku Inlet. Figure 1 shows the open area for the Craig/Klawock SOK fishery. Table 3 compares spawning dates in the Craig/Klawock area with dates for Ernest Sound.

ERNEST SOUND (DISTRICT 7)

The Ernest Sound SOK pound fishery was created in January, 2003, by the BOF. Additionally, the board created a herring bait pound fishery that is allocated 10% of the area's GHL. The SOK fishery is similar to other herring fisheries in that its allocation is based upon the GHL remaining after the herring food and bait fisheries occur. Any remaining GHL from the winter food and bait fishery or the bait pound fishery after March 15 is allocated to the SOK fishery. Winter food and bait herring fisheries have occurred intermittently at Deer Island and other locations in District 7 since 1969 (Table 4). The major fishery in the district historically occurred near Deer Island with an average seasonal harvest of around 370 tons. The 2013/2014 winter food and bait fishery GHL was 966 tons and the herring bait pound fishery GHL was 107 tons. To date there has been no interest in the bait pound fishery.

The inaugural Ernest Sound SOK fishery occurred in the spring of 2004 with a GHL of over 700 tons, which allowed for the maximum kelp allocation. The total harvest of SOK product was 112,286 pounds (56.14 tons) split among 64 permit holders. Types of pounds fished included 51 single-closed, six double-closed, and one single-open. Like the 2004 fishery, the 2008 SOK GHL was greater than 700 tons allowing for the maximum kelp allocation; however, effort and harvest

were minimal. The total harvest was 19,650 pounds (9.83 tons) of product harvested from six double-closed pounds and one single-closed pound. The GHL for 2009 fell into the 100 to 299 ton range after the winter food and bait harvest was subtracted from the total GHL of 529 tons. Four permit holders landed a total of 4,911 pounds (2.46 tons) of product from two double-permit closed pounds. The 2011 SOK fishery opened with a GHL between 100-299 tons; however, there was no participation. In 2013, GHL remaining after the winter fisheries allowed for a SOK pound fishery with kelp blade allocations in the 100-299 ton range. This GHL range allowed for a maximum kelp allocation of 200 blades for single-permit closed pound, 400 blades for double-permit closed pound, and 500 blades for triple-permit closed pound. A closed pound fishery occurred and 81 permits were active on the grounds and harvested approximately 130,000 pounds of SOK.

The established threshold level for the Ernest Sound stock is 2,500 tons. The 2014 forecast for Ernest Sound is 7,613 tons. A 14.1% harvest rate results in a combined quota of 1,073 tons for the bait and SOK fisheries. The expected age structure for 2014 is 10% age-3, 46% age-4, 23% age-5, 10% age-6, 9% age-7, and 3% age-8 and above. The harvest of herring for bait remains confidential for the 2013/2014 season; however, the remaining GHL after the food and bait fishery is over, 700 tons, allows the maximum kelp allocation for the SOK fishery.

Herring spawning normally occurs in Ernest Sound in early- to mid-April. The earliest observed spawn since 1991 was April 5 and the latest date of initial spawning was April 26. Traditionally, herring spawn along the Cleveland Peninsula shoreline between Union Bay and Emerald Bay. However, spawning has also been recorded south to Ship Island, north of Point Eaton, along the east side of Brownson Island, and around the islands on the southern end of Etolin Island. Figure 2 shows the open area for the Ernest Sound SOK fishery. Historical spawning biomass, forecast, GHLs spawning dates, harvest, and fishery dates, are summarized in Tables 4 and 5.

TENAKEE INLET (SECTION 12-A)

The Tenakee Inlet stock has been utilized for the winter food and bait fishery since the 1978–1979 season. During seasons that the estimated spawning biomass was above the 3,000 ton threshold, the GHL has ranged from a low of 200 tons in the initial season to a peak of 1,700 tons in 1985–1986 (Table 5). Regulations adopted by the BOF in January, 2003, provide for a SOK fishery in Tenakee Inlet if sufficient GHL remains at the close of the winter food and bait fishery. The SOK fishery occurred for the first time in April, 2003. Summary results of the Tenakee Inlet SOK fisheries are presented in Table 6.

ADF&G has been conducting aerial surveys in Tenakee Inlet since the early 1970s documenting the total miles of spawn each season to provide an indication of herring stock size or biomass. Aerial surveys were supplemented with hydroacoustic surveys from 1979 through 1986, and spawn-deposition dive surveys have been used since 1987 as the most reliable and accurate means to assess the spawning biomass.

The Tenakee spawning stock has historically exhibited cycles of abundance. After a decade of fisheries, the stock declined below threshold in the early 1990's and no fisheries took place until 1996. Good recruitment led to nearly a decade of harvestable surplus until the forecasted biomass again declined below threshold in 2006. Aerial spawn surveys and spawn deposition dive surveys conducted in 2008 indicated a significant increase in spawning biomass to the levels seen in 1997–1999; however, recent surveys conducted since 2009 indicated once again a decreasing trend in mature spawning biomass. The average herring spawn mileage in the last

three years was 2.8 nmi with only 1.0 nmi documented in 2011. In 2013, 5.4 nmi of herring spawn was documented which is below the ten-year average, but an improvement from recent years.

Spawning in Tenakee Inlet has generally occurred between the last week in April and the first week in May (Tables 5 and 7). Traditionally, herring spawn primarily along the south shoreline of Tenakee Inlet between Saltery Bay and South Passage Point with the core areas centered east and west of Kadashan flats. In addition, spawn has been documented intermittently along the Chatham Straits shoreline from South Passage Point to Basket Bay.

The 2013 spawn, which occurred May 7–10, generally occurred later than in recent years and over a relatively short time period, much like what was observed in 2010 and 2011. Spawning samples of herring were obtained for the first time in three years with good spatial and temporal distribution. However, lack of samples from 2011 and 2012 produced an unclear picture of cohort progression since 2009 making the ASA model difficult to interpret. Therefore, this year's GHL was conservatively based on the average spawning biomass estimates from the last ten years. Emphasis will again be placed on obtaining well-distributed samples from spawn occurring in 2014.

HOONAH SOUND (SECTION 13-C)

ADF&G began monitoring the Hoonah Sound herring population in 1971. Since that time the herring spawning stock has averaged 7.8 nmi of spawn and 4,308 tons of spawning biomass. Since 1990, the year the SOK fishery started, the stock has averaged 10.9 nmi of spawn and 6,642 tons of spawning biomass (Table 8). The highest recorded spawning biomass occurred in 2008 with an estimated 14.5 nmi of spawn and an escapement of 19,975 tons based on the spawn deposition survey.

In 2013, 2.4 nmi of spawn was documented with an estimated escapement of 412 tons of mature herring. This is the second year in a row that this stock has shown a substantial decrease. The reason for this decrease is not known, however there are many oceanographic and biological influences on herring populations that are not well understood. The 2014 forecast biomass is 833 tons, which is below the 1,000 ton threshold necessary to conduct a commercial fishery. Therefore no commercial fishery will occur in Hoonah Sound during the 2014 season.

Herring spawning normally occurs in Hoonah Sound during the last two weeks of April (Tables 7 and 8). The earliest recorded spawning occurred on April 13, 1990, and the latest recorded spawning was on May 17, 1971. During the 2013 season, spawning occurred from May 7 through May 9 and only 2.4 nmi of spawn was observed. Comparative spawn timing for Hoonah Sound and Tenakee Inlet is shown in Table 7. Traditionally, spawning occurs in Hoonah Sound around Vixen and Emmons Islands and the shoreline from Fick Cove to Ushk Point. Spawning has also been observed in Peril Strait along the Chichagof Island shoreline from Finger River to Broad Island, at False Island, and along the Baranof Island shoreline from Deadman Reach to Point Benham. The open fishing area for Hoonah Sound is shown in Figure 3.

In Hoonah Sound during the 2013 season, 3 groups attempted open pounding however none were successful.

CALENDAR OF EVENTS

The following is a calendar of events to be considered by pound operators for the 2014 fishing season.

| November 25 | News Release announcing the 2014 Craig/Klawock, Ernest Sound, and Tenakee Inlet GHLs. |
|-------------------------|--|
| November 27 | News Release announcing the 2014 Hoonah Sound closure. |
| No Specific Deadline | U.S. Forest Service special-use permit applications (for use of National Forest land above mean high tide) must be submitted to obtain a special-use permit. Special-use permits are required to camp or store gear on National Forest land in conjunction with this fishery. Please contact the USFS directly for applications at (907) 747-4220. |
| March 10 | Kelp permits will be available at ADF&G area offices; The department will issue a news release announcing the actual harvest of the bait herring fisheries and SOK kelp allocation for Craig/Klawock, Ernest Sound, and Tenakee Inlet. |
| March 14 | 2014 Southeast Alaska Herring Spawn-On-Kelp Pound Fishery Management Plan will be available at all Southeast Alaska area offices. |
| March 17 | The Craig/Klawock fishery will be open to seining of herring for placement in pounds effective 12:00 noon. |
| April 1 | The Ernest Sound fishery will open to seining of herring for placement in pounds effective 12:00 noon. |
| April 6 | The Tenakee Inlet fishery will open to seining of herring for placement in pounds effective 12:00 noon. |
| May 31 | Pounds and all associated objects in support of the fishery must be completely removed from the waters of the herring pound fishing area in Section 3-B and in District 7. This includes the area covered by extreme high tide. |
| June 10 | Pounds and all associated objects in support of the fishery must be completely |

removed from the waters of the herring pound fishing area in Section 12-A. This

includes the area covered by extreme high tide.

REGULATIONS

GENERAL SPAWN-ON-KELP REGULATIONS

The regulatory framework for the SOK fishery is found in 5 AAC 27.185. *Management Plan for Herring Spawn on Kelp in Pounds in Sections 3-B, 12-A, 13-C, and District 7*. The BOF met in Ketchikan on February 24–March 4, 2012, and adopted five regulatory changes to the spawn-on-kelp management plan. These changes included: defining the time when herring may be caught and transferred to closed pounds [5 AAC 27.185 (g)]; requiring that all floating objects used in support of the fishery to be marked with the CFEC permit number of participating permit holder [5 AAC 27.185 (k)(2)]; requiring all tow pounds to include a CFEC number of a permit holder along with previous marking requirements [5 AAC 27.185 (l)]; establishing a period when all pounds and equipment must be removed [5 AAC 27.185 (w)]; and a change of the circumstances when two pounds can be combined [5 AAC 27.185 (cc)]. These new regulations are explained in the following paragraphs.

Definition of a Closed Pound

A *closed-pound* is defined as a single, floating, rectangular frame structure with suspended webbing that is used to enclose herring for a period of time in order to produce spawn-on-kelp. The webbing of a closed pound may not have a mesh size of more than one and one-half inches. The opening of the closed pound must be rectangular at the water surface and may not exceed 800 square feet in area. Neither the vertical wall nor the near-vertical wall may exceed a depth below the water surface when the pound contains herring as follows:

| Surface square footage | Maximum depth |
|------------------------|---------------|
| Less than 400 | 30 feet |
| 401–500 | 24 feet |
| 501-600 | 20 feet |
| 601–700 | 17 feet |
| 701–800 | 15 feet |

New in 2013 is regulation 5 AAC 27.185(cc) which allows two closed pounds as specified in 5 AAC 27.130(e) to be combined into one single pound structure with a maximum surface area of 800 square feet and maximum depth of 30 feet and may be operated by multiple permit holders, when kelp allocation is at a maximum. The kelp allocations per permit holder and other provisions specified in this section also apply to the combined pound; however, permit holders may transfer additional herring into the combined pound after the two are connected and become a single structure. A CFEC permit holder who intends to combine pounds under this new regulation must register with ADF&G before placing the pound in the water. This pound structure may not be connected to any other pound structure.

Units of Gear

For the purpose of this fishery, a closed pound is considered to be *fishing* once herring have been introduced into the closed pound structure; a closed pound is considered to have *stopped fishing* once all of the herring have been released and all SOK product has been removed from the closed pound structure. For the purpose of this fishery, an open pound is considered to be *fishing*

once kelp has been attached to the open pound structure; an open pound is considered to have *stopped fishing* once the entire SOK product has been removed from the open pound structure.

The Northern Southeast Alaska area includes Sections 12-A and 13-C and the Southern Southeast Alaska area includes Section 3-B and District 7. Since Northern and Southern Southeast Alaska have different limited entry permits a permit holder may have gear in the water in both areas but a permit holder must still be physically present at those times that the pound is actively fished as defined in 5 AAC 27.185. While the permit holder may have gear in both the Northern area and the Southern area at the same time, they may not fish multiple units of gear in either area.

Herring Pound Marking Requirements

Permit holders are required to mark the pound with a sign that has on it the permit holder's first and last name and the five-digit CFEC permit number in letters and numbers that are six inches in height and a minimum of one half inch wide and which contrast with the background. If the pound is being operated by multiple permit holders, the sign must have the first and last name and five-digit CFEC number of each permit operating the pound on a single sign. The sign must be vertical and the markings must be clearly visible and above the surface of the water at all times (Figure 4). The sign must be left on the pound structure or the net support system the entire time any part of the pound system is in the water. Additionally, starting in 2013, all floats and floating objects used in support of the fishery must be legibly marked with a CFEC number of a participating permit holder (5 AAC 27.185 (k)(2)) and permit holders using tow pounds must affix a horizontal sign that states "Tow Pound" and include a CFEC permit number of a permit holder in letters and numbers that are at least six inches in height and a minimum of one-half inch wide and which contrast with the background to the top surface of the tow pound (5 AAC 27.185 (l)).

All lines or structures used to suspend kelp must have legible tags affixed above the water surface that state the number of blades or fronds on that line or structure along with the permit holder's first and last name. In a multiple permit pound, each permit holder must keep their kelp on lines or structures separate from lines or structures that support kelp belonging to other permit holders.

Placement and Release of Herring in Pounds

Herring may be placed in or added to a pound for <u>four days</u> starting with the initial placement of herring in a pound. After 11:59 p.m. on the fourth day, no additional herring may be added to the pound (5 AAC 27.185 (q)) and those herring in the pound must be released by 11:59 p.m. on the <u>sixth day</u> after the initial placement of herring in a pound (5 AAC 27.185 (s)). Under 5 AAC 27.185 (s) the "first day" is defined as the day herring are first placed into a pound. The "first day" under 5 AAC 27.185 (q), is the day that herring are first put into the pound. Once herring have been released or SOK product has been harvested no additional herring or kelp may be introduced into a pound (5 AAC 27.185 (q)). When releasing herring at least one full side of the pound's webbing must be lowered a minimum of six feet below the surface of the water (5 AAC 27.185 (s)). These regulations are fundamental to the health of the herring spawning stocks and, along with gear size and kelp allocation limits, provide for sustainable use by limiting the harvest of herring by the fishery. Fishermen must take responsibility to ensure that when adding herring to a pound that herring are not at the same time swimming out of the pound as this would be a violation of 5 AAC 27.185 (q).

Connection of Herring Pounds

After the last herring has been placed into the pounds and the permit holders have notified an ADF&G representative, two pounds of two or more permit holders may drop a wall of their respective pounds to allow herring to swim between two connected pounds. Additional herring may not be transferred into the pounds once the two of them are joined. This does not change the definition of pounds as found in 5 AAC 27.130. *Lawful Gear for Southeastern Alaska Area*. (e)(1) which states that webbing of a closed pound may not be part of the webbing of another closed pound. Therefore, after fishing operations have ended two pounds may be joined, but they must remain up to that point a single unit of gear. If two pounds are joined the regulation that allows for retention of herring for six days will be enforced on the pound which first had herring placed into the structure. Under this regulation only two pounds can be joined together.

Presence of Permit Holders Required

A permit holder must be physically present at the permit holder's pound site during the operation of the pound as defined in sections (o) and (p) of 5 AAC 27.185 *Management Plan for Herring Spawn on Kelp in Pounds in Southeastern Alaska Area*.

Post-Harvest Requirements

After a permit holder releases herring and harvests product from the pound, the permit holder must maintain the webbing in place for at least four weeks. To optimize hatching success, the permit holder must position egg-covered webbing in the original size and configuration of the pound structure with adequate water circulation on all sides. The webbing support system must be above the surface of the water and clearly marked as per 5 AAC 27.185 (k).

Harvest and Production

Each permit holder's SOK blades must remain separate from other permit holder's SOK blades until after processing and grading is completed. Permit holders will be allowed to harvest all spawn on kelp produced in their pounds. A permit holder's fish ticket must report only the spawn on kelp they harvested from their pound. Each permit holder fishing a jointly operated pound shall be issued a fish ticket and the sum of the weights of those tickets shall equal the total weight of product produced in the jointly operated pound. All permit holders and any vessel carrying commercial SOK product from the fishing grounds must first contact ADF&G with the estimated amount of SOK product harvested and indicate the intended time and location of the delivery. For any product that has been delivered on the grounds to a licensed processor, the processor (not the permit holder) will be required to contact the department with delivery weight for each landing on board.

Requirements for Buyers

Reporting requirements for buyers and processors of SOK product from Southeast Alaska SOK fisheries can be found in 5 AAC 27.187 *Buyer and Processors Reporting Requirements for Spawn On Kelp in Pounds for the Southeastern Alaska Area*. Buyers, processors, and permit holders should read and become familiar with these reporting requirements.

Operators of floating processing vessels, tender vessels, and catcher-processors will be required to report in person, by VHF radio, or by telephone, to the local ADF&G office or directly to department area management biologists on the grounds before the start of processing operations

in Southeast Alaska. These reporting requirements are specified by regulation 5 AAC 39.130 (f) and (g).

Other Regulations

Additional regulations pertaining to the Craig, Ernest Sound, Hoonah Sound and Tenakee Inlet pound fisheries can be found in the 2013/2014 Statewide Commercial Herring Fishing Regulations booklet under CHAPTER 27, ARTICLE 4, SOUTHEAST ALASKA AREA under the following sections: 5 AAC 27.110 Fishing Seasons for Southeastern Alaska Area (f), 5 AAC 27.130 Lawful Gear for Southeastern Alaska Area (d), and (e); 5 AAC 27.185 Management Plan for Herring Spawn on Kelp in Pounds (a) through (dd); 5 AAC 27.187 Buyer and Processors Reporting Requirements for Spawn on Kelp in Pounds for the Southeastern Alaska Area; harvesting requirements for Macrocystis kelp in 5 AAC 37.100 Permits; and 5 AAC 37.300 Harvesting Requirements for Macrocystis.

It is the responsibility of permit holders to carefully review and follow these regulations.

SECTION 3-B REGULATIONS

Open Waters

The open waters for Section 3-B include: the waters of San Alberto Bay, Shinaku Inlet, and San Christoval Channel north of a line from Entrance Point to the southernmost tip of Clam Island to the southernmost tip of Fern Point and East of 133° 20' W. longitude (Figure 1).

In Section 3-B (Craig/Klawock) herring may be captured for placement in closed pounds starting at 12:00 noon, March 17 until 12:00 noon, May 10 unless closed earlier by emergency order.

Closed Waters

In Section 3-B certain areas are closed to the operation of herring pounds and seines for taking of herring for placement in pounds. Those areas are shown in Figure 1 and include:

- Klawock Inlet and Big Salt Lake;
- Those waters of San Christoval Channel in the main channel enclosed by a line from 55° 35.62' N. latitude, 133° 20' W longitude to 55° 35.17' N. latitude, 133° 20' W longitude to 55° 33.37' N. latitude, 133° 17.52' W. longitude to 55° 33.50' N. latitude, 133°17.28' W. longitude;
- Those waters of Fish Egg and Ballena Islands south of 55° 31' N. latitude and north of the southernmost tip of Cape Suspiro and east of the longitude of Ballena Island Shoal Light.

DISTRICT 7 REGULATIONS

Open Waters

The waters open for the District 7 (Ernest Sound) fishery include: the waters of Ernest Sound east of a line from Point Eaton to Lemesurier Point (Figure 2).

In open waters of District 7 herring may be captured for placement in closed pounds starting at 12:00 noon April1until 12:00 noon May 10 unless closed earlier by emergency order.

SECTION 12-A REGULATIONS

Open Waters

The open waters for Section 12-A include: the waters of Chatham Strait and Tenakee Inlet south of 57 46.00' N. latitude, north of the latitude of Peninsular Point at 57°30.30' N. latitude, and west of 134°50.00' W. longitude (Figure 3).

SECTION 13-C REGULATIONS

Open Waters

The waters open for the Hoonah Sound fishery include: the waters of Hoonah Sound north and west of a line from Point Marie to a point on the northern shore of Hoonah Sound at 57° 37.38' N. latitude, 135° 27' W. longitude (Figure 3).

EXPERIMENTAL GEAR PERMITS

ADF&G has the authority to provide experimental gear permits under AS 16.05.050(10). The issuance of experimental gear permits in past years has played a significant role in the enhancement and development of SOK fisheries in Southeast Alaska. The department will continue to carefully consider requests for experimental gear permits on a case by case basis. The department must be provided a detailed plan that demonstrates innovation and the potential to increase SOK product quality and/or quantity without increasing the use of herring.

HARVEST AND ALLOCATION OF KELP FOR 2014

A permit issued by ADF&G is required to harvest kelp for use in pounds (5 AAC 37.900). Kelp harvest permits may be obtained from local department offices. Kelp blades will be allocated equally among permit holders fishing the same type of gear. The amount of kelp allowed for harvest for each permit holder is based on the kelp allocation table as indicated under regulation 5 AAC 27.185 (d) plus an allowance for breakage and loss during transport. Specific allocation limits are for individual permit holders and are dependent upon the herring GHL and the type of gear to be used and will be announced following closure of the winter food and bait fishery. The kelp allocations for the 2014 season are listed below. The Craig/Klawock allocations are based on a GHL greater than 1,000 tons of herring remaining following the winter bait fishery, Ernest Sound allocations are based on a GHL of 700 or more tons, and Tenakee Inlet allocations are based on a GHL range of 300-499 tons.

Section 3-B (Craig/Klawock):

- Single permit closed pounds—600 blades of *Macrocystis* kelp;
- Double permit closed pounds—750 blades of *Macrocystis* kelp (per permit holder);
- Triple permit closed pounds—1,125 blades of *Macrocystis* kelp (per permit holder);
- Single permit open pounds—2,500 blades or 250 fronds of *Macrocystis* kelp;
- Multiple permit open pounds—7,500 blades or 750 fronds of *Macrocystis* kelp.

District 7 (Ernest Sound):

- Single permit closed pounds—1,000 blades of *Macrocystis* kelp;
- Double permit closed pounds—2,000 blades of *Macrocystis* kelp (per permit holder);

- Triple permit closed pounds—1,000 blades of *Macrocystis* kelp (per permit holder);
- Single permit open pounds—250 fronds/2,500 blades *Macrocystis* kelp;
- Multiple permit open pounds—750 fronds/7,500 blades *Macrocystis* kelp.

Section 12-A (Tenakee Inlet):

- Single permit closed pounds—300 blades of *Macrocystis* kelp;
- Double permit closed pounds—500 blades of *Macrocystis* kelp (per permit holder);
- Triple permit closed pounds—500 blades of *Macrocystis* kelp (per permit holder);
- Single permit open pounds—200 fronds/2,000 blades of *Macrocystis* kelp;
- Multiple permit open pounds—600 fronds/6,000 blades of *Macrocystis* kelp.

FISHERY CONDUCT AND MANAGEMENT

Suitable sites for pounds in Craig/Klawock, Ernest Sound, and Tenakee Inlet are limited. To avoid herring mortality and damage to the pounds, permit holders should locate their pounds in an area with minimal exposure to wind and wave action, with a relatively deep bottom. The distance between the locations where herring are captured and where the pound will be anchored should be minimized since long towing distances can cause stress induced spawning, egg loss, de-scaling, and mortality of herring.

All permit holders involved in the operation of a pound, whether a single or a multiple permit pound, must be physically present at their pound fishing site at all times during the *operation of the pound*. *Operation of the pound* is defined as:

- 1. The capture and transfer of herring into the pound;
- 2. When an open pound is being moved;
- 3. The collection and sale of herring SOK product produced in the pound;
- 4. All permit holders must be present when two pounds are joined together.

For multiple permit closed pounds, all permit holders assigned to the pound must be present at their pound site when herring are introduced into the pound. If only one permit holder is present at this time then that pound must be operated for the remainder of the season as a single permit closed pound and no more than the number of blades of kelp allocated to a single closed pound may be harvested.

ADF&G will be closely monitoring herring activity using vessel and aerial surveys. Prior to the onset of active fishing the results of aerial surveys will be announced by department news release or in fishery updates. This information will also be available by recorded message at 907-225-6870 (Ketchikan office) for Section 3-B (Craig/Klawock); 907-772-3700 (Petersburg office) for District 7 (Ernest Sound); 907-465-8905 (Juneau Office) for Section 12-A (Tenakee Inlet).

In 2014, ADF&G will continue to monitor the practice of *top-off-fishing*. This practice has been successfully used to stimulate new spawning in pounds and therefore to produce better spawn on kelp quality and quantity. The department has a concern, based on observations during the 2003 season, that the practice of "top off fishing" was abused by some fishermen. If a permit holder allows herring to swim out of their pound when they are adding fresh herring to their pound, thereby exchanging spawned-out herring for fresh herring, this is a violation of 5 AAC 27.185

(q). If any such cases are observed or reported in 2014, the department will turn them over to the Alaska Wildlife Troopers (AWT) for citation. Additionally, the department will consider closure of the fishery to all further fishing by emergency order or limiting fishing to specific daylight hours only. Should the latter two measures become necessary, then such measures may have the unwanted consequence of preventing some permit holders from the capture of herring that season. The department is requesting the assistance of permit holders to ensure that additions of top-off-fishing are only conducted in compliance with regulations.

In Ernest Sound, ADF&G will station a vessel and personnel on the grounds when herring are available for sampling or capture. In Craig/Klawock department personnel can be contacted through the department office in Craig. In Tenakee Inlet, the department will have personnel on the grounds stationed in Tenakee Springs. Department personnel will closely monitor all phases of the fishery. All fishery announcements, including updates of herring activities and fishery openings/closures, will be broadcast by VHF radio, channel 10. Permit holders are expected to have a VHF radio.

To avoid mortality, the transport of herring to the pound site should be done with the pound itself or a pushable/towable net pen. Towable net pens used only for transporting herring must be marked "Tow Pound" and include the CFEC permit number of a participating permit holder. Transporting with a purse seine is discouraged except for very short distances. Pound operators should slowly push pounds or tow the pound alongside to avoid prop wash and prevent crushing herring against the net. Pound operators are also advised to minimize the distance herring are towed to avoid stressing the herring or causing egg loss, which can result in poorer quality product. Permit holders are asked to avoid making and holding large sets intended to fill multiple pounds to avoid herring mortality and stress. ADF&G may close the fishery or limit fishing to daylight hours to minimize stress and mortality, to reduce potential set size, or to better monitor the fishery.

Although regulations determine the maximum allowable number of kelp blades that can be harvested and placed in each permit holder's pound, fishermen are encouraged to fish the number of blades which will provide the maximum overall quality and value of their product rather than simply to fish the total amount allowed. Other measures have successfully been used in the fishery that may be considered when trying to maximize spawn on kelp quality and value includes the following:

- 1) Pound nets may be shaped with internal frames to provide the full net volume;
- 2) The kelp depths in the pound may be matched with the depth of active spawning by testing spawn deposition with a weighted string;
- 3) Fishing and transferring herring to pounds should only occur once herring are fully mature;
- 4) Small top-off sets may be added over a 2–3 day period;
- 5) The herring density in the net should be limited since spawning is retarded by excessive crowding;
- 6) Web depth adjustments may be adjusted (consistent with specifications under 5 AAC 27.130 (e)(1)(C) or 5 AAC 27.185(cc)) to provide good water exchange;

7) Working in a small group of permit holders may help to provide adequate time for harvesting herring and tending pounds.

The SOK fisheries take place in high-use subsistence, recreational, and commercial use areas valued for their fish and wildlife resources as well as their wilderness character. Under 5 AAC 27.185 (w) all pounds and associated equipment used in these fisheries must be removed from the water by a specific date for a specific period of time. Some permit holders in this fishery have for years been leaving a significant amount of gear in the water year round conflicting with these uses. Also, over the years a significant amount of derelict gear has accumulated on area beaches. Despite increased efforts to enforce regulations in recent years this continues to be a problem. Residents of the communities near where these fisheries exist have become increasingly upset with the poor stewardship shown by some permit holders and have lodged numerous complaints with ADF&G, insisting on better enforcement of regulations.

Though this problem occurs in all four SOK areas, this has become particularly a conflict in Section 13-C where the fishery occupies the best anchorage in the Hoonah Sound area and few good anchoring alternatives exist during inclement weather. During 2010, two specific complaints in Hoonah Sound involved vessels becoming entangled in lines associated with the pound fishery while attempting to anchor during a period of poor weather. One of those incidents resulted in significant damage to the vessel. These events occurred well after the date gear is required to be removed from the water by regulation. A regulation was adopted at the 2012 Alaska Board of Fisheries meeting that further specifies gear marking and removal requirements.

ADF&G and AWT are advising permit holders that any pounds, nets, buoys, lines, and anchors left on the grounds will be removed and impounded or destroyed.

OTHER AGENCY REQUIREMENTS

Prospective pound operators are advised to consider other agency requirements for constructing and operating pounds in Craig/Klawock, Ernest Sound, Tenakee Inlet, and Hoonah Sound. Pound operators are urged to contact the Alaska Department of Natural Resources, U.S. Forest Service, the U.S. National Marine Fisheries Service, and the U.S. Coast Guard to determine other regulations and requirements. Phone numbers for those agencies are listed below.

ALASKA DEPARTMENT OF NATURAL RESOURCES

The Alaska Department of Natural Resources (907-465-3400) manages the use of tidelands and submerged lands seaward of mean high water.

U.S. FOREST SERVICE

In the Hoonah Sound and Tenakee Inlet areas, the U.S. Forest Service has jurisdiction over and manages most of the lands above mean high tide. People who plan to use National Forest land in connection with the fishery must apply for a special use permit from the U.S. Forest Service prior to any occupancy. Special use permit applications are available at the Sitka Ranger District Office, 204 Siginaka Way, Sitka, Alaska 99835, (907-747-6671). Completed applications should be submitted to the Sitka Ranger District well in advance of operations to ensure that a permit is received in time for the fishery. Examples of use needing a permit include (but are not limited to): camping on National Forest land in conjunction with the commercial fishery, and storage of gear on the National Forest.

U.S. NATIONAL MARINE FISHERIES SERVICE

The U.S. National Marine Fisheries Service (907-747-6940) regulates activities that might harm marine mammals.

U.S. COAST GUARD

Structures such as floating fish pens are subject to the requirements of the Code of Federal Regulations, Title 33, Part 64. This regulation requires an owner to apply for a U.S. Coast Guard permit and to install and maintain a light or other private aid to navigation if the U.S. Coast Guard determines it to be necessary to protect maritime navigation.

Herring pounds used in the SOK pound fishery do not require permits for private aids to navigation at this time, provided the owners:

Place two signs on opposite corners of the structure. These signs will be worded "Danger, Fish Pens" (Figure 5).

Place a single, all-points white light on one corner of structures less than 400 square feet in size.

Place a single, all-points white light on every corner of structures larger than 400 square feet in size.

Anchor fish pens within the boundary areas specified in ADF&G regulation 5 AAC 27.185 (f) (Figures 1–3).

If all these conditions are not met, the permit holder must apply to the U.S. Coast Guard for an individual "Private Aids to Navigation Permit." If you have questions, call the U.S. Coast Guard Aids to Navigation office, at (907) 463-2254.

PRIVATE LANDS

Some of the area in which pounds may be operated is adjacent to privately owned lands. Pound operators should contact the landowners if they intend to use any of that land above mean high tide. Private land owners in the Craig/Klawock area include the Klawock/Heenya Corporation, Shaan-Seet Corporation, Sealaska Corporation, and private individuals. Figure 6 shows the approximate areas of privately held lands in the Craig/Klawock area.

LIST OF MANAGEMENT CONTACTS

Following are ADF&G Division of Commercial Fisheries contacts regarding this management plan:

| Name and Title | Address and Phone Number | | | |
|---------------------------------|---|--|--|--|
| Lowell Fair | 802 3 rd Street | | | |
| Region I Supervisor | Douglas, Alaska 99824 | | | |
| | (907) 465-4250 | | | |
| Dan Gray | 304 Lake St., Rm. 103 | | | |
| Region I Management Biologist | Sitka, Alaska 99835 | | | |
| | (907) 747-6688 | | | |
| Kyle Hebert | 802 3 rd Street | | | |
| Herring Research Biologist | Douglas, Alaska 99824 | | | |
| | (907) 465-4250 | | | |
| Scott Walker | 2020 9 1 15 9 205 | | | |
| Area Management Biologist | 2030 Sea Level Dr. Ste. 205 | | | |
| | Ketchikan, Alaska 99901 | | | |
| Bo Meredith or Justin Breese | (907) 225-5195 | | | |
| Assistant Management Biologists | | | | |
| Troy Thynes | 1.20 | | | |
| Area Management Biologist | 16 Sing Lee Alley Petersburg, AK 99833 USA | | | |
| | | | | |
| Kevin Clark | (907) 772-3801 | | | |
| Assistant Management Biologist | | | | |
| Tom Kowalske | 215 Front Street | | | |
| Assistant Management Biologist | Wrangell, AK 99929-0200 | | | |
| | (907) 874-3822 | | | |
| Dave Gordon | (307) 371 3022 | | | |
| | 304 Lake St., Rm. 103 | | | |
| Area Management Biologist | Sitka, Alaska 99835 | | | |
| Eric Coonradt | (907) 747-6688 | | | |
| Assistant Management Biologist | | | | |
| | | | | |
| Dave Harris | 802 3 rd Street | | | |
| Area Management Biologist | Douglas, Alaska 99824 | | | |
| Scott Forbes | (907) 465-4250 | | | |
| | | | | |
| Assistant Management Biologist | | | | |

TABLES AND FIGURES

Table 1.-Craig/Klawock stock size and winter food and bait harvests, 1987-2013.

| Year | Miles Spawn ^a | Forecasted Pre-fishery Biomass ^b | Total GHL Bait and SOK ^c (Tons) | Bait Quota (Tons) | Bait Harvest (Tons) |
|--------------------|-----------------------------|---|--|-------------------------|---------------------------|
| 87–88 ^d | 27 | 16,550 | N/A | 2,200 | 2,014 |
| 88-89 | 31.7 | 16,350 | N/A | 1,810 | 1,730 |
| 89–90 | 30 | 19,800 | N/A | 3,150 | 3,221 |
| 90-91 | 22 | 18,350 | N/A | 2,841 | 3,272 |
| 91–92 | 23 | 17,800 | 2,684 | 2,281 | 2,295 |
| 92–93 ^e | 8.4 | 12,350 | 1,602 | 1,362 | 623 |
| 93–94 | 8 | 7,996 | 895 | 760 | 636 |
| 94–95 | 5.5 | 6,778 | 725 | 617 | 124 |
| 95–96 | 9.9 | 6,262 | 658 | 558 | 4 |
| 96–97 | 13.2 | 6,755 | 715 | 615 | 517 |
| 97–98 ^t | 11 | 7,018 | 755 | 455 | 254 |
| 98–99 | 15.4 | 6,951 | 750 | 450 | 102 |
| 99-00 | 12.9 | 6,013 | 626 | 376 | 346 |
| 00-01 | 16.7 | 9,091 | 1,058 | 635 | 145 |
| 01-02 | 18 | 8,387 | 952 | 571 | 92 |
| 02-03 | 11.2 | 6,045 | 630 | 378 | 145 |
| 03-04 | 12 | 13,204 | 1,754 | 1,052 | 157 |
| 04-05 | 18 | 15,577 | 2,217 | 1,330 | 553 |
| 05-06 | 8.2 | 14,262 | 1,955 | 1,173 | 689 |
| 06-07 | 22.3 | 13,768 | 1,860 | 1,116 | 576 |
| 07-08 | 11.0 | 14,213 | 1,945 | 1,167 | 565 |
| 08-09 | 17.0 | 14,213 | 1,945 | 1,167 | 142 |
| 09–10 | 18.7 | 14,870 | 2,074 | 1,244 | confidential |
| 10–11 | 14.8 | 17,886 | 2,710 | 1,140 | confidential |
| 11–12 | 14.9 | 34,235 | 6,847 | 4,060 | confidential |
| 12–13 | 15.3 | 23,391 | 4,060 | 2,436 | confidential |
| Average | 16.0 | 13,389 | 1,792 | 1,344 | 827 |

^a Spawn year is beginning year of regulatory season listed in the adjacent year column.

b Forecasted pre-fishery biomass values were estimated with hydroacoustics for 86/87, spawn deposition surveys for 87/88 to 92/93, and age-structured models for 93/94 to 07/08. c Spawn On Kelp (SOK)

d Reduced to 1,600 tons on the grounds.

^e First year bait quota was split between pound fishery 85%:15%.

f Herring allocation changed to 60% for the winter food and bait fishery, 40% to the pound fishery.

^g Updated forecast based on updated scale ages.

Table 2.—Craig/Klawock herring spawn-on-kelp fishery summary, 1996–2013.

| Statistic | 1996 | 1997 | 1998 | 1999 | 2000 | 2001 |
|--|----------------|---------------|---------------------|----------------|----------------|-------------|
| Herring Quota (tons) | 100 | 200 | 500 | 650 | 280 | 914 |
| Total harvest SOK (tons) | 37.3 | 21.9 | 22.4 | 36.0 | 0.0 | 26.9 |
| Exvessel value | \$1,490,000 | \$270,306 | \$152,203 | \$212,121 | \$0 | \$146,859 |
| Average Price/lb | \$20.00 | \$6.00 | \$3.39 | \$2.94 | \$0 | \$2.70 |
| Average Income | \$9,700 | \$1,890 | \$1,072 | \$2,060 | \$0 | \$2,880 |
| Number of pounds | 162 | 119 | 112 | 70 | 50 | 31 |
| Number of landings | 154 | 143 | 148 | 103 | 0 | 51 |
| Blade allocation | 156 | a | b | c | d | e |
| Total kelp harvest (tons) | 2.6 | 3.2 | 3.5 | 2.9 | 2.0 | 3.2 |
| Herring spawning dates | 3/22-4/12 | 4/7-4/14 | 3/19-4/8 | 3/23-3/28 | 3/22-4/5 | 4/1-4/7 |
| Miles of spawn | 9.9 | 13.2 | 12.5 | 15.4 | 12.9 | 16.7 |
| Forecasted Pre-Fishery biomass (tons) | 6,262 | 6,755 | 7,018 | 6,951 | 9,951 | 8,042 |
| | 2002 | 2003 | 2004 | 2005 | 2006 | 2007 |
| Herring Quota (tons) | 852 | 528 | 1,579 | 1,667 | 1,266 | 1,284 |
| Total harvest SOK (tons) | 41.7 | 69.2 | 50.0 | 115.2 | 28.9 | 44.5 |
| Exvessel value | \$218,700 | \$423,000 | \$325,000 | \$603,723 | \$298,575 | \$1,087,532 |
| Average Price/lb | \$3.10 | \$3.00 | \$3.25 | \$2.62 | \$5.15 | \$12.08 |
| Average Income | \$2,460 | \$3,385 | \$3,420 | \$9,011 | \$8,782 | \$23,139 |
| Number of pounds | 50 | φ3,363 61 | φ3, 4 20 | 42 | 50 | 52 |
| Number of landings | 89 | 118 | 95 | 67 | 34 | 47 |
| Blade allocation | e | e e | d d | f | g | g g |
| Total kelp harvest (tons) | 8.2 | 7.5 | 14.0 | 4.9 | 4.6 | 5.6 |
| Herring spawning dates | 3/31–4/7 | 3/31–4/7 | 3/26–4/7 | 4.9 | 3/30-4/3 | 4/3–4/12 |
| Miles of spawn | 18.4 | 11.2 | 12.0 | 18.0 | 8.2 | 22.3 |
| Forecasted Pre-Fishery biomass | | | | | | |
| (tons) | 8,387 | 6,045 | 13,204 | 15,577 | 14,262 | 13,768 |
| | 2008 | 2009 | 2010 | 2011 | 2012 | 2013 |
| Herring Quota (tons) | 1,380 | 1,802 | 1,953 | 2,710 | 6,847 | 4,060 |
| Total harvest SOK (tons) | 1,380 | 1,802 | 1,933 | 70 | 98.1 | 137.7 |
| Exvessel value | \$3,066,788 | \$1,256,777 | \$884,715 | \$728,147 | \$2,099,002 | \$3,099,002 |
| Average Price/lb | \$3,000,788 | \$4.58 | \$3.80 | \$5.13 | \$10.69 | \$12.00 |
| Average Income | \$25,138 | \$9,107 | \$8,268 | \$14,003 | \$32,795 | \$23,656 |
| Number of pounds | \$23,136 66 | \$9,107 96 | \$6,206 63 | 34 | \$32,793 35 | \$23,030 |
| _ | 122 | 137 | 107 | 52 | 64 | 131 |
| Number of landings | 122 g | 137 g | 107 g | <i>32</i> g | 9 g | 131 g |
| Blade allocation Total kelp harvest (tons) | 12.2 | 7.3 | 8.2 | 4.6 | 5.3 | 9.3 |
| - · · · · · · · · · · · · · · · · · · · | | | | | | |
| Herring spawning dates | 4/3–4/12 | 4/3-4/10 | 4/5-4/14 | 4/1-4/7 | 4/3-4/8 | 3/31-4/3 |
| Miles of spawn | 11.0 | 17.0 | 18.7 | 14.8 | 14.9 | 15.3 |
| Forecasted Pre-Fishery biomass (tons) | 14,213 | 14,213 | 14,870 | 17,886 | 34,235 | 23,391 |

^a 100 blades for single-closed pound, 150 blades for multiple pound permit holder, and 300 blades for open pound permits.

b 120 blades for a single closed pound, 180 blades for a multiple pound permit holder, 360 blades for single open pound.

c 155 blades for a single closed pound, 235 blades for a multiple pound permit holder, 470 blades for a single open pound.

d 70 blades for a single closed pound, 210 for a multiple pound permit holder.

e 200 blades for a single closed pound, 600 blades for a multiple pound permit holder

f 350 blades for a single closed pound, 750 blades for a double closed pound, 1,125 blades for a triple closed pound.

⁶⁰⁰ blades for a single closed pound, 750 blades for a double closed pound, 1,125 blades for a triple closed pound

Table 3.-A comparison of Craig and Ernest Sound herring spawning dates for years 1994–2013.



Note: Black bars indicate dates of active spawning for the Craig stock and gray bars indicate dates of active spawning for the Ernest Sound stock.

Table 4.-Ernest Sound miles of spawn, stock size and harvest, 1969-2014.

| Season | Date of first spawn ^a | Nautical miles of spawn ^b | Forecast Used for GHL Determination ^c (tons) | Spawning Biomass (tons) ^d | Guideline Harvest Level (tons) ^e | Bait harvest (tons) ^f | SOK Harvest (lbs) | Sac Roe Harvest (tons) | Remaining GHL (tons) |
|------------------------|--|--|--|--|--|--|-------------------------|------------------------------|-------------------------|
| 1969/1970 | | | | | | 17 | | | |
| 1970/1971 | | 3 | | 13,100 | | 206 | | | |
| 1971/1972 | | | 13,100 | 3,650 | | 967 | | | |
| 1972/1973 | | | 3,650 | 450 | | 775 | | | |
| 1973/1974 | | | 450 | 400 | | 535 | | | |
| 1974/1975 | | | 400 | 2,900 | | 593 | | | |
| 1975/1976 | | 3 | 2,900 | 4,350 | 580 | 708 | | | 0 |
| 1976/1977 ^g | | 3 | 4,350 | 3,035 | 870 | 901 | | 49 | 0 |
| 1977/1978 | 5/3 | | 3,035 | 1,505 | 455 | 340 | | | 115 |
| 1978/1979 | 4/16 | 2.6 | 1,505 | 255 | | | | | |
| 1979/1980 | 5/2 | 4 | 255 | 500 | | | | | |
| 1980/1981 | | 3.5 | 500 | 410 | | | | | |
| 1981/1982 | | | 410 | 160 | | | | | |
| 1982/1983 | | | 160 | 1,640 | | | | | |
| 1983/1984 | 4/11 | | 1,640 | 1,000 | | | | | |
| 1984/1985 | | 4.5 | 1,000 | 1,000 | | | | | |
| 1985/1986 | | | 1,000 | 1,000 | | | | | |
| 1986/1987 | | 1 | 1,000 | | | | | | |
| 1987/1988 | 4/21 | 2 | | | | | | | |
| 1988/1989 | 4/17 | 2.4 | | 500 | | | | | |
| 1989/1990 | | 2.1 | 500 | 1,000 | | | | | |
| 1990/1991 | | ns | 1,000 | 3,000 | | | | | |
| 1991/1992 | 4/16 | 9.1 | 3,000 | 2,650 | | | | | |
| 1992/1993 | 4/23 | 9 | 2,650 | 684 | 200 | 8 | | | 192 |
| 1993/1994 | 4/26 | 8.4 | 684 | 2,544 | 0 | | | | |
| 1994/1995 | 4/25 | 6.5 | 2,544 | 2,470 | 255 | 111 | | | 144 |
| 1995/1996 | 4/16 | 6.9 | 2,744 | 2,665 | 280 | 220 | | | 60 |
| 1996/1997 | 4/16 | 0 | 4,852 | 0 | 377 | 6 | | | 371 |
| 1997/1998 | 4/9 | 11.8 | | 5,998 | 0 | | | | |
| 1998/1999 | 4/5 | 1.8 | 5,381 | No survey | 662 | 96 | | | 566 |
| 1999/2000 | 4/8 | 9.1 | | 920 | 0 | | | | |
| 2000/2001 | 4/11 | 6.9 | | 2,052 | 0 | | | | |
| 2001/2002 | 4/15 | 4.8 | 1,653 | 2,406 | 0 | | | | |

-continued-

Note: Table footnotes are at the bottom of the following page.

Table 4.—continued (page 2 of 2)

| | | 11.01 | Forecast Used | | Guideline | | | | |
|-----------|--------------------|--------------------|----------------------------|---------------------|---------------------|---------------------|---------|---------|------------|
| | Date of | Nautical | for GHL | Spawning | | Bait | SOK | Sac Roe | |
| | first | miles of | Determination ^c | Biomass | Level | harvest | Harvest | Harvest | Remaining |
| Season | spawn ^a | spawn ^b | (tons) | (tons) ^d | (tons) ^e | (tons) ^f | (lbs) | (tons) | GHL (tons) |
| 2002/2003 | 4/10 | 8.5 | 2,407 | 5,509 | 0 | | | | |
| 2003/2004 | 4/11 | 7.1 | 6,592 | 2,413 | 875 | 44 | 112,286 | | 775 |
| 2004/2005 | 4/22 | 10.1 | 1,906 | 3,268 | 0 | | | | |
| 2005/2006 | 4/6 | 7.9 | 2,284 | 2,538 | 0 | | | | |
| 2006/2007 | 4/19 | 11.3 | 1,955 | 7,353 | 0 | | | | |
| 2007/2008 | 4/20 | 15.4 | 9,060 | 4,846 | 1,382 | ** | 19,650 | | ** |
| 2008/2009 | 4/17 | 6.6 | 4,545 | 2,862 | 529 | ** | 4,911 | | ** |
| 2009/2010 | 4/14 | 7.8 | 2,879 | 3,523 | 297 | ** | | | ** |
| 2010/2011 | 4/17 | 8.1 | 5,080 | 2,559 | 476 | ** | 0 | | ** |
| 2011/2012 | 4/16 | 8.9 | 2,682 | 2,559 | 272 | ** | | | ** |
| 2012/2013 | 4/16 | 9.7 | 3,509 | 3,193 | 379 | ** | 129,265 | | ** |
| 2013/2014 | NA | 5.4 | 7,613 | NA | 1,073 | ** | NA | | ** |

Note: ** indicates data is confidential.

- ^a Since 1997/1998 the first spawn and the major spawn have been within five days of each other.
- b 1996/1997 No survey, fish all spawned (7.5 miles) along Ship Island; 1998/1999 No survey, only 1.8 miles of spawn observed, surveys probably missed main spawn; spawn year is the beginning year of regulatory season.
- c 1971/1972 through 1984/1985 forecasts were based on hydroacoustical-computer generated estimates; 1985/1986 through 1991/1992 forecasts were based on visual estimates; 1992/1993 through 1994/1995 were based on spawn deposition estimates; 1995/1996 through 2006/2007 were biomass accounting forecasts.
- d 1969/1970 through 1983/1984 biomass estimates were hyrdoacoustical-computer generated estimates; 1984/1985 through 1990/1991 were visual estimates; and 1991/1992 through 2005/2006 were spawn deposition estimates. 1975/1976 & 1976/1977 GHLs are based upon 20% of the acoustical estimate. 1977/1978 GHL is based upon 15% of the acoustical estimate.
- e 2003/2004 GHL includes 90 tons rolled over from the bait pound fishery.
- f 1973/1974,1974/1975, 1976/1977 also include harvests from Fools and Menefee Inlets. Does not include harvests from statistical area 107-40.
- g Since 1976/1977 season the threshold for a fishery has been 2,500 tons.

Table 5.-Ernest Sound herring spawn-on-kelp fishery summary, 2004, 2008-2009, 2011, and 2013.

| Statistic | 2004 | 2008 | 2009 |
|---------------------------------|-----------------------|----------------------|-----------|
| Ernest Sound GHL (tons) | 875 | 1,382 | 529 |
| GHL Available for SOK (tons) | 775 | * | * |
| SOK Harvest (tons) | 56.1 | 9.8 | 2.5 |
| Exvessel Value | \$514,912 | \$131,059 | \$18,359 |
| Average Price/lb | \$4.59 | \$6.87 | \$3.67 |
| Average Income/permit | \$8,046 | \$10,091 | \$4,590 |
| Number of Permits participating | 64 | 13 | 4 |
| Number of Pounds | 51/6/0/1 ^a | 5/3/0/0 ^a | 0/2/0/0 a |
| Number Permits Landing Product | 64 | 13 | 4 |
| Kelp Allocation (blades) | c | d | e |
| Kelp Blade Harvest (lbs) | 112,286 | 19,650 | 4,911 |
| Fishery Open—Closed | 4/1-5/10 | 4/1-5/10 | 4/1-5/10 |
| Fishing Occurred | 4/10-4/17 | 4/16/-4/24 | 4/17-4/21 |
| Harvest Occurred | 4/14-1/17 | 4/24 | 4/21 |
| Statistic | 2011 | 2013 | |
| Ernest Sound GHL (tons) | 476 | 379 | |
| GHL Available for SOK (tons) | * | * | |
| SOK Harvest (tons) | 0 | 64.3 | |
| Exvessel Value | \$0 | \$1,574,729 | |
| Average Price/lb | \$0 | \$12.25 | |
| Average Income/permit | \$0 | \$19,441 | |
| Number of Permits participating | 0 | 81 | |
| Number of Pounds | 0 | $1/5/1/22/0^{b}$ | |
| Number Permits Landing Product | 0 | 81 | |
| Kelp Allocation (blades) | e | e | |
| Kelp Blade Harvest (lbs) | 0 | 129,265 | |
| Fishery Open—Closed | 4/1-5/10 | 4/1-5/10 | |
| Fishing Occurred | NA | 4/10-4/16 | |
| Harvest Occurred | NA | 4/15-4/16 | |

^a single/double/triple/open

^b single/double/combined double/triple/open

c 1,000 blades single-closed/1,000 blades double-closed/1,000 blades triple-closed/2,500 blades single-open/7,500

 $[\]begin{array}{c} \text{multiple-permit-open} \\ \text{d} \ 1,000 \ \text{blades single-closed/2,000 \ blades \ double-closed/1,000 \ blades \ triple-closed/2,500 \ blades \ single-open/7,500} \end{array}$ multiple-permit-open

e 200 blades single-closed/400 blades double-closed/500 blades triple-closed/1,500 blades single-open/4,500 multiplepermit-open

Table 6.—Tenakee Inlet herring seasonal spawning dates and mileage, biomass estimate, and harvest.

| | | Nautical Miles of | Spawning | Food/Bait | |
|-----------|---------------------|----------------------|----------------------|------------|----------------|
| ~ | Major Spawning | Spawn | Biomass ^a | GHL | Food/Bait |
| Season | Dates | (nmi) | (tons) | (tons) | Harvest (tons) |
| 1978/1979 | 5/9-5/11 | 3.3 | 2,500 | 200 | 0 |
| 1979/1980 | 4/28-5/2 | 3.9 | 4,485 | 400 | 504 |
| 1980/1981 | 4/27-5/5 | 9.3 | 7,500 | 750 | 847 |
| 1981/1982 | 4/25–5/7 | 11.1 | 6,650 | 650 | 654 |
| 1982/1983 | 4/25–5/6 | 13.1 | 8,870 | 875 | 799 |
| 1983/1984 | 4/20-4/26 | 8.3 | 12,100 | 850 | 619 |
| 1984/1985 | 4/24-5/1 | 9.9 | 11,000 | 1,400 | 1,406 |
| 1985/1986 | 4/27-5/1 | 8.3 | 12,500 | 1,700 | 2,040 |
| 1986/1987 | 4/22-4/30 | 7.9 | 6,600 | 800 | 1,275 |
| 1987/1988 | 4/22-4/27 | 9.1 | 6,000 | 1,450 | 1,577 |
| 1988/1989 | 4/26-4/29 | 10.3 | 5,360 | 720 | 655 |
| 1989/1990 | 4/25-5/6 | 2.9 | 2000 | 650 | 595 |
| 1990/1991 | 4/25-5/4 | 2.1 | 400 | No | fishery |
| 1991/1992 | 5/5 | trace | 200 | No fishery | |
| 1992/1993 | 4/21-4/23 | 6.4 | 904 | No | fishery |
| 1993/1994 | 4/24-4/26 | 0.25 | 400 | No fishery | |
| 1994/1995 | 4/26 | 0.05 | 200 | No | fishery |
| 1995/1996 | 5/4-5/14 | 18.1 | 4,560 | No | fishery |
| 1996/1997 | 4/26-5/7 | 14.4 | 9,926 | 300 | 97.5 |
| 1997/1998 | 4/24-4/29 | 12.4 | 10,419 | 825 | 692 |
| 1998/1999 | 4/25-4/28 | 11.0 | 11,049 | 1,023 | 835 |
| 1999/2000 | 4/26-5/3 | 13.8 | 9,425 | 542 | 494 |
| 2000/2001 | 4/21-5/1 | 12.2 | 7,576 | 906 | 775 |
| 2001/2002 | 4/23-4/27 | 15.4 | 4,084 | 840 | 393 |
| 2002/2003 | 4/25-4/28 | 12.2 | 3,529 | 528 | 328 |
| 2003/2004 | 4/28-5/3 | 13.0 | 4,728 | 399 | confidential |
| 2004/2005 | 4/26-5/2 | 8.9 | 3,036 | 476 | 0 |
| 2005/2006 | 5/2-5/6 | 5.9 | 5,110 | No | fishery |
| 2006/2007 | 4/23-4/26 | 4.4 | 3,346 | No | fishery |
| 2007/2008 | 4/30; 5/7–5/8 | 11.4 | 11,252 | No | fishery |
| 2008/2009 | 4/25-4/26;4/29-4/30 | 6.9 | 5,283 | 788 | 254 |
| 2009/2010 | 5/7-5/9 | 2.7 | 1,437 | 525 | confidential |
| 2010/2011 | 5/9 | 1.0 | N/A | No f | ishery |
| 2011/2012 | 4/20-4/23 | 4.6 | 5,119 | | ishery |
| 2012/2013 | 5/7-5/10 | 5.4 | 4,936 | | ishery |

Spawning biomass estimates were calculated from hydro-acoustical surveys from 1979 through 1986, and from spawn deposition surveys from 1987 through 2013 – bolded values were derived from ASA models.


Table 7.-Tenakee Inlet herring spawn-on-kelp fishery summary, 2003-2005 and 2009.

| Statistic | 2003 | 2004 | 2005 |
|---------------------------------|------------------------|-------------------------|------------------------|
| Tenakee Inlet GHL (tons) | 528 | 399 | 476 |
| GHL Available for SOK (tons) | 180 | 360 | 476 |
| SOK Harvest (tons) | 47.6 | 100.7 | 101.4 |
| Exvessel Value | \$580,500 | \$981,464 | \$512,900 |
| Average Price/lb | \$6.10 | \$4.68 | \$2.53 |
| Average Income/permit | \$10,555 | \$11,684 | \$5,636 |
| Number of Permits participating | 55 | 85 | 98 |
| Number of Pounds | $1/15/8/0^{a}$ | 1/32/6/2/2 ^b | 1/29/13/3 ^a |
| Number Permits Landing Product | 55 | 85 | 91 |
| Kelp Allocation (blades) | $200/400/550/0^{a}$ | $300/500/500/2000^a$ | $300/500/500/2000^a$ |
| Kelp Blade Harvest (lbs) | 35,375 | 39,000 | 53,850 |
| Fishery Open—Closed | 4/6–5/6 | 4/6–5/6 | 4/6–5/5 |
| Fishing Occurred | 4/25-4/28 | 4/28 - 5/1 | 4/27-4/30 |
| Harvest Occurred | 4/30–5/4 | 5/3-5/6 | 5/2-5/4 |
| Statistic | 2009 | | |
| Tenakee Inlet GHL (tons) | 875 | | |
| GHL Available for SOK (tons) | 621 | | |
| SOK Harvest (tons) | 64.1 | | |
| Exvessel Value | \$558,900 | | |
| Average Price/lb | \$4.36 | | |
| Average Income/permit | \$6,499 | | |
| Number of Permits participating | 86 | | |
| Number of Pounds | 11/27/7/0 ^a | | |
| Number Permits Landing Product | 86 | | |
| Kelp Allocation (blades) | $400/500/500/0^{a}$ | | |
| Kelp Blade Harvest (lbs) | 42,600 | | |
| Fishery Open—Closed | 4/6–5/5 | | |
| Fishing Occurred | 4/28-5/1 | | |
| Harvest Occurred | 5/2-5/5 | | |

Note: No fishery occurred from 2006–2008 since the biomass forecast was below the 3,000-ton threshold.

a single/double/triple/test
 b single/double/triple/long line/test

Table 8.-A comparison of Hoonah Sound and Tenakee Inlet herring spawn dates for years 1993–2013.



Note: Black bars indicate spawning dates for Hoonah Sound and gray bars indicate spawning dates for Tenakee Inlet.

Table 9.-Hoonah Sound herring spawning stock and fishery performance, 1971-2013.

| Year | Spawn Dates | Nautical Miles Spawn | Estimated Escapement* | SOK Harvested (tons) | |
|---------|-------------|----------------------|-----------------------|----------------------|--|
| 1971 | 5/10–5/17 | 2.5 | 833 | | |
| 1972 | 5/11–5/12 | 1.5 | 666 | <u></u> | |
| 1973 | N/A | 1.0 | 333 | | |
| 1974 | 14-May | 3.0 | 999 | | |
| 1975 | N/A | N/A | | | |
| 1976 | 5-May | 1.0 | 333 | | |
| 1977 | N/A | 3.5 | 1,166 | | |
| 1978 | N/A | 5.3 | 1,765 | | |
| 1979 | N/A | 0.5 | 167 | | |
| 1980 | N/A | N/A | | | |
| 1981 | 4/30-5/01 | 2.3 | 750 | | |
| 1982 | 4/29-5/01 | 1.5 | 500 | | |
| 1983 | 1-May | 1.0 | 333 | | |
| 1984 | 4/26-5/01 | 3.0 | 540 | | |
| 1985 | 5/01-5/03 | 3.5 | 1,166 | | |
| 1986 | 4/28-5/01 | 3.8 | 1,249 | | |
| 1987 | 4/28-5/02 | 3.8 | 740 | | |
| 1988 | 4/30-5/01 | 5.0 | 1,665 | | |
| 1989 | 4/16-4/20 | 17.0 | 4,000 | | |
| 1990 | 4/13-4/28 | 10.0 | 2,350 | 11.9 | |
| 1991 | 4/19-4/24 | 8.7 | 2,175 | 13.3 | |
| 1992 | 4/22-4/24 | 10.8 | 5,714 | 23.1 | |
| 1993 | 4/27-4/29 | 5.7 | 1,099 | 14.0 | |
| 1994 | 4/21-4/23 | 9.0 | 2,450 | 32.7 | |
| 1995 | 4/20-4/21 | 4.5 | 274 | 27.4 | |
| 1996 | 5/02-5/9 | 10.1 | 4,023 | | |
| 1997 | 4/25-4/28 | 14.5 | 5,884 | 65.2 | |
| 1998 | 4/23-4/27 | 14.5 | 6,472 | 85.6 | |
| 1999 | 4/27-5/1 | 13.8 | 4,426 | 71.6 | |
| 2000 | 4/27-4/30 | 13.0 | 3,635 | 35.7 | |
| 2001 | 4/27-5/1 | 13.7 | 8,538 | 66.2 | |
| 2002 | 4/25-4/27 | 11.9 | 4,936 | 136.6 | |
| 2003 | 4/23-4/27 | 16.7 | 9,423 | 141.5 | |
| 2004 | 4/22-4/29 | 11.1 | 7,502 | 237.4 | |
| 2005 | 4/18-4/25 | 10.3 | 6,924 | 190.6 | |
| 2006 | 4/23-4/26 | 9.0 | 6,028 | 162.1 | |
| 2007 | 4/46-5/2 | 16.5 | 10,946 | 159.4 | |
| 2008 | 4/23-4/30 | 14.5 | 19,975 | 202.3 | |
| 2009 | 4/22-4/27 | 10.3 | 15,829 | 234.7 | |
| 2010 | 4/22 - 4/28 | 12.4 | 15,264 | 290.4 | |
| 2011 | 4/20 - 5/5 | 12.6 | 14,215 | 193.7 | |
| 2012 | 4/20 - 4/23 | 4.2 | 923 | 186.0 | |
| 2013 | 5/7 - 5/9 | 2.4 | 412 | 0.0 | |
| Average | 1971–2012 | 7.8 | 4,308 | NA | |
| Average | 1990-2012 | 10.9 | 6,642 | 107.6 | |

Note: Shaded estimated escapements are based on average spawn density from years 1989–2002.

Table 10.-Hoonah Sound herring spawn-on-kelp fishery summary, 1997–2014.

| Statistic | 1997 | 1998 | 1999 | 2000 | 2001 | 2002 |
|----------------------------------|--------------------------|----------------------|----------------------|----------------------|----------------------|--------------------------|
| Herring Quota (tons) | 1,421 | 700 | 778 | 359 | 366 | 1,264 |
| Harvest Quota (tons) | 114 | 56 | 62 | 29 | NA | NA |
| Harvest (tons) | 65.2 | 85.9 | 71.6 | 35.7 | 66.2 | 136.6 |
| Exvessel Value | \$920,000 | \$1,160,523 | \$1,005,529 | \$587,568 | \$1,006,000 | \$1,970,000 |
| Average Price/lb | \$7.05 | \$6.75 | \$7.02 | \$8.23 | \$7.60 | \$7.32 |
| Average Income | \$6,694 | \$10,092 | \$11,692 | \$6,251 | \$11,559 | \$20,408 |
| Number of Applicants | 139 | 133 | 106 | 106 | NA | NA |
| Number of Pounds | 0/113/18 ^a | 115 | 96 | $46/2/0^{a}$ | 42/3/1 ^a | 106/0/2 ^a |
| Number Selling Product | 112/12 ^b | 115 | 86 | 84 | 87 | 98 |
| Kelp Allocation (blades) | 430/860 ^b | 400/800 ^b | 400/800 ^b | 110/300 ^b | 120/300 ^b | 1,000/3,600 ^b |
| Kelp Blade Harvest | 68,755 | 54,275 | 42,025 | 29,820 | 29,966 | 113,713 |
| Fishery Open—Closed | 4/6–4/29 | 4/6–4/27 | 4/6–5/3 | 4/6–5/3 | 4/6–5/3 | 4/6–5/1 |
| Fishing Occurred | 4/22–4/29 | 4/18–4/26 | 4/29–5/2 | 4/27–4/29 | 4/25–4/28 | 4/24–4/27 |
| Harvest Occurred | 4/27–5/3 | 4/25–4/27 | 5/3-5/5 | 5/2-5/4 | 4/30–5/2 | 4/28–5/1 |
| Statistic | 2003 | 2004 | 2005 | 2006 | 2007 | 2008 |
| Herring Quota (tons) | 427 | 1,207 | 728 | 669 | 681 | 2,238 |
| Harvest Quota (tons) | NA | 1,207 NA | NA | NA | NA | 2,238 NA |
| = | 141.6 | 237.4 | 190.6 | 162.1 | 144.5 | 223 |
| Harvest (tons) Exvessel Value | | | | | | |
| | \$1,922,50 | \$2,071,347 | \$1,117,568 | \$1,943,422 | \$4,491,070 | \$5,115,459 |
| Average Price/lb | \$6.79 | \$4.36 | \$2.93 | \$6.00 | \$14.09 | \$11.47 |
| Average Income/Landing | \$17,800 | \$19,541 | \$11,889 | \$24,600 | \$49,352 | \$51,155 |
| Number of Applicants | NA | NA | NA | NA | NA | NA |
| Number of Pounds | 49/1/3 ^d | 92/12/2 ^a | 81/5/3° | 17/45 ^d | 67/12 ^d | 98/3 ^d |
| Number Selling Product | 108 | 106 | 94 | 79 | 91 | 100 |
| | #00/000/##od | 1,000/1,000/ | 1,000/1,000/ | 2,500/1,000/ | 2,500/1,000/ | 3,000/2,000/ |
| Kelp Allocation (blades) | 500/300/750 ^d | 3,000 ^a | 1,500 ^d | 1,500 ^d | 1,500 ^d | 1,500 ^d |
| Kelp Blade Harvest | 60,301 | 126,000 | 118,450 | 136,698 | 122,565 | 201,262 |
| Fishery Open–Closed | 4/6–4/25 | 4/6-4/28 | 4/6-4/28 | 4/6-4/27 | 4/6–5/4 | 4/6-5/02 |
| Fishing Occurred | 4/19–4/24 | 4/20-4/25 | 4/19–4/28 | 4/18–4/23 | 4/23-4/29 | 4/22-4/27 |
| Harvest Occurred | 4/24–4/27 | 4/26–4/28 | 4/25–4/28 | 4/23-4/27 | 4/30–5/4 | 4/27–5/1 |
| Statistic | 2009 | 2010 | 2011 | 2012 | 2013 | 2014 |
| Herring Quota (tons) | 2,238 | 3,182 | 3,015 | 2,139 | 130 | 0 |
| Harvest Quota (tons) | NA | NA | NA | NA | NA | NA |
| Harvest (tons) | 234.7 | 290.4 | 193.7 | 186.5 | 0 | 0 |
| Exvessel Value | \$2,332,51 | \$2,580,517 | \$1,820,952 | \$4,033,078 | \$0 | \$0 |
| Average Price/lb | \$4.97 | \$4.44 | \$4.70 | \$10.81 | \$0 | \$0 |
| Average Income/Landing | \$23,094 | \$25,550 | \$20,460 | \$55,248 | \$0 | \$0 |
| Number of Applicants | NA | NA | NA | NA | NA | NA |
| Number of Pounds | 99/4 ^d | 97/2 ^d | $85/4^{d}$ | 83/4 ^d | 3 open | 0 |
| Number Selling Product | 101 | 101 | 89 | 73 | Ô | 0 |
| | 3,000/2,000/ | 3,000/2,000/ | 3,000/2,000/ | 3,000/2,000/ | | |
| Kelp Allocation (blades) | 1,500 ^d | 1,500 ^d | 1,500 ^d | 1,500 ^d | 600 open | 0 |
| Kelp Blade Harvest | 196,492 | 178,898 | 169,922 | 155,104 | 7,940 | 0 |
| Fishery Open—Closed | 4/6-4/30 | 4/6-4/30 | 4/6-4/30 | 4/6-5/15 | 4/6-5/15 | NA |
| Fishing Occurred | 4/22-4/25 | 4/21-4/25 | 4/20-4/24 | 4/19-4/21 | NA | NA |
| Harvest Occurred | 4/26-4/29 | 4/22-4/28 | 4/26-4/29 | 4/26-4/27 | NA | NA |
| | | | | | | |

Note: No fishery occurred in 1996 since the biomass forecast was below the 1,000-ton threshold

^a Double closed pounds/single closed pounds/open pounds.

^b Closed pound/Open Pound.

 $^{^{\}rm c}$ Single-permit closed pound/double-permit closed pound/triple-permit closed pounds.

^d Double closed pounds/single closed pounds/triple closed pounds.




Figure 1.—Open area for Craig/Klawock pound fishery (Section 3-B).




Figure 2.-Open area (dark shaded) for the district 7 Ernest Sound pound fishery.




Figure 3.-Areas open (dark shaded) to spawn-on-kelp fishery in Hoonah Sound and Tenakee Inlet.




Figure 4.–Diagram of a herring pound showing two alternatives methods of marking herring pounds.

Note: Regulations require vertical signs with the permit holder's first and last name and five-digit CFEC permit number (5 AAC 27.185(k)). Letters and numbers must be at least six inches high and at least one-half inch wide and must contrast with the background.




Figure 5.—Coast Guard Requirements for marking pounds.




Figure 6.-Private lands in the Craig/Klawock area.