

# **2015 Spring Troll Fishery Management Plan**

by

**Pattie Skannes**

and

**Grant Hagerman**

---

April 2015

---

Alaska Department of Fish and Game

Division of Commercial Fisheries



## Symbols and Abbreviations

The following symbols and abbreviations, and others approved for the Système International d'Unités (SI), are used without definition in the following reports by the Divisions of Sport Fish and of Commercial Fisheries: Fishery Manuscripts, Fishery Data Series Reports, Fishery Management Reports, Special Publications and the Division of Commercial Fisheries Regional Reports. All others, including deviations from definitions listed below, are noted in the text at first mention, as well as in the titles or footnotes of tables, and in figure or figure captions.

Weights and measures (metric)		General		Measures (fisheries)	
centimeter	cm	Alaska Administrative		fork length	FL
deciliter	dL	Code	AAC	mid-eye-to-fork	MEF
gram	g	all commonly accepted		mid-eye-to-tail-fork	METF
hectare	ha	abbreviations	e.g., Mr., Mrs., AM, PM, etc.	standard length	SL
kilogram	kg			total length	TL
kilometer	km	all commonly accepted			
liter	L	professional titles	e.g., Dr., Ph.D., R.N., etc.	<b>Mathematics, statistics</b>	
meter	m			<i>all standard mathematical</i>	
milliliter	mL	at	@	<i>signs, symbols and</i>	
millimeter	mm	compass directions:		<i>abbreviations</i>	
		east	E	alternate hypothesis	H <sub>A</sub>
		north	N	base of natural logarithm	e
<b>Weights and measures (English)</b>		south	S	catch per unit effort	CPUE
cubic feet per second	ft <sup>3</sup> /s	west	W	coefficient of variation	CV
foot	ft	copyright	©	common test statistics	(F, t, $\chi^2$ , etc.)
gallon	gal	corporate suffixes:		confidence interval	CI
inch	in	Company	Co.	correlation coefficient	
mile	mi	Corporation	Corp.	(multiple)	R
nautical mile	nmi	Incorporated	Inc.	correlation coefficient	
ounce	oz	Limited	Ltd.	(simple)	r
pound	lb	District of Columbia	D.C.	covariance	cov
quart	qt	et alii (and others)	et al.	degree (angular )	°
yard	yd	et cetera (and so forth)	etc.	degrees of freedom	df
		exempli gratia		expected value	E
<b>Time and temperature</b>		(for example)	e.g.	greater than	>
day	d	Federal Information		greater than or equal to	≥
degrees Celsius	°C	Code	FIC	harvest per unit effort	HPUE
degrees Fahrenheit	°F	id est (that is)	i.e.	less than	<
degrees kelvin	K	latitude or longitude	lat. or long.	less than or equal to	≤
hour	h	monetary symbols		logarithm (natural)	ln
minute	min	(U.S.)	\$, ¢	logarithm (base 10)	log
second	s	months (tables and		logarithm (specify base)	log <sub>2</sub> , etc.
		figures): first three		minute (angular)	'
<b>Physics and chemistry</b>		letters	Jan,...,Dec	not significant	NS
all atomic symbols		registered trademark	®	null hypothesis	H <sub>0</sub>
alternating current	AC	trademark	™	percent	%
ampere	A	United States		probability	P
calorie	cal	(adjective)	U.S.	probability of a type I error	
direct current	DC	United States of		(rejection of the null	
hertz	Hz	America (noun)	USA	hypothesis when true)	α
horsepower	hp	U.S.C.	United States	probability of a type II error	
hydrogen ion activity	pH		Code	(acceptance of the null	
(negative log of)		U.S. state	use two-letter	hypothesis when false)	β
parts per million	ppm		abbreviations	second (angular)	"
parts per thousand	ppt, ‰		(e.g., AK, WA)	standard deviation	SD
				standard error	SE
volts	V			variance	
watts	W			population	Var
				sample	var

***REGIONAL INFORMATION REPORT NO. 1J15-04***

**2015 SPRING TROLL FISHERY MANAGEMENT PLAN**

By  
Pattie Skannes and Grant Hagerman  
Alaska Department of Fish and Game, Division of Commercial Fisheries, Sitka

Alaska Department of Fish and Game  
Division of Commercial Fisheries, Publications Section  
802 3rd, Douglas, Alaska, 99824-0020

April 2015

The Regional Information Report Series was established in 1987 and was redefined in 2007 to meet the Division of Commercial Fisheries regional need for publishing and archiving information such as project operational plans, area management plans, budgetary information, staff comments and opinions to Board of Fisheries proposals, interim or preliminary data and grant agency reports, special meeting or minor workshop results and other regional information not generally reported elsewhere. Reports in this series may contain raw data and preliminary results. Reports in this series receive varying degrees of regional, biometric and editorial review; information in this series may be subsequently finalized and published in a different department reporting series or in the formal literature. Please contact the author or the Division of Commercial Fisheries if in doubt of the level of review or preliminary nature of the data reported. Regional Information Reports are available through the Alaska State Library and on the Internet at: <http://www.sf.adfg.ak.us/statewide/divreports/html/intersearch.cfm>.

*Pattie Skannes and Grant Hagerman  
Alaska Department of Fish and Game, Division of Commercial Fisheries,  
304 Lake Street, Room 103, Sitka, AK 99835-7563 USA*

*This document should be cited as:*

*Skannes, P., and G. Hagerman. 2015. 2015 Spring Troll Fishery Management Plan. Alaska Department of Fish and Game, Division of Commercial Fisheries, Regional Information Report No. 1J15-04, Douglas.*

The Alaska Department of Fish and Game (ADF&G) administers all programs and activities free from discrimination based on race, color, national origin, age, sex, religion, marital status, pregnancy, parenthood, or disability. The department administers all programs and activities in compliance with Title VI of the Civil Rights Act of 1964, Section 504 of the Rehabilitation Act of 1973, Title II of the Americans with Disabilities Act (ADA) of 1990, the Age Discrimination Act of 1975, and Title IX of the Education Amendments of 1972.

**If you believe you have been discriminated against in any program, activity, or facility please write:**

ADF&G ADA Coordinator, P.O. Box 115526, Juneau AK 99811-5526

U.S. Fish and Wildlife Service, 4040 N. Fairfax Drive, Suite 300 Webb, Arlington VA 22203

Office of Equal Opportunity, U.S. Department of the Interior, Washington DC 20240

**The department's ADA Coordinator can be reached via phone at the following numbers:**

(VOICE) 907-465-6077, (Statewide Telecommunication Device for the Deaf) 1-800-478-3648, (Juneau TDD) 907-465-3646, or (FAX) 907-465-6078

**For information on alternative formats and questions on this publication, please contact:**

ADF&G, Sport Fish Division, Research and Technical Services, 333 Raspberry Road, Anchorage AK 99518 (907)267-2375.

# TABLE OF CONTENTS

	<b>Page</b>
LIST OF TABLES.....	ii
LIST OF FIGURES.....	ii
ABSTRACT .....	1
INTRODUCTION.....	1
MANAGEMENT OBJECTIVES AND METHODS .....	1
Spring Fisheries .....	1
Terminal Area Fisheries .....	2
Directed Chinook Salmon Fisheries In Districts 8 And 11 .....	3
RETENTION OF OTHER SALMON SPECIES .....	3
2014 SPRING FISHERY REVIEW .....	3
2015 SPRING FISHERIES OVERVIEW .....	3
District 8 Directed Fishery.....	3
District 11 Directed Fishery.....	4
Yakutat Spring Troll Fishery .....	4
Regulatory Changes in the Spring Troll Fisheries .....	4
New Or Modified Areas .....	4
Initial Openings .....	4
Terminal Harvest Area Troll Fisheries .....	5
Management Actions To Conserve Wild Stock Chinook Salmon .....	6
Unuk River.....	6
Chilkat River.....	6
Taku River .....	6
REGULATION SUMMARY .....	6
Closed Waters.....	6
Sport Fishing And Chartering From A Registered Troll Vessel.....	6
Regulations Pertaining To Commercial Troll Bycatch Of Groundfish And Halibut.....	7
Frozen At Sea Requirements .....	11
2015 ALASKA HATCHERY CHINOOK RETURN FORECAST .....	12
2015 SPRING FISHING AREAS AND MAPS.....	14
Ketchikan Areas .....	14
Wrangell and Prince of Wales Areas.....	16
Chatham Strait and Frederick Sound Areas.....	18
Sitka Areas.....	20
North Chatham Strait and Icy Strait Areas .....	23
Yakutat Area.....	26
FISHERY CONTACTS .....	27

## LIST OF TABLES

<b>Table</b>	<b>Page</b>
1. Guideline limits of PST Chinook salmon (U.S./Canada) that may be harvested in each spring troll fishing area .....	2
2. Bycatch Provisions for the Spring Salmon Troll Fishery .....	7
3. 2015 Alaska hatchery Chinook salmon and Neck Lake coho salmon return forecasts. ....	12

## LIST OF FIGURES

<b>Figure</b>	<b>Page</b>
1. Southeast Alaska Lingcod Management Areas and Sitka area closed waters. ....	10
2. Location of Chinook salmon hatcheries, and Chinook salmon remote release sites (RR) in Southeast Alaska, and showing broodstock in use by location. ....	13
3. Ketchikan area spring trolling areas, 2015. ....	15
4. Wrangell and Prince of Wales spring trolling areas, 2015. ....	17
5. Chatham Strait and Frederick Sound spring trolling areas, 2015. ....	19
6. Sitka spring trolling areas, 2015. ....	22
7. North Chatham and Icy Strait spring trolling areas, 2015. ....	25
8. Yakutat Bay spring troll fishery area. ....	26

## **ABSTRACT**

This document summarizes the plan that the Alaska Department of Fish and Game will follow to manage the 2015 Southeast Alaska spring commercial salmon troll fisheries, according to the Board of Fisheries adopted guidelines listed in the State of Alaska Administrative Code under 5 AAC 29.090.

Key words: Salmon, Chinook, Chum, Troll, Spring, Commercial, Management Plan, Southeast Alaska

## **INTRODUCTION**

This plan summarizes the management approach the Alaska Department of Fish and Game (ADF&G) will employ to manage the Southeast Alaska commercial spring troll fisheries in 2015. Spring fisheries generally target Alaska hatchery-produced Chinook salmon and are conducted during May and June of each year, following the closure of the winter troll fishery. The number of spring fisheries has increased since 1986, when the first few spring fisheries were conducted. In recent years, more than 30 spring fishery areas located within the inside waters of the region have been open to trolling. Spring fisheries are managed inseason, according to Alaska Board of Fisheries (BOF) regulations and U.S./Canada Pacific Salmon Treaty (PST) provisions.

Plans for the 2015 spring and terminal troll fisheries are presented, along with maps, area descriptions and Alaska hatchery Chinook forecasts. A review of the 2014 spring troll fisheries, as well as a summary of pertinent regulations, are included.

## **MANAGEMENT OBJECTIVES AND METHODS**

### **SPRING FISHERIES**

Spring fisheries are conducted along salmon migration routes or close to the following hatcheries and release sites: Little Port Walter Hatchery (NMFS), Port Armstrong Hatchery (Armstrong/Keta), Whitman Lake Hatchery, Crystal Lake Hatchery, Neets Bay Hatchery, and Anita Bay release site (Southern Southeast Regional Aquaculture Association (SSRAA)), Medvejie Hatchery and Hidden Falls Hatchery (Northern Southeast Regional Aquaculture Association, (NSRAA)) and Macaulay Hatchery (Douglas Island Pink and Chum (DIPAC)).

Most spring troll and terminal troll fisheries target Alaska hatchery-produced Chinook salmon, though non-Alaska hatchery or PST Chinook salmon are also harvested. While there is no ceiling on the number of Chinook salmon harvested in the spring fisheries, the take of PST Chinook salmon is limited according to the percentage of the Alaska hatchery fish taken in the fishery. Non-Alaska hatchery fish are counted toward the annual PST quota of Chinook salmon but most of the Alaska hatchery-produced fish are not. The guideline limits of PST fish that may be harvested in each spring fishing area, according to BOF regulations, are listed in Table 1.

Some spring troll fisheries target chum salmon and are located in Icy Strait and North Chatham Strait (Districts 12 and 14).

Table 1.—Guideline limits of PST Chinook salmon (U.S./Canada) that may be harvested in each spring troll fishing area.

<b>Alaska Hatchery Contribution to the Harvest</b>	<b>PST Chinook Salmon Limit</b>
Less than 25%	1,000
At least 25% and less than 35%	2,000
At least 35% and less than 50%	3,000
At least 50% and less than 66%	5,000
66% or more	no limit

Each year, fishery managers from the department hold meetings in Southeast Alaska towns to discuss fishing plans with trollers, processors, and hatchery operators. A review of the previous fishing season is presented as well as an outlook for the upcoming year. New fishing areas or changes to existing areas may be proposed. Occasionally, two or more adjacent spring areas may be combined if each area has demonstrated an Alaska hatchery composition of 25% or more for at least three consecutive seasons. These proposed areas are then scrutinized by department biologists for potential impacts on local wild stocks and to determine whether the area is one where a substantial portion of the harvest is likely to be of Alaska hatchery origin. Once plans are finalized, the department issues a news release with descriptions of fishing areas and a schedule of initial fishing periods.

Each spring fishing area is managed individually. Fishing periods are opened by emergency order. Department personnel sample fish deliveries and ship the heads of adipose fin-clipped fish to the Mark, Tag, and Age Laboratory in Juneau for coded wire tag (CWT) detection and decoding. Fishery openings are announced in a series of weekly news releases.

Fishing time in an area may be extended based on inseason assessment of CWT data and historic harvest timing information. Therefore, it is imperative that fishers and tender operators keep fish from different fishing areas separated until landing so if the fish are sampled at the dock, the percentage of Alaska hatchery fish can be determined for each spring area. Separate fish tickets must also be made for each area fished (5 AAC 29.130). Fish tickets must be submitted to the department within seven days of landing.

Trollers can assist the sampling effort by notifying ADF&G personnel when delivering their harvest to points of sale normally not covered by department sampling, such as grocery stores, direct sale by the troller, or sale to small processors. The department will then attempt to obtain a sample from the harvest. Obtaining sample data from Pelican and Sumner Strait spring troll areas has been challenging in the past and is of particular concern.

The heads of all adipose fin-clipped salmon must remain attached to the fish until the fish are sold (5 AAC 29.140 (b)). Permit holders who freeze their harvest onboard are asked to contact the department prior to fishing so that sampling and fish ticket issues can be discussed.

## **TERMINAL AREA FISHERIES**

Terminal fisheries are conducted in areas near a hatchery or release site. Chinook salmon caught in many terminal harvest areas are considered to be 100% Alaska hatchery fish, based on previous sampling. Terminal harvest areas (THA) include Deep Inlet, Hidden Falls, Port Armstrong, Wrangell Narrows, Anita Bay, Nakat Inlet, and Neets Bay. THAs are managed



according to management plans unique to each area and may involve a rotational schedule with other commercial gear types. Trollers may also harvest coho or chum salmon in THAs where those species are released, in accordance with THA management plans.

## **DIRECTED CHINOOK SALMON FISHERIES IN DISTRICTS 8 AND 11**

In 2005, an agreement was approved between the United States and Canada that allowed directed commercial and sport fisheries for Chinook salmon returning to the Stikine and Taku Rivers. Directed fisheries on these rivers had been closed since the mid-1970s as part of a coastwide stock rebuilding program. Commercial and sport fisheries were conducted by emergency regulation in Districts 8 and 11 that year. In 2006, management plans for these directed fisheries were adopted by the BOF.

When the preseason run forecast to the Stikine River is too low to provide for an Allowable Catch, ADF&G has the option to open spring troll areas in District 8 under provisions of 5AAC 29.090 to target Alaska hatchery-produced Chinook salmon.

## **RETENTION OF OTHER SALMON SPECIES**

Coho salmon may be retained and sold beginning June 1. Sockeye, pink, and chum salmon may be retained at any time during open fishing periods. If an Atlantic salmon is caught, ADF&G would like to be contacted so that biological samples can be taken. The entire fish should be saved and may be frozen, with entrails intact.

## **2014 SPRING FISHERY REVIEW**

A total of 576 vessels participated in the 2014 non-terminal spring fisheries, with a harvest of 42,548 Chinook salmon. The largest Chinook salmon harvests were taken in the Sitka Sound, Chatham Strait, and Salisbury Sound spring troll areas. The Alaska hatchery contribution, at 27%, was well below the 5-year average of 42%. Normally, the Alaska hatchery contribution increases as the fishery progresses but this was not the case in 2014. The Alaska hatchery contribution peaked at 28% during the first week of June then declined to 25% by late June. Effort was similar to that in 2013 and 3% higher than the 5-year average. A total of 33 spring areas and four terminal fisheries were open during 2014. Other species harvested during the spring season, including Annette Island troll harvest, were 513 sockeye, 4,413 coho, 3,116 pink and 20,369 chum salmon.

## **2015 SPRING FISHERIES OVERVIEW**

### **DISTRICT 8 DIRECTED FISHERY**

The 2015 preseason terminal run size forecast for large Stikine River king salmon is 30,200 fish. The resulting U.S. Allowable Catch (AC) is 210 large Stikine Kings. An AC of 210 fish is not large enough to allow for directed commercial fisheries. Inseason terminal run size estimates will be produced starting in late May of 2015. If the inseason estimates are greater than the preseason estimate, limited directed commercial fisheries could occur.

Since the preseason run forecast does not allow a directed troll fishery, the department will open the Chichagof Pass and Craig Point spring troll areas to target Alaska hatchery-produced Chinook salmon.

## DISTRICT 11 DIRECTED FISHERY

The 2015 preseason terminal run size forecast for large Taku River king salmon is 26,100 fish. A preseason terminal run forecast of this size does not provide an Allowable Catch (AC) for either the U.S. or Canada. Therefore, no directed fisheries will occur in early May. An inseason terminal run estimate will be produced in late May and the department will continue to monitor the returning run strength, but it is unlikely any directed king fisheries will occur in District 11 in 2015.

## YAKUTAT SPRING TROLL FISHERY

A spring troll fishery will open in Yakutat Bay. The fishery is limited by regulation to one day per week during May and June, in waters of Yakutat Bay east of a line from Point Manby to Ocean Cape. The maximum harvest allowed is 1,000 king salmon and is not based on the composition of Alaska hatchery fish. The first opening is scheduled for Monday, May 4.

## REGULATORY CHANGES IN THE SPRING TROLL FISHERIES

During the Board of Fisheries (BOF) meeting held in Sitka from February 23–March 3, 2015, regulations were adopted that will affect the management of the 2015 spring troll fisheries. The department will issue a News Release announcing when the new regulations go into effect.

1. The **Point Couverden Spring Troll Area** in District 14 may be opened for up to four weekdays per week beginning on the second Monday in June through the last week in June to the retention of pink and chum salmon only.
2. Spring troll fisheries in District 14 will be managed to minimize the harvest of wild chum salmon and may be closed **to the retention of chum salmon** by emergency order based on wild chum salmon abundance.
3. The Kendrick Bay Terminal Harvest Area will be managed from June 15 through September 30 to allow harvest of hatchery-produced chum salmon by purse seine **and troll gear during concurrent fishing periods established by emergency order.**
4. A small portion of the **Mist Cove** and **Hidden Falls** Special Harvest Areas will be closed to commercial troll and sport gear. Those areas have been closed by emergency order in recent years.

## NEW OR MODIFIED AREAS

**New Area:** Point Couverden

**Modified Areas:** Bucareli Bay Sitka Sound Goddard Port Althorp Lisianski Inlet

Nine spring troll areas opened initially on April 16, following the early closure of the winter troll fishery on March 25. The Sitka Sound spring troll area was reduced in size during April to minimize the harvest of non-Alaska hatchery king salmon. Normal boundaries for that area will take effect on May 1.

## INITIAL OPENINGS

Following is a preliminary schedule with anticipated initial opening weeks for each area. Areas are described in detail in another section of this report and corresponding maps are presented. Fishing periods will be opened by emergency order, with some areas open for two days per week

and other areas open for longer periods, based on inseason and historical timing of hatchery contributions in each area. Trollers should consult department news releases for weekly fishing periods and inseason adjustments. In an attempt to improve marketability of spring troll Chinook, news releases will be issued each **Thursday** with the fishing schedule for the following week, with a number of weekly fishery openings beginning Sunday rather than Monday. News releases may also be issued throughout the week when extensions or early closures are announced. News releases can be found on the department's web site at:

<http://www.adfg.alaska.gov/index.cfm?adfg=cfnews.main>

## **TERMINAL HARVEST AREA TROLL FISHERIES**

Terminal Harvest Areas may be managed for the harvest of multiple species by different gear types. Refer to management plans in regulation as listed after each THA.

•**Anita Bay:** open May 1 through noon, November 10, with some area closures within the THA June 15–July 10 [5 AAC 33.383(d)].

•**Deep Inlet:** open to trolling during periods when net fisheries are closed, and on Saturdays, according to the rotational gear schedule announced by News Release on April 3, 2015. The first troll opening will be Saturday, June 6. Any schedule changes are made by emergency order and announced by News Release [5 AAC 33.376].

•**Hidden Falls:** opens April 16 and will remain open until closed by emergency order [5 AAC 33.374(b)]. Coho retention begins June 1.

•**Neets Bay:** open April 16 through noon, July 2. Concurrent with trolling, openings are scheduled for rotational net gear fisheries from noon, Friday, June 12 through noon, Thursday, July 2 [5 AAC 33.370(b)(1)].

•**Port Armstrong:** open from May 1 to June 30 [5 AAC 40.081(b)]. Waters north of a line from 56°17.61' N. lat., 134°40.27' W. long. to 56°17.67 N. lat., 134°39.64' W. long. are closed.

•**Wrangell Narrows:** will not open in 2015, since the Chinook salmon run is projected to be less than 4,000 fish [5 AAC 33.381(b)(4)].

•**Nakat Inlet:** open June 1 through November 10 to troll and drift gillnet gear [5 AAC 33.372].

## MANAGEMENT ACTIONS TO CONSERVE WILD STOCK CHINOOK SALMON

### Unuk River

The PST requires that SEAK fisheries be managed to achieve escapement objectives for SEAK and Transboundary River stocks. The Unuk River is a moderate-size system located in Behm Canal and is one of eight SEAK escapement indicator stocks.

The Chinook salmon escapement to the Unuk River was well below the escapement goal range in 2012 and 2013 and slightly below the escapement goal range in 2014. Exploitation rates on this stock were the highest on record during all three years. The escapement forecast for 2015 is estimated to be at the lower bound of the escapement goal range.

In response, management actions will be implemented in 2015, similar to those taken in the 2014 spring troll fishery. CWT recoveries during the recent years indicate that Unuk Chinook harvest has occurred mainly during June and in some spring troll fishing areas more than others. Efforts to reduce troll fishery impacts on Unuk Chinook will focus on those spring areas closest to the Unuk River, as well as migration corridors in the southern inside portion of the region.

### Chilkat River

The Chinook salmon escapement to the Chilkat River was below the escapement goal range from 2012–2014 and is forecast to be slightly below in 2015 if normal fisheries are conducted. In response, all fisheries will be managed conservatively. The waters of Chilkat Inlet north of Seduction Point will be closed to commercial trolling through July 14.

### Taku River

The Chinook salmon escapement to the Taku River has been near the lower bound of the escapement goal range during the past three years. Directed fisheries were not been implemented during the past two years and are not anticipated during 2015. In response, most waters of Icy Strait were not open to trolling during late April. Spring troll Chinook salmon harvest and stock composition will be closely monitored during May and June in Icy Strait fishing areas. Spring troll Chinook salmon harvest and stock composition in Icy Strait will be closely monitored during May and June.

## REGULATION SUMMARY

### CLOSED WATERS

Trollers are reminded that closed waters listed in 5 AAC 29.150 are not in effect during the spring troll fishery; therefore those waters are open through June 30. Waters within 3,000 feet of Annette Island (Annette Island Reserve) are closed.

### SPORT FISHING AND CHARTERING FROM A REGISTERED TROLL VESSEL

- A person may sport fish from a registered commercial salmon hand troll or power troll vessel [5 AAC 47.041 (a)], though **may not sport fish and commercial fish from the same vessel on the same day** [5 AAC 47.041 (f)]. A person who sport fishes from a vessel licensed for commercial fishing, other than a charter vessel when paying clients are onboard, shall mark the salmon by **removing its dorsal fin** immediately upon bringing a salmon onboard [5 AAC 47.041 (c)].

- Sport fishing from a commercially licensed vessel while commercially-caught salmon are in possession is illegal in waters closed to commercial fishing [5 AAC 47.041(d)].
- A downrigger may be used in conjunction with a fishing rod when sport fishing. However, a downrigger may **not** be used in conjunction with a fishing rod to take salmon when engaged in commercial hand trolling [5 AAC 29.120 (b)(2)(B)].
- A **registered troll vessel may also be registered as a charter vessel**, though that vessel may not be used to troll commercially and charter on the same day [5 AAC 75.995(8)]. Charter boat registration applications are available at ADF&G offices.
- A person **may not possess unpreserved sport-caught salmon** on any commercial salmon vessel while engaging in commercial salmon fishing [5 AAC 47.041(g)]. The definition of “preserved fish” excludes unfrozen fish temporarily stored in coolers that contain ice or dry ice or fish that are lightly salted [5 AAC 75.995(21)].

## REGULATIONS PERTAINING TO COMMERCIAL TROLL BYCATCH OF GROUND FISH AND HALIBUT

For information on Southeast Alaska Groundfish regulations, refer to the 2014–2015 Statewide Commercial Groundfish Fishing Regulations booklet available at ADF&G area offices. For details on groundfish bycatch allowances in the troll fishery refer to the “Groundfish Bycatch in the 2015 Commercial Salmon Troll Fishery” news release, issued on January 2, 2015.

In the state waters portion of the Eastern Gulf of Alaska Area, commercial salmon trollers operating hand or power troll gear during an open spring commercial salmon fishing period may legally retain and possess incidentally-taken groundfish in unlimited amounts, except as noted below. The bycatch allowance for each species or species group reflects the percentage that may be retained and sold and is based on the round weight of salmon on board. Bycatch percentages are listed in Table 1.

Table 2.–Bycatch Provisions for the Spring Salmon Troll Fishery

Species	Bycatch Allowance
Lingcod	100% IBS, CSEO, NSEI and SSEIW 30% SSEOC 5% NSEO
Demersal Shelf Rockfish (DSR)	10%
Other rockfish	No limit on incidental harvest
Spiny dogfish	35%
Sablefish	0%
Other groundfish	No limit on incidental harvest

Lingcod may be taken as bycatch in the commercial salmon troll fishery only from May 16 through November 30 [5AAC 28.113 (c)]. Lingcod must measure at least 27 inches from the tip of the snout to the tip of the tail, or 20.5 inches from the front of the dorsal fin to the tip of the tail. Lingcod bycatch will remain open in the troll fishery until area allocations are taken or November 30, whichever occurs first. Lingcod harvest allocations for the troll fishery are set by area and area closures will occur as allocations are taken. In-season closures will be announced by ADF&G news release, the United States Coast Guard “Notice to Mariners” report, and the

National Weather Service broadcast. For updates on lingcod area closures, call the Groundfish Hotline at (907) 747-4882 or contact the Groundfish staff in Sitka at (907) 747-6688.

Lingcod bycatch allowances in the salmon troll fishery vary by Lingcod Management Area (Figure 1). Lingcod Management Areas open to bycatch during the spring troll fisheries include: Icy Bay Subdistrict (IBS), Northern Southeast Outside (NSEO) and Central Southeast Outside (CSEO) Sections, Southern Southeast Outer Coast (SSEOC) Sector, Northern Southeast Inside (NSEI) Subdistrict and Southern Southeast Internal Waters (SSEIW) Sector.

A lingcod bycatch allowance, up to 100% of the round weight of salmon on board a vessel, is permitted in IBS, NSEI, SSEIW and portions of the Biorka Island (113-31), Goddard (113-32) and Salisbury Sound (113-62) CSEO spring troll areas. **Lingcod bycatch is prohibited in Western Channel (113-01), Sitka Sound Area (113-41), Deep Inlet (113-38), Redoubt Bay (113-30), and portions of Biorka Island (113-31), Goddard (113-32) and Salisbury Sound (113-62).**


The Sitka Sound lingcod closure area is defined in 5 AAC 28.150(a) as the waters that are enclosed on the north by lines from Kruzof Island at 57°20.50' N. lat., 135°45.17' W. long. to Chichagof Island at 57°22.05' N. lat., 135°43.00' W. long., and from Chichagof Island at 57°22.58' N. lat., 135°41.30' W. long. to Baranof Island at 57°22.28' N. lat., 135°40.95' W. long., and on the south and west by a line running from the southernmost tip of Sitka Point at 56°59.38' N. lat., 135°49.57' W. long. to Hanus Point at 56°51.92' N. lat., 135°30.50' W. long. to the green day marker in Dorothy Narrows at 56°49.28' N. lat., 135°22.75' W. long. to Baranof Island at 56°49.28' N. lat., 135°22.60' W. long. (Figure 1). Troll vessels with lingcod on board may not fish for salmon in areas that are closed to lingcod retention.

Lingcod bycatch in the SSEOC spring troll fishery [Bucareli Bay (103-50)] is limited to 30%. NSEO fisheries [Stag Bay (113-97), Lisianski Inlet (113-95) and the portion of Port Althorp (114-50) that is south of a line from the northernmost tip of Soapstone Point to the westernmost tip of Column Point] are limited to a 5% lingcod bycatch allowance. Lingcod taken in excess of bycatch allowances shall be forfeited to the State of Alaska.

All DSR taken in excess of 10% of the round weight of salmon on board the vessel must be weighed and reported as bycatch overage on an ADF&G fish ticket. All proceeds from the sale of excess DSR bycatch taken in state waters shall be surrendered to the state [5 AAC 28.171 (a)]. DSR bycatch overages must be reported on fish tickets but may be retained for personal use by the permit holder. The seven species in the DSR assemblage are yelloweye, quillback, canary, copper, China, tiger and rosethorn rockfish.

Halibut incidentally taken during an open commercial halibut season by power and hand troll gear operated for salmon consistent with applicable state laws and regulations are legally taken and possessed [5 AAC 28.133(c)]. Commercial halibut may be retained only by Individual Fishing Quota (IFQ) permit holders during the open season for halibut. Trollers making an IFQ halibut landing of 500 lb or less of IFQ weight as determined pursuant to 50 CFR 679.42(h) are exempted from the three-hour prior notice of landing (PNOL) if landed concurrently with a legal landing of salmon [50 CFR 679.5(l)(1)(iv)(A)]. Halibut taken incidentally during the troll fishery shall be reported on the troll fish ticket documenting the salmon landing. For information on regulations and landing requirements for the federal IFQ halibut fishery contact NOAA Fisheries.

A person aboard a vessel may not fish for groundfish with dinglebar troll or mechanical jigging machines if salmon are on board. A vessel fishing for groundfish with dinglebar troll gear must display the letter “D” and a vessel fishing for groundfish with mechanical jigging machines must display the letter “M” at all times when fishing with or transporting fish taken with dinglebar troll gear or mechanical jigging machines [5AAC 28.135 (a)(4)]. A person may not operate a vessel that is displaying one of these letters when the vessel is being used to fish for salmon [5AAC 28.135 (c)].



**Figure 1.**–Southeast Alaska Lingcod Management Areas and Sitka area closed waters.



## FROZEN AT SEA REQUIREMENTS

Frozen at Sea (FAS) vessels participating in the spring fisheries are subject to the same landing regulations as all other vessels. Fish caught in each spring fishery must be kept separate from any other fish on board the vessel and a separate fish ticket must be issued for fish caught in each spring fishery (5 AAC 29.130). Tickets must be submitted to ADF&G within seven days of landing.

The heads of all adipose fin-clipped salmon must remain attached to the fish until the fish are sold (5 AAC 29.140(b)). Permit holders who freeze their fish onboard (FAS vessels) are asked to contact ADF&G prior to fishing so that sampling and fish ticket issues can be discussed. **An “Exemption permit” is required to allow the removal of heads from Chinook salmon harvested in the spring areas prior to delivery.** Additional information about the Exemption Permit is available on the troll website and the permits are available in area offices. Depending on which area(s) a troller intends to fish in, the department may grant a permit to allow removal of heads from adipose fin-clipped salmon. It is imperative that the department has adequate opportunity to sample all Chinook salmon landed during the spring fisheries. Since the purpose of spring fisheries is to target Alaska hatchery fish, if adequate access to the fish for sampling purposes is not possible, then some fisheries may be closed if insufficient information is available to support keeping them open.


**Reminder:** FAS vessels must follow the frozen-at-sea reporting requirements in 5 AAC 29.145 and the fish ticket reporting requirements of 5 AAC 39.130. FAS vessels are defined as processors by ADF&G, the Department of Environmental Conservation and the Department of Revenue and, as such, must issue their own fish tickets imprinted with their own processor code plate. Fish tickets must be requested from ADF&G. It is illegal for a catcher-processor (FAS) vessel to sell processed (frozen) fish to another processor where that processor acts as the first buyer and issues fish tickets imprinted with their code plate.

## 2015 ALASKA HATCHERY CHINOOK RETURN FORECAST

Hatchery facility managers are predicting total returns of approximately 108,345 Chinook salmon for 2015, as compared to estimated 2014 returns of 85,176 fish. The largest returns for 2015 are expected to Medvejie Creek, Neets Bay, Anita Bay, and Whitman Lake. Neck Lake coho are included due to their early run timing, which coincides with the spring fishery. The locations of Chinook salmon hatcheries and remote release sites within Southeast Alaska are presented in Figure 2.

Table 3.—2015 Alaska hatchery Chinook salmon and Neck Lake coho salmon return forecasts.

Release Site	2014 Total Return Projection	2014 Total Return	2015 Total Return Projection
<b>Ketchikan Area</b>			
Whitman Lake	12,300	10,630	12,000
Neets Bay	18,100	23,213	21,500
Deer Mountain	358	117	NA
Tamgas Creek	3,000	N/A	NA
<b>Total</b>	<b>33,758</b>	<b>33,960</b>	<b>33,500</b>
<b>Chatham Strait</b>			
Little Port Walter	100	1,822	1,486
Hidden Falls	6,100	2,046	5,400
Port Armstrong	3,408	1,644	3,006
<b>Total</b>	<b>9,608</b>	<b>5,512</b>	<b>9,892</b>
<b>Craig/Klawock Area</b>			
Port Saint Nicholas	5,363	760	3,666
Coffman Cove	6,654	557	5,018
<b>Total</b>	<b>12,017</b>	<b>1,317</b>	<b>8,684</b>
<b>Juneau Area</b>			
Macaulay	5,640	4,182	6,900
Pullen Creek	940	237	300
<b>Total</b>	<b>6,580</b>	<b>4,419</b>	<b>7,200</b>
<b>Wrangell/Petersburg</b>			
Anita Bay	15,400	18,708	15,000
Crystal Lake	3,300	4,002	4,800
<b>Total</b>	<b>18,700</b>	<b>22,710</b>	<b>19,800</b>
<b>Sitka Area</b>			
Medvejie Creek	36,200	17,097	29,143
Sheldon Jackson	200	161	126
<b>Total</b>	<b>36,400</b>	<b>17,258</b>	<b>29,269</b>
<b>Alaska Hatchery Chinook Totals</b>	<b>117,063</b>	<b>85,176</b>	<b>108,345</b>
Neck Lake Coho	68,000	160,740	90,000



**Figure 2.**—Location of Chinook salmon hatcheries, and Chinook salmon remote release sites (RR) in Southeast Alaska, and showing broodstock in use by location.

## 2015 SPRING FISHING AREAS AND MAPS

### KETCHIKAN AREAS

**West Rock (Fishery Area 101-21):** The waters of Section 1-F south of a line from the westernmost tip of Pt. White located on Duke Island to a point on Prince of Wales Island located on the northern entrance to Kendrick Bay at 54°54.13' N. lat, 131°58.37' W. long, and north of the latitude of Barren Island (54°44.75' N. lat) and north and west of a line from Barren Island to Yellow Rocks to a point 2 miles east of Duke Pt. at the latitude of Duke Pt.(54°55.12' N. lat, 131°08.34'W. long).

**Ketchikan Area (Fishery area 101-29):** In Section 1F, waters north of a line from the westernmost tip of Pt. White located on Duke Island to a point on Prince of Wales Island located on the northern entrance to Kendrick Bay at 54°54.13' N. lat, 131°58.37' W. long, and south of the latitude of South Vallenar Point at 55°22.89' N. lat., in waters of Nichols Passage south of the latitude of Driest Point (55°10.67' N. lat.). Waters of Felice Strait are closed east of a line from Pt. White to Survey Pt. Waters within 3,000 feet of Annette Island Reserve are closed.


**Mountain Point (Fishery Area 101-45):** In Section 1F, waters of Nichols Passage north of the latitude of Driest Point (55°10.67' N. lat.) and south of a line from Gravina Point (55°17.25' N. lat., 131°36.88' W. long.) to a point on Revillagigedo Island at 55°18.73' N. lat., 131°35.28' W. long., in Revillagigedo Channel and George Inlet south of the latitude of the George Inlet cannery site at 55°23.00' N. lat.; and north of a line from 55°13.13' N. lat., 131°16.22' W. long. to 55°11.53' N. lat., 131°18.93' W. long. Waters of Carroll Inlet and Thorne Arm are open. Waters within 3,000 feet of Annette Island Reserve are closed.

**Neets Bay Terminal Harvest Area (Fishery area 101-95):** In Neets Bay, east of the longitude of the easternmost tip of Bug Island and west of the closed waters at the head of the bay. The closed waters at the head of the bay are those waters east of 131°29.86' W. longitude until the barrier net is in place; at that time, the closed waters are those waters east of the barrier net.

**Stone Rock Bay (Fishery area 102-09):** Waters of Clarence Strait north of the latitude of 54°42.86' N. lat, west of the longitude of 131°56.42' W. long, and south of the latitude of the southernmost tip of the northern entrance to Stone Rock Bay at 54°45.98' N. lat.

**Kendrick Bay (Fishery area 102-10):** Waters of Clarence Strait north of the latitude of the southernmost tip of the northern entrance to Stone Rock Bay at 54°45.98' N. lat, south of a line from the westernmost tip of Point White located on Duke Island to a point on Prince of Wales Island located on the northern entrance to Kendrick Bay at 54°54.13' N. lat, 131°58.37' W. long, and west of the Districts 1/2 boundary. Beginning June 15, the waters of the Kendrick Bay THA are excluded from the Kendrick Bay spring troll area, and are open to troll gear during concurrent purse seine fishing periods established by emergency order. The Kendrick Bay THA consists of the waters of Kendrick Bay west of 131°59.00' W. long. and the waters of McLean Arm west of 131°57.80' W. long.

**West Clarence Strait (Fishery area 102-50):** In District 2, waters of Clarence Strait south of the latitude of South Vallenar Point at 55°22.89' N. lat. and north of a line from the westernmost tip of Pt. White located on Duke Island to a point on Prince of Wales Island located on the northern entrance to Kendrick Bay at 54°54.13' N. lat, 131°58.37' W. long.



**Figure 3.**—Ketchikan area spring trolling areas, 2015.

## **WRANGELL AND PRINCE OF WALES AREAS**

**Bucareli Bay (Fishery area 103-50): modified area:** In the waters of Ursua Channel and Bucareli Bay south and west of a line from a point on San Fernando Island at 55°30.11' N. lat, 133°16.83' W. long, to Cape Suspiro, west of 133°04.00' W. long (within Port St. Nicholas), and north east of a line from Point Amargura to 55°24.67' N. lat, 133°21.18' W. long, to Point Providence.

**South Sumner Strait (Fishery area 105-41):** In District 6, the waters of Sumner Strait west of a line from Point Baker to Point Barrie and in District 5, the waters of Sumner Strait north of a line at the latitude of the northernmost tip of the northern Barrier Island.

**Steamer Point (Fishery area 106-30):** In Stikine Strait, only in those waters of Sections 6-C and 6-D north and east of a line from the southwesternmost tip of Point Nesbitt to Key Reef Light to Point Harrington.

**Snow Pass (Fishery area 106-41):** The waters of Sections 6-B, 6-C and 6-D north of a line from Luck Point to Point Stanhope and west and south of a line from the southwesternmost tip of Point Nesbitt to Key Reef Light to Point Harrington.

**North Sumner Strait (Fishery area 106-43):** The waters of Section 6-A, west of a line from Colpoys Light to the southernmost tip of Mitchell Point, and east of a line from Point Baker to Point Barrie.

**Ernest Sound (Fishery Area 107-10):** The waters of District 7 west of 131°56.00' W. long. The waters of Anita Bay THA are excluded.

**Anita Bay Terminal Harvest Area (Fishery area 107-35):** The waters of Anita Bay west of a line from Anita Point to a point on Etolin Island at 56°14.26' N. lat, 132°23.92' W. long.


From June 15 through July 10, the waters within one-quarter mile of the northern shoreline of Anita Bay west of a line from 56°12.31' N. lat, 132°26.22' W. long, to 56°12.06' N. lat, 132°26.22' W. long, and east of a line from 56°11.96' N. lat, 132°29.58' W. long, to 56°11.73' N. lat, 132°29.36' W. long, will be open.

***NOTE:** (1) From June 15 through June 25, the waters of the Anita Bay THA west of 132°26.22' W. long, are closed to the harvest of salmon; (2) From June 26 through July 1, the waters of Anita Bay THA west of 132°26.98' W. long, are closed to the harvest of salmon.*

**Chichagof Pass (108-10):** The waters of Chichagof Pass and Zimovia Strait in Section 8-B south of 56°24.50' N. lat, and east of a line from Reef Point to a point on Etolin Island at 56°20.10' N. lat, 132°32.00' W. long.

**Craig Point (108-40):** In Stikine Strait, only in those waters of Section 8-B, south of the latitude of Reef Point, and west of a line from Reef Point to a point on Etolin Island at 56°20.10' N. lat, 132°32.00' W. long.





**Figure 4.**—Wrangell and Prince of Wales spring trolling areas, 2015.

## CHATHAM STRAIT AND FREDERICK SOUND AREAS

**Little Port Walter (Fishery area 109-10):** In Chatham Strait, only in those waters of Section 9-A south of a line from Patterson Point Light to Point Ellis (56°33.12' N. lat, 134°19.08' W. long) and north of 56°15.83' N. lat (located immediately south of Graveyard Cove), including all waters of Patterson Bay, Deep Cove, Port Herbert, Port Walter, Port Lucy, and Port Conclusion.

**Port Armstrong Terminal Harvest Area (Fishery Area 109-11):** waters of Port Armstrong west of a line from Point Eliza at 56°17.73' N. lat, 134°38.75' W. long, to a point on the Baranof Island shoreline at 56°17.98' N. lat, 134°38.35' W. long. Waters north of a line from 56°17.61' N. lat., 134°40.27' W. long. to 56°17.67' N. lat., 134°39.64' W. long. are closed.

**Tebenkof Bay (Fishery Area 109-62):** In Section 9-B, the waters of Tebenkof Bay south of a line from Patterson Point Light to Point Ellis (56°33.12' N. lat, 134°19.08' W. long), north of the latitude of Point Harris Light (56°17.41' N lat, 134°17.96' W. long) and east of 134°24.00' W. long.


**Frederick Sound (Fishery area 110-31):** In Frederick Sound, those waters north and east of a line from the westernmost tip of Point Macartney to 57°06.00' N. lat, 134°03.35' W. long, south and east of a line from 57°06.00' N. lat, 134°03.35' W. long, to McDonald Rock buoy; south of the line from McDonald Rock buoy to the point of land on the mainland east of Entrance Island at 57°25.32' N. lat, 133°25.63' W. long, and north and west of a line from the northernmost tip of Boulder Point to Point Highland at 57°08.83' N. lat., 133°25.77' W. long. Waters of Port Houghton east of 133°11.00' W. long, are closed.

***NOTE:** Beginning June 1, the Frederick Sound area will be extended to include those waters of District 10 that are north and west of a line from Wood Point (56°59.75' N. lat, 132°56.95' W. long) to Beacon Point excluding waters of Farragut Bay north and east of a line from Bay Point to Grand Point and also excluding those waters of Thomas Bay that are north and east of a line from Point Vandeput (57°01.25' N. lat, 133°00.00' W. long) to Wood Point.*

**Chatham Strait (Fishery Area 112-12):** The waters of Chatham Strait and Frederick Sound south of the latitude of Point Hepburn, including the waters of Freshwater Bay, Tenakee Inlet, and Kelp Bay, and excluding the waters of the Hidden Falls Terminal Area (112-22); waters north of a line from Patterson Point Light to Point Ellis (56°33.12' N. lat, 134°19.08' W. long), including Keku Strait and Port Camden and west of the District 9/10 boundary (the southernmost tip of Elliot Island to Point McCartney); waters of Peril Strait and Hoonah Sound north of the latitude of Pogibshi Point at 57°30.56' N. lat.

**Hidden Falls Terminal Harvest Area (Fishery area 112-22):** In Chatham Strait, only those waters of Section 12-A within two nautical miles of the Baranof Island shoreline south of the latitude of South Point and north of 57°06.83' N. lat (south of Takatz Bay) excluding waters of Kelp Bay (5 AAC 33.374(a)).





**Figure 5.**—Chatham Strait and Frederick Sound spring trolling areas, 2015.

## SITKA AREAS

**Western Channel (Fishery area 113-01):** In waters of Sitka Sound northeast of a line from Kulichkof Rock to Vitskari Island Light to a point on Kruzof Island at 57°03.42' N. lat, 135°36' W. long, south of a line from a point on Kruzof Island at 57°05.00' N. lat, 135°35.00' W. long, to 57°01.50' N. lat, 135°24.25' W. long (the intersection of a line from a point on Kruzof Island at 57°05.00' N. lat, 135°35.00' W. long through The Eckholms Light, with a line from the southernmost tip of Makhnati Island to Kulichkof Rock), to Kulichkof Rock.

**Redoubt Bay (Fishery area 113-30):** In waters of Sitka Sound south of a line from the westernmost tip of Cape Burunof to Kulichkof Rock and east and north of a line from Kulichkof Rock to the northwesternmost point on Peisar Island to the southernmost point on Peisar Island to the southernmost point on Viesokoi Rock to a point on Baranof Island at 56°51.40' N. lat, 135°23.49' W. long.

**Biorka Island (Fishery area 113-31):** In waters of Sitka Sound south and east of a line from the northernmost tip of Hanus Islet at 56°51.92' N. lat, 135°30.42' W. long, to the northwesternmost point on Peisar Island, and west of a line from the southernmost point on Peisar Island to the westernmost point on Torsar Island at 56°51.06' N. lat, 135°26.00' W. long, and from the southernmost point on Torsar Island to the easternmost tip of Blackbird Island to a point on Legma Island at 56°50.00' N. lat, 135°26.53' W. long, and north and east of a line from the southernmost point on Legma Island to the southernmost point on Liesnoi Island to Point Woodhouse.

**Goddard Area (Fishery area 113-32) modified area:** In waters enclosed by a line from Baranof Island at 56°51.40' N. lat, 135°23.49' W. long, to the southernmost point on Viesokoi Rock the southernmost point on Peisar Island to the westernmost point on Torsar Island at 56°51.06' N. lat, 135°26.00' W. long, and from the southernmost point on Torsar Island to the easternmost tip of Blackbird Island to a point on Legma Island at 56°50.00' N. lat, 135°26.53' W. long, and **north of the latitude of a line from Legma Island to Elovai Island at 56°49.20' N. lat**, and north and west of a line from 56°49.44' N. lat, 135°23.15' W. long, to a point on Baranof Island at 56°49.58' N. lat, 135°22.60' W. long.


**Sitka Sound Area (Fishery area 113-41) modified area:** From **April 16 through April 30**, the waters of Sitka Sound, Katlian Bay, Eastern Channel, Silver Bay (with the exception of Bear Cove, which is closed east of a line from a point on the south shore at 57°00.77' N. lat, 135°09.08' W. long, to the north shore at 57°00.94' N. lat, 135°09.23' W. long.) and Deep Inlet THA (as described below), including Olga Strait and Nakwasina Sound south of 57°13.73' N. lat, east of a line from a point west of Pirates Cove at 56°59.35' N. lat, 135°22.63' W. long, to Makhnati Rock Light to the southernmost tip of Kresta Point.

From **May 1 through June 30**, the waters of Sitka Sound Krestof Sound and Neva Strait south of 57°15.00' N. lat, and north and east of a line from the westernmost tip of Cape Burunof to Kulichkof Rock to 57°01.50' N. lat, 135°24.25' W. long (the intersection of a line from a point on Kruzof Island at 57°05.00' N. lat, 135°35.00' W. long through The Eckholms Light with a line from the southernmost tip of Makhnati Island to Kulichkof Rock), to a point on Kruzof Island at 57°05.00' N. lat, 135°35.00' W. long, including the waters of Nakwasina Passage, Nakwasina Sound, Katlian Bay. The waters of Silver Bay will be open with the exception of Bear Cove, which is closed east of a line from a point on the south shore at 57°00.77' N. lat, 135°09.08' W. long, to the north shore at 57°00.94' N. lat, 135°09.23' W. long. **The waters of the Deep Inlet**

**THA, as described in below, are included in the Sitka Sound area through May 31. From June 1 through June 21, the waters of Deep Inlet west of 135°20.75' W. long, will be included in the Sitka Sound area. On June 22, all waters of the Deep Inlet THA will be excluded from the Sitka Sound area for the remainder of season. From May 31 through October 3, the waters of the Deep Inlet THA described above will be managed on a rotational gear fishing schedule which was announced in a previous news release on April 3.**

Deep Inlet THA: Deep Inlet, Aleutkina Bay, and contiguous waters south of a line from a point west of Pirates Cove at 56°59.35' N. lat, 135°22.63' W. long, to the westernmost tip of Long Island to the easternmost tip of Long Island to the westernmost tip of Emgeten Island to the westernmost tip of Error Island to the westernmost tip of Berry Island to the southernmost tip of Berry Island to the westernmost tip of the southernmost island in the Kutchuma Island group to the easternmost tip of the southernmost island in the Kutchuma Island group to the westernmost tip of an unnamed island at 57°00.30' N. lat, 135°17.67' W. long to a point on the southern side of the unnamed island at 57°00.08' N. lat, 135°16.78' W. long and then to a point on the Baranof Island Shore at 56°59.93' N. lat 135°16.53' W. long. Waters of Sandy Cove will be closed.

**Salisbury Sound (Fishery area 113-62):** In waters of Peril Strait south of the latitude of Pogibshi Point at 57°30.56' N. lat, waters of Salisbury Sound east of 135°46.00' W. long, and waters of Sukoi Strait and Neva Strait north of 57°15.00' N. lat.



**Figure 6.**–Sitka spring trolling areas, 2015.

## NORTH CHATHAM STRAIT AND ICY STRAIT AREAS

**Northern Chatham Strait Enhanced Chum (Fishery area 112-16):** In waters enclosed by a line from 58° 11.29' N. lat, 134° 53.27' W. long, to 58° 10.40' N. lat, 135° 02.63' W. long, to 58° 07.78' N. lat, 135° 00.78' W. long, to 58° 05.81' N. lat, 134° 47.09' W. long.

**Lisianski Inlet (Fishery area 113-95) modified area:** In Section 13A, in waters of Lisianski Inlet south of a line from **Dace Rock at 58°05.48' N. lat., 136°26.12' W. long., to Ewe Ledge at 58°05.28' N. lat., 136°27.44' W. long.,** and east of a line from a point on Yakobi Island at 58°00.67' N. lat, 136°20.62' W. long, to the southernmost tip of Miner Island at **58°00.45' N. lat, 136°20.30' W. long,** to the northernmost tip of Rock Point at 58°00.17' N. lat, 136°21.18' W. long.

**Stag Bay (Fishery area 113-97):** In waters of Lisianski Strait north of a line from Point Theodore through Point Urey and south and west of a line from a point on Yakobi Island at 58°00.67' N. lat, 136°20.62' W. long, to the southernmost tip of Miner Island at **58°00.45' N. lat, 136°20.30' W. long,** to the northernmost tip of Rock Point at 58°00.17' N. lat, 136°21.18' W. long, including the waters of Stag Bay.

**Cross Sound (Fishery area 114-21):** In waters of Section 14-A west of a line from the southernmost tip of Point Dundas (58°18.93' N. lat, 136°16.79' W. long) to the westernmost tip of Lemsurier Island to the prominent point on the northeastern side of the Inian Peninsula at 58°13.43' N. lat, 136°16.75' W. long, and east of the longitude of the southernmost tip of Taylor Island to 58°10.00' N. lat, then east to Althorp Rock Light, then north to the light at the entrance to Elfin Cove.

**South Passage (Fishery area 114-23):** In waters of Icy Strait south and east of a line extending from the prominent point on northeastern side of the Inian Peninsula at 58°13.43' N. lat, 136°16.75' W. long, to the westernmost tip of Lemesurier Island to the northernmost tip of Lemesurier Island to Point Gustavus and north and west of the northern and western boundaries of the Homeshore and Point Sophia areas, including the waters of Icy Passage.

**Homeshore (Fishery area 114-25):** In waters of District 114 only in the waters of Icy Strait, east of the longitude of Noon Pt. (135°32.20' W. long) west of 135°09.60' W. long, and north of a line from 58° 07.78' N. lat, 135° 00.78' W. long to the northern tip of the northernmost island of the Sisters Islands at 58°10.78' N. lat, 135°15.48' W. long, to a point one mile offshore at the longitude of Point Adolphus (Point Sophia area northern boundary).


**Point Couverden (Fishery area 114-25-01) new area:** In waters enclosed by a line from 58°11.63' N. lat., 135°09.60' W. long., to 58°09.58' N. lat., 135°09.60' W. long., to 58°07.78' N. lat., 135°00.78' W. long., to 58°10.00' N. lat., 135°02.35' W. long., to 58°10.00' N. lat., 135°06.24' W. long., to 58°11.63' N. lat., 135°09.60' W. long.

**Point Sophia (Fishery area 114-27):** In Sections 14B, 14C, and 12A, in waters of Icy Strait and Chatham Strait bounded by a line from Point Adolphus (58°17.25' N. lat, 135°47.00' W. long) to a point one mile due north of Point Adolphus to the northern tip of the northernmost island of the Sisters Islands at 58°10.78' N. lat, 135°15.48' W. long, to the western Hawk Inlet area boundary at a line from 58°07.78' N. lat, 135°00.78' W. long, to the northernmost tip of Point Augusta.

**Port Althorp (Fishery area 114-50) modified area:** In waters of Section 14A in Lisianski Inlet north of a line from **Dace Rock at 58°05.48' N. lat., 136°26.12' W. long., to Ewe Ledge at 58°05.28' N. lat., 136°27.44' W. long.,** and in Cross Sound and Lisianski Inlet bounded by a line from Soapstone Point (58°06.36' N. lat, 136°29.96' W. long), to the Cape Spencer light, then east at the latitude of 58°10.00' N. lat, to Althorp Rock Light, then north to the light at the entrance to Elfin Cove.

**Hawk Inlet (Fishery area 112-65):** In waters enclosed by a line from 58°05.81' N. lat, 134°47.09' W. long, to 58°07.78' N. lat, 135° 00.78' W. long, to the northernmost tip of Point Augusta, and north of the latitude of Point Hepburn, including waters of Hawk Inlet.






**Figure 7.**—North Chatham and Icy Strait spring trolling areas, 2015.

## YAKUTAT AREA

**Yakutat Bay (Fishery Area 183-10):** The waters of Yakutat Bay east of a line from Point Manby (59°41.66' N. lat, 140°19.70' W. long.) to Ocean Cape (59°32.06' N. lat, 139°51.46' W. long.).



**Figure 8.**–Yakutat Bay spring troll fishery area.



## FISHERY CONTACTS

The following are Division of Commercial Fisheries contacts regarding this management plan:

Pattie Skannes Troll Management Biologist 304 Lake Street, room #103 Sitka, Alaska 99835 (907) 747-6688	Grant Hagerman Assistant Troll Management Biologist 304 Lake Street, room #103 Sitka, Alaska 99835 (907) 747-6688
Dan Gray Regional Management Biologist 304 Lake Street, room #103 Sitka, Alaska 99835-7653 (907) 747-6688	Lowell Fair Southeast Alaska Regional Supervisor PO Box 110024 Douglas, Alaska 99811-0024 (907) 465-4250
Dave Gordon and Eric Coonradt Area Management Biologists 304 Lake Street, room #103 Sitka, Alaska 99835-7653 (907) 747-6688	Dave Harris and Scott Forbes Area Management Biologists PO Box 110024 Douglas, Alaska 99811-0024 (907) 465-4250
Thomas Kowalske Area Management Biologist Kadin Building 215 Front Street Wrangell, Alaska 99689 (907) 874-3822	Troy Thynes and Kevin Clark Area Management Biologists 16 Sing Lee Alley Petersburg, Alaska 99833 (907) 772-3801
Scott Walker, Justin Breese and Bo Meredith Area Management Biologists 2030 Sea Level Drive, Suite, 205 Ketchikan, Alaska 99901 (907) 225-5195	Randy Bachman Area Management Biologist Mile 1 Haines Highway Haines, Alaska 99827-0330 (907) 766-2830 or 3124
Gordon Woods Area Manager Biologist 1 Fish and Game Plaza Yakutat, Alaska 99689-0049 (907) 784-3255	Nicole Zeiser Assistant Area Management Biologist 1 Fish and Game Plaza Yakutat, Alaska 99689-0049 (907) 784-3255
Jim Craig Publications Specialist PO Box 110024 Douglas, Alaska 99811-0024 (907) 465-4236	

For up-to-date troll information, call the 24-hour information line in the Douglas Office at 465-TROL (8765). In addition, the following telephone numbers may be called during the troll fishing season to obtain recorded announcements concerning areas open to trolling.

Ketchikan (907) 225-6870

Sitka (907) 747-8765

Petersburg (907) 772-3700