
Kodiak Management Area Herring Sac Roe Fishery Harvest Strategy for the 2020 Season

by Geoff Spalinger

March 2020

Alaska Department of Fish and Game





Symbols and Abbreviations

The following symbols and abbreviations, and others approved for the Système International d'Unités (SI), are used without definition in the following reports by the Divisions of Sport Fish and of Commercial Fisheries: Fishery Manuscripts, Fishery Data Series Reports, Fishery Management Reports, and Special Publications. All others, including deviations from definitions listed below, are noted in the text at first mention, as well as in the titles or footnotes of tables, and in figure or figure captions.

Weights and measures (metric)		General		Mathematics, statistics	
centimeter	cm	Alaska Administrative		all standard mathematical	
deciliter	dL	Code	AAC	signs, symbols and	
gram	g	all commonly accepted		abbreviations	
hectare	ha	abbreviations	e.g., Mr., Mrs.,	alternate hypothesis	H _A
kilogram	kg		AM, PM, etc.	base of natural logarithm	е
kilometer	km	all commonly accepted		catch per unit effort	CPUE
liter	L	professional titles	e.g., Dr., Ph.D.,	coefficient of variation	CV
meter	m		R.N., etc.	common test statistics	(F, t, χ^2 , etc.)
milliliter	mL	at	a	confidence interval	CI
millimeter	mm	compass directions:		correlation coefficient	
		east	E	(multiple)	R
Weights and measures (English)		north	Ν	correlation coefficient	
cubic feet per second	ft ³ /s	south	S	(simple)	r
foot	ft	west	W	covariance	cov
gallon	gal	copyright	©	degree (angular)	0
inch	in	corporate suffixes:		degrees of freedom	df
mile	mi	Company	Co.	expected value	Ε
nautical mile	nmi	Corporation	Corp.	greater than	>
ounce	oz	Incorporated	Inc.	greater than or equal to	≥
pound	lb	Limited	Ltd.	harvest per unit effort	HPUE
quart	qt	District of Columbia	D.C.	less than	<
yard	yd	et alii (and others)	et al.	less than or equal to	\leq
-	-	et cetera (and so forth)	etc.	logarithm (natural)	ln
Time and temperature		exempli gratia		logarithm (base 10)	log
day	d	(for example)	e.g.	logarithm (specify base)	log _{2,} etc.
degrees Celsius	°C	Federal Information		minute (angular)	'
degrees Fahrenheit	°F	Code	FIC	not significant	NS
degrees kelvin	Κ	id est (that is)	i.e.	null hypothesis	Ho
hour	h	latitude or longitude	lat or long	percent	%
minute	min	monetary symbols		probability	Р
second	S	(U.S.)	\$,¢	probability of a type I error	
		months (tables and		(rejection of the null	
Physics and chemistry		figures): first three		hypothesis when true)	α
all atomic symbols		letters	Jan,,Dec	probability of a type II error	
alternating current	AC	registered trademark	®	(acceptance of the null	
ampere	А	trademark	тм	hypothesis when false)	β
calorie	cal	United States		second (angular)	"
direct current	DC	(adjective)	U.S.	standard deviation	SD
hertz	Hz	United States of		standard error	SE
horsepower	hp	America (noun)	USA	variance	
hydrogen ion activity (negative log of)	pН	U.S.C.	United States Code	population sample	Var var
parts per million	ppm	U.S. state	use two-letter		
parts per thousand	ppt, ‰		abbreviations (e.g., AK, WA)		
volts	V				
watts	W				

REGIONAL INFORMATION REPORT 4K20-03

KODIAK MANAGEMENT AREA HERRING SAC ROE FISHERY HARVEST STRATEGY FOR THE 2020 SEASON

by

Geoff Spalinger Alaska Department of Fish and Game, Division of Commercial Fisheries, Kodiak

> Alaska Department of Fish and Game Division of Sport Fish, Research and Technical Services 333 Raspberry Road, Anchorage, Alaska 99518-1565

> > March 2020

The Regional Information Report Series was established in 1987 and was redefined in 2007 to meet the Division of Commercial Fisheries regional need for publishing and archiving information such as area management plans, budgetary information, staff comments and opinions to Alaska Board of Fisheries proposals, interim or preliminary data and grant agency reports, special meeting or minor workshop results and other regional information not generally reported elsewhere. Reports in this series may contain raw data and preliminary results. Reports in this series receive varying degrees of regional, biometric and editorial review; information in this series may be subsequently finalized and published in a different department reporting series or in the formal literature. Please contact the author or the Division of Commercial Fisheries if in doubt of the level of review or preliminary nature of the data reported. Regional Information Reports are available through the Alaska State Library and on the Internet at: http://www.adfg.alaska.gov/sf/publications/.

Geoff Spalinger Alaska Department of Fish and Game, Division of Commercial Fisheries 351 Research Court, Kodiak, AK 99615, USA

This document should be cited as follows: Spalinger, G. 2020. Kodiak Management Area herring sac roe fishery harvest strategy for the 2020 season. Alaska Department of Fish and Game, Regional Information Report 4K20-03, Kodiak.

The Alaska Department of Fish and Game (ADF&G) administers all programs and activities free from discrimination based on race, color, national origin, age, sex, religion, marital status, pregnancy, parenthood, or disability. The department administers all programs and activities in compliance with Title VI of the Civil Rights Act of 1964, Section 504 of the Rehabilitation Act of 1973, Title II of the Americans with Disabilities Act (ADA) of 1990, the Age Discrimination Act of 1975, and Title IX of the Education Amendments of 1972.

If you believe you have been discriminated against in any program, activity, or facility please write: ADF&G ADA Coordinator, P.O. Box 115526, Juneau, AK 99811-5526

U.S. Fish and Wildlife Service, 4401 N. Fairfax Drive, MS 2042, Arlington, VA 22203

Office of Equal Opportunity, U.S. Department of the Interior, 1849 C Street NW MS 5230, Washington DC 20240

The department's ADA Coordinator can be reached via phone at the following numbers:

(VOICE) 907-465-6077, (Statewide Telecommunication Device for the Deaf) 1-800-478-3648,

(Juneau TDD) 907-465-3646, or (FAX) 907-465-6078

For information on alternative formats and questions on this publication, please contact: ADF&G Division of Sport Fish, Research and Technical Services, 333 Raspberry Road, Anchorage AK 99518 (907) 267-2375.

TABLE OF CONTENTS

	Page
LIST OF TABLES	ii
LIST OF FIGURES	ii
ABSTRACT	1
INTRODUCTION	1
2020 HARVEST STRATEGY	2
2020 Regulation Changes	2
Guideline Harvest Levels	2
Combined Sections	2
Fishing Periods	2
Daily Fishing Periods for Most Purse Seine and Gillnet Sections	2
Delayed Openings	3
Village Islands/Uganik Bay Sections	3
Danger Bay Section	
Test Fishing	3
ADF&G AND INDUSTRY COOPERATION	4
CATCH REPORTING FOR BUYERS AND TENDERS	4
Preseason Permit Holder Registration	5
Registration Permit	5
Transporter Permits	
EMERGENCY ORDER ANNOUNCEMENTS	5
TABLES AND FIGURES	7

LIST OF TABLES

Table	P	age
1.	KMA districts and management sections, GHLs, closed sections, and district allocation percentages for	
	the herring sac roe fishery, 2020.	8
2.	Summary of season length, guideline harvest levels (GHL), harvest data by gear type, percentage of	
	harvest by gear type, number of landings, and estimated exvessel earnings for the herring fishery in the	
	KMA from 1979–2019	11
3.	Alaska Department of Fish and Game, Division of Commercial Fisheries management staff, KMA,	
	2020	13

LIST OF FIGURES

Figure		Page
1.	Map of the Kodiak herring sac roe fishery harvest areas.	14

ABSTRACT

This report describes the harvest strategy for the 2020 Kodiak Management Area (KMA) commercial Pacific herring *Clupea pallasii* sac roe fishery and includes the 2020 guideline harvest levels (GHL) by section, management changes from previous years, and reporting and registration requirements. The 2020 KMA areawide GHLs is 1,485 tons, and individual GHLs have been established for 41 sections.

Several regulation changes occurred at the January 2020 Board of Fisheries meeting in Kodiak. The season start date was changed to April 1, extending the season length from April 1 through June 30. The allocative management plan that assigned GHLs and sections by gear type was removed, and both gear types can now fish the same sections. Fishing periods were also changed so that purse seine permit holders and gillnet permit holders fish on alternating days. Purse seine fishing periods will remain the same, but gillnet fishing periods will be from noon on even-numbered days to noon on odd-numbered days.

There will be 2 types of fishing periods in the KMA: those that fall under the "standard" fishing schedule established in regulation (5 AAC 27.510), and those that occur in sections managed by emergency order. In order to maximize roe quality and control harvest rates, fishing periods for the Village Islands/Uganik Bay and Danger Bay sections will be established by emergency order. Herring will be sampled for age, sex, weight, length, and maturity from purse seine test sets. Time and area restrictions may be used to target effort on large herring with the highest roe content.

Key words: sac roe, herring, *Clupea pallasii*, guideline harvest levels, GHL, Kodiak Management Area, KMA, harvest strategy, Fisheries Management Report, FMR

INTRODUCTION

The Alaska Department of Fish and Game (ADF&G) Division of Commercial Fisheries staff in Kodiak will manage the 2020 Kodiak commercial Pacific herring *Clupea pallasii* sac roe fishery. This report presents the harvest strategy for the Kodiak Management Area (KMA) herring sac roe fishery, including the guideline harvest levels (GHL) by section, section gear assignments, changes in management, and reporting and registration requirements for the 2020 fishery.

The Kodiak herring sac roe fishery begins April 1 and lasts until June 30 (5 AAC 27.510 (a)). The fishery is intended to occur in an orderly fashion, with minimal waste of resource and within conservation limits as determined by ADF&G—and striving for the highest quality product (5 AAC 27.535(e)(6)). The fishery will be managed in accordance with general statewide herring guideline harvest policies, which provide for catches in traditional inshore areas, management for the greatest value, and exploitation (harvest) not to exceed 20% of the available spawning biomass. Conservative GHLs are established due to the uncertainty in estimating individual section populations.

The KMA is divided into 13 districts that define areas used to manage the herring sac roe fishery (Figure 1; Table 1). Each district is further divided into smaller areas called sections. There are 81 sections in the KMA that define spawning areas or historical harvest locations. Current statistical charts, which illustrate districts and sections, are available at the ADF&G office in Kodiak (Figure 1).

GHLs are preseason harvest projections that are established for individual sections by Kodiak ADF&G fishery management biologists (Table 1). After a review of stock status trends for the entire KMA, ADF&G determines which sections will be open to commercial fishing and what level of harvest will be targeted. Each section's GHL is based on the following: 1) fishery performance during the preceding season or seasons (using total harvest, timing, duration of fishery, or average school size); 2) trends in age composition; 3) spawn and juvenile herring observations; 4) aerial surveys; and 5) hydroacoustic surveys. Information from commercial fishermen and spotter pilots are also considered in setting a GHL.

2020 HARVEST STRATEGY

2020 REGULATION CHANGES

During the January 2020 Board of Fisheries (BOF) meeting in Kodiak, there were major changes that affect the management plan of the Kodiak herring sac roe fishery; they included the following items.

- The season start date was changed to April 1 from April 15.
- The allocative management plan that provides opportunities for gillnet permit holders to harvest approximately 25% and purse seine permit holders to harvest approximately 75% of the GHL was removed.
- Both gear types will be allowed to fish the same sections on alternating days. Purse seine fishing periods will remain noon to 9:00 p.m. on odd-numbered days and 9:00 a.m. to noon on even-numbered days. Gillnet fishing periods will change to noon on even-numbered days to noon on odd-numbered days.

GUIDELINE HARVEST LEVELS

For the 2020 season, GHLs have been established for 34 of 81 sections (Table 1). Thirteen sections had little or no harvest during the last 10 years and are designated as exploratory in 2020. Exploratory areas are open to both gear types and have no set GHL. The remaining sections will remain closed, based on either low abundance or lack of herring sac roe harvests.

The 2020 areawide GHL of 1,485 tons (Table 1) is 80 tons more than the 2019 GHL (Table 2).

COMBINED SECTIONS

The following adjacent sections will be combined and managed as a single section for the 2020 sac roe herring season ((5 AAC 27.535(e)(1)(A)); Table 1):

- Izhut Bay, Kitoi Bay, and MacDonald Lagoon;
- Village Islands, Northeast Arm Uganik, East Arm Uganik, and South Arm Uganik bays;
- Outer Kiliuda and Inner Kiliuda bays;
- Outer Deadman and Inner Deadman bays;
- Paramanof and Foul Bays; and
- Browns Lagoon and Inner Uyak Bay.

FISHING PERIODS

Daily Fishing Periods for Most Purse Seine and Gillnet Sections

Unless otherwise specified by emergency order (EO), herring may be taken during the sac roe season from April 1 through June 30 as follows.

• For purse seine permit holders: from April 1 through May 7, fishing periods are from noon until 9:00 p.m. on odd-numbered days and from 9:00 a.m. until noon on even-numbered days. From May 8 through June 30, fishing periods are from noon until 10:00 p.m. on odd-numbered days and from 9:00 a.m. until noon on even-numbered days (5 AAC 27.510(a)(1)).

• For gillnet permit holders: Beginning April 2, fishing periods are from noon on evennumbered days until noon on odd-numbered days (5 AAC 27.510(a)(2)).

ADF&G may use EO authority to restrict fishing time and close areas in any section if overharvest concerns exist during the season. ADF&G may also use EO authority to close sections if resources are not available to monitor the fishery and there are overharvest concerns.

DELAYED OPENINGS

ADF&G will manage the Village Islands/Uganik Bay and Danger Bay sections differently than other purse seine sections within the KMA. Openings of these sections will be delayed, and they will be managed inseason by EO to maximize roe percentage of the landed product and to control harvest rates.

Village Islands/Uganik Bay Sections

The Village Islands, Northeast Arm Uganik, East Arm Uganik, and South Arm Uganik sections will be managed as 1 section with a total GHL of 150 tons (Table 1). The Village Islands/Uganik Bay sections will be open to both gear types. Purse seine permit holders will be given the first opportunity to fish after permit holders have detected harvestable quantities of quality fish.

These sections will be actively managed for roe quality and size of herring by the ADF&G management biologist aboard the R/V *K-Hi-C* or R/V *Resolution*. There will be at least 24-hour notice prior to any potential fishing period. ADF&G will attempt to target herring with approximately 11% roe recovery on the grounds. Permit holders wishing to fish in these sections are urged to contact the management biologist to volunteer for test fishing and discuss how the fishery will be managed.

Danger Bay Section

The Danger Bay Section will be managed with a total GHL of 150 tons (Table 1). The Danger Bay Section will be open to both gear types. Purse seine permit holders will be given the first opportunity to fish after permit holders have detected harvestable quantities of quality fish.

This section will be actively managed for roe quality and size of herring by an ADF&G management biologist aboard either the ADF&G vessel R/V *K-Hi-C* or R/V *Resolution*. ADF&G will attempt to target herring with approximately 11% roe recovery on the grounds. Permit holders wishing to fish in these sections are urged to contact the management biologist to volunteer for test fishing and discuss how the fishery will be managed.

TEST FISHING

ADF&G staff will not conduct roe recovery testing; industry personnel (processor technicians, fishermen, or tendermen) are expected to determine roe quality. Instructions on how to determine roe quality and recovery percentages may be available from buyers and processors. Additionally, processors establish minimum size requirements (average weights) for the herring that they will purchase. All fishermen are urged to check with their buyer to determine what roe recovery and size limits will be marketable.

Prior to any fishing period in the Village Islands/Uganik Bay and Danger Bay sections, the management biologist on the grounds will seek volunteer fishermen to conduct test sets to sample fish size and roe quality. The management biologist will choose the boats to make test fishing sets. In some circumstances, more than 1 boat may be needed. All test fishing will be coordinated and

directed by the ADF&G management biologist on the grounds. No test set will be allowed without first consulting the management biologist, either in person or via VHF radio channel 6.

Small amounts of herring from each test set will be kept to determine marketability. Approximately 75–150 lb of herring will be randomly selected from each set to be tested for mature roe and average weight (grams). Herring will be sampled onboard the fishing vessel or may be transported to a central fishing boat or tender for later testing. ADF&G biologists will attempt to manage fisheries so that industry roe recovery and size requirements are met or exceeded. ADF&G will broadcast test fishery results on VHF channel 6.

ADF&G AND INDUSTRY COOPERATION

There will be a preseason registration requirement that will require permit holders to report harvest location and tonnage immediately after landing herring. Fishermen should immediately contact the area management biologists in Kodiak, or onboard the R/V *K-Hi-C* or the R/V *Resolution*, when a harvest occurs. Timely harvest reporting is essential to managing the Kodiak herring fishery. ADF&G staff will make frequent contact with permit holders to collect harvest data, fleet movement information, spawn observations, and observations of juvenile and adult herring concentrations.

Past cooperation between the ADF&G, the fishing fleet, and buyers has been excellent, and it is hoped that this will continue. If cooperation is lacking, **closure of sections may be necessary**, and future openings will be closely evaluated. Fishermen are strongly encouraged to sample catches prior to landing in order to harvest the highest value product possible.

Permit holders and spotter pilots are encouraged to provide biomass estimates, juvenile herring observations, and spawn observations to management staff. Past cooperation has helped staff evaluate stock status and gain critical management information. All information from fishermen and spotter pilots will remain confidential. Of particular interest are any observations of herring in closed management sections. Timely information will be used by management staff to conduct aerial or hydroacoustic surveys to assess herring abundance.

Samples from commercial herring harvests will be collected by management biologists. These are primarily used to monitor age composition, and when used with other stock performance indicators, to assist in determining stock status. Support and assistance from the industry is necessary for this style of fishery management to be successful. This support will result in a more manageable fishery and greater economic benefit to the permit holders, and will help ensure the long-term health of the KMA herring stocks.

CATCH REPORTING FOR BUYERS AND TENDERS

Processors and independent tender operators are required to provide daily catch reports by section to the Kodiak ADF&G office by 9:00 a.m. Herring onboard tenders that have not yet been delivered to a processing facility must also be reported. Timely and accurate harvest reports received from field crews, permit holders, tender operators, spotters, and processors are critical in the assessment of herring harvests and guide the management of the fishery. Late or inaccurate information could result in premature area closures or overharvest. Catch reporting procedures and ADF&G contact information is listed on the registration permit.

PRESEASON PERMIT HOLDER REGISTRATION

ADF&G will require permit holders to register prior to participating in the 2020 fishery. It is the responsibility of the permit holders to keep ADF&G informed of fishing activity and report herring harvests daily. The registration permit will outline reporting requirements by gear type. Failure to maintain contact with ADF&G will result in closures.

Purse seine permit holders are reminded that they may use only 1 purse seine vessel to harvest herring; this may be either the vessel identified on the permit card or a replacement vessel. If a Kodiak sac roe seine permit holder intends to fish with a different vessel than is listed on their permit card, they must register the replacement vessel with Kodiak management staff (5 AAC 27.525(d)).

REGISTRATION PERMIT

Each KMA tender operator and buyer must obtain a registration permit from ADF&G in the Kodiak office, either in person or through an authorized agent (5 AAC 27.540). A registration permit is required prior to taking fish onboard the tender or taking fish at the processing plant. Tenders are required to complete ADF&G fish tickets for each delivery. The fish ticket must have the fisherman's permit information legibly recorded and must show how many pounds or tons of fish were harvested (the on-the-grounds weight), date of harvest, and section from which the fish were harvested.

TRANSPORTER PERMITS

All KMA herring sac roe permit holders that intend to transport herring, other than their own commercially harvested herring, are required to have in their possession a fish transporter permit (AS 16.05.671). Permit applications are available at the Kodiak ADF&G office.

EMERGENCY ORDER ANNOUNCEMENTS

Two types of EOs will be issued inseason: 1) announcements of short commercial fishing periods or closures in the Village Islands/Uganik Bay and Danger Bay sections; and 2) announcements of inperiod fishery closures in sections that follow the standard fishing schedule. When a preseason GHL for a section is approached or achieved, that section will be closed for the remainder of the season. Due to the rapid pace of the harvest in certain locations, inperiod closures are likely. When inperiod closures are necessary, there may be as little as 5 minutes advance notice prior to the closure time, or less if appropriate. Inperiod closures will be announced on VHF channel 6. Fishermen and tender operators should monitor VHF channel 6 to remain aware of section closures.

At any time during the season, if ADF&G determines that herring stock abundance is below preseason expectations, sections may be closed prior to reaching their GHL.

An advisory announcement will be issued to announce fishery decisions such as openings, closures, and area restrictions. Advisory announcements are posted on the ADF&G website and distributed to processors, local radio stations, newspapers, and other interested parties.

All permit holders, tender operators, and processors are responsible for staying updated on section closures as they occur inseason. Fishery information can be obtained in the following ways.

- Contact the herring management staff (Table 3) in the Kodiak office in person, by telephone at 486-1830, or by using Dispatch #7410.
- Contact ADF&G field personnel on VHF channel 6 or using Dispatch (R/V *K-Hi-C*: #7412, RV *Resolution* #7411).
- Contact any local herring processor for the latest Kodiak herring advisory announcement.
- Call the ADF&G message phone at 486-4559.
- Obtain a copy of the most recent advisory announcement from the Kodiak ADF&G office at 351 Research Ct. (copies are available 24 hours a day in a bin located outside the main entrance to the building).
- Advisory announcements may also be searched for and subscribed to on the internet at http://www.adfg.alaska.gov/index.cfm?adfg=cfnews.main.
- Contact ADF&G biologists after hours at the following numbers:

James Jackson – 907-942-2097 Todd Anderson – 701-214-7667 Geoff Spalinger – 952-567-1420

TABLES AND FIGURES

Statistical An	rea Management Section	GHL Tons
NORTH AF	OGNAK DISTRICT	
NA10	Shuyak Island	CLOSED
NA20	Delphin Bay	EXPLORATORY
NA30	Perenosa Bay	10
NA40	Seal Bay	CLOSED
NA50	Tonki Bay	30
DISTRICT		40
WEST AFO	GNAK DISTRICT	
WA10	Raspberry Strait	10
WA20	Malina Bay	10
WA31	Paramanof Bay	20
WA32	Foul Bay	WA31 and WA32 will be managed as one section.
WA40	Blue Fox/Devil's Inlet	EXPLORATORY
WA50	Offshore W. Afognak	CLOSED
DISTRICT		40
SOUTH AF	OGNAK DISTRICT	
SA10	Izhut Bay	65
SA20	Kitoi Bay	SA10, SA20, and SA30 will be managed as one section.
SA30	MacDonald Lagoon	SA10, SA20, and SA30 will be managed as one section.
SA40	Danger Bay	150
SA50	Litnik	CLOSED
SA60	Duck Bay	CLOSED
DISTRICT		215
UGANIK D	ISTRICT	
UG10	Kupreanof	CLOSED
UG20	Viekoda Bay	15
UG21	Terror Bay	15
UG30	Village Islands	150
UG31	West Uganik Passage	30
UG32	NE Arm Uganik Bay	UG30, UG32, UG33, and UG34 will be managed as one
UG33	East Arm Uganik Bay	section
UG34	South Arm Uganik Bay	
UG40	Offshore Uganik	CLOSED
DISTRICT		210
UYAK DIST		
UY10	Offshore Uyak	CLOSED
UY20	Harvester Island	CLOSED
UY30	Inner Uyak	30
UY32	Browns Lagoon	UY30 and UY32 will be managed as one section.
UY31	Larsen Bay	CLOSED
UY40	Zachar Bay	10
	5	
UY50	Spiridon Bay	20

Table 1.-KMA districts and management sections, GHLs, closed sections, and district allocation percentages for the herring sac roe fishery, 2020.

-continued-

Table 1.–Page 2 of 3.

Statistical Area	Management Section	GHL Tons					
ALITAK DIST	RICT						
AL10	Outer Alitak	CLOSED					
AL20	Inner Alitak	25					
AL21	Inner Deadman Bay	50					
AL22	Outer Deadman Bay	AL21 and AL22 will be managed as one section.					
AL30	Sulua Bay	25					
AL40	Lower Olga	25					
AL41	East Upper Olga Bay	25					
AL50	West Upper Olga Bay	25					
AL60	Geese/Twoheaded	EXPLORATORY					
DISTRICT TOT	TAL	175					
STURGEON/H.	ALIBUT DISTRICT						
SH10	Sturgeon/Halibut	CLOSED					
EASTSIDE DIS	TRICT						
EA10	Kaiugnak	EXPLORATORY					
EA20	SW. Sitkalidak	EXPLORATORY					
EA21	Three Saints Bay	30					
EA22	Newman Bay	EXPLORATORY					
EA23	W. Sitkalidak Strait	75					
EA24	Barling Bay	40					
EA30	E. Sitkalidak Strait	125					
EA31	Tanginak Anchorage	EXPLORATORY					
EA40	Outer Sitkalidak	CLOSED					
EA41	Boulder Bay	CLOSED					
EA42	Shearwater Bay	75					
EA43	Outer Kiliuda Bay	150					
EA44	Inner Kiliuda Bay	EA43 and EA44 will be managed as one section.					
EA50	Outer Ugak Bay	150					
EA51	Inner Ugak Bay	50					
EA52	Pasagshak Bay	CLOSED					
DISTRICT TOT	TAL	695					

-continued-

Table 1.–Page 3 of 3.

Statistical Area	Management Section	GHL Tons				
NORTHEAST DISTRI	CT					
NE10	Womens Bay	10				
NE20	Kalsin Bay	10				
NE30	Middle Bay	CLOSED				
NE40	Inshore Chiniak	CLOSED				
NE50	Offshore Chiniak	CLOSED				
DISTRICT TOTAL		20				
INNER MARMOT DIS	STRICT					
IM10	Monashka Bay	CLOSED				
IM20	Anton Larsen Bay	CLOSED				
IM30	Sharatin Bay	CLOSED				
IM40	Kizhuyak Bay	30				
IM50	Spruce Island	CLOSED				
DISTRICT TOTAL		30				
NORTH MAINLAND	DISTRICT					
NM10	Hallo Bay	CLOSED				
NM20	Inner Kukak	EXPLORATORY				
NM30	Outer Kukak	CLOSED				
NM40	Missak Bay	CLOSED				
DISTRICT TOTAL	-					
MID MAINLAND DIS						
MM10	Inner Katmai	EXPLORATORY				
MM20	Outer Katmai	CLOSED				
MM30	Alinchak	EXPLORATORY				
MM40	Puale Bay	EXPLORATORY				
MM50	Portage Bay	EXPLORATORY				
MM60	Outer Portage	CLOSED				
DISTRICT TOTAL						
SOUTH MAINLAND						
SM10	Wide Bay	EXPLORATORY				
SM20	Lower Shelikof	CLOSED				
DISTRICT TOTAL						
GRAND TOTAL		1,485				

			Harv	vest	Per	cent	Num	ber of					Estim	ated		
		Total	(tor	/	harve	est by	landir	ngs by		of gear	-	6		age	Price	Estimated
	GHL	harvest	by gea			type		type		ned		oy gear	earni	0	per	exvessel
Year	(tons)	(tons)	Seine	Gillnet	Seine	Gillnet	Seine	Gillnet	Seine	Gillnet	Seine	Gillnet	Seine	Gillnet	ton ^a	total value ^a
1979	2,400	1,735	1,457	278	84%	16%	-	-	57	125	26	2	\$38,342	\$3,336	\$1,500	\$2,602,500
1980	2,400	2,383	2,009	374	84%	16%	-	-	92	109	22	3	\$15,068	\$2,368	\$690	\$1,644,270
1981	2,400	2,065	1,596	469	77%	23%	207	406	79	114	20	4	\$14,647	\$2,983	\$725	\$1,497,125
1982	2,400	1,771	1,447	324	82%	18%	138	191	45	67	32	5	\$17,686	\$2,660	\$550	\$974,050
1983	2,400	2,319	1,797	522	77%	23%	164	284	41	64	44	8	\$35,063	\$6,525	\$800	\$1,855,200
1984	2,400	2,163	1,691	472	78%	22%	138	212	39	69	43	7	\$34,687	\$5,472	\$800	\$1,730,400
1985	2,000	1,968	1,244	724	63%	37%	118	348	34	81	37	9	\$32,929	\$8,044	\$900	\$1,771,200
1986	1,690	1,558	1,110	448	71%	29%	132	385	31	71	36	6	\$34,016	\$5,994	\$950	\$1,480,100
1987	1,640	2,146	1,591	554	74%	26%	122	411	29	62	55	9	\$54,862	\$8,935	\$1,000	\$2,146,000
1988	2,065	2,171	1,304	867	60%	40%	169	555	33	76	40	11	\$51,370	\$14,830	\$1,300	\$2,822,300
1989	2,415	2,249	1,513	736	67%	33%	171	627	37	83	41	9	\$34,758	\$7,537	\$850	\$1,911,650
1990	2,375	2,347	1,644	703	70%	30%	156	544	27	63	61	11	\$51,756	\$9,485	\$850	\$1,994,950
1991	2,510	2,432	1,697	735	70%	30%	169	587	32	64	53	11	\$45,077	\$9,762	\$850	\$2,067,200
1992	2,720	4,283	3,260	1,023	76%	24%	185	706	40	74	82	14	\$40,750	\$6,912	\$500	\$2,141,500
1993	3,525	4,929	4,203	726	85%	15%	237	294	41	86	103	8	\$56,382	\$4,643	\$550	\$2,710,950
1994	4,550	5,893	4,976	917	84%	16%	285	485	66	57	75	16	\$60,315	\$12,870	\$800	\$4,714,400
1995	4,480	4,604	3,837	768	83%	17%	280	642	73	71	53	11	\$66,858	\$13,759	\$1,272	\$5,856,288
1996	4,180	3,386	2,322	1,064	69%	31%	202	890	57	74	41	14	\$81,474	\$28,757	\$2,000	\$6,772,000
1997	3,435	3,235	2,629	606	81%	19%	183	418	64	59	41	10	\$20,539	\$5,136	\$500	\$1,617,500
1998	2,030	2,057	1,954	103	95%	5%	110	26	35	7	56	15	\$27,914	\$7,357	\$500	\$1,028,500
1999	1,495	1,651	1,589	62	96%	4%	94	16	31	5	51	12	\$33,984	\$8,221	\$663	\$1,094,613
2000 ^b	1,735	1,370	1,290	80	94%	6%	57	23	31	10	42	8	\$29,129	\$5,600	\$700	\$959,000
2001	1,540	1,694	1,412	282	83%	17%	67	37	33	9	43	31	\$21,394	\$15,667	\$500	\$847,000
2002	1,860	1,677	1,274	403	76%	24%	37	50	30	14	42	29	\$21,233	\$14,393	\$500	\$838,500
2003	2,600	1,992	1,738	254	87%	13%	59	45	31	11	56	23	\$28,032	\$11,545	\$500	\$996,000

Table 2.–Summary of guideline harvest levels (GHL), harvest data by gear type, percentage of harvest by gear type, number of landings, and estimated exvessel earnings for the herring fishery in the KMA, 1979–2019.

-continued-

Table 2.–Page 2 of 2.

		T-4-1		rvest	Perc			ber of	T.L.: 4 4		A	4 - 1-	Estin		Duine	E-4:
	GHL	Total harvest	· · ·	ons)	harve	2	landings by gear type		Units of gear fished		Average catch (tons) by gear		average earnings ^a		Price	Estimated
Year	(tons)	(tons)		ar type Gillnet	gear Seine	Gillnet		Gillnet	Seine (Seine (Seine	Gillnet	per ton ^a	exvessel total value ^a
2004	2,850		2,894	273	91%	9%	95	36	27	11	107	25	\$53,593	\$12,409	\$500	\$1,583,500
2005	3,475	3,463	2,932	531	85%	15%	134	61	32	12	92	44	\$45,813	\$22,125	\$500	\$1,731,500
2006	3,705	2,643	2,617	c	99%	0%	86	c	21	с	125	с	\$34,270	с	\$275	\$726,825
2007	4,000	2,546	2,510	36	99%	1%	105	8	21	3	120	12	\$47,810	\$4,800	\$400	\$1,018,400
2008	4,290	3,099	3,086	с	100%	0%	108	с	22	c	140	c	\$73,643	с	\$525	\$1,626,975
2009	4,765	4,759	4,549	210	96%	4%	218	19	31	6	147	35	\$77,040	\$18,375	\$525	\$2,498,475
2010	6,075	5,701	5,538	163	97%	3%	277	14	36	7	154	23	\$61,533	\$9,314	\$400	\$2,280,400
2011	6,135	2,957	2,937	20	99%	1%	95	6	14	3	210	7	\$41,957	\$1,333	\$200	\$591,400
2012	5,355	4,260	4,253	с	100%	0%	164	с	23	с	185	с	\$55,474	с	\$300	\$1,278,000
2013	5,410	4,447	4,298	149	97%	3%	189	18	33	5	130	30	\$29,956	\$6,854	\$230	\$1,022,810
2014	5,830	2,463	2,463	0	100%	0%	99	0	21	0	117	0	\$11,729	\$0	\$100	\$246,300
2015	3,190	357	357	0	100%	0%	19	0	9	0	40	0	\$4,363	\$0	\$110	\$39,270
2016	1,670	365	365	0	100%	0%	15	0	3	0	122	0	\$15,817	\$0	\$130	\$47,450
2017	1,645	125	124	с	99%	0%	6	с	3	c	41	c	\$6,613	с	\$160	\$20,000
2018	1,185	226	226	0	100%	0%	8	0	3	0	75	0	\$15,067	\$0	\$200	\$45,200
2019	1,405	c	c	0	100%	0%	с	0	с	0	с	0	\$0	\$0	\$0	\$0
Average 1979 to																
2018	3,071	2,616	2,243	413	86%	14%	134	245	35	44	75	13	\$38,074	\$8,278	\$633	\$1,720,743
10-year avg. 2009 to																
2018	4,126	2,566	2,511	68	99%	1%	109	7	18	3	122	12	\$31,955	\$4,485	\$236	\$806,931
5-year avg. 2014 to	2 70 4	707	707	0	1000/	00/	20	0	0	0	70	0	¢10.719	¢0	¢140	\$70 <i>(44</i>
2018 ^a Exvessel v	2,704	707	707	0	100%	0%	29	0	8	0	79	0	\$10,718	\$0	\$140	\$79,644

^a Exvessel values are based on dock delivered herring and inseason data.

^b Beginning in 2000, an allocative harvest strategy was in effect.

^c Confidentiality requirements prohibit the release of this information.

Table 3.–Alaska Department of Fish and Game, Division of Commercial Fisheries management staff, KMA, 2020.

Office Staff							
Regional Supervisor	Nick Sagalkin						
Regional Finfish Management Supervisor	Jeff Wadle						
Area Management Biologist	James Jackson						
Assistant Area Management Biologist	Geoff Spalinger						
Assistant Area Management Biologist	Todd Anderson						
Fishery Biologist	Brad Fuerst						
Field Staff							
R/V <i>K-Hi-C</i> :							
Boat Officer	Danny Wilson						
Management Biologists	Todd Anderson/James Jackson						
R/V Resolution:							
Boat Officer	Denis Cox						
Management Biologist	Geoff Spalinger						




Figure 1.-Map of the Kodiak herring sac roe fishery harvest areas.