Regional Operational Plan No. ROP.CF.1J.2021.07

Southern Southeast Inside (Clarence Strait) Sablefish Longline Survey


by


Erica T. Ebert

and

Rhea K. Ehresmann

June 2021







Symbols and Abbreviations

The following symbols and abbreviations, and others approved for the Système International d'Unités (SI), are used without definition in the following reports by the Divisions of Sport Fish and of Commercial Fisheries: Fishery Manuscripts, Fishery Data Series Reports, Fishery Management Reports, and Special Publications. All others, including deviations from definitions listed below, are noted in the text at first mention, as well as in the titles or footnotes of tables, and in figure or figure captions.

Weights and measures (metric)		General		Mathematics, statistics	
centimeter	cm	Alaska Administrative		all standard mathematical	
deciliter	dL	Code	AAC	signs, symbols and	
gram	g	all commonly accepted		abbreviations	
hectare	ha	abbreviations	e.g., Mr., Mrs.,	alternate hypothesis	H_A
kilogram	kg		AM, PM, etc.	base of natural logarithm	e
kilometer	km	all commonly accepted		catch per unit effort	CPUE
liter	L	professional titles	e.g., Dr., Ph.D.,	coefficient of variation	CV
meter	m		R.N., etc.	common test statistics	(F, t, χ^2, etc)
milliliter	mL	at	@	confidence interval	CI
millimeter	mm	compass directions:		correlation coefficient	
		east	Е	(multiple)	R
Weights and measures (English)		north	N	correlation coefficient	
cubic feet per second	ft ³ /s	south	S	(simple)	r
foot	ft	west	W	covariance	cov
gallon	gal	copyright	©	degree (angular)	0
inch	in	corporate suffixes:		degrees of freedom	df
mile	mi	Company	Co.	expected value	E
nautical mile	nmi	Corporation	Corp.	greater than	>
ounce	OZ	Incorporated	Inc.	greater than or equal to	≥
pound	lb	Limited	Ltd.	harvest per unit effort	HPUE
quart	qt	District of Columbia	D.C.	less than	<
yard	yd	et alii (and others)	et al.	less than or equal to	≤
		et cetera (and so forth)	etc.	logarithm (natural)	ln
Time and temperature		exempli gratia		logarithm (base 10)	log
day	d	(for example)	e.g.	logarithm (specify base)	log _{2,} etc.
degrees Celsius	°C	Federal Information		minute (angular)	•
degrees Fahrenheit	°F	Code	FIC	not significant	NS
degrees kelvin	K	id est (that is)	i.e.	null hypothesis	H_{O}
hour	h	latitude or longitude	lat. or long.	percent	%
minute	min	monetary symbols		probability	P
second	S	(U.S.)	\$, ¢	probability of a type I error	
		months (tables and		(rejection of the null	
Physics and chemistry		figures): first three		hypothesis when true)	α
all atomic symbols		letters	Jan,,Dec	probability of a type II error	
alternating current	AC	registered trademark	®	(acceptance of the null	
ampere	A	trademark	ТМ	hypothesis when false)	β
calorie	cal	United States		second (angular)	"
direct current	DC	(adjective)	U.S.	standard deviation	SD
hertz	Hz	United States of		standard error	SE
horsepower	hp	America (noun)	USA	variance	
hydrogen ion activity	T.T	U.S.C.	United States	population	Var
(negative log of)	pН		Code	sample	var
, ,	рп	U.S. state	use two-letter	sample	var
(negative log of)	•	U.S. state	use two-letter abbreviations	sample	var
(negative log of) parts per million	ppm ppt, ‰	U.S. state	use two-letter	sample	var
(negative log of) parts per million	ppm ppt,	U.S. state	use two-letter abbreviations	sample	var

REGIONAL OPERATIONAL PLAN NO. ROP.CF.1J.2021.07

SOUTHERN SOUTHEAST INSIDE (CLARENCE STRAIT) SABLEFISH LONGLINE SURVEY

by

Erica T. Ebert Alaska Department of Fish and Game, Division of Commercial Fisheries, Petersburg

and

Rhea K. Ehresmann Alaska Department of Fish and Game, Division of Commercial Fisheries, Sitka

> Alaska Department of Fish and Game Division of Commercial Fisheries 16 Sing Lee Alley, Petersburg, AK 99833

> > June 2021

The Regional Operational Plan Series was established in 2012 to archive and provide public access to operational plans for fisheries projects of the Divisions of Commercial Fisheries and Sport Fish, as per joint-divisional Operational Planning Policy. Documents in this series are planning documents that may contain raw data, preliminary data analyses and results, and describe operational aspects of fisheries projects that may not actually be implemented. All documents in this series are subject to a technical review process and receive varying degrees of regional, divisional, and biometric approval, but do not generally receive editorial review. Results from the implementation of the operational plan described in this series may be subsequently finalized and published in a different department reporting series or in the formal literature. Please contact the author if you have any questions regarding the information provided in this plan. Regional Operational Plans are available on the Internet at: http://www.adfg.alaska.gov/sf/publications/

Product names used in this publication are included for completeness and do not constitute product endorsement. The Alaska Department of Fish and Game does not endorse or recommend any specific company or their products.

Erica T. Ebert Alaska Department of Fish and Game, Division of Commercial Fisheries, 16 Sing Lee Alley, Petersburg, AK 99833

Rhea K. Ehresmann Alaska Department of Fish and Game, Division of Commercial Fisheries, 304 Lake St. Ste. 103, Sitka, Alaska 99835

This document should be cited as follows:

Ebert, E. T., and R. K. Ehresmann. 2021. Southern Southeast Inside (Clarence Strait) sablefish longline survey. Alaska Department of Fish and Game, Division of Commercial Fisheries, Regional Operational Plan No. ROP.CF.1J.2021.07, Petersburg.

The Alaska Department of Fish and Game (ADF&G) administers all programs and activities free from discrimination based on race, color, national origin, age, sex, religion, marital status, pregnancy, parenthood, or disability. The department administers all programs and activities in compliance with Title VI of the Civil Rights Act of 1964, Section 504 of the Rehabilitation Act of 1973, Title II of the Americans with Disabilities Act (ADA) of 1990, the Age Discrimination Act of 1975, and Title IX of the Education Amendments of 1972.

If you believe you have been discriminated against in any program, activity, or facility please write:

ADF&G ADA Coordinator, P.O. Box 115526, Juneau, AK 99811-5526 U.S. Fish and Wildlife Service, 4401 N. Fairfax Drive, MS 2042, Arlington, VA 22203 Office of Equal Opportunity, U.S. Department of the Interior, 1849 C Street NW MS 5230, Washington DC 20240

The department's ADA Coordinator can be reached via phone at the following numbers: (VOICE) 907-465-6077, (Statewide Telecommunication Device for the Deaf) 1-800-478-3648, (Juneau TDD) 907-465-3646, or (FAX) 907-465-6078

For information on alternative formats and questions on this publication, please contact: ADF&G, Division of Sport Fish, Research and Technical Services, 333 Raspberry Rd, Anchorage AK 99518 (907) 267-2375

Signature Page

Project Title: Southern Southeast Inside (Clarence Strait) Sablefish

Longline Survey

Project leader(s): Erica T. Ebert

Division, Region and Area: Commercial Fisheries, Region 1, Petersburg

Project Nomenclature: TF-187 TF SE Groundfish

Period Covered: 2021

Field Dates: 12 May-23 May

Plan Type: Category I

Approval

Title	Name	Signature	Date
Project leader	Erica T. Ebert		06/18/2021
Research Coordinator	Andrew P. Olson		06/18/2021

TABLE OF CONTENTS

	rage
LIST OF TABLES	iii
LIST OF FIGURES	iii
LIST OF APPENDICES	iv
PURPOSE	1
BACKGROUND	1
OBJECTIVES	2
METHODS	2
Survey Design	2
Data Collection	4
Hook Accounting	
Biological Sampling Vessel safety	
SCHEDULE AND DELIVERABLES	
RESPONSIBILITIES	
REFERENCES CITED	
TABLES	11
FIGURES	17
APPENDICES	23
LIST OF TABLES	
	Page
1. Gear history of the Southern Southeast Inside (SSEI) Subdistrict longline survey from 1988 to 2020. Gear was standardized in 2000, and no survey was conducted in 2005.	12
Southern Southeast Inside (SSEI) Subdistrict survey master station list.	
3. Station catch per unit effort (CPUE; sablefish per hook) and average sablefish weight (kg) from the	
2018 to 2020 Southern Southeast Inside (SSEI) Subdistrict longline surveys with average for all 3 years. In 2019, 5 stations were not fished during the survey due to time constraints of only having 1	
charted vessel conducting the survey.	16
LIST OF FIGURES	
Figure	Page
1. Southeast District groundfish management area boundaries in Southeast Alaska waters excluding	O
lingcod and black rockfish: Icy Bay Subdistrict (IBS), East Yakutat (EYKT) Section, Northern Southeast Outside (NSEO) Section, Central Southeast Outside (CSEO) Section, Southern Southeast	
Outside (SSEO) Section, Northern Southeast Inside (NSEI) Subdistrict and Southern Southeast Inside	;
(SSEI) Subdistrict.	18
 Southern Southeast Inside (SSEI) survey station locations before and after 2013 survey redesign. Eastern cut sablefish. 	
	20
 Female sablefish maturity guide. Male sablefish maturity guide. 	21

LIST OF APPENDICES

Appe	ndix	Page
Ā.	Vessel information form	24
B.	Survey set form.	25
C.	Daily log form.	26
D.	At-Sea Electronic Sampling (ACES) main application screen	
E.	At-Sea Electronic Sampling (ACES) set information screen.	
F.	At-Sea Electronic Sampling (ACES) coordinate and time screen, and ACES depth screen for the first	
	anchor	29
G.	At-Sea Electronic Sampling (ACES) hook accounting screen and species screen	30
H.	Hook accounting paper form.	31
I.	Hook conditions and dispositions assigned as the hook breaks the water surface.	32
J.	Vessel summary form	
K.	Main screen for Groundfish at-sea survey sampling application and notes/otolith comments pop-up	
	menu.	34
L.	Sablefish biological data collection form.	
M.	Example of 24-cell sablefish otolith tray label (front and back) and information written on front of	
	completed 24-cell sablefish otolith tray	36
N.	Deck tag recovery form.	
O.	Survey tag recovery form.	
P.	Vessel safety checklist form.	
Q.	Vessel diagram form.	41

PURPOSE

This regional operational plan details the methodology for the annual Southern Southeast Inside (SSEI) Subdistrict sablefish *Anoplopoma fimbria* longline survey. The longline survey's primary objective is to estimate the relative abundance of sablefish through documentation of catch per unit effort (CPUE) at fixed random stations in the SSEI Subdistrict. In addition, department personnel collect fishery independent biological data (age, length, weight, and maturity) of sablefish during the longline survey. The survey results are used in conjunction with fishery CPUE, biological information, and regional trends in sablefish populations to establish the SSEI annual harvest objective (AHO).

BACKGROUND

Sablefish are found in the northeastern Pacific Ocean, ranging from Baja, California to the Aleutian Islands and into the Bering Sea (Mecklenburg et al. 2002). Adult sablefish inhabit the deep waters of the continental shelf, slope, and coastal fjords. While most adults live at depths ranging from 366 m to 914 m [200 to 500 fathoms (fm)], sablefish have been captured at depths over 1,829 m (1,000 fm; Allen and Smith 1988). Sablefish are a long-lived species and have been aged to at least 94 years old in Alaska waters (Munk 2001); however, sablefish captured by the commercial fisheries in Southeast Alaska are often not older than 20 years (Mueter 2010).

The sablefish fishery within the Southern Southeast Inside (SSEI) Subdistrict waters (Figure 1) dates to the early 1900s, with the fishery becoming a regular feature in annual reports by 1935, and regulations governing the fishery passing in 1945 (Barry Bracken, Groundfish Project Leader, ADF&G Commercial Fisheries Management and Development Division, Petersburg, memorandum to Carl Rosier, Commissioner, ADF&G, Juneau, June 17, 1994). While the fishery remained small in comparison to the Northern Southeast Inside (NSEI) Subdistrict sablefish fishery, by 1973 it became a developed fishery that was prosecuted utilizing longline and pot gear (Holum and Coonradt 2005). The original SSEI Subdistrict consisted of Clarence Strait, Sumner Strait, Behm Canal, Ernest Sound, the outer coast of Prince of Wales Island, and a portion of southern Frederick Sound. The waters of Dixon Entrance were not formally recognized by the State of Alaska as part of the SSEI Subdistrict until 1983 (Holum and Coonradt 2005). As fleet effort and efficiency increased and the number of fishery days decreased over the next decade, the equal quota share (EQS) management system was implemented in 1997, with 30 longline permits and 5 pot permits authorized to fish SSEI (Holum and Coonradt 2005). The EQS system with limited entry being used to manage the SSEI sablefish fishery with a maximum of 22 permits allowed to fish since 2019.

Sablefish stock assessment surveys in the SSEI Subdistrict began in 1979; however, these surveys were not standardized (Holum and Coonradt 2005). In 1988, the Alaska Department of Fish and Game (ADF&G) began conducting an annual standardized longline research survey in SSEI to assess the relative abundance of sablefish over time. Fixed sampling stations were randomly assigned within 3 statistical areas in Clarence Strait (325531, 315502, 315432) where most of the fishing effort was focused, with each statistical area considered a separate stratum (Stahl et al. 2014). Survey stations were added to Dixon Entrance in 1996 as commercial fishery effort shifted over time (Figure 2). In 1997, survey methods were standardized to the National Marine Fisheries Service (NMFS) sablefish longline survey, which included switching bait from herring to cut squid and modifying survey soak times from 1 hour to a minimum of 3 hours and maximum of 11 hours (Sigler 2000). Furthermore, in 2000 the department began using standardized skates of conventional longline gear built to similar specifications as NMFS longline survey gear (Table 1; O'Connell et al. 2002). This gear consisted of 2 m (78 in) spacing

of hooks attached to the groundline with 38 cm (15 in) gangions with beckets (Carlile et al. 2002).

In 2013, the SSEI survey was redesigned to improve the spatial coverage of the survey relative to the fishery as commercial harvest shifted from Clarence Strait into Dixon Entrance (Stahl and Baldwin 2013). Survey stations were proportionally allocated relative to the area of sablefish habitat by strata, with statistical areas included in the redesign that had 3% or more of the commercial fishery harvest on average from 2003 to 2012 (Stahl et al. 2014). The survey redesign also included increasing the minimum distance between stations to 5,400 m based on the average set length of 3,000 m and the distance sablefish can detect bait odor after 1 hour of soaking (1,200 m; Løkkeborg et al. 1995; Sigler 2000). The overall number of survey stations decreased from 37 to 29 stations in 2013, to maintain both the proportional allocation scheme by strata and to accommodate additional survey time needed to survey the more exposed stations in the Dixon Entrance area (Figure 2; Stahl et al. 2014).

OBJECTIVES

- 1. Collect CPUE data to estimate relative abundance of sablefish in the SSEI Subdistrict.
- 2. Collect biological data (otoliths, fork length, weight, sex, and maturity) from 550 sablefish during the survey.
- 3. Measure an additional 550 sablefish (fork length) during the survey.
- 4. Identify and enumerate, to the lowest possible taxonomic group, all species captured on longline gear during the survey.

METHODS

SURVEY DESIGN

A total of 29 longline survey stations (Table 2) have been fished in the annual survey since 2013; however, in 2016 and 2017, a total of 28 stations were fished, and in 2019, 24 stations were fished due to time constraints with having only 1 chartered vessel conducting the survey. Typically, 2 vessels are chartered to conduct the annual survey; one is assigned to trip 1, fishing the northern portion (15 stations) of the survey, and the other is assigned to trip 2, fishing the southern portion (14 stations). Timing of the survey is based on the most favorable tide series (i.e., smallest difference between low and high tides) occurring between late April and May. In the event of weather or mechanical delays, the duration of the survey may be extended to a maximum of 14 days.

Each vessel is staffed with 2 scientific ADF&G crew members, 1 of whom is assigned as crew leader. ADF&G staff are responsible for data collection and entry, as well as the adherence to survey protocols outlined in this document. The vessel crew consists of a captain (skipper) and 3 experienced crewmen. The skipper is responsible for general navigation, crew supervision, and control of the vessel. The vessel fishing the northern portion of the survey sets gear at 3 stations per day for 5 days, and the vessel fishing the southern portion of the survey sets gear at 3 stations per day for 4 days and has 1 day in which only 2 stations are fished. The skipper on this trip selects the shorter day at their discretion. The ADF&G crew leader on each vessel works with the skipper to adjust the number of sets fished per day to accommodate changes in weather, whale depredation, problems with gear or the vessel, or other issues that arise. If winds exceed

25 knots, fishing operations may be suspended to provide for the safety of crew and to prevent deterioration of data quality due to loss of fish in rough seas.

One longline set occurs at each station, and each set consists of 25 standardized 100 m (approximately 55 fm) skates of medium lay 1 cm (3/8 in) American SSR 100 nylon line. A skate consists of 45 Mustad® 39965D #13/0 circle hooks attached approximately 38 cm (15 in) from the groundline with a becket (#72 medium lay twine) and gangion (#60 medium lay round braid twine), and hooks are spaced 2 m (78 in) apart for a total of 1,125 hooks per set. There are 5 m (16 ft) of bare groundline at each skate end, including a spliced 46 cm (18 in) long loop at either end for connecting skates. Skates are weighted with a 3.2 kg (7 lb) cannonball connected by heavy gangion line to a longline snap, which is then attached to the loop at each skate end for a total of 26 weights per set. The end of each set is connected to 366 meters (200 fathoms) of running line, a 27 kg (60 lb) longline anchor, and buoy line with buoys and a "highflyer" flagpole. New hooks are attached to the gear at the start of each survey. Bent or broken hooks are replaced throughout the survey to allow for equal catchability on all hooks. The vessel crew is responsible for overhauling the gear after each set and ensuring the gear remains in good condition throughout the survey.

Each vessel receives 1,043 kg (2,300 lb) of squid for bait. ADF&G staff calculates the rate of bait used at the first 3 stations to ensure enough bait is available to fish all survey stations. The rate of use is approximately 5.7 kg (12.5 lb) per 100 hooks. Bait must be freshly cut squid, thawed no more than 24 hours prior to use. Squid bait is cut into 3.8 cm to 5 cm (1.5 in to 2 in) pieces. The head and the tentacles of the squid are discarded, using only the mantle and viscera of the squid as bait. Staff records details of the vessel, crew, and bait usage on the Vessel Information Form (Appendix A).

Pre-printed Survey Set Forms (Appendix B) for each station are provided and completed with trip number, station number, statistical area, and start and end coordinates for each set. It is at the skipper's discretion which end is set first based on ocean and tide conditions. All attempts are made to set between the 2 locations; however, the current or weather may force a deviation from course to fish the gear appropriately. If it is necessary to set differently, the set should be made as close to the original location points as possible. The start and end positions for each set are the locations where the anchors are deployed overboard. Any problems, unforeseen events, skipper comments, and start and end of the workday should be documented on the Daily Log Form (Appendix C).

Sets soak between 3 to 11 hours, as measured from second anchor overboard to first anchor on board. The length of soak is at the skipper's discretion and depends on weather, killer whale *Orcinus orca* or sperm whale *Physeter macrocephalus* depredation, presence of hagfish Myxinidae or sand fleas Lysianassoidea, or other boat traffic in the area. No more than 2 sets should be in the water at any time to reduce loss of fish to sand fleas. Seabird avoidance devices are required when setting gear in statistical areas 325431 and 325401. This includes trip 1 station 123 and trip 2 stations 124, 125, 126, 127, 128, and 129 located in the Dixon Entrance area (Table 2).

The vessel provides a crewman who operates the roller to haul each set. Prior to hauling gear, a 46 cm (18 in) mark is placed on the railing next to the roller so the operator can measure undersized fish. Sablefish less than the 46 cm (18 in) mark may be gently released at the roller due to low market value and to allow for future spawning potential. All other sablefish, rockfish

(Sebastes sp.), and Pacific cod (Gadus macrocephalus) are to be retained for sale. Thornyhead rockfish (Sebastolobus sp.) that appear healthy are released, while dead or mortally injured thornyhead rockfish are retained for sale. All other catch is carefully released with minimum damage. Fish returned to the water are not to be gaffed or allowed to go through the brushes or a crucifier. Vessels with unfilled Pacific halibut (Hippoglossus stenolepis) individual fishing quota (IFQ) on board may retain legal halibut up to their IFQ amount; however, vessels without halibut IFQ must immediately release all Pacific halibut. A reasonable effort should be made to untangle live Pacific sleeper sharks (Somniosus pacificus) prior to moving on to other methods of separating the shark from the gear.

DATA COLLECTION

Hook Accounting

One ADF&G staff member records detailed set information during deployment and retrieval (haulback) of each set on the Survey Set Form (Appendix B) and on the tablet using the At-Sea Electronic Sampling (ACES) application (Appendix D). These forms capture the weather condition while setting, time of deployment and retrieval for anchors and buoys, and depths of each anchor and skate (Appendices E and F). The staff member who completes these forms while setting and hauling gear is also responsible for the hook accounting component of that set. This staff member must position themself in a location where they have an unrestricted view of the intersection of the longline gear and the ocean surface to begin tallying the hooks of the set using the ACES hook accounting application (Appendix G). The staff member keeps a set of paper Hook Accounting Forms (Appendix H) nearby in a clipboard in case the tablet fails, or if weather (rain) does not allow for using the tablet for hook accounting. It is the responsibility of the person conducting the hook accounting to identify and enumerate, to the lowest possible taxonomic group, all species captured on longline gear during the survey. The other ADF&G staff, who is collecting biological samples on deck, should document any irregularities or issues that the other staff person encounters on all-weather paper. This procedure allows the hauling of gear to remain uninterrupted throughout the set.

The roller should be operated at a speed and in a manner to allow accurate tallies. Staff should request that the gear be slowed or stopped if additional time is needed to document the disposition of hooks. Hooks are assigned a code based on their status as the hook breaks the surface of the water. See Appendix I for hook categories and disposition combinations utilized during the SSEI longline survey. If a fish becomes separated from the hook below the water surface, the hook is tallied as either a bare or baited hook. A hook returning with 2 fish attached as the hook breaks the surface is considered a "re-bite" and only the original fish is counted in the hook count tally, while the second fish is noted by species in the skate comment section as a "re-bite." Thornyhead rockfish are released on the SSEI survey if alive and healthy; however, if a thornyhead cannot be released alive and is retained onboard, there is not an option in the ACES application to document that disposition. Instead, staff should select discard thornyhead and flag the note box on the ACES hook accounting screen, noting the number of thornyhead rockfish retained on that skate. While finalizing sets at the end of the day, staff must change those discard thornyhead tallies with flagged notes to retained thornyhead rockfish tallies.

As hooks are being tallied, every 10th sablefish is set aside for biological sampling. The sample rate calls for the collection of the first sablefish of the set and every 10th sablefish thereafter for the first 20 skates of each set. This systematic sampling design helps reduce bias regarding which

fish are sampled. The sample rate can be adjusted depending on the harvest of the first 2 days of the survey to ensure that the goal of 550 samples is reached. Staff conducting hook accounting alerts the crew member at the roller which specimens should be set aside. If a 10th fish is missed as a sample, the next sablefish is set aside for sampling, and so on. The ACES application emits an audible tone that notifies staff when a sample should be collected based on the number of sablefish tallied. There is also a visual display that provides a countdown to the next sample (Appendix G). In determining the 10th fish to be sampled, only "retained" sablefish and "discard small" sablefish are counted; lost sablefish or those discarded due to fleas, sharks, or other types of damage are not considered, as the fish condition would most likely make the fish unsuitable for sampling. Additional sablefish are collected and measured only for length data. The next sablefish following each regular biological specimen (second sablefish of the set and every 11th sablefish thereafter) is collected and segregated in a separate tub as a "length only" sample. The ACES application emits a different tone to indicate a sablefish is a length sample. This sablefish is also counted as the first fish in the tally toward the next biological sample.

Gear snarls can occur when setting the gear. When a multiple hook snarl is present during haulback, the gear is slowed or stopped. If a snarl involves more than 2 hooks, the snarl check box at the bottom of the ACES hook accounting form is marked (Appendix G). The vessel crewman operating the roller counts the total hooks involved in the snarl as they haul the gear across the roller for staff to record. Staff do not need to differentiate between bare and baited hooks in a snarl; all snarled hooks without fish are considered invalid. All fish present in a snarl are identified to the species level and enumerated appropriately for that skate. The number of invalid hooks is then determined by subtracting the number of fish in the snarl from the total hooks counted in the snarl. Hooks are also assigned the condition "invalid" if they are broken, hooked in the line, hooked to another hook, or missing (a broken gangion). If a skate has 12 or more invalid hooks, that entire skate is considered invalid. A skate may also be considered invalid if whale depredation is evidenced on a given skate or skates. Staff adjusts the status of a skate as invalid when finalizing skates by selecting "Not Valid" under the condition code drop down menu in ACES or by circling "N" under valid on the Hook Accounting form (Appendix H). The invalid skate is noted on the set's comments and any sablefish from an invalid skate are not included in the calculation of that station's CPUE.

If a skate breaks off or the gear is otherwise parted, the number of the skate that parted, as well as the time the end of the skate is retrieved on board, is recorded in the comments on the Survey Set Form (Appendix B). After resuming the haul on the opposite end of the set, staff shall advance the set number in ACES using the forward button to the next sequential skate and start tallying. Staff should continue collecting sablefish biological samples until a total of 20 skates have been sampled and the remaining 5 skates of gear are tallied. Once skate 25 is completed, the ACES screen is paged back to the parted skate to tally any remaining hooks for that subset. The "Date and Time of Second Anchor On board" is recorded on the Survey Set Form (Appendix B) as the time that the second end of the parted gear (end of the final skate hauled) is brought on board. Following the completion of the haul, staff renumbers the skates to keep the hook tallies consistent with the sequence of the original set order. The first skate to the parted skate retain their original skate numbers; the remaining skates are renumbered in reverse order with skate 25 assigned to the skate after which the gear parted and the vessel began hauling the other end of the set.

If more than 25 skates are mistakenly set for a station, the extra skate(s) should be tallied separately as additional skate(s) and are not combined with the hook tally for skate 25. Additional skates in a set are noted in the set's comments and are included in the CPUE calculations on the Vessel Summary Form (Appendix J) for that station.

Should the vessel experience whale depredation with whales actively feeding off the gear, the vessel should cease setting additional gear in the area on that day, as the whales are likely to stay with the vessel until it leaves the area. The presence of orca or sperm whales are documented by selecting the whale box at the bottom of the ACES hook accounting screen for each skate in which whales are present (Appendix G). Any sablefish that appear to be whale-damaged (e.g., sablefish lips or head appears on the hook but no body) are recorded as "Disc. Other" in ACES and then corrected to the appropriate discard status during set data finalization, see below. Gear that is already set will need to be hauled prior to the expiration of the 11-hour soaking period, but the vessel should attempt to discourage additional depredation by traveling away from the set, in hopes that the whale(s) will move on. If that set is depredated, the vessel needs to consider other options prior to proceeding with additional fishing and options to discourage additional interactions should be discussed by the ADF&G crew leader, skipper, and/or project leader. It is believed that sperm whales cue on bubbles caused by cavitation from engine cycling. Techniques that may confuse whales and decrease depredation include reducing engine cycling, setting decoy buoys at least a mile away from set locations, avoiding lingering in the station area after a set is made, and traveling near shore and in shallower water. If feasible, staff should collect photos of the fluke (sperm whale) and left side of dorsal fin (orca) for identification by cetacean researchers.

Once the set's gear is hauled, each set is finalized in the ACES program directly on the tablet used to do the hook accounting. This involves verifying that hook counts are correct for each skate in the set, adding any missing data or comments, changing skate status to invalid when appropriate, correcting errors (misidentification of a species) that were made, editing "Disc. Other" and "unknown" species or codes to the proper selection, and addressing any additional set notes made by the other staff member. For example, sablefish marked as "Disc. Other" due to whale depredation must be changed to "Not marketable due to orca or sperm whale depredation" and noted in the skate comments field along with changing the skate status to invalid due to whale depredation. Skate comments should include any information describing why the skate was not fishing properly: line parting, hang-ups, snarls, the presence of whales, and shark or whale depredation. After reviewing each skate, staff types "verified" along with their initials and the date in the comment section of each skate to confirm data verification. After all skates have been verified, staff must review and verify that ACES has the correct set information (e.g., date and times of setting and hauling, and location of the set), and then should also add their initials and date with "verified" in the set comments. Comments affecting CPUE should be listed first when reporting set information in the set comments, such as too many or too few skates per set and number of invalid skates within the set. Once all 25 skates of a set are verified and set data and comments are verified, the set can be marked as finalized in ACES.

Biological Sampling

While 1 scientific staff member is hook accounting, the other is collecting biological samples. Sablefish biological samples consist of fork length (nearest whole centimeter), weight (nearest 0.1 kg), sex, and maturity and are recorded using the Groundfish At-Sea Survey Sampling application on the tablet (Appendix K); however, the biological sampler should also bring 2

Sablefish Biological Data Collection Forms on deck with them (Appendix L) in the event that the tablet fails. Specimen numbers are assigned sequentially to each sablefish sample with the first sablefish sampled on each set assigned as specimen 1.

After taking a fork length measurement, sablefish are weighed using a Marel[®] electronic motion compensation scale. The scale is calibrated at the start of each set and as sea conditions change. If the Marel[®] scale cannot be properly calibrated due to rough weather or other issues, a hanging scale may be used. When using the hanging scale, weight readings should be taken a second time to reduce misreading due to wave and wind action. Weight collection is skipped if the ocean conditions are not conducive to accurate and repeatable readings with either scale. Some sablefish may ingest water as they are hauled to the surface as evidenced by their swollen appearance. Samplers must purge the water from the fish stomachs prior to recording weight.

Following the collection of length and weight data, staff remove the specimen's otoliths. The otoliths are accessed by making a horizontal cut across the top of the head, about a centimeter deep. The 2 otoliths are in opposing grooves within the cartilage and forward of the brain. The otoliths are removed with forceps and are stored temporarily on deck in 32-unit pill boxes. The pill boxes are numbered from 1 through 32, 33 through 64, 65 through 96, and 97 through 100 and are reused for otoliths from 101 through 200 and so forth. Otolith numbers are assigned consecutively to sablefish with biological data beginning with the first sample collected (otolith 1) and ending with the last sample taken on the final set of the survey. Otolith numbers do not match specimen numbers, which restart numbering with 1 at the start of every set. To assign a specimen an otolith number in the Groundfish At-Sea Survey Sampling application (Appendix K), staff clicks on the "oto" button. Any notes for a sample's otolith condition are made by clicking "Notes" in the Groundfish At-Sea Survey Sampling application and selecting the corresponding condition from the "notes/otolith comments" pop-up menu or by writing in the comments box (Appendix K). Length only sablefish samples are not included in the otolith number sequence. The sampler should continually verify that the otolith number on the sampling form and tablet application matches the cell's lid number on the pill box to avoid errors in sequencing.

Otoliths are cleaned daily to avoid compromising otolith storage capacity on deck and to reduce the chance of sample loss due to accidental spillage. Otoliths should be cleaned at the end of the day inside the vessel cabin by immersing individual pairs in a small bowl of water to remove any remaining blood or tissue and gently dabbing them using a paper towel. No more than one pair of otoliths should be cleaned or removed from their pill box cell at a time to avoid accidental mixing. Staff should ensure notes recorded for otoliths on paper and in the sampling application (e.g., no otoliths, 1 otolith lost, etc.) match the number and condition of otoliths they are cleaning before placing them in the long-term storage 24-cell trays, which are labeled with trip information and specimen numbers (Appendix M). If no otoliths were collected for a specimen, the corresponding cell is left empty and uncapped. Any otolith sequence issues or abnormalities with the otoliths while collecting, cleaning, or storing the otoliths must be fully documented on the sampling application. Any questionable otoliths are noted and addressed in port with the Age Determination Unit (ADU).

After otoliths are extracted, sex and maturity data are collected by examining the specimen's gonads macroscopically. Sablefish are cut and dressed (eastern cut) to industry standards (Figure 3) to view the gonads. Male specimens are recorded with sex code "01" and females with code "02." A code of "00" is assigned to those specimens where the sex is not observed, and code

"99" to those that are indiscernible. Maturity is coded according to 1 of 2 stages, immature "01" or mature "07" (Figures 4 and 5). Sablefish with undeveloped gonads that have not previously spawned are assigned as immature. Fish with gonads that are developed and have spawned or are prepared to spawn are recorded as mature. Questionable gonads should be saved to review with the other staff member after the set's haulback and hook accounting is complete. After sex and maturity data are recorded for a fish, the fish is cleaned with a scraper, rinsed with a deck hose, and then iced in a fish hold separate from round fish.

All tagged sablefish encountered on the survey are retained and the tag number, biological data, and set number are recorded on the Deck Tag Recovery Form (Appendix N). If a tagged fish was designated as a biological sample, the individual is treated like a random biological sample and the otoliths are included in the survey's otolith series. The tag number is also noted in the comments section of the sampling application or the paper sample form for that specimen. Tags are removed from the fish and secured in a safe place (e.g., small sealable plastic bag or in an unused cell of the otolith pill box) on deck until the set is completed. Tags and associated information are then transferred to the Survey Tag Recovery Form (Appendix O) inside the vessel cabin in between sets or at the end of the day. If tags from other agencies are recovered (NMFS, ADF&G Homer, Fisheries and Oceans Canada Pacific Biological Station, or Japan), biological data (length, weight, sex, maturity, and otoliths) are collected from the tagged fish and mailed with the tag to the respective agency upon return to port. These otoliths are stored separately and not included in the survey's otolith number sequence, unless they were collected as part of the systematic sampling.

At the end of each day, the Vessel Summary Form (Appendix J) is filled out for the stations fished that day. The form captures the CPUE and the average sablefish weight for each station. A cumulative estimate of the catch weight is calculated to give the processor an estimate of landing size on offload days. The CPUE and average weights can also be compared by station for the previous 3 surveys to estimate relative catches and to facilitate adjusting biological sample rates if needed (Table 3).

VESSEL SAFETY

The safety of department staff is of utmost importance and ADF&G staff can terminate a survey at any time if they feel that the vessel is unsafe or that the skipper is making poor decisions. If there is a situation on the vessel in which survey crew are in danger, the Garmin inReach® satellite communication device is utilized to contact the appropriate safety contacts for the current year's survey. If the situation warrants immediate response, staff should contact the United States Coast Guard (USCG) directly. If staff are unsure whether a situation constitutes a safety concern, they should: 1) address the concern with the skipper, 2) contact the land-based safety contact and Groundfish Project Leader, and 3) document the circumstances as the situation allows, utilizing photos or videos if necessary.

Each survey binder has a Vessel Safety Checklist Form (Appendix P) that must be completed with the skipper prior to the vessel leaving the dock along with a Vessel Diagram Form (Appendix Q). The crew leader ensures that ADF&G staff have a safety orientation with the skipper that covers location and operation of the life raft, fire extinguishers, and other safety equipment. The Vessel Diagram Form illustrates locations of the necessary safety equipment and allows staff to orient themselves with the working space on deck. Staff are told where to report in an emergency and the best location to store their survival suits. Survey staff must wear a

personal flotation device (PFD) while on deck. A personal locator beacon (PLB) is assigned to each ADF&G staff on each vessel and are stored in an accessible location of their choice. Staff and PLB assignments are documented and sent to the appropriate shoreside safety contacts in the event that one is activated. The PLBs are manually activated and send a signal to the USCG once activated.

Survey vessels must notify a designated land contact between 8:00 AM and 3:00 PM of the vessel's status each day of the survey via an inReach® device. If a vessel has not contacted the land contact by 3:00 PM each day, the USCG will be notified of the situation at 907-463-2990. Additionally, each crew leader is responsible for conducting a daily check-in with the survey coordinator every morning via inReach® devices. The daily check-in should include each staff member's daily safety and wellbeing report, as organized each year by the survey coordinator. In addition, this daily check-in provides the opportunity to pass on any additional information or to ask questions. The inReach® devices have text message capabilities, and crew leaders utilize text messaging to communicate with other staff as needed. Crew leaders may communicate with each other using personal phones when adequate coverage is available. Survey vessel skippers may also be in communication by very high frequency (VHF) radio or TracFone®3 dependent on proximity. ADF&G staff are not authorized to use the vessel's radios or phones unless given direct permission by the skipper.

SCHEDULE AND DELIVERABLES

The SSEI longline survey coordinator will begin planning the annual longline survey in March, including ensuring two charted vessels are contracted, opening a fish buy bid to local processors, organizing gear, and training ADF&G staff using the protocols outlined in this document. Charted vessel skippers and ADF&G staff assigned to the longline survey are provided with survey gear and materials prior to the survey departure. The SSEI longline survey is then conducted in late April or early May.

RESPONSIBILITIES

- Erica Ebert, Fishery Biologist I, Survey Coordinator and Crew Leader. Oversight of all aspects of the project, including operational planning, equipment inventory, ADF&G survey staff training, participation in survey, and data review.
- Rhea Ehresmann, Fishery Biologist III, Groundfish Project Leader. Assists in oversight of all aspects of the project and utilizes survey results for the stock assessment the following year.
- Aaron Baldwin, Fishery Biologist II, Crew Leader. Responsible for collecting data during the survey as outlined in this document and assisting ADF&G crew as needed while conducting the survey.
- Elisa Teodori, Fish and Wildlife Technician IV, Crew. Responsible for collecting data during the survey as outlined in this document.
- Madison Bargas, Fish and Wildlife Technician III, Crew. Responsible for collecting data during the survey as outlined in this document.

REFERENCES CITED

- Allen, M. J., and G. B. Smith. 1988. Atlas and zoogeography of common fishes in the Bering Sea and northeastern Pacific. NOAA Technical Report NMFS 66.
- Carlile, D. W., B. Richardson, M. Cartwright, and V. M. O'Connell. 2002. Southeast Alaska sablefish stock assessment activities 1988-2001. Alaska Department of Fish and Game, Division of Commercial Fisheries, Regional Information Report No. 1J02-02, Juneau.
- Holum, D. D., and E. E. Coonradt. 2005. The Southeast Alaska Southern Southeast inside sablefish fishery information report with outlook to the 2005 fishery. Alaska Department of Fish and Game, Fishery Management Report No. 05-26, Anchorage.
- Løkkeborg, S., Olla, B. L., Pearson, W. H., and M. W. Davis. 1995. Behavioral responses of sablefish, Anoplopoma fimbria, to bait odour. Journal of Fish Biology 46:142–155.
- Mecklenburg, C. W., T. A. Mecklenburg, and L. K. Thorsteinson. 2002. Fishes of Alaska. American Fisheries Society, Bethesda, Maryland.
- Mueter, F. 2010. Evaluation of stock assessment and modeling options to assess sablefish population levels and status in the Northern Southeast Inside (NSEI) management area. Alaska Department of Fish and Game, Special Publication No. 10-01, Anchorage.
- Munk, K. M. 2001. Maximum ages of groundfish in waters off Alaska and British Columbia and considerations of age determination. Alaska Fishery Research Bulletin 8(1):12–21.
- O'Connell, V., E. E. Coonradt, B. Richardson, M. Vaughn, D. Holum, C. Brylinsky, and K. Carroll. 2002. 1999-2001 Report to the Board of Fisheries, Region 1 groundfish fisheries, Region 1: Southeast Alaska-Yakutat. Alaska Department of Fish and Game, Division of Commercial Fisheries, Regional Information Report No. 1J02-46, Juneau.
- Sigler, M. F. 2000. Abundance estimation and capture of sablefish (Anoplopoma fimbria) by longline gear. Canadian Journal of Fisheries and Aquatic Sciences 57(6):1270–1283.
- Stahl, J. P., and A. Baldwin. 2013. 2012 NSEI (Northern Southeast Inside Subdistrict) sablefish mark-tag survey. Alaska Department of Fish and Game, Fishery Data Series No. 13-29, Anchorage.
- Stahl, J. P., K. Carroll, and K. Green. 2014. Southern Southeast Inside commercial sablefish fishery and survey activities in Southeast Alaska, 2013. Alaska Department of Fish and Game. Fishery Management Report No. 14-39, Anchorage.

TABLES

Table 1.—Gear history of the Southern Southeast Inside (SSEI) Subdistrict longline survey from 1988 to 2020. Gear was standardized in 2000, and no survey was conducted in 2005.

Year	ADF&G number	Vessel name	Gear type	Skate length (m)	Hook size	Hook spacing (m)	Tied gangion length (cm)	Bait	Skates per set	Hooks per skate	Soak time (hrs)
1988	41440	Isis	Snap	300	13 C	3	25	Herring	10	100	1
1989	41440	Isis	Snap	300	13 C	3	25	Herring	5	100	1
1990	99999	Isis	Snap	300	13 C	3	25	Herring	5	100	1
1991	99999	Isis	Snap	300	13 C	3	25	Herring	5	100	1
1992	41440	Isis	Snap	300	13 C	3	25	Herring	5	100	1
1993	99999	Isis	Snap	300	13 C	3	25	Herring	5	100	1
1994	99941	Medeia	Snap	300	13 C	3	25	Herring	5	100	1
1995	99941	Medeia	Snap	300	13 C	3	25	Herring	5	100	1
1996	99941	Medeia	Snap	300	13 C	3	25	Herring	5	100	1
1997	44450	Cherokee	Conv.	182.9	13 C	1.8	36	Cut Squid	15	100	3 to 11
	45211	Providence	Conv.	182.9	13 C	1.6	23	Cut Squid	15	100	3 to 11
1998	41043	Jennifer Lee	Conv.	164.6	13 C	1.6	28	Cut Squid	11	100	3 to 11
	45211	Providence	Conv.	182.9	13 C	1.6	23	Cut Squid	11	100	3 to 11
1999	41043	Jennifer Lee	Conv.	164.6	13 C	1.6	28	Cut Squid	11	100	3 to 11
	45211	Providence	Conv.	168.3	13 C	1.6	23	Cut Squid	11	100	3 to 11
2000	41043	Jennifer Lee	Conv.	100	13 C	2	38	Cut Squid	25	45	3 to 11
	45211	Providence	Conv.	100	13 C	2	38	Cut Squid	25	45	3 to 11
2001	41043	Jennifer Lee	Conv.	100	13 C	2	38	Cut Squid	25	45	3 to 11
	45211	Providence	Conv.	100	13 C	2	38	Cut Squid	25	45	3 to 11
2002	41043	Jennifer Lee	Conv.	100	13 C	2	38	Cut Squid	25	45	3 to 11
	45211	Providence	Conv.	100	13 C	2	38	Cut Squid	25	45	3 to 11
2003	41043	Jennifer Lee	Conv.	100	13 C	2	38	Cut Squid	25	45	3 to 11
	45211	Providence	Conv.	100	13 C	2	38	Cut Squid	25	45	3 to 11
2004	41043	Jennifer Lee	Conv.	100	13 C	2	38	Cut Squid	25	45	3 to 11
	45211	Providence	Conv.	100	13 C	2	38	Cut Squid	25	45	3 to 11

-continued-

Table 1.—Page 2 of 3.

Year	ADF&G number	Vessel name	Gear type	Skate length (m)	Hook size	Hook spacing (m)	Tied gangion length (cm)	Bait	Skates per set	Hooks per skate	Soak time (hrs)
2006	41043	Jennifer Lee	Conv.	100	13 C	2	38	Cut Squid	25	45	3 to 11
	41022	Viking Maid	Conv.	100	13 C	2	38	Cut Squid	25	45	3 to 11
2007	33468	Masonic	Conv.	100	13 C	2	38	Cut Squid	25	45	3 to 11
	45211	Providence	Conv.	100	13 C	2	38	Cut Squid	25	45	3 to 11
2008	45211	Providence	Conv.	100	13 C	2	38	Cut Squid	25	45	3 to 11
	41022	Viking Maid	Conv.	100	13 C	2	38	Cut Squid	25	45	3 to 11
2009	33468	Masonic	Conv.	100	13 C	2	38	Cut Squid	25	45	3 to 11
	45211	Providence	Conv.	100	13 C	2	38	Cut Squid	25	45	3 to 11
2010	45211	Providence	Conv.	100	13 C	2	38	Cut Squid	25	45	3 to 11
	41022	Viking Maid	Conv.	100	13 C	2	38	Cut Squid	25	45	3 to 11
2011	33468	Masonic	Conv.	100	13 C	2	38	Cut Squid	25	45	3 to 11
	41022	Viking Maid	Conv.	100	13 C	2	38	Cut Squid	25	45	3 to 11
2012	45211	Providence	Conv.	100	13 C	2	38	Cut Squid	25	45	3 to 11
	41022	Viking Maid	Conv.	100	13 C	2	38	Cut Squid	25	45	3 to 11
2013	45211	Providence	Conv.	100	13 C	2	38	Cut Squid	25	45	3 to 11
	41022	Viking Maid	Conv.	100	13 C	2	38	Cut Squid	25	45	3 to 11
2014	45211	Providence	Conv.	100	13 C	2	38	Cut Squid	25	45	3 to 11
	41022	Viking Maid	Conv.	100	13 C	2	38	Cut Squid	25	45	3 to 11
2015	45211	Providence	Conv.	100	13 C	2	38	Cut Squid	25	45	3 to 11
	41022	Viking Maid	Conv.	100	13 C	2	38	Cut Squid	25	45	3 to 11
2016	52119	Providence	Conv.	100	13 C	2	38	Cut Squid	25	45	3 to 11
	41022	Viking Maid	Conv.	100	13 C	2	38	Cut Squid	25	45	3 to 11
2017	45211	Providence	Conv.	100	13 C	2	38	Cut Squid	25	45	3 to 11
	33468	Masonic	Conv.	100	13 C	2	38	Cut Squid	25	45	3 to 11

-continued-

Table 1.—Page 3 of 3.

	ADF&G		Gear	Skate	Hook	Hook	Tied gangion		Skates	Hooks per	Soak time
Year	number	Vessel name	type	length (m)	size	spacing (m)	length (cm)	Bait	per set	skate	(hrs)
2018	33468	Masonic	Conv.	100	13 C	2	38	Cut Squid	25	45	3 to 11
	45211	Providence	Conv.	100	13 C	2	38	Cut Squid	25	45	3 to 11
2019	45211	Providence	Conv.	100	13 C	2	38	Cut Squid	25	45	3 to 11
2020	45211	Providence	Conv.	100	13 C	2	38	Cut Squid	25	45	3 to 11
	59664	Sisu	Conv.	100	13 C	2	38	Cut Squid	25	45	3 to 11
2021	45211	Providence	Conv.	100	13 C	2	38	Cut Squid	25	45	3 to 11
	33133	Predator	Conv.	100	13 C	2	38	Cut Squid	25	45	3 to 11

Table 2.—Southern Southeast Inside (SSEI) Subdistrict survey master station list.

Station number	Trip number	Statistical area	Start latitude	Start longitude	End latitude	End longitude	Area description
101	1	325533	55 48.71	132 28.76	55 50.11	132 29.83	Little Ratz Harbor
102	1	325533	55 48.06	132 24.93	55 46.95	132 23.96	Narrow Point
103	1	325531	55 40.87	132 18.48	55 42.30	132 19.65	Tolstoi Point
44	1	325531	55 34.10	132 13.52	55 35.40	132 15.03	Ship Island
37	1	315502	55 28.42	131 58.99	55 29.19	132 01.50	Caamano Island
31	1	315502	55 18.43	131 58.61	55 19.87	132 00.08	Skin Island
107	1	315502	55 10.53	131 54.26	55 12.13	131 54.48	Wedge Island
20	1	315502	55 01.87	131 43.66	55 00.39	131 43.16	Dall Head
109	1	315502	55 05.22	131 45.91	55 06.42	131 47.66	Canoe Cove
118	1	315431	54 39.76	131 47.72	54 38.31	131 47.78	West Devil Rock
119	1	315431	54 36.82	131 57.01	54 35.23	131 57.03	Cape Chacon
120	1	315431	54 32.73	131 51.19	54 34.39	131 51.83	Celestial Reef
121	1	315431	54 32.85	131 44.06	54 31.47	131 44.07	Celestial Reef
122	1	315431	54 33.78	131 40.11	54 35.42	131 40.01	West Devil Rock
123	1	325401	54 26.81	132 0.86	54 26.83	132 03.57	Celestial Reef
110	2	315432	54 59.73	131 50.31	54 58.19	131 50.36	Percy Island
111	2	315432	54 57.15	131 55.09	54 58.64	131 55.00	Ingraham Bay
18	2	315432	54 54.37	131 48.20	54 55.52	131 48.17	Hidden Bay
113	2	315432	54 50.62	131 40.06	54 49.15	131 41.14	West Rock
12	2	315432	54 48.75	131 53.00	54 50.30	131 52.81	Island Point
115	2	315432	54 46.54	131 54.61	54 44.93	131 54.60	McLean Arm
116	2	315432	54 42.83	131 50.46	54 44.29	131 50.43	Cape Chacon
117	2	315432	54 41.04	131 41.73	54 42.55	131 41.64	West Devil Rock
124	2	325431	54 30.51	132 12.54	54 30.53	132 15.40	Point Nunez
125	2	325431	54 32.13	132 21.20	54 32.14	132 18.83	Point Marsh
126	2	325401	54 27.32	132 18.97	54 27.29	132 16.30	Surf Point
127	2	325401	54 27.42	132 26.45	54 27.40	132 23.73	Point Marsh
128	2	325431	54 30.66	132 35.40	54 30.69	132 38.19	Cape Muzon
129	2	325401	54 26.28	132 36.65	54 26.30	132 39.09	Cape Muzon

Table 3.—Station catch per unit effort (CPUE; sablefish per hook) and average sablefish weight (kg) from the 2018 to 2020 Southern Southeast Inside (SSEI) Subdistrict longline surveys with average for all 3 years. In 2019, 5 stations were not fished during the survey due to time constraints of only having 1 charted vessel conducting the survey.

		20	018	2	2019	20)20	Ave	erage
Т	Station	Sablefish	Average	Sablefish	Average	Sablefish	Average	Sablefish	Average
Trip	number	per hook	weight (kg)						
1	20	0.17	1.45	0.21	1.54	0.14	1.64	0.17	1.54
1	31	0.09	1.86	NA	NA	0.10	1.44	0.09	1.65
1	37	0.23	2.40	NA	NA	0.23	2.15	0.23	2.28
1	44	0.34	1.68	NA	NA	0.27	1.57	0.31	1.63
1	101	0.25	1.36	0.17	1.45	0.22	1.81	0.21	1.54
1	102	0.20	1.68	0.16	2.68	0.24	2.61	0.20	2.32
1	103	0.23	1.36	0.20	2.00	0.22	2.07	0.22	1.81
1	107	0.35	1.95	0.35	2.09	0.28	2.10	0.33	2.05
1	109	0.23	2.04	0.24	2.22	0.28	1.89	0.25	2.05
1	118	0.39	1.63	0.22	1.63	0.45	1.91	0.35	1.73
1	119	0.33	1.91	0.26	2.22	0.34	2.25	0.31	2.13
1	120	0.43	1.77	0.23	2.00	0.38	1.68	0.35	1.81
1	121	0.15	1.04	0.13	1.00	0.19	1.42	0.16	1.15
1	122	0.36	1.77	0.13	1.86	0.34	2.17	0.28	1.93
1	123	0.32	1.81	NA	NA	0.38	1.58	0.35	1.70
2	12	0.25	1.09	0.25	1.54	0.31	1.51	0.27	1.38
2	18	0.18	1.13	0.13	1.00	0.16	1.51	0.16	1.21
2	110	0.15	2.27	0.15	1.68	0.20	1.84	0.17	1.93
2	111	0.15	1.41	0.17	1.68	0.12	2.14	0.15	1.74
2	113	0.25	1.50	NA	NA	0.39	1.46	0.32	1.48
2	115	0.11	1.59	0.12	2.00	0.18	1.66	0.14	1.75
2	116	0.15	1.04	0.13	1.18	0.47	1.34	0.25	1.19
2	117	0.08	1.63	0.18	1.77	0.41	1.62	0.22	1.68
2	124	0.19	2.18	0.24	1.86	0.34	2.18	0.26	2.07
2	125	0.32	2.27	0.26	2.31	0.30	1.98	0.29	2.19
2 2	126	0.36	1.95	0.24	1.72	0.47	1.68	0.36	1.79
2	127	0.22	1.77	0.24	1.68	0.59	1.66	0.35	1.70
2	128	0.23	2.81	0.19	2.81	0.27	2.10	0.23	2.58
2	129	0.12	2.27	0.25	1.54	0.38	1.69	0.25	1.83
	Average	0.23	1.77	0.20	1.81	0.30	1.82	0.24	1.80

FIGURES




Figure 1.—Southeast District groundfish management area boundaries in Southeast Alaska waters excluding lingcod and black rockfish: Icy Bay Subdistrict (IBS), East Yakutat (EYKT) Section, Northern Southeast Outside (NSEO) Section, Central Southeast Outside (CSEO) Section, Southern Southeast Outside (SSEO) Section, Northern Southeast Inside (SSEI) Subdistrict and Southern Southeast Inside (SSEI) Subdistrict.




Figure 2.-Southern Southeast Inside (SSEI) survey station locations before and after 2013 survey redesign.




Figure 3.—Eastern cut sablefish.


Female Macroscopic Maturity Guide

Immature

- Two small elongated lobes or enlarging ovaries.
- Translucent (some light should pass through) and smooth.
- · Clear, beige, yellowish, or red if experienced trauma.
- Has not spawned before.







Mature

- · Ovary medium to large in size.
- · Full or flaccid.
- · Flaccid if recently spawned, just beginning to develop yolk, or will skip spawning.
- Full if yolk further developed and eggs enlarged.
- Eggs visible if enlarged but not visible if no yolk or early yolk stage.
- · Beige, yellowish, or somewhat red if experienced trauma or recently spawned.
- · At spawning, eggs will run with light pressure.
- · Has spawned before or may be first time to spawn.



Figure 4.—Female sablefish maturity guide.

Male Macroscopic Maturity Guide

Immature

- · Testes small, narrow, flat; ribbon-like to enlarging with four discernible creases.
- · Clear to light pink.
- · Has not spawned before.





Mature

- Testes large with 4 distinct lobes.
- · Off-white to white.
- · May be full, firm, or shriveled with wrinkles.
- · Will be full if further developed in preparation for spawning.
- · Will be shriveled or firm if recently spawned or early in preparation for spawning.
- When spawning, milt will extrude with slight pressure.
- · Has spawned before or may be first time to spawn.






Figure 5.—Male sablefish maturity guide.

APPENDICES

VESSEL INFORMA	ATION FORM
Year: Survey:	Trip #:
Vessel: Departure Port, Date a	and Time:
Return to port Date ar	nd Time:
Vessel hold type: ICE SLUSH RSW	
ADF&G crew:	·
Skipper and crew:	
	· · · ·
Amount of bait taken: bags @	_ lbs/bag=lbs
Number of sets:	
Amount of bait left over: bags @	lbs/bag=lbs
Processor/tender name:	
Location, date, and time of 1st delivery:	
Est. time to unload:	
Location, date, and time of 2nd delivery:	· · · · · · · · · · · · · · · · · · ·
Est. time to unload:	
Community	
Comments:	

l	YEAR			PROJEC	:Т					TRI	PNUM	IBER	SE	TNUM	IBER	STA	TION	NUM	BER			STA	TAREA	
	202	1		Claren	ce Str	ait Lon	gline				1								101			3	25533	
l																				ı	ittle	Ratz H	larbor	
(ACE	S)																							
	Start Latit					Start Lo	_	9					.a titude	•						End L	_			
l	55 81.18	3				132 47	933					55 8	3.517							132 4	9.717	7		
(Plot	ter)																							
l	START LA	T(DN	1)			START I	ONG(DM)	Depth			END	LAT(DI	M)					- 1	END L	ONG(DM)	Depth	
l	55 48.71					132 28.	76		291			55 5	0.11							132 2	9.83		276	
l				1 st anch							.,]			anchor					
Set				overboar	rd						Χ					_		ov	erboard					
	DATE AND) (mili	itarv)T	IME(SET))	DATE A	ID TIN	IE (H Al	UL)	DAT	E AND	TIME	(HAUL)		DAT	E AN	ID TIM	E (HAU	L)				
l	SECOND	AN CH	OR O	VE R		FIRSTB	UOYO	NBOA	AR D	FIR	ST AN	CHOR	ONBO	AR D		SE C	ONE	ANCH	OR O	NBOA	RD			
l					7 [<u> </u>					7	Soak	time = 3-1	1
l	5/				╛	5 /				5 /						5/					╛	Ancho	or to Anch	or
l	START DE	РТН		END DE	РТН	AVERAG	E DEF	тн		HAULBA	CK		SU	B STR	ATE	WIN	D DI	RECTI	ON AT	HAUL		W	IN D	
l									Ī	same as	set		Mu	ıd		Caln	n, N,	NE,E,S	E,S,S\	N,W,N	w	SI	PEED	
l										opposite	of set	:	Mu	ıd/grav	el								0	
l														ıd/clay									0-5	
l	comments	•		scribe										ıd/shel									5-15	
l	whales?	Y/N												ıd/soft								- 1	15-25	
l	sharks?	Y/N												ıd/hard	1								25-35	
l	problems?	Y/N	l										Cla										35-45	
l													Sai									_ '	45-55	
l														avel										
l														ulder bble										
													Ro					1.	at/Lon	ae an	d Time	20		
l													Ha						T BE	_				
l													So									ations,		
l													Sh						dition				,	
l														ral				III au		ACE		y uata		
l														ked						ACL	3			
l														known										
18	•															_								E C
ANCHOR						D a 44) me El -			donth of		leat-1												ANCHOR
1						Bottom I	ronie	(r	ecord	depth at	eacn s	kate)		ı			1	_	1					₹
IJ						1																		


Appendix C.-Daily log form.

Document pertiner		ormation Form- Daily Log d, factors on CPUE, events, skipper comments, ideas for the future, etc
Year:	Survey:	Trip #:
		•


Appendix D.-At-Sea Electronic Sampling (ACES) main application screen.




Appendix E.-At-Sea Electronic Sampling (ACES) set information screen.




Appendix F.–At-Sea Electronic Sampling (ACES) coordinate and time screen, and ACES depth screen for the first anchor.





Appendix G.-At-Sea Electronic Sampling (ACES) hook accounting screen and species screen.



	ISIBUO	y:time: 1st Anchor:time: substrate 2nd Anchor:time substrate
SUBS	SET 12	Bare(1): /// /// // Invalids(3):
#	10	Bait(2): //// /// 5
1 1	12	(710) Sable(1): 5 / / Discard Whale Orca(24): Sperm(23):
	2	Discard Hagfish(22): Discard Sm.(3) Lost(4): // Discard Gen(2): Discard Flea(10): Discard Shark(11)
1	6	(691) Dogfish: /// (212) Hagfish: // (714) Ratfish:
1		(200) Halibut: Discard healthy(7) Retained(1) (143) Thornyhead:
		(110) Pacific Cod: (151) RE: (152) SR: (153) RB:
VALIE		(700) OSK: / (701) LNSK: / (121) ATF: / (124) Dover: (692) Pacific Sleeper:
Yor	N 45	TOTAL
		hook snarl w/: whales p
CLIDS	ET /5/z	Bare(1): /// /// Invalids(3): /. /.
#	1/2/2	Bare(1): /// /// Invalids(3): /, /, Bait(2): /// ///
l" ૣ	12	(red) Sabla(d). (F)
2	13	(710) Sable(1): (9)
l	2	Discard Hagfish(22): Discard Sm.(3) / Lost(4): / Discard Gen(2): Discard Flea(10): Discard Shark(11)
1		(691) Dogfish: (212) Hagfish: / (714) Ratfish:
l	 	(200) Halibut: Discard healthy(7) Retained(1) (143) Thornyhead: (110) Pacific Cod: (151) RE: (152) SR: (153) RB:
VALID	? /	(700) OSK: / (701) LNSK: (121) ATF: (124) Dover: (692) Pacific Sleeper:
Yør		TOTAL (124) Dover. (052) Pacific Sleeper.
		hook snarl w/: whales p
		(Orca/S
SUBS	ET 8(14)	Bare(1): UH /// Invalids(3): 7. (a /
#	5	Bait(2): ///1
3	(12)	(710) Sable(1) 6 / 144 5 / 141 / Discard Whale Orca(24): Sperm(23):
		Discard Hagfish(22): Discard Sm.(3) Lost(4): Discard Gen(2): Discard Flea(10): Discard Shark(11)
		(691) Dogfish: (212) Hagfish: (714) Ratfish:
	6	(200) Halibut: Discard healthy(7) Retained(1) /// (143) Thornyhead: ///
		(110) Pacific Cod: (151) RE: (152) SR: (153) RB:
VALID		(700) OSK: (701) LNSK: (121) ATF: (124) Dover: (692) Pacific Sleeper:
Yor	y 45	Thook snarl w/: whales pr
		- 1 6
		(Orca/S
CLIDCI	=T /// \	Paro(1): 111/
SUBSE	T 4(7)	Bare(1): /// Invalids(3): 7
#	10 10	Bait(2): /// ////
SUBSI # 4	10 17	Bait(2): /// /// 5 (710) Sable(1): (4) /// 5 /// 14/ 14/ 1// Discard Whale Orca(24): Sperm(23):
#	10 17	Bait(2): /// // // // // // // // // // // // //
#	10 17 17	Bait(2): /// /// 5 /// / /// 5 /// / /// Discard Whale Orca(24): Sperm(23): Discard Hagfish(22): Discard Sm.(3) Lost(4): Discard Gen(2): Discard Flea(10): Discard Shark(11): (691) Dogfish: /// (212) Hagfish: // (714) Ratfish: //
#	10 17 17	Bait(2):
# _4	10	Bait(2): /// /// /// /// /// /// //// //// Discard Whale Orca(24): Sperm(23): Discard Hagfish(22): Discard Sm.(3) Lost(4): Discard Gen(2): Discard Flea(10): Discard Shark(11): (691) Dogfish: /// (212) Hagfish: // (714) Ratfish: // (200) Halibut: Discard healthy(7) Retained(1) (143) Thornyhead: (110) Pacific Cod: (151) RE: (152) SR: (153) RB:
# _4	10 17	Bait(2):
# 4 VALID	10 17	Bait(2): /// /// Discard Whale Orca(24): Sperm(23): Discard Hagfish(22): Discard Sm.(3) Lost(4): Discard Gen(2): Discard Flea(10): Discard Shark(11) (691) Dogfish: /// (212) Hagfish: // (714) Ratfish: // (200) Halibut: Discard healthy(7) Retained(1) (143) Thornyhead: (110) Pacific Cod: (151) RE: (152) SR: (153) RB: (700) OSK: (701) LNSK: (121) ATF: (124) Dover: (692) Pacific Sleeper:
# 4 VALID YORK	10 17	Bait(2):
# 4 VALID YORK	10 17	Bait(2):
# 4 VALID YORK	10 17	Bait(2):
# 4 VALID YORK	10 17	Bait(2):
# 4 VALID YORK	10 17 9 147	Bait(2):
# 4 VALID YORK	10 17 9 147	Bait(2):
# 4 VALID YORK	10 17 9 147	Bait(2):
# 4 VALIDOTO YOU	10 17 4 147 14 4 4 2 1 6	Bait(2): /// /// Sable(1): // /// /// /// /// /// /// /// //// /// ////
# 4 VALID	10 17 4 47 14 14 4 2 1 6	Bait(2):
# 4 VALIDOTO YORK	10 17 4 47 14 14 4 2 1 6	Bait(2): /// /// Sable(1): /// /// /// /// /// /// /// /// //// /// ////
# 4 VALID	10 17 4 47 14 14 4 2 1 6	Bait(2):

Appendix I.-Hook conditions and dispositions assigned as the hook breaks the water surface.

HOOK CONDITION	DESCRIPTION						
Bare	a clean bare hook that appears to be in good condition						
Bait	bait is attached to a hook						
Invalid	hook that is bent or hooked to another hook, or within a snarl of other hooks, or is missing as the gangion breaks the surface; hook with kelp, rock, stick, shell, old longline gear, or other debris						
Hag slime	hook with any sign of hagfish slime						
Halibut	hook with a halibut attached						
Discard	hook with a halibut discarded						
Retained	hook with a halibut retained						
Discard thornyhead	hook with a thornyhead discarded						
Sablefish	hook with a sablefish attached and fish is landed on deck and retained						
Discard Lost	hook with a sablefish and fish escapes before being landed on deck						
Discard Small	hook with a sablefish attached less than 45 cm (18 in); gently discarded at sea						
Discard Hagfish	hook with a sablefish attached but too damaged to be marketable; discarded at sea						
Discard Other	hook with a sablefish attached but not marketable (e.g., fish wrapped or cut in half by groundline, damaged by fleas, whales, or another scenario that made the fish unmarketable); discarded at sea Note: during data verification, edit to the appropriate discard status						
Shortraker (SR)	hook with a shortraker rockfish						
Rougheye (RE)	hook with a rougheye rockfish						
Redbanded (RB)	hook with a redbanded rockfish						
Longnose skate (LNSK)	hook with a longnose skate						
Other skate (OSK)	hook with a different skate species (not longnose)						
Black hagfish	hook with a black hagfish						
Dogfish	hook with a dogfish						
Pacific cod (Pcod)	hook with a Pacific cod						
Arrowtooth flounder (ATF)	hook with an arrowtooth flounder						
Other species	hook with a species on the Other Species tab in ACES						
Ratfish	hook with a ratfish						
Dover	hook with a dover						
Coral	a hook returning with a coral attached Note: during data finalization, edit to appropriate coral: red tree or general coral						
Sleeper shark	hook with a Pacific sleeper shark						
Pollock	hook with a pollock						
Lingcod	hook with a lingcod						
Golden king crab	hook with a golden king crab						
Grenadier	hook with a grenadier						
Octopus	hook with an octopus						
Yellowtail	hook with a yellowtail						
Pacific hake	hook with a pacific hake						
Other fish/crab	hook with any other species of fish or crab						
- June justive i do	nook with any other species of fish of clau						

Appendix J.-Vessel summary form.

Year_		ssel		_ Trip				ence Long	gline Sur	vey - Ve	essel Su					
A	В	С	D	E	F		Н		J	K	L	M	N	0	Р	Q
			Smalls, Lost & discards. & (discard	Invalid sablefish (from invalid skates	Total sablefish for cpue (includes smalls, lost and discards but not	Total hooks for cpue: use 45 hooks X number of valid skates (1125 hks if all	CPUE fish/hook	CPUE fish/hook	Number of sablefish on board (includes invalids but not small, lost or discards)		Avg rnd Ibs		Total md	Cumulative	Rnd lbs	
Date	Sta#	Set	only)	only)	invalids)	valid)	(F/G)		(F-D)+E	Avg kg			set (J*L)	board	((D)*L)	Stat area
			()													
			()													
			()													
			()													
			()													
			()													
			()													
			()													
	Date of I	Landing	,		Landed we	eight			Statarea 9	%						

Appendix K.-Main screen for Groundfish at-sea survey sampling application and notes/otolith comments pop-up menu.

Appendix L.-Sablefish biological data collection form.

YEAR:	2014 Sablefis Sablefis Enter O	h are to be re h Oto # begin	corded or s with 1 a n Alex con lex (spec	n one s nd con	ait Sa eries o tinues t colur	ablefish of pages sequen nn as "e	Surve , all ro- tially fo	ckfish or the e	O14 Set RIP NO.: will be together or entire trip. mat cutively including	n a seperate seri	es.	
Alex#	Species	LENGTH-MM	WT-KGS	SEX	MAT	Oto#	AGE	RI	COM	MENTS	Alex#	L
	710									'		
				-								Γ
											1	r
										·	-	H
											-	\vdash
					-						-	1
												1
												L
												L
												Γ
			<u> </u>								+-	r
			·		-						 -	t
	· ·					-						H
							_				- 	H
											+	H
												ļ
												L
						,						ſ
												r
		,										T
	1.										-	H
	,											\vdash
						L			, ,			L
		Sampler				Record	er					

Appendix M.–Example of 24-cell sablefish otolith tray label (front and back) and information written on front of completed 24-cell sablefish otolith tray.

ALASKA DEPT. OF FISH & GAME - AGE DETERMINATION UNIT	
SAMPLE DATE: 5/18/20 TRAY NO. 1 OF PORT/LOCATION: 2055EI~Trip1 SAMPLE ID: 2055EI~1 1-24 SPECIES: Sablefish (710)	
SAMPLERS: Ebert COMMENTS: No otos: #12 1 otos: #2, #7	
ADU CONTACT INFO: 907-465-3054(v); 907-465-2765(f); ADU @fishgame.state.ak.us BOX 25526, JUNEAU, AK 99802	

A1 Site sample no. in cells below (ex. SILC):1. 2.3. 33LGSS 29. 22) Use dark pencil or indelible tall. A1 Site sample no. in cells below (ex. SILC):1. 2.3. 33LGSS 29. 22) Use dark pencil or indelible tall. 5 6
9 8 9 10 11 12
13 (14) (15) (16) (17) (18)
19 20 21 Q2 Q3 Q3 Q44 D6 Affic label w/ ZX tops, if needed, Use 2 congression plates. Secure M/ with nubberbands or tape along side.

Affix label w/ 2X tape, if needed, Use 2 compression plates. Secure lid with nubberbands or tape along side.
SSEI TRIP#
Specimen otolith # range (1-24)
Case #1 of
(fill in end of survey when total known)

Appendix N.-Deck tag recovery form.

Deck Tag Recovery Form - SSEI Longline Survey							
YEAR:							
Tag #	Set #	Length-cm	Weight-kg	Sex	Maturity	Agency	

ADFG Survey Tag Recovery Form								
for use only for tags with logbook trip number and set number								
F/V :	Logbook(Trip) #	Date of Landing:yr						
Species	Set Number	Port of landing						
Attach tags here (so tag numbers are visible)	Tag Number Tag Number Tag Number Tag Number Tag Number	Sizecm rnd Sizecm rnd Sizecm rnd						
Data entered (date)	Recovery Info: survey	Tag turned in by: survey						
Sampler Please put your name in here if you are the one filling in this form	Return to: ADFG; 304 Lake St., Room 103; Sitka AK 99835 revised 05/04/05							

Appendix P.–Vessel safety checklist form. **Vessel Safety Checklist** (Must be completed and signed prior to departure. Statements in RED are no-go items. If these cannot be answered with a "Yes" or fixed prior to start of survey the vessel may not depart!) YYYY Circle One Prior to the departure of the _____ SSEI/NSEI longline survey the ADF&G science crew (______ and _____) met with (vessel captain) to discuss vessel safety procedures and equipment. This meeting took place onboard the FV _____ at Time and Date . During this meeting we saw and discussed: 6) During this safety check we have: 1) The USCG Commercial Fishing Safety Decal (typically located on window of wheelhouse). Seen the location of radios and discussed emergency We verified that this sticker is valid through call procedures (these are posted) the end of this survey (Yes) (No) Discussed emergency alarms and procedures (duties, 2) The life raft is located in a float-free location. muster station, etc.) The life raft has sufficient capacity for Seen the location of fire extinguishers, especially those everyone who will be on board during this near high-risk areas Know the location of primary and secondary first aid (Yes) (No) survey Seen station bill and have discussed our duties, if any, 3) The Hydrostatic Release on the life raft is during the listed emergencies correctly set up (see diagram on back) and the Seen location of vessel flares and have discussed hydrostatic release expiration date is valid which types are available through survey (Yes) (No) 7) We have also discussed: 4) The EPIRB on this vessel was located and is: Located in a float-free location (Yes) (No) ☐ The expected workflow and safe areas for us to be on Hydrostatic release expiration date is valid Our mandatory daily check-in procedures with home through survey (Yes) (No) port Battery and NOAA Registration sticker are Verified, if needed, any allergies, potential medical conditions or dietary requirements of science crew valid through survey Where our sampling gear, including raingear, should be stowed to be both accessible to us but not 5) There are sufficient immersion suits onboard infringing upon crew space for all crew. Both members of the science Where we can safely plug in and charge our crew have their own and know where these will be stowed electronics, both during the day and overnight (Yes) (No) As the science crew onboard this vessel for the SSEI/NSEI longline survey we certify that we participated in the above safety check in person and that the above checked statements are true to the best of our knowledge (sign and date). _____ (Lead) _____ (Crew)

Appendix P.-Page 2 of 2.



Commercial Fishing Vessel Safety Examination – Sticker typically located on window of wheelhouse. Verify that expiration date is after survey dates.






EPIRB – Needs to be located in a float-free location. Check registration, expiration dates on hydrostatic release, and battery. Verify that expiration dates are after survey dates.



Examples of life rafts – need to be in float-free locations. Check capacity (large enough for all personnel onboard). Check expiration dates – verify that these are after survey dates.



Setup of hydrostatic release for life raft. Verify that this is correctly assembled. Verify that expiration dates are after survey dates.



Fire extinguishers – there need to be fire extinguishers in all hazard areas on board. This includes the galley, entry to engine room, outside crew quarters, and wheelhouse.



Example of Station Bill – This should include crew duties during major emergencies; Abandon ship, Fire, Man Overboard

Vessel Diagram

At beginning of survey please make a sketch of working area of boat. Try to include locations for setting and hauling, area where hook accounting and biological sampling staff will typically stand, identify crew work areas, roller, block, direction of line, checker bins, and identify hazard areas.

Vessel Name: ______ (Lead)
Scientific Staff: _____ (Crew)

Stern

