Rocky Lake

Data Summary

Species Rb

Year	Stocking Record		Sport Catch									Net Catch								
			size composition by %							Aver.	Fish/	size composition by %							Aver.	Fish/night
	no/lb	Total no.	8	10	12	14	16	18	19+	Length	Hour	8	10	12	14	16	18	19+	Length	Net Hr
1958	252-2000	25,000											4		1				10.5	.53 (9/1) 1 net
1959	500-2300	48,000										2	2		1	1			10.9	.65 (8/30) 1 net
1960	730-960	15,000										3	1	3	3				10.4	.71 (5/8)
1961	393	6,000													3		1		15.6	.22 (8/24)
1962	342-1820	38,260														1			16.3	.06 (8/20)
1963	3056	9,168						3	3	18.5	.08									
1964		5,600																		
1965		5,600																		

FG-85

ALASKA DEPARTMENT OF FISH AND GAME
SPORT FISH DIVISION

FISH STOCKING RECORD

PART 1. (Fill out at hatchery)

HATCHERY FIRE LAKE DATE 8/17/61

LAKE Rocky

LOCATION WASILLA AREA

HATCHERY TEMPERATURE 56° TANK TEMPERATURE 58°

SPECIES RB LOT NO. 3

ORIGIN SOAP LAKE WASH. AGE 3½ Mo.

PER LB. 250 LBS. 5 NO. 1,250

CONDITION VERY GOOD

DEPARTURE TIME 10:40 A.M. P.M. METHOD TRUCK

PART 2. (Fill out immediately after stocking)

MORTALITY NONE NO. STOCKED 1,250

TIME PLANTED 1215 A.M. P.M. CONDITION VERY GOOD

SURFACE TEMPERATURE 65° TANK TEMPERATURE 62°

REMARKS:

PLANTED BY Don Barnes

WITNESSED BY _____
HATCHERY

FG-85

ALASKA DEPARTMENT OF FISH AND GAME
SPORT FISH DIVISION

FISH STOCKING RECORD

PART 1. (Fill out at hatchery)

HATCHERY FIRE LAKE DATE 8/17/61

LAKE Rocky

LOCATION PALMER AREA

HATCHERY TEMPERATURE 56° TANK TEMPERATURE 58°

SPECIES RB LOT NO. 3

ORIGIN Soap Lake Wash. AGE 3 mo.

PER LB. 395 LBS. 15 1/16 NO. 6,000

CONDITION VERY GOOD

DEPARTURE TIME 9:40 A.M. P.M. METHOD TRUCK

PART 2. (Fill out immediately after stocking)

MORTALITY NONE NO. STOCKED 6,000

TIME PLANTED 11:20 A.M. P.M. CONDITION VERY GOOD

SURFACE TEMPERATURE 68° TANK TEMPERATURE 61°

REMARKS:

PLANTED BY Don Barnes

WITNESSED BY _____
HATCHERY

Rocky Lake, Matanuska Valley

1955 ?

Rehabilitatied in 1953 and restocked as follows:
1953 - 12,225 rainbow fry.
1954 - 10,000 cutthroat fry.
7,160 steelhead fry.

Two overnight sampling sets:
46 rainbow, 11.7 inches to 8.9 inches, all extremely deep bodied.

Observed surface activity during the summer and the results of the fall sampling very good survival and growth in Rocky Lake.

Rockey Lake Planting Record

Aug. 6-26-28-1953	12,225	R.B.	@ 1,550 & 750 per lb	
July 17-1954	19,000	Cutt.	@ 2,000 per lb.	
Aug 14-1954	2,160	S.H.	" 1,790 " "	
July 14-1955	19,836	R.B.	" 2,088 " "	Lot 1
Aug 23-1955	10,930	S.H.	" 1458 " "	" 4
July 19-1956	9,760	R.B.	" 2440 " "	" 2
	1,030	R.B.	" 2060 " "	" 1
Aug. 20-1956	7,360	S.H.	" 1840 " "	" 6
Oct. 8-1956	2,000	R.B.	" 290 " "	" RV.
	500	R.B	" 180 " "	AD.
	2,000	S.H.	" 343 " "	LV.
	500	R.B.	" 207 " "	Lot 4
June 8-1957	18,000	R.B	" 1027 " "	" 1
June 18-1958	18,000	R.B	" 2000 " "	" 2
July 16-1958	2,000	R.B	" 252 " "	" 3
Aug. 1-1958	5,000	S.H.	" 1800 " "	" 4