


Bristol Bay Sockeye Salmon Fishery

Port Moller Sockeye Salmon Stock Composition Summary June 20–21, 2011 – All Stations – Corrected

Genetic stock composition estimates for sockeye salmon from the Port Moller Test Fishery for June 20–21, 2011. A total of 476 fish were sampled and 190 were analyzed (189 had adequate data to include in the analysis). Note that these estimates differ from those released on June 24.

Reporting Group	Stock	90%	
	Composition Estimate	Lower	Upper
Kuskokwim Bay	0.1%	0.0%	0.3%
Togiak River	0.0%	0.0%	0.0%
Igushik River	0.5%	0.0%	3.8%
Wood River	23.5%	17.6%	29.6%
Nushagak River	3.4%	0.8%	7.8%
Kvichak River	19.5%	14.1%	25.3%
Alagnak River	2.3%	0.7%	4.6%
Naknek River	14.8%	10.0%	20.2%
Egegik River	22.8%	12.8%	33.9%
Ugashik River	10.9%	0.3%	20.5%
North Peninsula	2.2%	0.0%	6.2%


Genetic Stock Composition Estimates for Sockeye Salmon Captured in the Port Moller Test Fishery, June 20–21, 2011 (All Stations – Corrected).




The genetic analysis was completed by the Alaska Department of Fish and Game, Division of Commercial Fisheries, Gene Conservation Laboratory.

Historical Comparison of Stock Composition Estimates


2011



2010




2009




Date

Historical Comparison of Stock Composition Estimates


2008



2007



2006



Date