


Bristol Bay Sockeye Salmon Fishery

Port Moller Sockeye Salmon Stock Composition Summary June 25–26, 2013 – All Stations

Genetic stock composition estimates for sockeye salmon from the Port Moller Test Fishery for June 25–26, 2013. A total of 295 fish were sampled and 190 were analyzed (186 had adequate data to include in the analysis).

Reporting Group	Stock	90%	
	Composition Estimate	Lower	Upper
North Peninsula	0.8%	0.0%	6.5%
Ugashik	11.5%	0.8%	22.1%
Egegik	22.8%	14.5%	33.8%
Naknek	11.8%	5.2%	19.1%
Alagnak	1.3%	0.0%	10.4%
Kvichak	27.8%	18.3%	37.5%
Nushagak	11.2%	0.8%	20.6%
Wood	10.8%	5.4%	16.6%
Igushik	0.6%	0.0%	4.8%
Togiak	1.3%	0.0%	5.9%
Kuskokwim	0.3%	0.0%	2.7%


Genetic Stock Composition Estimates for Sockeye Salmon Captured in the Port Moller Test Fishery, June 25–26, 2013 (All Stations).




The genetic analysis was completed by the Alaska Department of Fish and Game, Division of Commercial Fisheries, Gene Conservation Laboratory.

Historical Comparison of Stock Composition Estimates


2013



2012




2011




Date

Historical Comparison of Stock Composition Estimates


2010



2009



2008



Date