

Substitute language for Proposal 130

<u>5 AAC 01.236. Customary and traditional subsistence uses of fish stocks and amounts necessary for subsistence uses.</u> (a) The Alaska Board of Fisheries (board) finds that the following fish stocks are customarily and traditionally taken or used for subsistence:

- (1) king, summer chum, fall chum, coho, and pink salmon in the Yukon Area;
- (2) freshwater fish species, including sheefish, whitefish, lamprey, burbot, sucker, grayling, pike, and char;
- (3) herring and herring roe, within 20 miles of the coast between the terminus of the Black River and the westernmost point of the Naskonat Peninsula; and
- (4) all finfish, other than salmon and herring, in the salt waters of the Yukon Area.
- (b) The board finds that in the Yukon Area the following amounts of fish are reasonably necessary for subsistence uses:
 - (1) king salmon: 45,500 66,704;
 - (2) summer chum salmon: 83,500 142,192;
 - (3) fall chum salmon: 89,500 167,900;
 - (4) coho salmon: 20,500 51,980;

(5) pink salmon: 2,100 - 9,700. (Eff. 5/15/93, Register 126; am 6/10/98, Register 146; am 6/17/2001, Register 158; am 5/19/2004, Register 170; am 7/13/2012, Register 203)

Substitute language for Proposal 130

5 AAC 01.236. Customary and traditional subsistence uses of fish stocks and amounts necessary for subsistence uses. (a) The Alaska Board of Fisheries (board) finds that the following fish stocks are customarily and traditionally taken or used for subsistence:

- (1) king, summer chum, fall chum, coho, and pink salmon in the Yukon Area;
- (2) freshwater fish species, including sheefish, whitefish, lamprey, burbot, sucker, grayling, pike, and char;
- (3) herring and herring roe, within 20 miles of the coast between the terminus of the Black River and the westernmost point of the Naskonat Peninsula; and
- (4) all finfish, other than salmon and herring, in the salt waters of the Yukon Area.
- (b) The board finds that in the Yukon Area the following amounts of fish are reasonably necessary for subsistence uses:
 - (1) king salmon: 45,500 66,704;
 - (2) summer chum salmon: 83,500 142,192;
 - (3) fall chum salmon: 89,500 167,900;
 - (4) coho salmon: 20,500 51,980;

(5) pink salmon: 2,100 – 9,700. (Eff. 5/15/93, Register 126; am 6/10/98, Register 146; am 6/17/2001, Register 158; am 5/19/2004, Register 170; am 7/13/2012, Register 203)

Substitute language for Proposal 130

5 AAC 01.236. Customary and traditional subsistence uses of fish stocks and amounts necessary for subsistence uses. (a) The Alaska Board of Fisheries (board) finds that the following fish stocks are customarily and traditionally taken or used for subsistence:

- (1) king, summer chum, fall chum, coho, and pink salmon in the Yukon Area;
- (2) freshwater fish species, including sheefish, whitefish, lamprey, burbot, sucker, grayling, pike, and char;
- (3) herring and herring roe, within 20 miles of the coast between the terminus of the Black River and the westernmost point of the Naskonat Peninsula; and
- (4) all finfish, other than salmon and herring, in the salt waters of the Yukon Area.
- (b) The board finds that in the Yukon Area the following amounts of fish are reasonably necessary for subsistence uses:
 - (1) king salmon: 45,500 66,704;
 - (2) summer chum salmon: 83,500 142,192;
 - (3) fall chum salmon: 89,500 167,900;
 - (4) coho salmon: 20,500 51,980;
- (5) pink salmon: 2,100 9,700. (Eff. 5/15/93, Register 126; am 6/10/98, Register 146; am 6/17/2001, Register 158; am 5/19/2004, Register 170; am 7/13/2012, Register 203)

Substitute language for Proposal 130

<u>5 AAC 01.236.</u> Customary and traditional subsistence uses of fish stocks and amounts necessary for subsistence uses. (a) The Alaska Board of Fisheries (board) finds that the following fish stocks are customarily and traditionally taken or used for subsistence:

- (1) king, summer chum, fall chum, coho, and pink salmon in the Yukon Area;
- (2) freshwater fish species, including sheefish, whitefish, lamprey, burbot, sucker, grayling, pike, and char;
- (3) herring and herring roe, within 20 miles of the coast between the terminus of the Black River and the westernmost point of the Naskonat Peninsula; and
- (4) all finfish, other than salmon and herring, in the salt waters of the Yukon Area.
- (b) The board finds that in the Yukon Area the following amounts of fish are reasonably necessary for subsistence uses:
 - (1) king salmon: 45,500 66,704;
 - (2) summer chum salmon: 83,500 142,192;
 - (3) fall chum salmon: 89,500 167,900;
 - (4) coho salmon: 20,500 51,980;

(5) pink salmon: 2,100 – 9,700. (Eff. 5/15/93, Register 126; am 6/10/98, Register 146; am 6/17/2001, Register 158; am 5/19/2004, Register 170; am 7/13/2012, Register 203)